

# SAFETY DATA SHEET



## Multivitamin (with Sunflower Oil) Formulation

Version 5.0      Revision Date: 14.04.2025      SDS Number: 6599053-00012      Date of last issue: 04.12.2024  
Date of first issue: 15.10.2020

---

### SECTION 1: IDENTIFICATION

Product name : Multivitamin (with Sunflower Oil) Formulation

#### Manufacturer or supplier's details

Company : Intervet Australia Pty Limited (trading as MSD Animal Health)

Address : 91-105 Harpin Street  
Bendigo 3550, Victoria Australia

Telephone : 1 800 033 461

Emergency telephone number : Poisons Information Centre: Phone 13 11 26

E-mail address : EHSDATASTEWARD@msd.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS Classification

Skin sensitisation : Category 1

Reproductive toxicity : Category 1A

Specific target organ toxicity - repeated exposure : Category 2 (Liver)

#### GHS label elements

Hazard pictograms : 

Signal word : Danger

Hazard statements : H317 May cause an allergic skin reaction.  
H360D May damage the unborn child.  
H373 May cause damage to organs (Liver) through prolonged or repeated exposure.

Precautionary statements : **Prevention:**

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

# SAFETY DATA SHEET



## Multivitamin (with Sunflower Oil) Formulation

Version  
5.0

Revision Date:  
14.04.2025

SDS Number:  
6599053-00012

Date of last issue: 04.12.2024  
Date of first issue: 15.10.2020

---

P260 Do not breathe mist or vapours.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

### **Response:**

P302 + P352 IF ON SKIN: Wash with plenty of water.  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

### **Storage:**

P405 Store locked up.

### **Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

### **Other hazards which do not result in classification**

None known.

---

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### **Components**

Chemical name	CAS-No.	Concentration (% w/w)
Sunflower oil	8001-21-6	>= 60 -<= 100
Retinyl propionate	7069-42-3	>= 1 -< 10
(dl)-a-Tocopheryl acetate	7695-91-2	< 10
Benzyl alcohol	100-51-6	>= 1 -< 10
Colecalciferol	67-97-0	< 0.3

## SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.

In case of eye contact : Flush eyes with water as a precaution.  
Get medical attention if irritation develops and persists.

# SAFETY DATA SHEET



## Multivitamin (with Sunflower Oil) Formulation

---

Version 5.0	Revision Date: 14.04.2025	SDS Number: 6599053-00012	Date of last issue: 04.12.2024 Date of first issue: 15.10.2020
----------------	------------------------------	------------------------------	---

---

If swallowed	: If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	: May cause an allergic skin reaction. May damage the unborn child. May cause damage to organs through prolonged or repeated exposure.
Protection of first-aiders	: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	: Treat symptomatically and supportively.

---

## SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	: None known.
Specific hazards during fire-fighting	: Exposure to combustion products may be a hazard to health.
Hazardous combustion products	: Carbon oxides
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

---

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	: Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.

**Multivitamin (with Sunflower Oil) Formulation**Version  
5.0Revision Date:  
14.04.2025SDS Number:  
6599053-00012Date of last issue: 04.12.2024  
Date of first issue: 15.10.2020

Methods and materials for containment and cleaning up : Soak up with inert absorbent material. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

**SECTION 7. HANDLING AND STORAGE**

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Do not get on skin or clothing.  
Do not breathe mist or vapours.  
Do not swallow.  
Avoid contact with eyes.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Keep container tightly closed.  
Do not eat, drink or smoke when using this product.  
Take care to prevent spills, waste and minimize release to the environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Contaminated work clothing should not be allowed out of the workplace.  
Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

Conditions for safe storage : Keep in properly labelled containers.  
Store locked up.  
Keep tightly closed.  
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents

## Multivitamin (with Sunflower Oil) Formulation

Version 5.0      Revision Date: 14.04.2025      SDS Number: 6599053-00012      Date of last issue: 04.12.2024  
 Date of first issue: 15.10.2020

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Sunflower oil	8001-21-6	TWA (Mist)	10 mg/m <sup>3</sup>	AU OEL
(dl)-a-Tocopheryl acetate	7695-91-2	TWA	5000 µg/m <sup>3</sup> (OEB 1)	Internal
Colecalciferol	67-97-0	TWA	5 µg/m <sup>3</sup> (OEB 4)	Internal
		Wipe limit	50 µg/100 cm <sup>2</sup>	Internal

#### Engineering measures

- The information below is intended for larger pilot/commercial-scale operations and manufacturing. For smaller scale, clinical, or pharmacy settings, site-specific internal risk assessment practices should be conducted to determine appropriate exposure control measures. The health hazard risks of handling this material are dependent on multiple factors, including but not limited to physical form and quantity handled. If applicable, use process enclosures, local exhaust ventilation (e.g., Biosafety Cabinet, Ventilated Balance Enclosures), or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels as low as reasonably achievable.
- All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
- Essentially no open handling permitted.
- Use closed processing systems or containment technologies. If handled in a laboratory, use a properly designed biosafety cabinet, fume hood, or other containment device if the potential exists for aerosolization. If this potential does not exist, handle over lined trays or benchtops.

#### Personal protective equipment

Respiratory protection	: If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Filter type	: Organic vapour type
Hand protection	
Material	: Chemical-resistant gloves
Remarks	: Consider double gloving.
Eye protection	: Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

## SAFETY DATA SHEET



## Multivitamin (with Sunflower Oil) Formulation

Version Revision Date: SDS Number: Date of last issue: 04.12.2024  
5.0 14.04.2025 6599053-00012 Date of first issue: 15.10.2020

Skin and body protection : Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	transparent
		amber
Odour	:	No data available
Odour Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	0.925 g/cm <sup>3</sup>
Solubility(ies)		
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable

# SAFETY DATA SHEET



## Multivitamin (with Sunflower Oil) Formulation

Version 5.0      Revision Date: 14.04.2025      SDS Number: 6599053-00012      Date of last issue: 04.12.2024  
Date of first issue: 15.10.2020

---

Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	
Viscosity, kinematic	: No data available
Explosive properties	: Not explosive
Oxidizing properties	: The substance or mixture is not classified as oxidizing.
Molecular weight	: No data available
Particle characteristics	
Particle size	: Not applicable

---

## SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Can react with strong oxidizing agents.
Conditions to avoid	: None known.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: No hazardous decomposition products are known.

---

## SECTION 11. TOXICOLOGICAL INFORMATION

Exposure routes	: Inhalation Skin contact Ingestion Eye contact
-----------------	--

### Acute toxicity

Not classified based on available information.

### Product:

Acute oral toxicity	: Acute toxicity estimate: > 2,000 mg/kg Method: Calculation method
---------------------	--

### Components:

#### **Sunflower oil:**

Acute oral toxicity	: LD50 (Rat): > 2,000 mg/kg Remarks: Based on data from similar materials
Acute dermal toxicity	: LD50 (Rat): > 2,000 mg/kg Remarks: Based on data from similar materials

**Multivitamin (with Sunflower Oil) Formulation**

Version 5.0      Revision Date: 14.04.2025      SDS Number: 6599053-00012      Date of last issue: 04.12.2024  
Date of first issue: 15.10.2020

---

**Retinyl propionate:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute oral toxicity

**(dl)-a-Tocopheryl acetate:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 (Rat): > 3,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

**Benzyl alcohol:**

Acute oral toxicity : LD50 (Rat): 1,200 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.4 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: The substance or mixture has no acute inhalation toxicity

**Colecalciferol:**

Acute oral toxicity : LD50 (Rat, male): 35 mg/kg

Acute inhalation toxicity : Acute toxicity estimate: 0.05 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Expert judgement

Acute dermal toxicity : Acute toxicity estimate: 50 mg/kg  
Method: Expert judgement

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****Sunflower oil:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation  
Remarks : Based on data from similar materials

**Retinyl propionate:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Mild skin irritation

# SAFETY DATA SHEET



## Multivitamin (with Sunflower Oil) Formulation

Version 5.0      Revision Date: 14.04.2025      SDS Number: 6599053-00012      Date of last issue: 04.12.2024  
Date of first issue: 15.10.2020

---

### **(dl)-a-Tocopheryl acetate:**

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

### **Benzyl alcohol:**

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

### **Serious eye damage/eye irritation**

Not classified based on available information.

### **Components:**

#### **Sunflower oil:**

Species	:	Rabbit
Result	:	No eye irritation
Remarks	:	Based on data from similar materials

#### **Retinyl propionate:**

Species	:	Rabbit
Result	:	No eye irritation
Method	:	OECD Test Guideline 405

#### **(dl)-a-Tocopheryl acetate:**

Species	:	Rabbit
Result	:	No eye irritation
Method	:	OECD Test Guideline 405

#### **Benzyl alcohol:**

Species	:	Rabbit
Result	:	Irritation to eyes, reversing within 21 days
Method	:	OECD Test Guideline 405

#### **Colecalciferol:**

Species	:	Rabbit
Result	:	No eye irritation

### **Respiratory or skin sensitisation**

#### **Skin sensitisation**

May cause an allergic skin reaction.

#### **Respiratory sensitisation**

Not classified based on available information.

**Multivitamin (with Sunflower Oil) Formulation**

Version 5.0      Revision Date: 14.04.2025      SDS Number: 6599053-00012      Date of last issue: 04.12.2024  
Date of first issue: 15.10.2020

---

**Components:****Sunflower oil:**

Test Type	:	Maximisation Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Result	:	negative
Remarks	:	Based on data from similar materials

**Retinyl propionate:**

Test Type	:	Maximisation Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	negative

**(dl)-a-Tocopheryl acetate:**

Test Type	:	Draize Test
Exposure routes	:	Skin contact
Species	:	Humans
Result	:	negative

**Benzyl alcohol:**

Test Type	:	Human repeat insult patch test (HRIPT)
Exposure routes	:	Skin contact
Species	:	Humans
Result	:	positive
Assessment	:	Probability or evidence of low to moderate skin sensitisation rate in humans

**Colecalciferol:**

Test Type	:	Maurer optimisation test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Result	:	negative

**Chronic toxicity****Germ cell mutagenicity**

Not classified based on available information.

**Components:****Sunflower oil:**

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative Remarks: Based on data from similar materials
-----------------------	---	--

# SAFETY DATA SHEET



## Multivitamin (with Sunflower Oil) Formulation

Version 5.0      Revision Date: 14.04.2025      SDS Number: 6599053-00012      Date of last issue: 04.12.2024  
Date of first issue: 15.10.2020

---

||

||

Test Type: Chromosome aberration test in vitro  
Result: negative  
Remarks: Based on data from similar materials

### Genotoxicity in vivo

: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Ingestion  
Method: OECD Test Guideline 474  
Result: negative  
Remarks: Based on data from similar materials

### Retinyl propionate:

#### Genotoxicity in vitro

: Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative  
Remarks: Based on data from similar materials

#### Genotoxicity in vivo

: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Ingestion  
Method: OECD Test Guideline 474  
Remarks: Based on data from similar materials

### (dl)-a-Tocopheryl acetate:

#### Genotoxicity in vitro

: Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: negative

Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative

#### Genotoxicity in vivo

: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Ingestion  
Result: negative

### Benzyl alcohol:

#### Genotoxicity in vitro

: Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

#### Genotoxicity in vivo

: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse

## Multivitamin (with Sunflower Oil) Formulation

Version 5.0      Revision Date: 14.04.2025      SDS Number: 6599053-00012      Date of last issue: 04.12.2024  
 Date of first issue: 15.10.2020

Application Route: Intraperitoneal injection  
 Result: negative

### Colecalciferol:

Genotoxicity in vitro

: Test Type: Bacterial reverse mutation assay (AMES)  
 Method: OECD Test Guideline 471  
 Result: equivocal

Test Type: In vitro mammalian cell gene mutation test  
 Method: OECD Test Guideline 476  
 Result: negative

Test Type: Chromosome aberration test in vitro  
 Method: OECD Test Guideline 473  
 Result: negative

Genotoxicity in vivo

: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
 Species: Rat  
 Application Route: Ingestion  
 Method: OECD Test Guideline 474  
 Result: negative

Test Type: In vivo mammalian alkaline comet assay  
 Species: Rat  
 Application Route: Ingestion  
 Result: positive

Germ cell mutagenicity - Assessment

: Weight of evidence does not support classification as a germ cell mutagen.

### Carcinogenicity

Not classified based on available information.

### Components:

#### (dl)-a-Tocopheryl acetate:

Species	:	Rat
Application Route	:	Ingestion
Exposure time	:	104 weeks
Result	:	negative

#### Benzyl alcohol:

Species	:	Mouse
Application Route	:	Ingestion
Exposure time	:	103 weeks
Method	:	OECD Test Guideline 451
Result	:	negative

# SAFETY DATA SHEET



## Multivitamin (with Sunflower Oil) Formulation

Version 5.0      Revision Date: 14.04.2025      SDS Number: 6599053-00012      Date of last issue: 04.12.2024  
Date of first issue: 15.10.2020

---

### Reproductive toxicity

May damage the unborn child.

#### Components:

##### **Sunflower oil:**

Effects on fertility	: Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test Species: Rat Application Route: Ingestion Result: negative Remarks: Based on data from similar materials
----------------------	---

##### **Retinyl propionate:**

Effects on foetal development	: Test Type: Embryo-foetal development Species: Monkey Application Route: Ingestion Result: positive Remarks: Based on data from similar materials
Reproductive toxicity - Assessment	: Positive evidence of adverse effects on development from human epidemiological studies.

##### **(dl)-a-Tocopheryl acetate:**

Effects on fertility	: Test Type: Reproduction/Developmental toxicity screening test Species: Rat Application Route: Ingestion Result: negative
Effects on foetal development	: Test Type: Embryo-foetal development Species: Rabbit Application Route: Ingestion Result: negative

##### **Benzyl alcohol:**

Effects on fertility	: Test Type: Fertility/early embryonic development Species: Rat Application Route: Ingestion Result: negative Remarks: Based on data from similar materials
Effects on foetal development	: Test Type: Embryo-foetal development Species: Mouse Application Route: Ingestion Result: negative

### **STOT - single exposure**

Not classified based on available information.

**Multivitamin (with Sunflower Oil) Formulation**

Version 5.0      Revision Date: 14.04.2025      SDS Number: 6599053-00012      Date of last issue: 04.12.2024  
Date of first issue: 15.10.2020

---

**STOT - repeated exposure**

May cause damage to organs (Liver) through prolonged or repeated exposure.

**Components:****Retinyl propionate:**

Exposure routes	:	Ingestion
Target Organs	:	Liver
Assessment	:	Causes damage to organs through prolonged or repeated exposure.
Remarks	:	Based on data from similar materials

**Colecalciferol:**

Exposure routes	:	Ingestion
Target Organs	:	Kidney, Blood, Bone
Assessment	:	Shown to produce significant health effects in animals at concentrations of 10 mg/kg bw or less.

**Repeated dose toxicity****Components:****Sunflower oil:**

Species	:	Rat
NOAEL	:	> 100 mg/kg
Application Route	:	Ingestion
Exposure time	:	90 Days
Remarks	:	Based on data from similar materials

**Retinyl propionate:**

Species	:	Rat
LOAEL	:	> 1 - 10 mg/kg
Application Route	:	Ingestion
Exposure time	:	3 Months
Remarks	:	Based on data from similar materials

**(dl)-a-Tocopheryl acetate:**

Species	:	Rat
NOAEL	:	500 mg/kg
Application Route	:	Ingestion
Exposure time	:	90 Days

**Benzyl alcohol:**

Species	:	Rat
NOAEL	:	1.072 mg/l
Application Route	:	inhalation (dust/mist/fume)
Exposure time	:	28 Days
Method	:	OECD Test Guideline 412

**Multivitamin (with Sunflower Oil) Formulation**

Version 5.0      Revision Date: 14.04.2025      SDS Number: 6599053-00012      Date of last issue: 04.12.2024  
Date of first issue: 15.10.2020

---

**Colecalciferol:**

Species	:	Rat
NOAEL	:	0.06 mg/kg
LOAEL	:	0.3 mg/kg
Application Route	:	Ingestion
Exposure time	:	90 Days
Method	:	OECD Test Guideline 408

**Aspiration toxicity**

Not classified based on available information.

**Experience with human exposure****Components:****Retinyl propionate:**

Ingestion	:	Symptoms: liver impairment
		Remarks: Based on data from similar materials
		Symptoms: Embryo-foetal toxicity
		Remarks: Based on data from similar materials

---

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****Sunflower oil:**

Toxicity to fish	:	LC50 (Danio rerio (zebra fish)): > 100 mg/l Exposure time: 96 h Method: ISO 7346/1 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EL50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Test substance: Water Accommodated Fraction Method: Directive 67/548/EEC, Annex V, C.2. Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	:	NOELR (Desmodesmus subspicatus (green algae)): > 1 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction Method: Regulation (EC) No. 440/2008, Annex, C.3 Remarks: Based on data from similar materials
		EL50 (Desmodesmus subspicatus (green algae)): > 100 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction Method: Regulation (EC) No. 440/2008, Annex, C.3 Remarks: Based on data from similar materials

**Multivitamin (with Sunflower Oil) Formulation**

Version 5.0      Revision Date: 14.04.2025      SDS Number: 6599053-00012      Date of last issue: 04.12.2024  
Date of first issue: 15.10.2020

---

**Retinyl propionate:**

Toxicity to fish : LL50 (Leuciscus idus (Golden orfe)): > 10,000 mg/l  
Exposure time: 96 h  
Method: DIN 38412

Toxicity to microorganisms : EC50 (activated sludge): > 1,000 mg/l  
Exposure time: 180 min  
Method: OECD Test Guideline 209

**(dl)-a-Tocopheryl acetate:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): >= 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 100 mg/l  
Exposure time: 28 d

Toxicity to microorganisms : EC50: > 927 mg/l  
Exposure time: 30 min  
Method: ISO 8192

**Benzyl alcohol:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 460 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 230 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 770 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 310

## SAFETY DATA SHEET



## Multivitamin (with Sunflower Oil) Formulation

Version Revision Date: SDS Number: Date of last issue: 04.12.2024  
5.0 14.04.2025 6599053-00012 Date of first issue: 15.10.2020

mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (*Daphnia magna* (Water flea)): 51 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

## Colecalciferol:

Toxicity to fish : LL50 (Danio rerio (zebra fish)): > 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EL50 (Scenedesmus capricornutum (fresh water algae)): > 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 201

## Persistence and degradability

## **Components:**

## **Sunflower oil:**

Biodegradability : Result: Readily biodegradable.  
Remarks: Based on data from similar materials

## **Retinyl propionate:**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 40 - 50 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B

### (dl)- $\alpha$ -Tocopheryl acetate:

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 21.7 - 31 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301C

## Benzyl alcohol:

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 92 - 96 %  
Exposure time: 14 d

## Colecalciferol:

# SAFETY DATA SHEET



## Multivitamin (with Sunflower Oil) Formulation

Version 5.0      Revision Date: 14.04.2025      SDS Number: 6599053-00012      Date of last issue: 04.12.2024  
Date of first issue: 15.10.2020

---

**Biodegradability** : Result: Not readily biodegradable.  
Biodegradation: <= 7 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301C

### Bioaccumulative potential

#### Components:

##### **Sunflower oil:**

Partition coefficient: n-octanol/water : log Pow: > 6  
Remarks: Expert judgement

##### **Retinyl propionate:**

Partition coefficient: n-octanol/water : log Pow: 9.12  
Remarks: Calculation

##### **Benzyl alcohol:**

Partition coefficient: n-octanol/water : log Pow: 1.05

##### **Colecalciferol:**

Partition coefficient: n-octanol/water : log Pow: > 6.2  
Method: OECD Test Guideline 107

##### **Mobility in soil**

No data available

##### **Other adverse effects**

No data available

---

## SECTION 13. DISPOSAL CONSIDERATIONS

#### **Disposal methods**

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.  
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

## SECTION 14. TRANSPORT INFORMATION

#### **International Regulations**

##### **UNRTDG**

UN number : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable

# SAFETY DATA SHEET



## Multivitamin (with Sunflower Oil) Formulation

Version 5.0      Revision Date: 14.04.2025      SDS Number: 6599053-00012      Date of last issue: 04.12.2024  
Date of first issue: 15.10.2020

---

Packing group : Not applicable  
Labels : Not applicable  
Environmentally hazardous : no

### IATA-DGR

UN/ID No. : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable  
Packing instruction (cargo aircraft) : Not applicable  
Packing instruction (passenger aircraft) : Not applicable

### IMDG-Code

UN number : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable  
EmS Code : Not applicable  
Marine pollutant : Not applicable

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

#### ADG

UN number : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable  
Hazchem Code : Not applicable

### Special precautions for user

Not applicable

---

## SECTION 15. REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

Therapeutic Goods (Poisons Standard) Instrument : No poison schedule number allocated (Please use the original publication to check for specific uses, specific conditions or threshold limits that might apply for this chemical)  
Prohibition/Licensing Requirements : There is no applicable prohibition, authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of

# SAFETY DATA SHEET



## Multivitamin (with Sunflower Oil) Formulation

Version 5.0      Revision Date: 14.04.2025      SDS Number: 6599053-00012      Date of last issue: 04.12.2024  
Date of first issue: 15.10.2020

---

the model WHS Act and Regulations.

### The components of this product are reported in the following inventories:

DSL : not determined  
AICS : not determined  
IECSC : not determined

---

## SECTION 16: ANY OTHER RELEVANT INFORMATION

### Further information

Revision Date : 14.04.2025  
Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : dd.mm.yyyy

### Full text of other abbreviations

AU OEL : Australia. Workplace Exposure Standards for Airborne Contaminants.  
AU OEL / TWA : Exposure standard - time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances

# SAFETY DATA SHEET



## Multivitamin (with Sunflower Oil) Formulation

---

Version 5.0	Revision Date: 14.04.2025	SDS Number: 6599053-00012	Date of last issue: 04.12.2024 Date of first issue: 15.10.2020
----------------	------------------------------	------------------------------	---

---

es; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AU / EN