

# SAFETY DATA SHEET



## Multivitamin (with Sunflower Oil) Formulation

Version 4.0 Revision Date: 14.04.2025 SDS Number: 6599061-00010 Date of last issue: 04.12.2024 Date of first issue: 15.10.2020

---

### SECTION 1. IDENTIFICATION

Product identifier : Multivitamin (with Sunflower Oil) Formulation

#### Manufacturer or supplier's details

Company : MSD

Address : Rua Coronel Bento Soares, 530  
Cruzeiro - Sao Paulo - Brazil CEP 12730-340

Telephone : 908-740-4000

Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS Classification in accordance with ABNT NBR 14725 Standard

Skin sensitization : Category 1

Reproductive toxicity : Category 1A

Specific target organ toxicity - repeated exposure : Category 2 (Liver)

Short-term (acute) aquatic hazard : Category 3

Long-term (chronic) aquatic hazard : Category 3

#### GHS label elements in accordance with ABNT NBR 14725 Standard

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H317 May cause an allergic skin reaction.  
H360D May damage the unborn child.  
H373 May cause damage to organs (Liver) through prolonged or repeated exposure.

# SAFETY DATA SHEET



## Multivitamin (with Sunflower Oil) Formulation

Version 4.0 Revision Date: 14.04.2025 SDS Number: 6599061-00010 Date of last issue: 04.12.2024 Date of first issue: 15.10.2020

H412 Harmful to aquatic life with long lasting effects.

### Precautionary Statements

#### **Prevention:**

P201 Obtain special instructions before use.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

#### **Response:**

P302 + P352 IF ON SKIN: Wash with plenty of water.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

#### **Storage:**

P405 Store locked up.

### Other hazards which do not result in classification

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Classification	Concentration (% w/w)
Retinyl propionate	7069-42-3	Skin Irrit., 3 Repr., 1A STOT RE, (Liver) , 1 Aquatic Chronic, 4	>= 5 -< 10
(dl)-a-Tocopheryl acetate	7695-91-2		>= 1 -< 5
Benzyl alcohol	100-51-6	Acute Tox. (Oral), 4 Eye Irrit., 2A Skin Sens., 1B	>= 1 -< 5
2,6-Di-tert-butyl-p-cresol	128-37-0	Aquatic Acute, 1 Aquatic Chronic, 1	>= 0,25 -< 1
Colecalciferol	67-97-0	Acute Tox. (Oral), 2 Acute Tox. (Inhalation), 2 Acute Tox. (Dermal), 2 STOT RE, (Kidney, Blood, Bone) , 1 Aquatic Chronic, 4	>= 0,025 -< 0,1

## SECTION 4. FIRST AID MEASURES

# SAFETY DATA SHEET



## Multivitamin (with Sunflower Oil) Formulation

Version 4.0	Revision Date: 14.04.2025	SDS Number: 6599061-00010	Date of last issue: 04.12.2024 Date of first issue: 15.10.2020
----------------	------------------------------	------------------------------	---

General advice	: In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	: If inhaled, remove to fresh air. Get medical attention.
In case of skin contact	: In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	: Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed	: If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	: May cause an allergic skin reaction. May damage the unborn child. May cause damage to organs through prolonged or repeated exposure.
Protection of first-aiders	: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	: Treat symptomatically and supportively.

## SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	: Water spray Alcohol-resistant foam Carbon dioxide (CO <sub>2</sub> ) Dry chemical
Unsuitable extinguishing media	: None known.
Specific hazards during fire fighting	: Exposure to combustion products may be a hazard to health.
Hazardous combustion products	: Carbon oxides
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

**Multivitamin (with Sunflower Oil) Formulation**

Version 4.0	Revision Date: 14.04.2025	SDS Number: 6599061-00010	Date of last issue: 04.12.2024 Date of first issue: 15.10.2020
----------------	------------------------------	------------------------------	---

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g., by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material. For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

**SECTION 7. HANDLING AND STORAGE**

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Do not get on skin or clothing. Do not breathe mist or vapors. Do not swallow. Avoid contact with eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment. Keep container tightly closed. Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to the environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment,

# SAFETY DATA SHEET



## Multivitamin (with Sunflower Oil) Formulation

Version  
4.0

Revision Date:  
14.04.2025

SDS Number:  
6599061-00010

Date of last issue: 04.12.2024  
Date of first issue: 15.10.2020

	appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.
Conditions for safe storage	: Keep in properly labeled containers. Store locked up. Keep tightly closed. Store in accordance with the particular national regulations.
Materials to avoid	: Do not store with the following product types: Strong oxidizing agents Self-reactive substances and mixtures Organic peroxides Explosives Gases

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
(dl)-a-Tocopheryl acetate	7695-91-2	TWA	5000 ug/m3 (OEB 1)	Internal
2,6-Di-tert-butyl-p-cresol	128-37-0	TWA (Inhalable fraction and vapor)	2 mg/m <sup>3</sup>	ACGIH
Colecalciferol	67-97-0	TWA	5 µg/m <sup>3</sup> (OEB 4)	Internal
		Wipe limit	50 µg/100 cm <sup>2</sup>	Internal

### Engineering measures

: The information below is intended for larger pilot/commercial-scale operations and manufacturing. For smaller scale, clinical, or pharmacy settings, site-specific internal risk assessment practices should be conducted to determine appropriate exposure control measures. The health hazard risks of handling this material are dependent on multiple factors, including but not limited to physical form and quantity handled. If applicable, use process enclosures, local exhaust ventilation (e.g., Biosafety Cabinet, Ventilated Balance Enclosures), or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels as low as reasonably achievable. All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Essentially no open handling permitted. Use closed processing systems or containment technologies. If handled in a laboratory, use a properly designed biosafety cabinet, fume hood, or other containment device if the potential exists for aerosolization. If this potential does not exist, handle over lined trays or benchtops.

### Personal protective equipment

# SAFETY DATA SHEET



## Multivitamin (with Sunflower Oil) Formulation

Version 4.0 Revision Date: 14.04.2025 SDS Number: 6599061-00010 Date of last issue: 04.12.2024 Date of first issue: 15.10.2020

Respiratory protection	: If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Filter type Hand protection	: Organic vapor Type
Material	: Chemical-resistant gloves
Remarks Eye protection	: Consider double gloving. : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	: Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	: liquid
Color	: transparent : amber
Odor	: No data available
Odor Threshold	: No data available
pH	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: No data available
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Flammability (liquids)	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available

# SAFETY DATA SHEET



## Multivitamin (with Sunflower Oil) Formulation

Version 4.0 Revision Date: 14.04.2025 SDS Number: 6599061-00010 Date of last issue: 04.12.2024  
Date of first issue: 15.10.2020

---

Vapor pressure	: No data available
Relative vapor density	: No data available
Relative density	: No data available
Density	: 0,925 g/cm <sup>3</sup>
Solubility(ies)	
Water solubility	: No data available
Partition coefficient: n-octanol/water	: Not applicable
Autoignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	
Viscosity, kinematic	: No data available
Explosive properties	: Not explosive
Oxidizing properties	: The substance or mixture is not classified as oxidizing.
Molecular weight	: No data available
Particle characteristics	
Particle size	: Not applicable

---

## SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Can react with strong oxidizing agents.
Conditions to avoid	: None known.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: No hazardous decomposition products are known.

---

## SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure	: Inhalation Skin contact Ingestion Eye contact
--	--

### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity	: Acute toxicity estimate: > 5.000 mg/kg Method: Calculation method
---------------------	--

**Multivitamin (with Sunflower Oil) Formulation**Version  
4.0Revision Date:  
14.04.2025SDS Number:  
6599061-00010Date of last issue: 04.12.2024  
Date of first issue: 15.10.2020**Components:****Retinyl propionate:**

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg  
Assessment: The substance or mixture has no acute oral toxicity

**(dl)- $\alpha$ -Tocopheryl acetate:**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Acute dermal toxicity : LD50 (Rat): > 3.000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

**Benzyl alcohol:**

Acute oral toxicity : LD50 (Rat): 1.200 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5,4 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: The substance or mixture has no acute inhalation toxicity

**2,6-Di-tert-butyl-p-cresol:**

Acute oral toxicity : LD50 (Rat): > 6.000 mg/kg  
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

**Colecalciferol:**

Acute oral toxicity : LD50 (Rat, male): 35 mg/kg

Acute inhalation toxicity : Acute toxicity estimate: 0,05 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Expert judgment

Acute dermal toxicity : Acute toxicity estimate: 50 mg/kg  
Method: Expert judgment

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****Retinyl propionate:**

# SAFETY DATA SHEET



## Multivitamin (with Sunflower Oil) Formulation

Version 4.0 Revision Date: 14.04.2025 SDS Number: 6599061-00010 Date of last issue: 04.12.2024 Date of first issue: 15.10.2020

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	Mild skin irritation

### (dl)-a-Tocopheryl acetate:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

### Benzyl alcohol:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

### 2,6-Di-tert-butyl-p-cresol:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation
Remarks	:	Based on data from similar materials

### Serious eye damage/eye irritation

Not classified based on available information.

### Components:

#### Retinyl propionate:

Species	:	Rabbit
Result	:	No eye irritation
Method	:	OECD Test Guideline 405

#### (dl)-a-Tocopheryl acetate:

Species	:	Rabbit
Result	:	No eye irritation
Method	:	OECD Test Guideline 405

#### Benzyl alcohol:

Species	:	Rabbit
Result	:	Irritation to eyes, reversing within 21 days
Method	:	OECD Test Guideline 405

#### 2,6-Di-tert-butyl-p-cresol:

Species	:	Rabbit
Result	:	No eye irritation
Method	:	OECD Test Guideline 405
Remarks	:	Based on data from similar materials

#### Colecalciferol:

Species	:	Rabbit
Result	:	No eye irritation

# SAFETY DATA SHEET



## Multivitamin (with Sunflower Oil) Formulation

Version 4.0 Revision Date: 14.04.2025 SDS Number: 6599061-00010 Date of last issue: 04.12.2024  
Date of first issue: 15.10.2020

### Respiratory or skin sensitization

#### Skin sensitization

May cause an allergic skin reaction.

#### Respiratory sensitization

Not classified based on available information.

#### Components:

##### **Retinyl propionate:**

Test Type	:	Maximization Test
Routes of exposure	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	negative

##### **(dl)-a-Tocopheryl acetate:**

Test Type	:	Draize Test
Routes of exposure	:	Skin contact
Species	:	Humans
Result	:	negative

##### **Benzyl alcohol:**

Test Type	:	Human repeat insult patch test (HRIPT)
Routes of exposure	:	Skin contact
Species	:	Humans
Result	:	positive
Assessment	:	Probability or evidence of low to moderate skin sensitization rate in humans

##### **2,6-Di-tert-butyl-p-cresol:**

Test Type	:	Human repeat insult patch test (HRIPT)
Routes of exposure	:	Skin contact
Species	:	Humans
Result	:	negative

##### **Colecalciferol:**

Test Type	:	Maurer optimisation test
Routes of exposure	:	Skin contact
Species	:	Guinea pig
Result	:	negative

##### **Germ cell mutagenicity**

Not classified based on available information.

#### Components:

##### **Retinyl propionate:**

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES)
-----------------------	---	--

## Multivitamin (with Sunflower Oil) Formulation

Version  
4.0Revision Date:  
14.04.2025SDS Number:  
6599061-00010Date of last issue: 04.12.2024  
Date of first issue: 15.10.2020

Method: OECD Test Guideline 471

Result: negative

Remarks: Based on data from similar materials

## Genotoxicity in vivo

: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Ingestion  
Method: OECD Test Guideline 474  
Remarks: Based on data from similar materials

**(dl)-a-Tocopheryl acetate:**

## Genotoxicity in vitro

: Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: negative

Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative

## Genotoxicity in vivo

: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Ingestion  
Result: negative

**Benzyl alcohol:**

## Genotoxicity in vitro

: Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

## Genotoxicity in vivo

: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Intraperitoneal injection  
Result: negative

**2,6-Di-tert-butyl-p-cresol:**

## Genotoxicity in vitro

: Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: negative

## Genotoxicity in vivo

: Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)  
Species: Rat  
Application Route: Ingestion  
Result: negative

**Multivitamin (with Sunflower Oil) Formulation**Version  
4.0Revision Date:  
14.04.2025SDS Number:  
6599061-00010Date of last issue: 04.12.2024  
Date of first issue: 15.10.2020**Colecalciferol:**

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: equivocal
	Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: negative
	Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: negative
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Rat Application Route: Ingestion Method: OECD Test Guideline 474 Result: negative
	Test Type: In vivo mammalian alkaline comet assay Species: Rat Application Route: Ingestion Result: positive
Germ cell mutagenicity - Assessment	: Weight of evidence does not support classification as a germ cell mutagen.

**Carcinogenicity**

Not classified based on available information.

**Components:****(dl)-a-Tocopheryl acetate:**

Species	: Rat
Application Route	: Ingestion
Exposure time	: 104 weeks
Result	: negative

**Benzyl alcohol:**

Species	: Mouse
Application Route	: Ingestion
Exposure time	: 103 weeks
Method	: OECD Test Guideline 451
Result	: negative

**2,6-Di-tert-butyl-p-cresol:**

Species	: Rat
Application Route	: Ingestion
Exposure time	: 22 Months
Result	: negative

# SAFETY DATA SHEET



## Multivitamin (with Sunflower Oil) Formulation

Version 4.0 Revision Date: 14.04.2025 SDS Number: 6599061-00010 Date of last issue: 04.12.2024 Date of first issue: 15.10.2020

### Reproductive toxicity

May damage the unborn child.

#### Components:

##### **Retinyl propionate:**

Effects on fetal development	:	Test Type: Embryo-fetal development Species: Monkey Application Route: Ingestion Result: positive Remarks: Based on data from similar materials
Reproductive toxicity - Assessment	:	Positive evidence of adverse effects on development from human epidemiological studies.

##### **(dl)-a-Tocopheryl acetate:**

Effects on fertility	:	Test Type: Reproduction/Developmental toxicity screening test Species: Rat Application Route: Ingestion Result: negative
Effects on fetal development	:	Test Type: Embryo-fetal development Species: Rabbit Application Route: Ingestion Result: negative

##### **Benzyl alcohol:**

Effects on fertility	:	Test Type: Fertility/early embryonic development Species: Rat Application Route: Ingestion Result: negative Remarks: Based on data from similar materials
Effects on fetal development	:	Test Type: Embryo-fetal development Species: Mouse Application Route: Ingestion Result: negative

##### **2,6-Di-tert-butyl-p-cresol:**

Effects on fertility	:	Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative
Effects on fetal development	:	Test Type: Embryo-fetal development Species: Rat Application Route: Ingestion Result: negative

##### **STOT-single exposure**

Not classified based on available information.

**Multivitamin (with Sunflower Oil) Formulation**

Version 4.0      Revision Date: 14.04.2025      SDS Number: 6599061-00010      Date of last issue: 04.12.2024  
Date of first issue: 15.10.2020

---

**STOT-repeated exposure**

May cause damage to organs (Liver) through prolonged or repeated exposure.

**Components:****Retinyl propionate:**

Routes of exposure	:	Ingestion
Target Organs	:	Liver
Assessment	:	Causes damage to organs through prolonged or repeated exposure.
Remarks	:	Based on data from similar materials

**2,6-Di-tert-butyl-p-cresol:**

Assessment	:	No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.
------------	---	--

**Colecalciferol:**

Routes of exposure	:	Ingestion
Target Organs	:	Kidney, Blood, Bone
Assessment	:	Shown to produce significant health effects in animals at concentrations of 10 mg/kg bw or less.

**Repeated dose toxicity****Components:****Retinyl propionate:**

Species	:	Rat
LOAEL	:	> 1 - 10 mg/kg
Application Route	:	Ingestion
Exposure time	:	3 Months
Remarks	:	Based on data from similar materials

**(dl)-a-Tocopheryl acetate:**

Species	:	Rat
NOAEL	:	500 mg/kg
Application Route	:	Ingestion
Exposure time	:	90 Days

**Benzyl alcohol:**

Species	:	Rat
NOAEL	:	1,072 mg/l
Application Route	:	inhalation (dust/mist/fume)
Exposure time	:	28 Days
Method	:	OECD Test Guideline 412

**2,6-Di-tert-butyl-p-cresol:**

Species	:	Rat
NOAEL	:	25 mg/kg
Application Route	:	Ingestion
Exposure time	:	22 Months

**Multivitamin (with Sunflower Oil) Formulation**Version  
4.0Revision Date:  
14.04.2025SDS Number:  
6599061-00010Date of last issue: 04.12.2024  
Date of first issue: 15.10.2020**Colecalciferol:**

Species	:	Rat
NOAEL	:	0,06 mg/kg
LOAEL	:	0,3 mg/kg
Application Route	:	Ingestion
Exposure time	:	90 Days
Method	:	OECD Test Guideline 408

**Aspiration toxicity**

Not classified based on available information.

**Experience with human exposure****Components:****Retinyl propionate:**

Ingestion	:	Symptoms: liver impairment Remarks: Based on data from similar materials Symptoms: Embryo-fetal toxicity. Remarks: Based on data from similar materials
-----------	---	--

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****Retinyl propionate:**

Toxicity to fish	:	LL50 (Leuciscus idus (Golden orfe)): > 10.000 mg/l Exposure time: 96 h Method: DIN 38412
Toxicity to microorganisms	:	EC50 (activated sludge): > 1.000 mg/l Exposure time: 180 min Method: OECD Test Guideline 209

**(dl)-a-Tocopheryl acetate:**

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	ErC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): &gt;= 100 mg/l

## Multivitamin (with Sunflower Oil) Formulation

Version 4.0 Revision Date: 14.04.2025 SDS Number: 6599061-00010 Date of last issue: 04.12.2024 Date of first issue: 15.10.2020

		Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to fish (Chronic toxicity)	:	NOEC (Oncorhynchus mykiss (rainbow trout)): 100 mg/l Exposure time: 28 d
Toxicity to microorganisms	:	EC50: > 927 mg/l Exposure time: 30 min Method: ISO 8192
<b>Benzyl alcohol:</b>		
Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 460 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 230 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): 770 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
		NOEC (Pseudokirchneriella subcapitata (green algae)): 310 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 51 mg/l Exposure time: 21 d Method: OECD Test Guideline 211
<b>2,6-Di-tert-butyl-p-cresol:</b>		
Toxicity to fish	:	LC50 (Danio rerio (zebra fish)): > 0,57 mg/l Exposure time: 96 h Method: Directive 67/548/EEC, Annex V, C.1.
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0,48 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): > 0,24 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
		NOEC (Pseudokirchneriella subcapitata (green algae)): 0,24 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
M-Factor (Acute aquatic toxicity)	:	1
Toxicity to fish (Chronic toxicity)	:	NOEC (Oryzias latipes (Japanese medaka)): 0,053 mg/l

## Multivitamin (with Sunflower Oil) Formulation

Version 4.0 Revision Date: 14.04.2025 SDS Number: 6599061-00010 Date of last issue: 04.12.2024 Date of first issue: 15.10.2020

icity)	Exposure time: 30 d Method: OECD Test Guideline 210
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 0,316 mg/l Exposure time: 21 d
M-Factor (Chronic aquatic toxicity)	: 1
Toxicity to microorganisms	: EC50: > 10.000 mg/l Exposure time: 3 h Method: OECD Test Guideline 209

### Colecalciferol:

Toxicity to fish	: LL50 (Danio rerio (zebra fish)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EL50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: EL50 (Scenedesmus capricornutum (fresh water algae)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 201

### Persistence and degradability

#### Components:

##### Retinyl propionate:

Biodegradability	: Result: Not readily biodegradable. Biodegradation: 40 - 50 % Exposure time: 28 d Method: OECD Test Guideline 301B
------------------	--

##### (dl)-a-Tocopheryl acetate:

Biodegradability	: Result: Not readily biodegradable. Biodegradation: 21,7 - 31 % Exposure time: 28 d Method: OECD Test Guideline 301C
------------------	--

##### Benzyl alcohol:

Biodegradability	: Result: Readily biodegradable. Biodegradation: 92 - 96 % Exposure time: 14 d
------------------	--

##### 2,6-Di-tert-butyl-p-cresol:

Biodegradability	: Result: Not readily biodegradable. Biodegradation: 4,5 % Exposure time: 28 d Method: OECD Test Guideline 301C
------------------	--

# SAFETY DATA SHEET



## Multivitamin (with Sunflower Oil) Formulation

Version 4.0 Revision Date: 14.04.2025 SDS Number: 6599061-00010 Date of last issue: 04.12.2024 Date of first issue: 15.10.2020

---

II

### **Colecalciferol:**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: <= 7 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301C

### **Bioaccumulative potential**

### **Components:**

#### **Retinyl propionate:**

Partition coefficient: n-octanol/water : log Pow: 9,12  
Remarks: Calculation

#### **Benzyl alcohol:**

Partition coefficient: n-octanol/water : log Pow: 1,05

#### **2,6-Di-tert-butyl-p-cresol:**

Bioaccumulation : Species: Cyprinus carpio (Carp)  
Bioconcentration factor (BCF): 330 - 1.800

Partition coefficient: n-octanol/water : log Pow: 5,1

#### **Colecalciferol:**

Partition coefficient: n-octanol/water : log Pow: > 6,2  
Method: OECD Test Guideline 107

### **Mobility in soil**

No data available

### **Other adverse effects**

No data available

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### **Disposal methods**

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

## SECTION 14. TRANSPORT INFORMATION

### **International Regulations**

#### **UNRTDG**

Not regulated as a dangerous good

#### **IATA-DGR**

# SAFETY DATA SHEET



## Multivitamin (with Sunflower Oil) Formulation

Version 4.0 Revision Date: 14.04.2025 SDS Number: 6599061-00010 Date of last issue: 04.12.2024 Date of first issue: 15.10.2020

---

Not regulated as a dangerous good

### IMDG-Code

Not regulated as a dangerous good

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Domestic regulation

#### ANTT

Not regulated as a dangerous good

#### Special precautions for user

Not applicable

---

## SECTION 15. REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

National List of Carcinogenic Agents for Humans - (LINACH) : Not applicable

Brazil. List of chemicals controlled by the Federal Police : Not applicable

### The ingredients of this product are reported in the following inventories:

DSL : not determined

AICS : not determined

IECSC : not determined

---

## SECTION 16. OTHER INFORMATION

Revision Date : 14.04.2025  
Date format : dd.mm.yyyy

### Further information

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -

# SAFETY DATA SHEET



## Multivitamin (with Sunflower Oil) Formulation

Version  
4.0

Revision Date:  
14.04.2025

SDS Number:  
6599061-00010

Date of last issue: 04.12.2024  
Date of first issue: 15.10.2020

Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

BR / Z8