

SAFETY DATA SHEET

according to the Globally Harmonized System



Diclazuril Formulation

Version 2.1 Revision Date: 09.05.2025 SDS Number: 6490734-00012 Date of last issue: 14.04.2025
Date of first issue: 01.10.2020

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Diclazuril Formulation

Manufacturer or supplier's details

Company : MSD

Address : Briahnager - Off Pune Nagar Road
Wagholi - Pune - India 412 207

Telephone : +1-908-740-4000

Emergency telephone number : +1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

2. HAZARDS IDENTIFICATION

Manufacture, Storage and Import of Hazardous Chemicals Rules 1989

Classification

Not classified as hazardous according to criteria laid down in Part I of Schedule-1.

GHS Classification

Not a hazardous substance or mixture.

GHS label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

Other hazards which do not result in classification

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
White mineral oil (petroleum)	8042-47-5	>= 1 - < 5
Diclazuril	101831-37-2	>= 1 - < 3

SAFETY DATA SHEET

according to the Globally Harmonized System



Diclazuril Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
2.1	09.05.2025	6490734-00012	Date of first issue: 01.10.2020

4. FIRST AID MEASURES

- | | | |
|---|---|---|
| General advice | : | In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice. |
| If inhaled | : | If inhaled, remove to fresh air.
Get medical attention. |
| In case of skin contact | : | In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse. |
| In case of eye contact | : | If in eyes, rinse well with water.
Get medical attention if irritation develops and persists. |
| If swallowed | : | If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water. |
| Most important symptoms and effects, both acute and delayed | : | Contact with dust can cause mechanical irritation or drying of the skin.
Dust contact with the eyes can lead to mechanical irritation. |
| Protection of first-aiders | : | First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8). |
| Notes to physician | : | Treat symptomatically and supportively. |

5. FIREFIGHTING MEASURES

- | | | |
|---|---|---|
| Suitable extinguishing media | : | Water spray
Alcohol-resistant foam
Carbon dioxide (CO ₂)
Dry chemical |
| Unsuitable extinguishing media | : | None known. |
| Specific hazards during fire-fighting | : | Exposure to combustion products may be a hazard to health. |
| Hazardous combustion products | : | Carbon oxides
Metal oxides
Sulphur oxides |
| Specific extinguishing methods | : | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area. |
| Special protective equipment for firefighters | : | In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment. |

SAFETY DATA SHEET

according to the Globally Harmonized System



Diclazuril Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
2.1	09.05.2025	6490734-00012	Date of first issue: 01.10.2020

6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

7. HANDLING AND STORAGE

- Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Do not breathe dust.
Do not swallow.
Avoid contact with eyes.
Avoid prolonged or repeated contact with skin.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Minimize dust generation and accumulation.
Keep container closed when not in use.
Keep away from heat and sources of ignition.
Take precautionary measures against static discharges.
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labelled containers.
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:
Strong oxidizing agents

SAFETY DATA SHEET

according to the Globally Harmonized System



Diclazuril Formulation

Version 2.1 Revision Date: 09.05.2025 SDS Number: 6490734-00012 Date of last issue: 14.04.2025
Date of first issue: 01.10.2020

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
White mineral oil (petroleum)	8042-47-5	TWA (Mist)	5 mg/m ³	IN OEL
		STEL (Mist)	10 mg/m ³	IN OEL
		TWA (Inhalable particulate matter)	5 mg/m ³	ACGIH
Diclazuril	101831-37-2	TWA	70 µg/m ³ (OEB 3)	Internal
		Wipe limit	700 µg/100 cm ²	Internal

Engineering measures : All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).
Minimize open handling.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapour type

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.
Use appropriate degowning techniques to remove potentially contaminated clothing.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment,

SAFETY DATA SHEET

according to the Globally Harmonized System



Diclazuril Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
2.1	09.05.2025	6490734-00012	Date of first issue: 01.10.2020

appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	pellets
Colour	:	green-brown
Odour	:	No data available
Odour Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	Not applicable
Relative vapour density	:	Not applicable
Relative density	:	No data available
Density	:	No data available
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	Not applicable

SAFETY DATA SHEET

according to the Globally Harmonized System



Diclazuril Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
2.1	09.05.2025	6490734-00012	Date of first issue: 01.10.2020

Explosive properties	: Not explosive
Oxidizing properties	: The substance or mixture is not classified as oxidizing.
Molecular weight	: No data available
Particle characteristics	
Particle size	: No data available

10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents.
Conditions to avoid	: Heat, flames and sparks. Avoid dust formation.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure :

- Inhalation
- Skin contact
- Ingestion
- Eye contact

Acute toxicity

Not classified based on available information.

Components:

White mineral oil (petroleum):

Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	: LC50 (Rat): > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	: LD50 (Rabbit): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity

Diclazuril:

Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg
---------------------	-----------------------------

SAFETY DATA SHEET

according to the Globally Harmonized System



Diclazuril Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
2.1	09.05.2025	6490734-00012	Date of first issue: 01.10.2020

LD50 (Mouse): > 5,000 mg/kg

LD50 (Dog): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 2.24 mg/l

Acute dermal toxicity : LD50 (Rabbit): > 4,000 mg/kg

Acute toxicity (other routes of administration) : LD50 (Mouse): > 5,000 mg/kg
Application Route: Subcutaneous
Target Organs: Central nervous system

Skin corrosion/irritation

Not classified based on available information.

Components:

White mineral oil (petroleum):

Species : Rabbit
Result : No skin irritation

Diclazuril:

Remarks : Not classified due to lack of data.

Serious eye damage/eye irritation

Not classified based on available information.

Components:

White mineral oil (petroleum):

Species : Rabbit
Result : No eye irritation

Diclazuril:

Remarks : Not classified due to lack of data.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

White mineral oil (petroleum):

Test Type : Buehler Test
Exposure routes : Skin contact
Species : Guinea pig
Result : negative

SAFETY DATA SHEET

according to the Globally Harmonized System



Diclazuril Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
2.1	09.05.2025	6490734-00012	Date of first issue: 01.10.2020

Diclazuril:

Remarks : Not classified due to lack of data.

Germ cell mutagenicity

Not classified based on available information.

Components:

White mineral oil (petroleum):

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Intraperitoneal injection
Method: OECD Test Guideline 474
Result: negative
Remarks: Based on data from similar materials

Diclazuril:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Test system: mouse lymphoma cells
Result: negative

Test Type: unscheduled DNA synthesis assay
Test system: rat hepatocytes
Result: negative

Test Type: Chromosomal aberration
Test system: Human lymphocytes
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Cell type: Bone marrow
Result: negative

Test Type: Sex-linked recessive lethal test in *Drosophila melanogaster* (in vivo)
Result: negative

Test Type: dominant lethal test
Species: Mouse
Result: negative

Carcinogenicity

Not classified based on available information.

SAFETY DATA SHEET

according to the Globally Harmonized System



Diclazuril Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
2.1	09.05.2025	6490734-00012	Date of first issue: 01.10.2020

Components:

White mineral oil (petroleum):

Species	:	Rat
Application Route	:	Ingestion
Exposure time	:	24 Months
Result	:	negative

Diclazuril:

Species	:	Mouse
Application Route	:	Oral
Exposure time	:	25 Months
NOAEL	:	3 mg/kg body weight
LOAEL	:	11 mg/kg body weight
Result	:	negative

Species	:	Rat
Application Route	:	Oral
Exposure time	:	28 Months
NOAEL	:	4 mg/kg body weight
LOAEL	:	15 mg/kg body weight
Result	:	negative

Reproductive toxicity

Not classified based on available information.

Components:

White mineral oil (petroleum):

Effects on fertility	:	Test Type: One-generation reproduction toxicity study
		Species: Rat
		Application Route: Skin contact
		Result: negative

Effects on foetal development	:	Test Type: Embryo-foetal development
		Species: Rat
		Application Route: Ingestion
		Result: negative

Diclazuril:

Effects on fertility	:	Test Type: Two-generation study
		Species: Rat
		General Toxicity - Parent: NOAEL: 5 mg/kg body weight
		Early Embryonic Development: LOAEL: 20 mg/kg body weight
		Symptoms: Reduced offspring weight gain
		Remarks: Maternal toxicity observed.

Effects on foetal development	:	Test Type: Development
		Species: Rabbit
		Application Route: Oral
		Developmental Toxicity: NOAEL: 80 mg/kg body weight
		Embryo-foetal toxicity: LOAEL: 320 mg/kg body weight

SAFETY DATA SHEET

according to the Globally Harmonized System



Diclazuril Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
2.1	09.05.2025	6490734-00012	Date of first issue: 01.10.2020

Symptoms: Early Resorptions / resorption rate, Late Resorptions / resorption rate

Test Type: Development
Species: Rat
Application Route: Oral
General Toxicity Maternal: LOAEL: 20 mg/kg body weight
Developmental Toxicity: NOAEL: 5 mg/kg body weight

Reproductive toxicity - Assessment : Suspected of damaging the unborn child.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Components:

Diclazuril:

Target Organs : Liver, Lungs, Lymph nodes
Assessment : May cause damage to organs through prolonged or repeated exposure.

Repeated dose toxicity

Components:

White mineral oil (petroleum):

Species : Rat
LOAEL : 160 mg/kg
Application Route : Ingestion
Exposure time : 90 Days

Species : Rat
LOAEL : ≥ 1 mg/l
Application Route : inhalation (dust/mist/fume)
Exposure time : 4 Weeks
Method : OECD Test Guideline 412

Diclazuril:

Species : Rat
NOAEL : 6 mg/kg
LOAEL : 74 mg/kg
Application Route : Oral
Exposure time : 12 Months
Target Organs : Liver, Lungs, Lymph nodes

Species : Rat
NOAEL : 4 mg/kg
LOAEL : 69 mg/kg
Application Route : Oral
Exposure time : 3 Months

SAFETY DATA SHEET

according to the Globally Harmonized System



Diclazuril Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
2.1	09.05.2025	6490734-00012	Date of first issue: 01.10.2020

Target Organs	:	Liver
Species	:	Mouse
NOAEL	:	30 mg/kg
LOAEL	:	60 mg/kg
Application Route	:	Oral
Exposure time	:	3 Months
Target Organs	:	Liver
Species	:	Dog
NOAEL	:	20 mg/kg
LOAEL	:	80 mg/kg
Exposure time	:	12 Months

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Diclazuril:

Ingestion : Symptoms: Diarrhoea

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

White mineral oil (petroleum):

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	NOEC (Pseudokirchneriella subcapitata (green algae)): 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to fish (Chronic toxicity)	:	NOEC: 1,000 mg/l Exposure time: 28 d Species: Oncorhynchus mykiss (rainbow trout)
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: 1,000 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea)

Diclazuril:

SAFETY DATA SHEET

according to the Globally Harmonized System



Diclazuril Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
2.1	09.05.2025	6490734-00012	Date of first issue: 01.10.2020

Toxicity to fish	:	LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.58 mg/l Exposure time: 96 h Remarks: No toxicity at the limit of solubility
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 0.63 mg/l Exposure time: 48 h Remarks: No toxicity at the limit of solubility
Toxicity to algae/aquatic plants	:	EC50 (Selenastrum capricornutum (green algae)): > 1.1 mg/l Exposure time: 72 h Remarks: No toxicity at the limit of solubility NOEC (Selenastrum capricornutum (green algae)): 1.1 mg/l Exposure time: 72 h Remarks: No toxicity at the limit of solubility
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: 0.16 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Remarks: No toxicity at the limit of solubility

Persistence and degradability

Components:

White mineral oil (petroleum):

Biodegradability	:	Result: Not readily biodegradable. Biodegradation: 31 % Exposure time: 28 d
------------------	---	---

Bioaccumulative potential

Components:

Diclazuril:

Bioaccumulation	:	Species: Lepomis macrochirus (Bluegill sunfish) Bioconcentration factor (BCF): 160
Partition coefficient: n-octanol/water	:	log Pow: 4.5 pH: 7

Mobility in soil

No data available

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues	:	Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
---------------------	---	---

SAFETY DATA SHEET

according to the Globally Harmonized System



Diclazuril Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
2.1	09.05.2025	6490734-00012	Date of first issue: 01.10.2020

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Special precautions for user

Not applicable

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

16. OTHER INFORMATION

Revision Date : 09.05.2025

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

IN OEL : India. Permissible levels of certain chemical substances in work environment.

ACGIH / TWA : 8-hour, time-weighted average

IN OEL / TWA : Time-Weighted Average Concentration (TWA) (8 hrs.)

IN OEL / STEL : Short-term exposure Limit STEL (15 min)

SAFETY DATA SHEET

according to the Globally Harmonized System



Diclazuril Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
2.1	09.05.2025	6490734-00012	Date of first issue: 01.10.2020

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

IN / EN