

SAFETY DATA SHEET



Diclazuril Formulation

Version 2.1 Revision Date: 09.05.2025 SDS Number: 6490736-00011 Date of last issue: 14.04.2025 Date of first issue: 01.10.2020

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Diclazuril Formulation

Manufacturer or supplier's details

Company name of supplier : MSD
Address : 126 E. Lincoln Avenue
Rahway, New Jersey U.S.A. 07065
Telephone : 908-740-4000
Emergency telephone : 1-908-423-6000
E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product
Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Reproductive toxicity : Category 2
Specific target organ toxicity - repeated exposure : Category 2 (Lungs, Lymph nodes, Liver)

GHS label elements

Hazard pictograms :

Signal Word : Warning

Hazard Statements : H361d Suspected of damaging the unborn child.
H373 May cause damage to organs (Lungs, Lymph nodes, Liver) through prolonged or repeated exposure.

Precautionary Statements : **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste dis-

SAFETY DATA SHEET



Diclazuril Formulation

Version
2.1

Revision Date:
09.05.2025

SDS Number:
6490736-00011

Date of last issue: 14.04.2025
Date of first issue: 01.10.2020

posal plant.

Other hazards

Dust contact with the eyes can lead to mechanical irritation.
Contact with dust can cause mechanical irritation or drying of the skin.
May form explosive dust-air mixture during processing, handling or other means.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
White mineral oil (petroleum)	8042-47-5	=> 1 - < 5
Diclazuril	101831-37-2	=> 1 - < 5

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.

In case of eye contact : If in eyes, rinse well with water.
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and delayed : Contact with dust can cause mechanical irritation or drying of the skin.
Dust contact with the eyes can lead to mechanical irritation.
Suspected of damaging the unborn child.
May cause damage to organs through prolonged or repeated exposure.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing : None known.

SAFETY DATA SHEET



Diclazuril Formulation

Version 2.1	Revision Date: 09.05.2025	SDS Number: 6490736-00011	Date of last issue: 14.04.2025 Date of first issue: 01.10.2020
----------------	------------------------------	------------------------------	---

media

Specific hazards during fire fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides
Metal oxides
Sulfur oxides

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.

Local/Total ventilation : Use only with adequate ventilation.

SAFETY DATA SHEET



Diclazuril Formulation

Version 2.1 Revision Date: 09.05.2025 SDS Number: 6490736-00011 Date of last issue: 14.04.2025 Date of first issue: 01.10.2020

Advice on safe handling	: Do not breathe dust. Do not swallow. Avoid contact with eyes. Avoid prolonged or repeated contact with skin. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition. Take precautionary measures against static discharges. Take care to prevent spills, waste and minimize release to the environment.
Hygiene measures	: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.
Conditions for safe storage	: Keep in properly labeled containers. Store in accordance with the particular national regulations.
Materials to avoid	: Do not store with the following product types: Strong oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
White mineral oil (petroleum)	8042-47-5	VLE-PPT (Mist)	5 mg/m ³	NOM-010-STPS-2014
		TWA (Inhalable particulate matter)	5 mg/m ³	ACGIH
Diclazuril	101831-37-2	TWA	70 µg/m ³ (OEB 3)	Internal
		Wipe limit	700 µg/100 cm ²	Internal

Engineering measures : All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices). Minimize open handling.

Personal protective equipment

SAFETY DATA SHEET



Diclazuril Formulation

Version 2.1	Revision Date: 09.05.2025	SDS Number: 6490736-00011	Date of last issue: 14.04.2025 Date of first issue: 01.10.2020
----------------	------------------------------	------------------------------	---

Respiratory protection	: If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Filter type Hand protection	: Combined particulates and organic vapor type
Material	: Chemical-resistant gloves
Remarks Eye protection	: Consider double gloving. : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	: Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: pellets
Color	: green-brown
Odor	: No data available
Odor Threshold	: No data available
pH	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: No data available
Evaporation rate	: Not applicable
Flammability (solid, gas)	: May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapor pressure	: Not applicable

SAFETY DATA SHEET



Diclazuril Formulation

Version 2.1 Revision Date: 09.05.2025 SDS Number: 6490736-00011 Date of last issue: 14.04.2025
Date of first issue: 01.10.2020

Relative vapor density	: Not applicable
Relative density	: No data available
Density	: No data available
Solubility(ies)	
Water solubility	: No data available
Partition coefficient: n-octanol/water	: Not applicable
Autoignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	
Viscosity, kinematic	: Not applicable
Explosive properties	: Not explosive
Oxidizing properties	: The substance or mixture is not classified as oxidizing.
Molecular weight	: No data available
Particle characteristics	
Particle size	: No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents.
Conditions to avoid	: Heat, flames and sparks. Avoid dust formation.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

SAFETY DATA SHEET



Diclazuril Formulation

Version 2.1 Revision Date: 09.05.2025 SDS Number: 6490736-00011 Date of last issue: 14.04.2025 Date of first issue: 01.10.2020

Components:

White mineral oil (petroleum):

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

Diclazuril:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
LD50 (Mouse): > 5,000 mg/kg
LD50 (Dog): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 2.24 mg/l

Acute dermal toxicity : LD50 (Rabbit): > 4,000 mg/kg

Acute toxicity (other routes of administration) : LD50 (Mouse): > 5,000 mg/kg
Application Route: Subcutaneous
Target Organs: Central nervous system

Skin corrosion/irritation

Not classified based on available information.

Components:

White mineral oil (petroleum):

Species : Rabbit
Result : No skin irritation

Diclazuril:

Remarks : Not classified due to lack of data.

Serious eye damage/eye irritation

Not classified based on available information.

Components:

White mineral oil (petroleum):

Species : Rabbit
Result : No eye irritation

SAFETY DATA SHEET



Diclazuril Formulation

Version Revision Date: SDS Number: Date of last issue: 14.04.2025
2.1 09.05.2025 6490736-00011 Date of first issue: 01.10.2020

Diclazuril:

Remarks : Not classified due to lack of data.

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:

White mineral oil (petroleum):

Test Type : Buehler Test
Routes of exposure : Skin contact
Species : Guinea pig
Result : negative

Diclazuril:

Remarks : Not classified due to lack of data.

Germ cell mutagenicity

Not classified based on available information.

Components:

White mineral oil (petroleum):

Genotoxicity in vitro	: Test Type: In vitro mammalian cell gene mutation test Result: negative
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Method: OECD Test Guideline 474 Result: negative Remarks: Based on data from similar materials

Diclazuril·

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Test system: mouse lymphoma cells
Result: negative

Test Type: unscheduled DNA synthesis assay
Test system: rat hepatocytes
Result: negative

Test Type: Chromosomal aberration
Test system: Human lymphocytes

SAFETY DATA SHEET



Diclazuril Formulation

Version
2.1

Revision Date:
09.05.2025

SDS Number:
6490736-00011

Date of last issue: 14.04.2025
Date of first issue: 01.10.2020

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Cell type: Bone marrow
Result: negative

Test Type: Sex-linked recessive lethal test in Drosophila melanogaster (in vivo)
Result: negative

Test Type: dominant lethal test
Species: Mouse
Result: negative

Carcinogenicity

Not classified based on available information.

Components:

White mineral oil (petroleum):

Species : Rat
Application Route : Ingestion
Exposure time : 24 Months
Result : negative

Diclazuril:

Species : Mouse
Application Route : Oral
Exposure time : 25 Months
NOAEL : 3 mg/kg body weight
LOAEL : 11 mg/kg body weight
Result : negative

Species : Rat
Application Route : Oral
Exposure time : 28 Months
NOAEL : 4 mg/kg body weight
LOAEL : 15 mg/kg body weight
Result : negative

Reproductive toxicity

Suspected of damaging the unborn child.

Components:

White mineral oil (petroleum):

Effects on fertility : Test Type: One-generation reproduction toxicity study
Species: Rat
Application Route: Skin contact
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat

SAFETY DATA SHEET



Diclazuril Formulation

Version
2.1

Revision Date:
09.05.2025

SDS Number:
6490736-00011

Date of last issue: 14.04.2025
Date of first issue: 01.10.2020

Application Route: Ingestion
Result: negative

Diclazuril:

Effects on fertility

: Test Type: Two-generation study
Species: Rat
General Toxicity Parent: NOAEL: 5 mg/kg body weight
Early Embryonic Development: LOAEL: 20 mg/kg body weight
Symptoms: Reduced offspring weight gain.
Remarks: Maternal toxicity observed.

Effects on fetal development

: Test Type: Development
Species: Rabbit
Application Route: Oral
Developmental Toxicity: NOAEL: 80 mg/kg body weight
Embryo-fetal toxicity: LOAEL: 320 mg/kg body weight
Symptoms: Early Resorptions / resorption rate., Late Resorptions / resorption rate.

Test Type: Development
Species: Rat
Application Route: Oral
General Toxicity Maternal: LOAEL: 20 mg/kg body weight
Developmental Toxicity: NOAEL: 5 mg/kg body weight

Reproductive toxicity - Assessment

: Suspected of damaging the unborn child.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

May cause damage to organs (Lungs, Lymph nodes, Liver) through prolonged or repeated exposure.

Components:

Diclazuril:

Target Organs
Assessment

: Liver, Lungs, Lymph nodes
: May cause damage to organs through prolonged or repeated exposure.

Repeated dose toxicity

Components:

White mineral oil (petroleum):

Species	:	Rat
LOAEL	:	160 mg/kg
Application Route	:	Ingestion
Exposure time	:	90 Days
Species	:	Rat
LOAEL	:	>= 1 mg/l
Application Route	:	inhalation (dust/mist/fume)

SAFETY DATA SHEET



Diclazuril Formulation

Version 2.1 Revision Date: 09.05.2025 SDS Number: 6490736-00011 Date of last issue: 14.04.2025 Date of first issue: 01.10.2020

Exposure time : 4 Weeks
Method : OECD Test Guideline 412

Diclazuril:

Species : Rat
NOAEL : 6 mg/kg
LOAEL : 74 mg/kg
Application Route : Oral
Exposure time : 12 Months
Target Organs : Liver, Lungs, Lymph nodes

Species : Rat
NOAEL : 4 mg/kg
LOAEL : 69 mg/kg
Application Route : Oral
Exposure time : 3 Months
Target Organs : Liver

Species : Mouse
NOAEL : 30 mg/kg
LOAEL : 60 mg/kg
Application Route : Oral
Exposure time : 3 Months
Target Organs : Liver

Species : Dog
NOAEL : 20 mg/kg
LOAEL : 80 mg/kg
Exposure time : 12 Months

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Diclazuril:

Ingestion : Symptoms: Diarrhea

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

White mineral oil (petroleum):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

SAFETY DATA SHEET



Diclazuril Formulation

Version 2.1	Revision Date: 09.05.2025	SDS Number: 6490736-00011	Date of last issue: 14.04.2025 Date of first issue: 01.10.2020
----------------	------------------------------	------------------------------	---

Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (green algae)): 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 1,000 mg/l
Exposure time: 28 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 1,000 mg/l
Exposure time: 21 d

Diclazuril:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.58 mg/l
Exposure time: 96 h
Remarks: No toxicity at the limit of solubility.

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 0.63 mg/l
Exposure time: 48 h
Remarks: No toxicity at the limit of solubility.

Toxicity to algae/aquatic plants : EC50 (Selenastrum capricornutum (green algae)): > 1.1 mg/l
Exposure time: 72 h
Remarks: No toxicity at the limit of solubility.

NOEC (Selenastrum capricornutum (green algae)): 1.1 mg/l
Exposure time: 72 h
Remarks: No toxicity at the limit of solubility.

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.16 mg/l
Exposure time: 21 d
Remarks: No toxicity at the limit of solubility.

Persistence and degradability

Components:

White mineral oil (petroleum):

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 31 %
Exposure time: 28 d

Bioaccumulative potential

Components:

Diclazuril:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): 160

Partition coefficient: n-octanol/water : log Pow: 4.5
pH: 7

SAFETY DATA SHEET



Diclazuril Formulation

Version 2.1 Revision Date: 09.05.2025 SDS Number: 6490736-00011 Date of last issue: 14.04.2025
Date of first issue: 01.10.2020

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

NOM-002-SCT

Not regulated as a dangerous good

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Federal Law for the control of chemical precursors, essential chemical products and machinery for producing capsules, tablets and pills. : Not applicable

The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

SAFETY DATA SHEET



Diclazuril Formulation

Version 2.1	Revision Date: 09.05.2025	SDS Number: 6490736-00011	Date of last issue: 14.04.2025 Date of first issue: 01.10.2020
----------------	------------------------------	------------------------------	---

SECTION 16. OTHER INFORMATION

Revision Date : 09.05.2025
Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
NOM-010-STPS-2014	: Mexico. Norm NOM-010-STPS-2014 on Chemicals Polluting the Work Environment - Identification, Assessment and Control - Appendix 1 Occupational Exposure Limits
ACGIH / TWA	: 8-hour, time-weighted average
NOM-010-STPS-2014 / VLE- PPT	: Time weighted average limit value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

The information is considered as correct, but not exhaustive, and will be used only as a guide, which is based in the current knowledge of the substance or mixture, and is applicable to proper safety precautions for the product.

SAFETY DATA SHEET



Diclazuril Formulation

Version 2.1	Revision Date: 09.05.2025	SDS Number: 6490736-00011	Date of last issue: 14.04.2025 Date of first issue: 01.10.2020
----------------	------------------------------	------------------------------	---

MX / Z8