

**Amitraz (12.5%) Immersion Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
4.0	14.04.2025	6976300-00009	Date of first issue: 02.11.2020

---

**SECTION 1: IDENTIFICATION**

Product name : Amitraz (12.5%) Immersion Formulation

**Manufacturer or supplier's details**

Company : Intervet Australia Pty Limited (trading as MSD Animal Health)

Address : 91-105 Harpin Street  
Bendigo 3550, Victoria Australia

Telephone : 1 800 033 461

Emergency telephone number : Poisons Information Centre: Phone 13 11 26

E-mail address : EHSDATASTEWARD@msd.com

**Recommended use of the chemical and restrictions on use**

Recommended use : Veterinary product

Restrictions on use : Not applicable

---

**SECTION 2. HAZARDS IDENTIFICATION****GHS Classification**

Flammable liquids : Category 3

Acute toxicity (Oral) : Category 4

Skin corrosion/irritation : Category 2

Serious eye damage/eye irritation : Category 1

Germ cell mutagenicity : Category 1B

Carcinogenicity : Category 1B

Specific target organ toxicity - single exposure : Category 3

Specific target organ toxicity - repeated exposure : Category 2 (Liver, Central nervous system)

Aspiration hazard : Category 1

**GHS label elements**

**Amitraz (12.5%) Immersion Formulation**

Version	Revision Date:	SDS Number:	Date of last issue:
4.0	14.04.2025	6976300-00009	06.04.2024
			Date of first issue: 02.11.2020

---

Hazard pictograms



Signal word

: Danger

Hazard statements

: H226 Flammable liquid and vapour.  
H302 Harmful if swallowed.  
H304 May be fatal if swallowed and enters airways.  
H315 Causes skin irritation.  
H318 Causes serious eye damage.  
H336 May cause drowsiness or dizziness.  
H340 May cause genetic defects.  
H350 May cause cancer.  
H373 May cause damage to organs (Liver, Central nervous system) through prolonged or repeated exposure.

Precautionary statements

: **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P233 Keep container tightly closed.  
P241 Use explosion-proof electrical/ ventilating/ lighting equipment.  
P242 Use non-sparking tools.  
P243 Take action to prevent static discharges.  
P260 Do not breathe mist or vapours.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P271 Use only outdoors or in a well-ventilated area.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**  
P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.  
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.  
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.  
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P331 Do NOT induce vomiting.  
P332 + P313 If skin irritation occurs: Get medical advice/ attention.

**Amitraz (12.5%) Immersion Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
4.0	14.04.2025	6976300-00009	Date of first issue: 02.11.2020

**Storage:**

P403 + P235 Store in a well-ventilated place. Keep cool.  
P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards which do not result in classification**

Vapours may form explosive mixture with air.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Components**

Chemical name	CAS-No.	Concentration (% w/w)
Solvent naphtha (petroleum), light aromatic	64742-95-6	$\geq 60$ - $\leq 100$
Nonylphenol, ethoxylated	9016-45-9	$\geq 10$ - $< 30$
amitraz (ISO)	33089-61-1	$\geq 10$ - $< 30$

**SECTION 4. FIRST AID MEASURES**

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Get medical attention immediately.
- If swallowed : If swallowed, DO NOT induce vomiting.  
If vomiting occurs have person lean forward.  
Call a physician or poison control centre immediately.  
Rinse mouth thoroughly with water.  
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : Harmful if swallowed.  
May be fatal if swallowed and enters airways.  
Causes skin irritation.  
Causes serious eye damage.  
May cause drowsiness or dizziness.  
May cause genetic defects.

**Amitraz (12.5%) Immersion Formulation**

Version	Revision Date:	SDS Number:	Date of last issue:
4.0	14.04.2025	6976300-00009	06.04.2024
			Date of first issue: 02.11.2020

---

May cause cancer.  
May cause damage to organs through prolonged or repeated exposure.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

---

**SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : High volume water jet

Specific hazards during fire-fighting : Do not use a solid water stream as it may scatter and spread fire.  
Flash back possible over considerable distance.  
Vapours may form explosive mixtures with air.  
Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

Hazchem Code : •3Y

---

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures : Remove all sources of ignition.  
Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g. by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages

**Amitraz (12.5%) Immersion Formulation**

Version 4.0	Revision Date: 14.04.2025	SDS Number: 6976300-00009	Date of last issue: 06.04.2024 Date of first issue: 02.11.2020
----------------	------------------------------	------------------------------	---

---

cannot be contained.

Methods and materials for containment and cleaning up : Non-sparking tools should be used.  
Soak up with inert absorbent material.  
Suppress (knock down) gases/vapours/mists with a water spray jet.  
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

**SECTION 7. HANDLING AND STORAGE**

Technical measures	: See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	: If sufficient ventilation is unavailable, use with local exhaust ventilation. Use explosion-proof electrical, ventilating and lighting equipment.
Advice on safe handling	: Do not get on skin or clothing. Do not breathe mist or vapours. Do not swallow. Do not get in eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Non-sparking tools should be used. Keep container tightly closed. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to the environment.
Hygiene measures	: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

## Amitraz (12.5%) Immersion Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
4.0	14.04.2025	6976300-00009	Date of first issue: 02.11.2020

Conditions for safe storage : use of administrative controls.  
 : Keep in properly labelled containers.  
 : Store locked up.  
 : Keep tightly closed.  
 : Keep in a cool, well-ventilated place.  
 : Store in accordance with the particular national regulations.  
 : Keep away from heat and sources of ignition.

Materials to avoid : Do not store with the following product types:  
 : Self-reactive substances and mixtures  
 : Organic peroxides  
 : Oxidizing agents  
 : Flammable gases  
 : Pyrophoric liquids  
 : Pyrophoric solids  
 : Self-heating substances and mixtures  
 : Poisonous gases  
 : Explosives

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Solvent naphtha (petroleum), light aromatic	64742-95-6	TWA	900 mg/m <sup>3</sup>	AU OEL
		TWA	200 mg/m <sup>3</sup> (total hydrocarbon vapor)	ACGIH
amitraz (ISO)	33089-61-1	TWA	10 µg/m <sup>3</sup> (OEB 3)	Internal
		Wipe limit	1250 µg/100 cm <sup>2</sup>	Internal

Engineering measures : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).  
 All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
 Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).  
 Minimize open handling.  
 Use explosion-proof electrical, ventilating and lighting equipment.

#### Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

**Amitraz (12.5%) Immersion Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
4.0	14.04.2025	6976300-00009	Date of first issue: 02.11.2020

---

Filter type	: Combined particulates and organic vapour type
Hand protection	
Material	: Chemical-resistant gloves
Remarks	: Consider double gloving. Take note that the product is flammable, which may impact the selection of hand protection.
Eye protection	: Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	: Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

---

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance	: liquid
Colour	: light yellow
Odour	: No data available
Odour Threshold	: No data available
pH	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: 57 °C
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Flammability (liquids)	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapour pressure	: No data available

**Amitraz (12.5%) Immersion Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
4.0	14.04.2025	6976300-00009	Date of first issue: 02.11.2020

---

Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	0.930 - 1.008 g/cm <sup>3</sup>
Solubility(ies)		
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics		
Particle size	:	Not applicable

---

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Flammable liquid and vapour. Vapours may form explosive mixture with air. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

---

**SECTION 11. TOXICOLOGICAL INFORMATION**

Exposure routes	:	Inhalation Skin contact Ingestion Eye contact
-----------------	---	--

**Acute toxicity**

Harmful if swallowed.



**Amitraz (12.5%) Immersion Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
4.0	14.04.2025	6976300-00009	Date of first issue: 02.11.2020

---

**Product:**

Acute oral toxicity : Acute toxicity estimate: 1,493 mg/kg  
Method: Calculation method

**Components:****Solvent naphtha (petroleum), light aromatic:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.61 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

**Nonylphenol, ethoxylated:**

Acute oral toxicity : LD50 (Rat): 500 - 2,000 mg/kg

**amitraz (ISO):**

Acute oral toxicity : LD50 (Rat): > 400 mg/kg  
LD50 (Mouse): > 1,085 mg/kg  
LD50 (Guinea pig): > 400 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : LD50 (Rat): > 1,600 mg/kg

**Skin corrosion/irritation**

Causes skin irritation.

**Components:****Solvent naphtha (petroleum), light aromatic:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Skin irritation

**Nonylphenol, ethoxylated:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

**amitraz (ISO):**

Species : Rabbit  
Result : No skin irritation

**Amitraz (12.5%) Immersion Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
4.0	14.04.2025	6976300-00009	Date of first issue: 02.11.2020

---

**Serious eye damage/eye irritation**

Causes serious eye damage.

**Components:****Solvent naphtha (petroleum), light aromatic:**

Species	: Rabbit
Result	: No eye irritation
Method	: OECD Test Guideline 405

**Nonylphenol, ethoxylated:**

Species	: Rabbit
Result	: Irreversible effects on the eye
Method	: OECD Test Guideline 405

**amitraz (ISO):**

Species	: Rabbit
Result	: No eye irritation

**Respiratory or skin sensitisation****Skin sensitisation**

Not classified based on available information.

**Respiratory sensitisation**

Not classified based on available information.

**Components:****Solvent naphtha (petroleum), light aromatic:**

Test Type	: Buehler Test
Exposure routes	: Skin contact
Species	: Guinea pig
Result	: negative

**Nonylphenol, ethoxylated:**

Test Type	: Maximisation Test
Exposure routes	: Skin contact
Species	: Guinea pig
Result	: negative
Remarks	: Based on data from similar materials

**amitraz (ISO):**

Test Type	: Maximisation Test
Exposure routes	: Dermal
Species	: Guinea pig
Result	: Not a skin sensitizer.

**Amitraz (12.5%) Immersion Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
4.0	14.04.2025	6976300-00009	Date of first issue: 02.11.2020

---

**Chronic toxicity****Germ cell mutagenicity**

May cause genetic defects.

**Components:****Solvent naphtha (petroleum), light aromatic:**

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative  Test Type: In vitro mammalian cell gene mutation test Result: positive
Genotoxicity in vivo	:	Test Type: Sister chromatid exchange analysis in spermatogonia Species: Mouse Application Route: Intraperitoneal injection Result: positive
Germ cell mutagenicity - Assessment	:	Positive result(s) from in vivo heritable germ cell mutagenicity tests in mammals

**Nonylphenol, ethoxylated:**

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative Remarks: Based on data from similar materials
-----------------------	---	---

**amitraz (ISO):**

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative  Test Type: In vitro mammalian cell gene mutation test Result: negative  Test Type: Chromosome aberration test in vitro Result: negative  Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro) Result: negative
-----------------------	---	--

**Carcinogenicity**

May cause cancer.

**Components:****Solvent naphtha (petroleum), light aromatic:**

Species	:	Mouse
Application Route	:	Skin contact
Exposure time	:	2 Years

**Amitraz (12.5%) Immersion Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
4.0	14.04.2025	6976300-00009	Date of first issue: 02.11.2020

---

Result : positive

Carcinogenicity - Assessment : Sufficient evidence of carcinogenicity in animal experiments

**amitraz (ISO):**

Species : Rat  
Application Route : Oral  
Exposure time : 2 Years  
NOAEL : > 10.18 mg/kg body weight  
Result : negative

Species : Mouse  
Exposure time : 2 Years  
LOAEL : 2.3 mg/kg body weight  
Result : positive  
Target Organs : Liver, Stomach

**Reproductive toxicity**

Not classified based on available information.

**Components:****Solvent naphtha (petroleum), light aromatic:**

Effects on fertility : Test Type: Reproduction/Developmental toxicity screening test  
Species: Rat  
Application Route: inhalation (vapour)  
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: inhalation (vapour)  
Result: negative

**amitraz (ISO):**

Effects on fertility : Test Type: Three-generation reproduction toxicity study  
Species: Rat  
Application Route: Oral  
Fertility: NOAEL: > 4.8 mg/kg body weight  
Result: No significant adverse effects were reported

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Oral  
Developmental Toxicity: NOAEL: 3 mg/kg body weight  
Remarks: No significant adverse effects were reported

Test Type: Embryo-foetal development  
Species: Rabbit  
Application Route: Oral  
Developmental Toxicity: NOAEL: 5 mg/kg body weight

**Amitraz (12.5%) Immersion Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
4.0	14.04.2025	6976300-00009	Date of first issue: 02.11.2020

---

Result: Effects on foetal development

**STOT - single exposure**

May cause drowsiness or dizziness.

**Components:****Solvent naphtha (petroleum), light aromatic:**

Assessment : May cause drowsiness or dizziness.

**STOT - repeated exposure**

May cause damage to organs (Liver, Central nervous system) through prolonged or repeated exposure.

**Components:****amitraz (ISO):**

Target Organs	: Liver, Central nervous system
Assessment	: May cause damage to organs through prolonged or repeated exposure.

**Repeated dose toxicity****Components:****Solvent naphtha (petroleum), light aromatic:**

Species	: Rat
LOAEL	: 500 mg/kg
Application Route	: Ingestion
Exposure time	: 28 Days

**amitraz (ISO):**

Species	: Mouse
NOAEL	: 3 mg/kg
Application Route	: Oral
Exposure time	: 90 Days
Target Organs	: Liver

Species	: Dog
NOAEL	: 0.25 mg/kg
Application Route	: Oral
Exposure time	: 90 Days
Target Organs	: Central nervous system, Liver

**Aspiration toxicity**

May be fatal if swallowed and enters airways.

**Amitraz (12.5%) Immersion Formulation**

Version 4.0	Revision Date: 14.04.2025	SDS Number: 6976300-00009	Date of last issue: 06.04.2024 Date of first issue: 02.11.2020
----------------	------------------------------	------------------------------	---

**Components:****Solvent naphtha (petroleum), light aromatic:**

|| The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

**Experience with human exposure****Components:****amitraz (ISO):**

|| Ingestion : Target Organs: Central nervous system

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****Solvent naphtha (petroleum), light aromatic:**

Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): 8.2 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction
Toxicity to daphnia and other aquatic invertebrates	: EL50 (Daphnia magna (Water flea)): 4.5 mg/l Exposure time: 48 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: EL50 (Pseudokirchneriella subcapitata (microalgae)): 3.1 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201  NOELR (Pseudokirchneriella subcapitata (microalgae)): 0.5 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOELR (Daphnia magna (Water flea)): 2.6 mg/l Exposure time: 21 d Test substance: Water Accommodated Fraction Method: OECD Test Guideline 211

**Nonylphenol, ethoxylated:**

Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): > 0.1 - 1 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to daphnia and other	: EC50 (Ceriodaphnia dubia (water flea)): > 0.1 - 1 mg/l

## Amitraz (12.5%) Immersion Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
4.0	14.04.2025	6976300-00009	06.04.2024
			Date of first issue: 02.11.2020

aquatic invertebrates		Exposure time: 48 h Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	:	ErC50 (Selenastrum capricornutum (green algae)): > 1 - 10 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
		EC10 (Selenastrum capricornutum (green algae)): > 1 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
Toxicity to fish (Chronic toxicity)	:	NOEC (Oryzias latipes (Japanese medaka)): > 0.1 - 1 mg/l Exposure time: 100 d Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Mysidopsis bahia (opossum shrimp)): > 0.001 - 0.01 mg/l Exposure time: 28 d Remarks: Based on data from similar materials

**amitraz (ISO):**

Toxicity to fish	:	LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.45 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0.035 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	NOEC (Pseudokirchneriella subcapitata (green algae)): 0.04 mg/l Exposure time: 91 h
Toxicity to fish (Chronic toxicity)	:	NOEC (Pimephales promelas (fathead minnow)): 0.00148 mg/l Exposure time: 32 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 0.0011 mg/l Exposure time: 21 d

**Persistence and degradability****Components:****Solvent naphtha (petroleum), light aromatic:**

Biodegradability	:	Result: Inherently biodegradable. Biodegradation: 94 % Exposure time: 25 d
------------------	---	--

**Nonylphenol, ethoxylated:**

**Amitraz (12.5%) Immersion Formulation**

Version 4.0	Revision Date: 14.04.2025	SDS Number: 6976300-00009	Date of last issue: 06.04.2024 Date of first issue: 02.11.2020
----------------	------------------------------	------------------------------	---

Biodegradability : Result: Not readily biodegradable.  
Remarks: Based on data from similar materials

**Bioaccumulative potential****Components:****Nonylphenol, ethoxylated:**

Partition coefficient: n-octanol/water : log Pow: 4.48

**amitraz (ISO):**

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)  
Bioconcentration factor (BCF): 1,333

Partition coefficient: n-octanol/water : log Pow: 5.5

**Mobility in soil****Components:****amitraz (ISO):**

Distribution among environmental compartments : log Koc: 3.3

**Other adverse effects**

No data available

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
Empty containers retain residue and can be dangerous.  
Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death.  
If not otherwise specified: Dispose of as unused product.

**SECTION 14. TRANSPORT INFORMATION****International Regulations****UNRTDG**

UN number : UN 1993  
Proper shipping name : FLAMMABLE LIQUID, N.O.S.  
(Solvent naphtha (petroleum), light aromatic)

Class : 3  
Packing group : III



## Amitraz (12.5%) Immersion Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
4.0	14.04.2025	6976300-00009	Date of first issue: 02.11.2020

Labels : 3  
Environmentally hazardous : no

**IATA-DGR**

UN/ID No. : UN 1993  
Proper shipping name : Flammable liquid, n.o.s.  
(Solvent naphtha (petroleum), light aromatic)

Class : 3  
Packing group : III  
Labels : Flammable Liquids  
Packing instruction (cargo aircraft) : 366  
Packing instruction (passenger aircraft) : 355

**IMDG-Code**

UN number : UN 1993  
Proper shipping name : FLAMMABLE LIQUID, N.O.S.  
(Solvent naphtha (petroleum), light aromatic, amitraz (ISO))

Class : 3  
Packing group : III  
Labels : 3  
EmS Code : F-E, S-E  
Marine pollutant : yes

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**National Regulations****ADG**

UN number : UN 1993  
Proper shipping name : FLAMMABLE LIQUID, N.O.S.  
(Solvent naphtha (petroleum), light aromatic)

Class : 3  
Packing group : III  
Labels : 3  
Hazchem Code : •3Y  
Environmentally hazardous : no

**Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

**SECTION 15. REGULATORY INFORMATION****Safety, health and environmental regulations/legislation specific for the substance or mixture**

Therapeutic Goods (Poisons Standard) Instrument : Schedule 6 (Please use the original publication to check for specific uses, specific conditions or threshold limits that might apply for this chemical)  
Prohibition/Licensing Requirements : There is no applicable prohibition,

**Amitraz (12.5%) Immersion Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
4.0	14.04.2025	6976300-00009	Date of first issue: 02.11.2020

authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regulations.

**The components of this product are reported in the following inventories:**

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

**SECTION 16: ANY OTHER RELEVANT INFORMATION****Further information**

Revision Date	:	14.04.2025
Sources of key data used to compile the Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <a href="http://echa.europa.eu/">http://echa.europa.eu/</a>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format	:	dd.mm.yyyy
-------------	---	------------

**Full text of other abbreviations**

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
AU OEL	:	Australia. Workplace Exposure Standards for Airborne Contaminants.

ACGIH / TWA	:	8-hour, time-weighted average
AU OEL / TWA	:	Exposure standard - time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect

**Amitraz (12.5%) Immersion Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
4.0	14.04.2025	6976300-00009	Date of first issue: 02.11.2020

---

Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AU / EN