

## Nobilis Salenvac Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/04/14
8.0	2025/06/17	7409657-00010	Date of first issue: 2020/11/13

---

## 1. PRODUCT AND COMPANY IDENTIFICATION

Chemical product name : Nobilis Salenvac Formulation

**Supplier's company name, address and phone number**

Company name of supplier : MSD

Address : 1-13-12, Kudan-kita, Chiyoda-ku, Tokyo, Japan

Telephone : 03-6272-1099

E-mail address : EHSDATASTEWARD@msd.com

Emergency telephone number : +1-908-423-6000

**Recommended use of the chemical and restrictions on use**

Recommended use : Veterinary medicine

Restrictions on use : Not applicable

## 2. HAZARDS IDENTIFICATION

**GHS classification of chemical product**

Skin sensitisation : Category 1

**GHS label elements**

Hazard pictograms :



Signal word : Warning

Hazard statements : H317 May cause an allergic skin reaction.

Precautionary statements :

**Prevention:**

P261 Avoid breathing mist or vapours.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves.

**Response:**

P302 + P352 IF ON SKIN: Wash with plenty of water.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P362 + P364 Take off contaminated clothing and wash it before reuse.

## Nobilis Salenvac Formulation

Version 8.0      Revision Date: 2025/06/17      SDS Number: 7409657-00010      Date of last issue: 2025/04/14  
Date of first issue: 2020/11/13

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards which do not result in classification**

None known.

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Components**

Chemical name	CAS-No.	Concentration (% w/w)	ENCS No.
Antigen	Not Assigned	$\geq 10 - < 20$	-
Maleic acid	110-16-7	$\geq 0.1 - < 0.25$	2-1100
Formaldehyde	50-00-0	$\geq 0.025 - < 0.1$	2-482
Thiomersal	54-64-8	0.013	-

**4. FIRST AID MEASURES**

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
Get medical attention if symptoms occur.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.

In case of eye contact : Flush eyes with water as a precaution.  
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention if symptoms occur.  
Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and delayed : May cause an allergic skin reaction.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

**5. FIREFIGHTING MEASURES**

**Nobilis Salenvac Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2025/04/14
8.0	2025/06/17	7409657-00010	Date of first issue: 2020/11/13

---

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : None known.
- Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

---

**6. ACCIDENTAL RELEASE MEASURES**

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g. by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material.  
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

**Nobilis Salenvac Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2025/04/14
8.0	2025/06/17	7409657-00010	Date of first issue: 2020/11/13

**7. HANDLING AND STORAGE****Handling**

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Do not get on skin or clothing.  
Avoid breathing mist or vapours.  
Do not swallow.  
Avoid contact with eyes.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Take care to prevent spills, waste and minimize release to the environment.
- Avoidance of contact : Oxidizing agents
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Contaminated work clothing should not be allowed out of the workplace.  
Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

**Storage**

- Conditions for safe storage : Keep in properly labelled containers.  
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents
- Packaging material : Unsuitable material: None known.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Threshold limit value and permissible exposure limits for each component in the work environment**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Concentration standard / Permissible concentration	Basis
Formaldehyde	50-00-0	ACL	0.1 ppm	JP OEL ISHL
		OEL-M	0.1 ppm 0.12 mg/m <sup>3</sup>	JP OEL JSOH
Further information: Airway sensitizing agent; Group 2 substances which probably induce allergic reactions in humans., Skin sensitiz-				

## Nobilis Salenvac Formulation

Version 8.0      Revision Date: 2025/06/17      SDS Number: 7409657-00010      Date of last issue: 2025/04/14  
 Date of first issue: 2020/11/13

		ing agent; Group 1 substances which induce allergic reactions in humans, Group 2A: probably carcinogenic to humans		
		OEL-C	0.2 ppm 0.24 mg/m <sup>3</sup>	JP OEL JSH
		Further information: Airway sensitizing agent; Group 2 substances which probably induce allergic reactions in humans., Skin sensitizing agent; Group 1 substances which induce allergic reactions in humans, Group 2A: probably carcinogenic to humans		
		TWA	0.1 ppm	ACGIH
		STEL	0.3 ppm	ACGIH
Thiomersal	54-64-8	ACL	0.01 mg/m <sup>3</sup> (Mercury)	JP OEL ISHL
		TWA	0.01 mg/m <sup>3</sup> (Mercury)	ACGIH
		STEL	0.03 mg/m <sup>3</sup> (Mercury)	ACGIH

## Biological occupational exposure limits

Components	CAS-No.	Target substance	Biological specimen	Sampling time	Permissible concentration	Basis
Thiomersal	54-64-8	total inorganic mercury (Mercury)	Urine	Not critical	35 µg/g creatinine	JSH

**Engineering measures** : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).  
 All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
 Laboratory operations do not require special containment.

## Personal protective equipment

**Respiratory protection** : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

**Filter type** : Particulates type

**Hand protection** : Chemical-resistant gloves

**Material** : Chemical-resistant gloves

**Eye protection** : Wear safety glasses with side shields or goggles.  
 If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
 Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

**Skin and body protection** : Work uniform or laboratory coat.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Nobilis Salenvac Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2025/04/14
8.0	2025/06/17	7409657-00010	Date of first issue: 2020/11/13

---

Physical state	:	suspension
Colour	:	cream
Odour	:	No data available
Odour Threshold	:	No data available
Melting point/freezing point	:	No data available
Boiling point, initial boiling point and boiling range	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Lower explosion limit and upper explosion limit / flammability limit	:	
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	No data available
Decomposition temperature	:	No data available
pH	:	6.6 - 7.0
Evaporation rate	:	No data available
Auto-ignition temperature	:	No data available
Viscosity	:	
Viscosity, kinematic	:	Not applicable
Solubility(ies)	:	
Water solubility	:	soluble
Partition coefficient: n-octanol/water	:	No data available
Vapour pressure	:	Not applicable
Density and / or relative density	:	
Relative density	:	ca. 1
Density	:	ca. 1 g/cm <sup>3</sup> similar to water
Relative vapour density	:	Not applicable

**Nobilis Salenvac Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2025/04/14
8.0	2025/06/17	7409657-00010	Date of first issue: 2020/11/13

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Particle characteristics  
Particle size : No data available

**10. STABILITY AND REACTIVITY**

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Can react with strong oxidizing agents.

Conditions to avoid : None known.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

**11. TOXICOLOGICAL INFORMATION**

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

**Acute toxicity**

Not classified based on available information.

**Components:****Maleic acid:**

Acute oral toxicity : LD50 (Rat): > 300 - 2,000 mg/kg  
Method: OECD Test Guideline 401  
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): 1,560 mg/kg

**Formaldehyde:**

Acute oral toxicity : Acute toxicity estimate: 100 mg/kg  
Method: Expert judgement  
Remarks: Based on national or regional regulation.

Acute inhalation toxicity : Acute toxicity estimate (Rat): 100 ppm  
Exposure time: 4 h  
Test atmosphere: gas  
Method: Expert judgement

Acute dermal toxicity : LD50 (Rabbit): 270 mg/kg

## Nobilis Salenvac Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/04/14
8.0	2025/06/17	7409657-00010	Date of first issue: 2020/11/13

---

||

**Thiomersal:**

Acute oral toxicity	:	LD50 (Rat): 75 mg/kg  Acute toxicity estimate: 10 mg/kg Method: Expert judgement Remarks: Based on national or regional regulation.
Acute inhalation toxicity	:	Acute toxicity estimate: 0.1 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Expert judgement Remarks: Based on national or regional regulation.
Acute dermal toxicity	:	Acute toxicity estimate: 10 mg/kg Method: Expert judgement Remarks: Based on national or regional regulation.

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****Maleic acid:**

Species	:	in vitro membrane barrier
Method	:	OECD Test Guideline 435
Result	:	Corrosive after 3 minutes to 1 hour of exposure

**Formaldehyde:**

Result	:	Corrosive after 3 minutes to 1 hour of exposure
Remarks	:	Based on national or regional regulation.

**Serious eye damage/eye irritation**

Not classified based on available information.

**Components:****Maleic acid:**

Result	:	Irreversible effects on the eye
Remarks	:	Based on skin corrosivity.

**Formaldehyde:**

Result	:	Irreversible effects on the eye
Remarks	:	Based on skin corrosivity.

**Nobilis Salenvac Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2025/04/14
8.0	2025/06/17	7409657-00010	Date of first issue: 2020/11/13

---

**Respiratory or skin sensitisation****Skin sensitisation**

May cause an allergic skin reaction.

**Respiratory sensitisation**

Not classified based on available information.

**Components:****Maleic acid:**

Test Type	: Maximisation Test
Exposure routes	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: positive

Assessment	: Probability or evidence of skin sensitisation in humans
------------	---

**Formaldehyde:**

Test Type	: Human repeat insult patch test (HRIPT)
Exposure routes	: Skin contact
Species	: Humans
Result	: positive

Assessment	: Probability or evidence of high skin sensitisation rate in humans
------------	---

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****Maleic acid:**

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
	Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: negative

**Formaldehyde:**

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: positive
	Test Type: In vitro mammalian cell gene mutation test Result: positive
	Test Type: Chromosome aberration test in vitro Result: positive

## Nobilis Salenvac Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/04/14
8.0	2025/06/17	7409657-00010	Date of first issue: 2020/11/13

---

Genotoxicity in vivo	: Test Type: In vivo mammalian alkaline comet assay Species: Mouse Application Route: Inhalation Result: positive
Germ cell mutagenicity - Assessment	: Positive result(s) from in vivo mammalian somatic cell mutagenicity tests.

**Thiomersal:**

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
Genotoxicity in vivo	: Test Type: Mammalian spermatogonial chromosome aberration test (in vivo) Species: Mouse Application Route: Ingestion Result: negative

**Carcinogenicity**

Not classified based on available information.

**Components:****Maleic acid:**

Species	: Rat
Application Route	: Ingestion
Exposure time	: 2 Years
Result	: negative
Remarks	: Based on data from similar materials

**Formaldehyde:**

Species	: Rat
Application Route	: inhalation (gas)
Exposure time	: 28 Months
Result	: positive

Carcinogenicity - Assessment	: Sufficient evidence of carcinogenicity in animal experiments
------------------------------	--

**Thiomersal:**

Species	: Rat
Exposure time	: 1 Years
Result	: negative

**Reproductive toxicity**

Not classified based on available information.

**Components:****Maleic acid:**

## Nobilis Salenvac Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/04/14
8.0	2025/06/17	7409657-00010	Date of first issue: 2020/11/13

---

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

**Formaldehyde:**

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: inhalation (gas)  
Result: negative

**Thiomersal:**

Effects on foetal development : Species: Rat  
Application Route: Ingestion  
Result: positive  
Remarks: Based on data from similar materials

Reproductive toxicity - Assessment : Clear evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments

**STOT - single exposure**

Not classified based on available information.

**Components:****Maleic acid:**

Assessment : May cause respiratory irritation.  
Remarks : Based on national or regional regulation.

**Formaldehyde:**

Assessment : May cause respiratory irritation.

**STOT - repeated exposure**

Not classified based on available information.

**Components:****Thiomersal:**

Target Organs : Central nervous system, Cardio-vascular system, Gastrointestinal tract, Kidney  
Assessment : Causes damage to organs through prolonged or repeated exposure.

## Nobilis Salenvac Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/04/14
8.0	2025/06/17	7409657-00010	Date of first issue: 2020/11/13

## Repeated dose toxicity

Components:

## Thiomersal:

Species	:	Rat
LOAEL	:	$\geq 0.5$ mg/kg
Application Route	:	Ingestion
Remarks	:	Based on data from similar materials

## Aspiration toxicity

Not classified based on available information.

## 12. ECOLOGICAL INFORMATION

## Ecotoxicity

Components:

## Maleic acid:

Toxicity to fish	:	LC50 (Lepomis macrochirus (Bluegill sunfish)): $> 10 - 100$ mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 42.81 mg/l Exposure time: 48 h Test substance: Neutralised product Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	ErC50 (Pseudokirchneriella subcapitata (green algae)): 74.35 mg/l Exposure time: 72 h Test substance: Neutralised product Method: OECD Test Guideline 201  EC10 (Pseudokirchneriella subcapitata (green algae)): 11.8 mg/l Exposure time: 72 h Test substance: Neutralised product Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): $> 1$ mg/l Exposure time: 21 d Remarks: Based on data from similar materials
Toxicity to microorganisms	:	EC10 (Pseudomonas putida): 44.6 mg/l Exposure time: 18 h Test substance: Neutralised product Method: DIN 38 412 Part 8

## Nobilis Salenvac Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/04/14
8.0	2025/06/17	7409657-00010	Date of first issue: 2020/11/13

## II

**Formaldehyde:**

Toxicity to fish	:	LC50 (Morone saxatilis (striped bass)): 6.7 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia pulex (Water flea)): 5.8 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	ErC50 (Desmodesmus subspicatus (green algae)): 4.89 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 1.04 mg/l Exposure time: 21 d Method: OECD Test Guideline 211
Toxicity to microorganisms	:	EC50 (activated sludge): 19 mg/l Exposure time: 3 h Method: OECD Test Guideline 209

**Thiomersal:**

Toxicity to fish	:	LC50 (Poecilia reticulata (guppy)): > 0.01 - 0.1 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 0.01 - 0.1 mg/l Exposure time: 48 h Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): > 0.01 - 0.1 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
M-Factor (Acute aquatic toxicity)	:	10
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia sp. (water flea)): > 0.001 - 0.01 mg/l Exposure time: 21 d Remarks: Based on data from similar materials
M-Factor (Chronic aquatic toxicity)	:	10

**Persistence and degradability****Components:****Maleic acid:**

Biodegradability	:	Result: Readily biodegradable. Biodegradation: 97 % Exposure time: 28 d Method: OECD Test Guideline 301B
------------------	---	---

## Nobilis Salenvac Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/04/14
8.0	2025/06/17	7409657-00010	Date of first issue: 2020/11/13

Remarks: The test was conducted according to guideline

**Formaldehyde:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 99 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301A

**Bioaccumulative potential****Components:****Maleic acid:**

Bioaccumulation : Species: Leuciscus idus (Golden orfe)  
Bioconcentration factor (BCF): 10

Partition coefficient: n-octanol/water : log Pow: -1.3

**Formaldehyde:**

Partition coefficient: n-octanol/water : log Pow: 0.35  
Remarks: Calculation

**Mobility in soil**

No data available

**Hazardous to the ozone layer**

Not applicable

**Other adverse effects**

No data available

**13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues : Dispose of in accordance with local regulations.  
Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

**14. TRANSPORT INFORMATION****International Regulations****UNRTDG**

UN number : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable

**Nobilis Salenvac Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2025/04/14
8.0	2025/06/17	7409657-00010	Date of first issue: 2020/11/13

Packing group : Not applicable  
Labels : Not applicable  
Environmentally hazardous : no

**IATA-DGR**

UN/ID No. : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable  
Packing instruction (cargo aircraft) : Not applicable  
Packing instruction (passenger aircraft) : Not applicable

**IMDG-Code**

UN number : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable  
EmS Code : Not applicable  
Marine pollutant : Not applicable

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**National Regulations**

Refer to section 15 for specific national regulation.

**Special precautions for user**

Not applicable

**15. REGULATORY INFORMATION****Related Regulations****Fire Service Law**

Not applicable to dangerous materials / designated flammables.

**Chemical Substance Control Law**

Priority Assessment Chemical Substance

Chemical name	Number
Formaldehyde	25

**Industrial Safety and Health Law****Harmful Substances Prohibited from Manufacture**

Not applicable

**Harmful Substances Required Permission for Manufacture**

Not applicable

**Nobilis Salenvac Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2025/04/14
8.0	2025/06/17	7409657-00010	Date of first issue: 2020/11/13

**Substances Prevented From Impairment of Health**

Not applicable

**Circular concerning Information on Chemicals having Mutagenicity - Annex 2: Information on Existing Chemicals having Mutagenicity**

Not applicable

**Circular concerning Information on Chemicals having Mutagenicity - Annex 1: Information on Notified Substances having Mutagenicity**

Not applicable

**Substances Subject to be Notified Names**

Not applicable

**Substances Subject to be Indicated Names**

Not applicable

**Skin and Eye Damage Substances (ISHL MO Art. 594-2)**

Not applicable

**Carcinogenic Substances (Article 577-2 of the Occupational Health and Safety Regulations)**

Not applicable

**Ordinance on Prevention of Hazards Due to Specified Chemical Substances**

Not applicable

**Ordinance on Prevention of Lead Poisoning**

Not applicable

**Ordinance on Prevention of Tetraalkyl Lead Poisoning**

Not applicable

**Ordinance on Prevention of Organic Solvent Poisoning**

Not applicable

**Enforcement Order of the Industrial Safety and Health Law - Attached table 1 (Dangerous Substances)**

Not applicable

**Poisonous and Deleterious Substances Control Law**

Deleterious substance

Chemical name	Cabinet Order Number
sodium [(2-carboxyphenyl)thio] (ethyl) mercury and preparations containing it	22.2

**Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof**

Not applicable

**High Pressure Gas Safety Act**

Not applicable

**Explosive Control Law**

Not applicable

**Nobilis Salenvac Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2025/04/14
8.0	2025/06/17	7409657-00010	Date of first issue: 2020/11/13

---

**Vessel Safety Law**

Not regulated as a dangerous good

**Aviation Law**

Not regulated as a dangerous good

**Marine Pollution and Sea Disaster Prevention etc Law**

Bulk transportation : Not classified as noxious liquid substance

Pack transportation : Not classified as marine pollutant

**Narcotics and Psychotropics Control Act**

Narcotic or Psychotropic Raw Material (Export / Import Permission)

Not applicable

Specific Narcotic or Psychotropic Raw Material (Export / Import permission)

Not applicable

**Waste Disposal and Public Cleansing Law**

Industrial waste

**The components of this product are reported in the following inventories:**

AICS : not determined

DSL : not determined

IECSC : not determined

---

**16. OTHER INFORMATION****Further information**Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

**Full text of other abbreviations**

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
JP OEL ISHL	: Japan. Administrative Control Levels
JP OEL JSOH	: Japan. The Japan Society for Occupational Health. Recommendation of Occupational Exposure Limits
JSOH	: Occupational exposure limits based on biological monitoring (JSOH).
ACGIH / TWA	: 8-hour, time-weighted average
ACGIH / STEL	: Short-term exposure limit
JP OEL ISHL / ACL	: Administrative Control level
JP OEL JSOH / OEL-M	: Occupational Exposure Limit-Mean
JP OEL JSOH / OEL-C	: Occupational Exposure Limit-Ceiling

**Nobilis Salenvac Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2025/04/14
8.0	2025/06/17	7409657-00010	Date of first issue: 2020/11/13

---

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

JP / EN