

# SAFETY DATA SHEET



## Fenbendazole (20%) Type A Formulation

Version 4.0 Revision Date: 14.04.2025 SDS Number: 7634164-00010 Date of last issue: 30.09.2023 Date of first issue: 02.12.2020

---

### SECTION 1. IDENTIFICATION

Product name : Fenbendazole (20%) Type A Formulation

#### Manufacturer or supplier's details

Company : MSD

Address : Talcahuano 750, 6th floor, Ciudad Autonoma Buenos Aires, Argentina C1013AAP

Telephone : 908-740-4000

Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS Classification

Reproductive toxicity : Category 2

Specific target organ toxicity - repeated exposure (Oral) : Category 2 (Liver, Stomach, Nervous system, Lymph nodes)

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

#### GHS label elements

Hazard pictograms :



Signal Word : Warning

Hazard Statements : H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.  
H373 May cause damage to organs (Liver, Stomach, Nervous system, Lymph nodes) through prolonged or repeated exposure if swallowed.  
H410 Very toxic to aquatic life with long lasting effects.

# SAFETY DATA SHEET



## Fenbendazole (20%) Type A Formulation

Version  
4.0

Revision Date:  
14.04.2025

SDS Number:  
7634164-00010

Date of last issue: 30.09.2023  
Date of first issue: 02.12.2020

### Precautionary Statements

#### **Prevention:**

P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P260 Do not breathe dust.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

#### **Response:**

P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P391 Collect spillage.

#### **Storage:**

P405 Store locked up.

#### **Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards which do not result in classification

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
fenbendazole	43210-67-9	>= 20 -< 25
White mineral oil (petroleum)	8042-47-5	>= 1 -< 5

## SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.

In case of eye contact : If in eyes, rinse well with water.  
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.

# SAFETY DATA SHEET



## Fenbendazole (20%) Type A Formulation

Version 4.0	Revision Date: 14.04.2025	SDS Number: 7634164-00010	Date of last issue: 30.09.2023 Date of first issue: 02.12.2020
----------------	------------------------------	------------------------------	---

Most important symptoms and effects, both acute and delayed	Get medical attention. Rinse mouth thoroughly with water. : Contact with dust can cause mechanical irritation or drying of the skin. Dust contact with the eyes can lead to mechanical irritation. Suspected of damaging fertility. Suspected of damaging the unborn child. May cause damage to organs through prolonged or repeated exposure if swallowed.
Protection of first-aiders	: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	: Treat symptomatically and supportively.

## SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	: Water spray Alcohol-resistant foam Carbon dioxide (CO <sub>2</sub> ) Dry chemical
Unsuitable extinguishing media	: None known.
Specific hazards during fire fighting	: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Exposure to combustion products may be a hazard to health.
Hazardous combustion products	: Carbon oxides Nitrogen oxides (NO <sub>x</sub> ) Sulfur oxides Silicon oxides Metal oxides
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	: Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

# SAFETY DATA SHEET



## Fenbendazole (20%) Type A Formulation

Version 4.0	Revision Date: 14.04.2025	SDS Number: 7634164-00010	Date of last issue: 30.09.2023 Date of first issue: 02.12.2020
----------------	------------------------------	------------------------------	---

Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up :

- Sweep up or vacuum up spillage and collect in suitable container for disposal.
- Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).
- Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.
- Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
- Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

## SECTION 7. HANDLING AND STORAGE

Technical measures :

- Static electricity may accumulate and ignite suspended dust causing an explosion.
- Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.

Local/Total ventilation :

- Use only with adequate ventilation.

Advice on safe handling :

- Do not breathe dust.
- Do not swallow.
- Avoid contact with eyes.
- Avoid prolonged or repeated contact with skin.
- Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
- Minimize dust generation and accumulation.
- Keep container closed when not in use.
- Keep away from heat and sources of ignition.
- Take precautionary measures against static discharges.
- Take care to prevent spills, waste and minimize release to the environment.

Conditions for safe storage :

- Keep in properly labeled containers.
- Store locked up.
- Store in accordance with the particular national regulations.

Materials to avoid :

- Do not store with the following product types:  
Strong oxidizing agents

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
fenbendazole	43210-67-9	TWA	100 µg/m <sup>3</sup> (OEB 2)	Internal

# SAFETY DATA SHEET



## Fenbendazole (20%) Type A Formulation

Version 4.0 Revision Date: 14.04.2025 SDS Number: 7634164-00010 Date of last issue: 30.09.2023 Date of first issue: 02.12.2020

White mineral oil (petroleum)	8042-47-5	CMP (Mist)	5 mg/m <sup>3</sup>	AR OEL
		CMP - CPT (Mist)	10 mg/m <sup>3</sup>	AR OEL
		TWA (Inhalable particulate matter)	5 mg/m <sup>3</sup>	ACGIH

**Engineering measures** : Use feasible engineering controls to minimize exposure to compound.  
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

### Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapor type

Hand protection : Chemical-resistant gloves

Material : Chemical-resistant gloves

Eye protection : Wear safety glasses with side shields or goggles.  
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder

Color : tan  
to  
light brown

Odor : characteristic

Odor Threshold : No data available

pH : No data available

# SAFETY DATA SHEET



## Fenbendazole (20%) Type A Formulation

Version 4.0      Revision Date: 14.04.2025      SDS Number: 7634164-00010      Date of last issue: 30.09.2023  
Date of first issue: 02.12.2020

---

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

Flash point : Not applicable

Evaporation rate : Not applicable

Flammability (solid, gas) : May form explosive dust-air mixture during processing, handling or other means.

Flammability (liquids) : Not applicable

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : Not applicable

Relative vapor density : Not applicable

Relative density : No data available

Density : No data available

Solubility(ies)  
Water solubility : No data available

Partition coefficient: n-octanol/water : Not applicable

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity  
Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics  
Particle size : No data available

---

## SECTION 10. STABILITY AND REACTIVITY

# SAFETY DATA SHEET



## Fenbendazole (20%) Type A Formulation

Version 4.0 Revision Date: 14.04.2025 SDS Number: 7634164-00010 Date of last issue: 30.09.2023 Date of first issue: 02.12.2020

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents.
Conditions to avoid	: Heat, flames and sparks. Avoid dust formation.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: No hazardous decomposition products are known.

### SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Not classified based on available information.

#### Components:

##### **fenbendazole:**

Acute oral toxicity : LD50 (Rat): > 10.000 mg/kg  
LD50 (Mouse): > 10.000 mg/kg

##### **White mineral oil (petroleum):**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

#### **Skin corrosion/irritation**

Not classified based on available information.

#### Components:

##### **fenbendazole:**

Species : Rabbit  
Result : No skin irritation

##### **White mineral oil (petroleum):**

Species : Rabbit  
Result : No skin irritation

# SAFETY DATA SHEET



## Fenbendazole (20%) Type A Formulation

Version 4.0 Revision Date: 14.04.2025 SDS Number: 7634164-00010 Date of last issue: 30.09.2023 Date of first issue: 02.12.2020

---

### **Serious eye damage/eye irritation**

Not classified based on available information.

#### **Components:**

##### **fenbendazole:**

Species	:	Rabbit
Result	:	No eye irritation

##### **White mineral oil (petroleum):**

Species	:	Rabbit
Result	:	No eye irritation

### **Respiratory or skin sensitization**

#### **Skin sensitization**

Not classified based on available information.

#### **Respiratory sensitization**

Not classified based on available information.

#### **Components:**

##### **White mineral oil (petroleum):**

Test Type	:	Buehler Test
Routes of exposure	:	Skin contact
Species	:	Guinea pig
Result	:	negative

### **Germ cell mutagenicity**

Not classified based on available information.

#### **Components:**

##### **fenbendazole:**

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
		Test Type: DNA Repair Result: negative
		Test Type: Chromosomal aberration Result: negative
		Test Type: in vitro test Test system: mouse lymphoma cells Metabolic activation: Metabolic activation Result: equivocal

##### **White mineral oil (petroleum):**

Genotoxicity in vitro	:	Test Type: In vitro mammalian cell gene mutation test Result: negative
-----------------------	---	---

**Fenbendazole (20%) Type A Formulation**

Version 4.0	Revision Date: 14.04.2025	SDS Number: 7634164-00010	Date of last issue: 30.09.2023 Date of first issue: 02.12.2020
----------------	------------------------------	------------------------------	---

Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Method: OECD Test Guideline 474 Result: negative Remarks: Based on data from similar materials
----------------------	---	--

**Carcinogenicity**

Not classified based on available information.

**Components:****fenbendazole:**

Species	:	Mouse
Application Route	:	oral (feed)
Exposure time	:	2 Years
NOAEL	:	405 mg/kg body weight
Result	:	negative

Species	:	Rat
Application Route	:	Oral
Exposure time	:	2 Years
NOAEL	:	5 mg/kg body weight
Result	:	negative
Target Organs	:	Lymph nodes, Liver

**White mineral oil (petroleum):**

Species	:	Rat
Application Route	:	Ingestion
Exposure time	:	24 Months
Result	:	negative

**Reproductive toxicity**

Suspected of damaging fertility. Suspected of damaging the unborn child.

**Components:****fenbendazole:**

Effects on fertility	:	Test Type: Three-generation reproduction toxicity study Species: Rat Application Route: oral (feed) General Toxicity Parent: NOAEL: 15 mg/kg body weight Fertility: LOAEL: 45 mg/kg body weight Result: Effects on fertility.
Effects on fetal development	:	Test Type: Development Species: Dog, female Application Route: Oral Developmental Toxicity: LOAEL: 100 mg/kg body weight Result: Embryotoxic effects and adverse effects on the offspring were detected., No teratogenic effects.

# SAFETY DATA SHEET



## Fenbendazole (20%) Type A Formulation

Version 4.0 Revision Date: 14.04.2025 SDS Number: 7634164-00010 Date of last issue: 30.09.2023 Date of first issue: 02.12.2020

Test Type: Embryo-fetal development  
Species: Rabbit  
Application Route: Oral  
Developmental Toxicity: NOAEL: 25 mg/kg body weight  
Result: Fetotoxicity.

Test Type: Embryo-fetal development  
Species: Rabbit  
Application Route: Oral  
Developmental Toxicity: LOAEL: 63 mg/kg body weight

Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Oral  
Developmental Toxicity: NOAEL: 120 mg/kg body weight  
Result: No effects on fetal development.

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal experiments.

### White mineral oil (petroleum):

Effects on fertility : Test Type: One-generation reproduction toxicity study  
Species: Rat  
Application Route: Skin contact  
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

### STOT-single exposure

Not classified based on available information.

### STOT-repeated exposure

May cause damage to organs (Liver, Stomach, Nervous system, Lymph nodes) through prolonged or repeated exposure if swallowed.

### Components:

#### **fenbendazole:**

Routes of exposure : Ingestion  
Target Organs : Liver, Stomach, Nervous system, Lymph nodes  
Assessment : May cause damage to organs through prolonged or repeated exposure.

### Repeated dose toxicity

### Components:

#### **fenbendazole:**

Species : Rat

# SAFETY DATA SHEET



## Fenbendazole (20%) Type A Formulation

Version 4.0 Revision Date: 14.04.2025 SDS Number: 7634164-00010 Date of last issue: 30.09.2023 Date of first issue: 02.12.2020

LOAEL	:	500 mg/kg
Application Route	:	Oral
Exposure time	:	2 Weeks
Target Organs	:	Kidney, Liver
Species	:	Rat
NOAEL	:	> 2.500 mg/kg
Application Route	:	Oral
Exposure time	:	30 Days
Remarks	:	No significant adverse effects were reported
Species	:	Rat
LOAEL	:	1.600 mg/kg
Application Route	:	Oral
Exposure time	:	90 Days
Target Organs	:	Central nervous system
Symptoms	:	Tremors
Species	:	Dog
NOAEL	:	4 mg/kg
LOAEL	:	8 mg/kg
Exposure time	:	6 Months
Target Organs	:	Stomach, Nervous system, Lymph nodes

### White mineral oil (petroleum):

Species	:	Rat
LOAEL	:	160 mg/kg
Application Route	:	Ingestion
Exposure time	:	90 Days
Species	:	Rat
LOAEL	:	>= 1 mg/l
Application Route	:	inhalation (dust/mist/fume)
Exposure time	:	4 Weeks
Method	:	OECD Test Guideline 412

### Aspiration toxicity

Not classified based on available information.

### Components:

#### **fenbendazole:**

||| No aspiration toxicity classification

### Experience with human exposure

### Components:

#### **fenbendazole:**

||| Ingestion : Symptoms: Rapid respiration, Salivation, anorexia, Diarrhea

# SAFETY DATA SHEET



## Fenbendazole (20%) Type A Formulation

Version 4.0 Revision Date: 14.04.2025 SDS Number: 7634164-00010 Date of last issue: 30.09.2023 Date of first issue: 02.12.2020

### SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

##### Components:

###### **fenbendazole:**

Toxicity to fish	:	LC50 (Lepomis macrochirus (Bluegill sunfish)): 0,009 mg/l Exposure time: 21 d
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0,0088 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
M-Factor (Acute aquatic toxicity)	:	100
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 0,00113 mg/l Exposure time: 21 Days Method: OECD Test Guideline 211
M-Factor (Chronic aquatic toxicity)	:	10

###### **White mineral oil (petroleum):**

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	NOEC (Pseudokirchneriella subcapitata (green algae)): 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to fish (Chronic toxicity)	:	NOEC (Oncorhynchus mykiss (rainbow trout)): 1.000 mg/l Exposure time: 28 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 1.000 mg/l Exposure time: 21 d

#### Persistence and degradability

##### Components:

###### **White mineral oil (petroleum):**

Biodegradability	:	Result: Not readily biodegradable. Biodegradation: 31 % Exposure time: 28 d
------------------	---	---

# SAFETY DATA SHEET



## Fenbendazole (20%) Type A Formulation

Version 4.0 Revision Date: 14.04.2025 SDS Number: 7634164-00010 Date of last issue: 30.09.2023 Date of first issue: 02.12.2020

---

### Bioaccumulative potential

#### Components:

##### **fenbendazole:**

Partition coefficient: n-octanol/water : log Pow: 3,32

### Mobility in soil

#### Components:

##### **fenbendazole:**

Distribution among environmental compartments : log Koc: 3,8 - 4,7  
Method: FDA 3.08

### Other adverse effects

No data available

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.  
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### **UNRTDG**

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(fenbendazole)  
Class : 9  
Packing group : III  
Labels : 9  
Environmentally hazardous : yes

#### **IATA-DGR**

UN/ID No. : UN 3077  
Proper shipping name : Environmentally hazardous substance, solid, n.o.s.  
(fenbendazole)  
Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 956  
Packing instruction (passenger aircraft) : 956  
Environmentally hazardous : yes

# SAFETY DATA SHEET



## Fenbendazole (20%) Type A Formulation

Version 4.0 Revision Date: 14.04.2025 SDS Number: 7634164-00010 Date of last issue: 30.09.2023 Date of first issue: 02.12.2020

---

### IMDG-Code

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(fenbendazole)  
Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## SECTION 15. REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

Argentina. Carcinogenic Substances and Agents Registry. : Not applicable

Control of precursors and essential chemicals for the preparation of drugs. : Not applicable

### The ingredients of this product are reported in the following inventories:

AICS : not determined  
DSL : not determined  
IECSC : not determined

---

## SECTION 16. OTHER INFORMATION

Revision Date : 14.04.2025  
Date format : dd.mm.yyyy

### Further information

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

### Full text of other abbreviations

# SAFETY DATA SHEET



## Fenbendazole (20%) Type A Formulation

Version 4.0	Revision Date: 14.04.2025	SDS Number: 7634164-00010	Date of last issue: 30.09.2023 Date of first issue: 02.12.2020
----------------	------------------------------	------------------------------	---

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
AR OEL	:	Argentina. Occupational Exposure Limits
ACGIH / TWA	:	8-hour, time-weighted average
AR OEL / CMP	:	TLV (Threshold Limit Value)
AR OEL / CMP - CPT	:	STEL (Short Term Limit Value)

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECL - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AR / Z8