

Nobivac Puppy DP Plus Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/02/24
4.0	2025/04/14	7776480-00011	Date of first issue: 2021/02/05

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Nobivac Puppy DP Plus Formulation

Product code : Nobivac Puppy DP Formulation

Other means of identification : Nobivac Puppy DP (A006018)

Manufacturer or supplier's details

Company : MSD

Address : 126 E. Lincoln Avenue
Rahway, New Jersey U.S.A. 07065

Telephone : +1-908-740-4000

Emergency telephone number : +1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

2. HAZARDS IDENTIFICATION**GHS Classification**

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 3

GHS label elements

Hazard pictograms :



Signal word : Warning

Hazard statements : H400 Very toxic to aquatic life.
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**
P273 Avoid release to the environment.

Nobivac Puppy DP Plus Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/02/24
4.0	2025/04/14	7776480-00011	Date of first issue: 2021/02/05

Response:

P391 Collect spillage.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Antigen	Not Assigned	≥ 10 -< 30
Neomycin, sulfate (salt)	1405-10-3	≥ 0.025 -< 0.25

4. FIRST AID MEASURES

- | | |
|---|--|
| General advice | : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice. |
| If inhaled | : If inhaled, remove to fresh air.
Get medical attention if symptoms occur. |
| In case of skin contact | : Wash with water and soap.
Get medical attention if symptoms occur. |
| In case of eye contact | : If in eyes, rinse well with water.
Get medical attention if irritation develops and persists. |
| If swallowed | : If swallowed, DO NOT induce vomiting.
Get medical attention if symptoms occur.
Rinse mouth thoroughly with water. |
| Most important symptoms and effects, both acute and delayed | : Contact with dust can cause mechanical irritation or drying of the skin.
Dust contact with the eyes can lead to mechanical irritation. |
| Protection of first-aiders | : No special precautions are necessary for first aid responders. |
| Notes to physician | : Treat symptomatically and supportively. |

5. FIREFIGHTING MEASURES

- | | |
|------------------------------|--|
| Suitable extinguishing media | : Water spray
Alcohol-resistant foam
Carbon dioxide (CO ₂)
Dry chemical |
| Unsuitable extinguishing | : None known. |

Nobivac Puppy DP Plus Formulation

Version 4.0	Revision Date: 2025/04/14	SDS Number: 7776480-00011	Date of last issue: 2025/02/24 Date of first issue: 2021/02/05
----------------	------------------------------	------------------------------	---

media

- Specific hazards during fire-fighting : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.
Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides
Nitrogen oxides (NO_x)
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.
- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.
Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

7. HANDLING AND STORAGE

- Technical measures : Static electricity may accumulate and ignite suspended dust

Nobivac Puppy DP Plus Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
4.0	2025/04/14	7776480-00011	2025/02/24
			Date of first issue: 2021/02/05

causing an explosion.
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not breathe dust.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Minimize dust generation and accumulation.
Keep container closed when not in use.
Keep away from heat and sources of ignition.
Take precautionary measures against static discharges.
Take care to prevent spills, waste and minimize release to the environment.

Conditions for safe storage : Keep in properly labelled containers.
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:
Strong oxidizing agents

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Neomycin, sulfate (salt)	1405-10-3	TWA	1.5 mg/m ³ (OEB 1)	Internal
Further information: DSEN, OTO				
		Wipe limit	0.1 mg/100 cm ²	Internal

Engineering measures : Use feasible engineering controls to minimize exposure to compound.
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

Hand protection : Chemical-resistant gloves

Material

Eye protection : Wear safety glasses with side shields or goggles.
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Nobivac Puppy DP Plus Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/02/24
4.0	2025/04/14	7776480-00011	Date of first issue: 2021/02/05

Skin and body protection : Work uniform or laboratory coat.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.

When using do not eat, drink or smoke.

Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: lyophilised cake
Colour	: off-white
	light yellow
Odour	: No data available
Odour Threshold	: No data available
pH	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: Not applicable
Evaporation rate	: Not applicable
Flammability (solid, gas)	: May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	: Not applicable
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapour pressure	: Not applicable
Relative vapour density	: Not applicable
Relative density	: No data available
Density	: No data available

Nobivac Puppy DP Plus Formulation

Version 4.0	Revision Date: 2025/04/14	SDS Number: 7776480-00011	Date of last issue: 2025/02/24 Date of first issue: 2021/02/05
----------------	------------------------------	------------------------------	---

Solubility(ies)	
Water solubility	: soluble
Partition coefficient: n-octanol/water	: Not applicable
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	
Viscosity, kinematic	: Not applicable
Explosive properties	: Not explosive
Oxidizing properties	: The substance or mixture is not classified as oxidizing.
Molecular weight	: No data available
Particle characteristics	
Particle size	: No data available

10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents.
Conditions to avoid	: Heat, flames and sparks. Avoid dust formation.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure	: Inhalation Skin contact Ingestion Eye contact
--	--

Acute toxicity

Not classified based on available information.

Components:**Neomycin, sulfate (salt):**

Acute oral toxicity	: LD50 (Mouse): 2,880 mg/kg
---------------------	-----------------------------

Nobivac Puppy DP Plus Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/02/24
4.0	2025/04/14	7776480-00011	Date of first issue: 2021/02/05

	LD50 (Rat): 2,750 mg/kg
Acute toxicity (other routes of administration)	: LD50 (Rat): 633 mg/kg Application Route: Subcutaneous
	LD50 (Mouse): 116 mg/kg Application Route: Intraperitoneal
	LD50 (Mouse): 27.6 mg/kg Application Route: Intravenous
	LD50 (Mouse): 275 mg/kg Application Route: Subcutaneous

Skin corrosion/irritation

Not classified based on available information.

Components:**Neomycin, sulfate (salt):**

Species	: Rabbit
Result	: Mild skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:**Neomycin, sulfate (salt):**

Species	: Rabbit
Result	: No eye irritation

Respiratory or skin sensitisation**Skin sensitisation**

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:**Neomycin, sulfate (salt):**

Exposure routes	: Dermal
Species	: Humans
Result	: positive

Germ cell mutagenicity

Not classified based on available information.

Nobivac Puppy DP Plus Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/02/24
4.0	2025/04/14	7776480-00011	Date of first issue: 2021/02/05

Components:**Neomycin, sulfate (salt):**

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES)
		Result: negative
		Test Type: In vitro mammalian cell gene mutation test
		Test system: Chinese hamster ovary cells
		Result: negative
		Test Type: Chromosomal aberration
		Test system: Human lymphocytes
		Result: positive
		Test Type: in vitro micronucleus test
		Result: negative
Genotoxicity in vivo	:	Test Type: Cytogenetic assay
		Species: Mouse
		Cell type: Bone marrow
		Application Route: Intravenous injection
		Result: negative

Carcinogenicity

Not classified based on available information.

Components:**Neomycin, sulfate (salt):**

Species	:	Rat
Exposure time	:	2 Years
Result	:	negative

Reproductive toxicity

Not classified based on available information.

Components:**Neomycin, sulfate (salt):**

Effects on fertility	:	Test Type: Three-generation reproduction toxicity study
		Species: Rat
		Application Route: Oral
		General Toxicity - Parent: NOAEL: 25 mg/kg body weight
		Result: No effects on fertility and early embryonic development were detected.
Effects on foetal development	:	Test Type: Embryo-foetal development
		Species: Rat
		Application Route: Oral
		Embryo-foetal toxicity: NOAEL: 275 mg/kg body weight
		Result: No adverse effects, No teratogenic effects

Nobivac Puppy DP Plus Formulation

Version 4.0	Revision Date: 2025/04/14	SDS Number: 7776480-00011	Date of last issue: 2025/02/24 Date of first issue: 2021/02/05
----------------	------------------------------	------------------------------	---

Test Type: Development
Species: Rat
Application Route: Subcutaneous
Developmental Toxicity: LOAEL: 6 mg/kg body weight
Result: positive

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Components:**Neomycin, sulfate (salt):**

Target Organs : Kidney, inner ear
Assessment : May cause damage to organs through prolonged or repeated exposure.
Remarks : Based on human experience.

Repeated dose toxicity**Components:****Neomycin, sulfate (salt):**

Species : Mouse
LOAEL : 30 mg/kg
Application Route : Subcutaneous
Exposure time : 14 d
Target Organs : Kidney

Species : Guinea pig
NOAEL : 50 mg/kg
LOAEL : 100 mg/kg
Application Route : Intramuscular
Exposure time : 30 - 60 Weeks
Target Organs : ear

Species : Guinea pig
NOAEL : 10 mg/kg
Application Route : Oral
Exposure time : 90 d
Remarks : No significant adverse effects were reported

Species : Guinea pig
LOAEL : 100 mg/kg
Application Route : Subcutaneous
Exposure time : 34 d

Nobivac Puppy DP Plus Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/02/24
4.0	2025/04/14	7776480-00011	Date of first issue: 2021/02/05

Species	: Dog
LOAEL	: 24 mg/kg
Application Route	: Intramuscular
Exposure time	: 30 d
Target Organs	: Kidney

Species	: Rat
LOAEL	: 25 mg/kg
Application Route	: oral (feed)
Exposure time	: 84 Weeks
Target Organs	: ear
Symptoms	: hearing loss
Remarks	: mortality observed

Species	: Dog
LOAEL	: 20 mg/kg
Application Route	: Subcutaneous
Exposure time	: 90 d
Target Organs	: Kidney

Aspiration toxicity

Not classified based on available information.

Experience with human exposure**Components:****Neomycin, sulfate (salt):**

Skin contact	: Symptoms: Sensitisation Remarks: May irritate skin.
Eye contact	: Remarks: May cause eye irritation.
Ingestion	: Symptoms: Nausea, Vomiting, Diarrhoea, tinnitus, hearing loss, Loss of balance

12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****Neomycin, sulfate (salt):**

Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 72 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 LC50 (Americamysis): 39 mg/l Exposure time: 96 h Method: US-EPA OPPTS 850.1035
Toxicity to algae/aquatic plants	: EC50 (Anabaena flos-aquae (cyanobacterium)): 0.00075 mg/l Exposure time: 72 h Method: OECD Test Guideline 201

Nobivac Puppy DP Plus Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
4.0	2025/04/14	7776480-00011	2025/02/24
			Date of first issue: 2021/02/05

NOEC (Anabaena flos-aquae (cyanobacterium)): 0.0003 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

EC50 (Pseudokirchneriella subcapitata (green algae)): 0.0099 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.0022 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 1,000

M-Factor (Chronic aquatic toxicity) : 10

Toxicity to microorganisms : EC50 (Natural microorganism): 107.6 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

EC10 (Natural microorganism): 2.8 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

Persistence and degradability**Components:****Neomycin, sulfate (salt):**

Biodegradability : Result: rapidly degradable
Biodegradation: 50 %
Exposure time: 1.2 d
Method: OECD Test Guideline 314

Bioaccumulative potential**Components:****Neomycin, sulfate (salt):**

Partition coefficient: n-octanol/water : log Pow: < -2

Mobility in soil

No data available

Other adverse effects

No data available

Nobivac Puppy DP Plus Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/02/24
4.0	2025/04/14	7776480-00011	Date of first issue: 2021/02/05

13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues	:	Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

UN number	:	UN 3077
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Neomycin, sulfate (salt))
Class	:	9
Packing group	:	III
Labels	:	9
Environmentally hazardous	:	yes

IATA-DGR

UN/ID No.	:	UN 3077
Proper shipping name	:	Environmentally hazardous substance, solid, n.o.s. (Neomycin, sulfate (salt))
Class	:	9
Packing group	:	III
Labels	:	Miscellaneous
Packing instruction (cargo aircraft)	:	956
Packing instruction (passenger aircraft)	:	956
Environmentally hazardous	:	yes

IMDG-Code

UN number	:	UN 3077
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Neomycin, sulfate (salt))
Class	:	9
Packing group	:	III
Labels	:	9
EmS Code	:	F-A, S-F
Marine pollutant	:	yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data

Nobivac Puppy DP Plus Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/02/24
4.0	2025/04/14	7776480-00011	Date of first issue: 2021/02/05

Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Minister of Industry Regulation No. 23/M-IND/PER/4/2013 concerning the Revision of Minister of Industry Regulation No. 87/M-IND/PER/9/2009 concerning Globally Harmonized System of Classification and Labelling of Chemicals.

Regulation of the Minister of Health No. 472 of 1996 on the Safeguarding of Substances Hazardous to Health

Hazardous substances that must be registered : Not applicable

Government Regulation No. 74 of 2001 on the Management of Hazardous and Toxic Substances

Hazardous substances approved for use : Not applicable

Prohibited substances : Not applicable

Restricted substances : Not applicable

Regulation of the Ministry of Trade No. 7 of 2022 on Distribution and Control of Hazardous Materials

Type of hazardous materials subject to distribution and control, Annex I : Not applicable

Type of hazardous materials subject to distribution and control, Annex II : Not applicable

The components of this product are reported in the following inventories:

DSL : not determined

AICS : not determined

IECSC : not determined

16. OTHER INFORMATION

Revision Date : 2025/04/14

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

Nobivac Puppy DP Plus Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/02/24
4.0	2025/04/14	7776480-00011	Date of first issue: 2021/02/05

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

ID / EN