

# SAFETY DATA SHEET



## Deltamethrin (3%) Formulation

Version 3.0      Revision Date: 14.04.2025      SDS Number: 7730558-00011      Date of last issue: 28.09.2024  
Date of first issue: 13.01.2021

---

### SECTION 1: IDENTIFICATION

Product name : Deltamethrin (3%) Formulation

#### Manufacturer or supplier's details

Company : Intervet Australia Pty Limited (trading as MSD Animal Health)

Address : 91-105 Harpin Street  
Bendigo 3550, Victoria Australia

Telephone : 1 800 033 461

Emergency telephone number : Poisons Information Centre: Phone 13 11 26

E-mail address : EHSDATASTEWARD@msd.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS Classification

Flammable liquids : Category 3

Acute toxicity (Oral) : Category 4

Skin corrosion/irritation : Category 2

Serious eye damage/eye irritation : Category 1

Skin sensitisation : Category 1

Reproductive toxicity : Category 2

Specific target organ toxicity - single exposure : Category 3

Specific target organ toxicity - repeated exposure : Category 2

Aspiration hazard : Category 1

#### GHS label elements

**Deltamethrin (3%) Formulation**

|                |                              |                              |   |
|----------------|------------------------------|------------------------------|---|
| Version<br>3.0 | Revision Date:<br>14.04.2025 | SDS Number:<br>7730558-00011 | Date of last issue: 28.09.2024<br>Date of first issue: 13.01.2021 |
|----------------|------------------------------|------------------------------|---|

|                          |   |   |
|--------------------------|---|---|
| Hazard pictograms        | : |   |
| Signal word              | : | Danger  |
| Hazard statements        | : | <p>H226 Flammable liquid and vapour.<br/>H302 Harmful if swallowed.<br/>H304 May be fatal if swallowed and enters airways.<br/>H315 Causes skin irritation.<br/>H317 May cause an allergic skin reaction.<br/>H318 Causes serious eye damage.<br/>H335 May cause respiratory irritation.<br/>H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.<br/>H373 May cause damage to organs through prolonged or repeated exposure.</p>  |
| Precautionary statements | : | <p><b>Prevention:</b><br/>P201 Obtain special instructions before use.<br/>P202 Do not handle until all safety precautions have been read and understood.<br/>P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.<br/>P233 Keep container tightly closed.<br/>P241 Use explosion-proof electrical/ ventilating/ lighting equipment.<br/>P242 Use non-sparking tools.<br/>P243 Take action to prevent static discharges.<br/>P260 Do not breathe mist or vapours.<br/>P264 Wash skin thoroughly after handling.<br/>P270 Do not eat, drink or smoke when using this product.<br/>P271 Use only outdoors or in a well-ventilated area.<br/>P272 Contaminated work clothing should not be allowed out of the workplace.<br/>P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.</p> <p><b>Response:</b><br/>P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.<br/>P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.<br/>P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.<br/>P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.<br/>P308 + P313 IF exposed or concerned: Get medical advice/ attention.</p> |

**Deltamethrin (3%) Formulation**

---

|                |                              |                              |   |
|----------------|------------------------------|------------------------------|---|
| Version<br>3.0 | Revision Date:<br>14.04.2025 | SDS Number:<br>7730558-00011 | Date of last issue: 28.09.2024<br>Date of first issue: 13.01.2021 |
|----------------|------------------------------|------------------------------|---|

---

P331 Do NOT induce vomiting.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

**Storage:**

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards which do not result in classification**

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).

Vapours may form explosive mixture with air.

---

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Components**

| Chemical name                    | CAS-No.    | Concentration (% w/w) |
|----------------------------------|------------|-----------------------|
| Xylene                           | 1330-20-7  | >= 60 -<= 100         |
| Calcium dodecylbenzenesulphonate | 26264-06-2 | >= 3 -< 10            |
| Nonylphenol, ethoxylated         | 9016-45-9  | >= 3 -< 10            |
| deltamethrin (ISO)               | 52918-63-5 | >= 3 -< 10            |
| 2,6-Di-tert-butyl-p-cresol       | 128-37-0   | < 10                  |

---

**SECTION 4. FIRST AID MEASURES**

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Get medical attention immediately.

If swallowed : If swallowed, DO NOT induce vomiting.  
If vomiting occurs have person lean forward.  
Call a physician or poison control centre immediately.  
Rinse mouth thoroughly with water.

# SAFETY DATA SHEET



## Deltamethrin (3%) Formulation

Version 3.0      Revision Date: 14.04.2025      SDS Number: 7730558-00011      Date of last issue: 28.09.2024  
Date of first issue: 13.01.2021

---

|   |   |
|---|---|
| Most important symptoms and effects, both acute and delayed | Never give anything by mouth to an unconscious person.<br>: This product contains a pyrethroid.<br>Pyrethroid poisoning should not be confused with carbamate or organophosphate poisoning.<br>Harmful if swallowed.<br>May be fatal if swallowed and enters airways.<br>Causes skin irritation.<br>May cause an allergic skin reaction.<br>Causes serious eye damage.<br>May cause respiratory irritation.<br>Suspected of damaging fertility. Suspected of damaging the unborn child.<br>May cause damage to organs through prolonged or repeated exposure. |
| Protection of first-aiders                                  | : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).   |
| Notes to physician  | : Treat symptomatically and supportively.   |

## SECTION 5. FIREFIGHTING MEASURES

|   |   |
|---|---|
| Suitable extinguishing media                  | : Water spray<br>Alcohol-resistant foam<br>Carbon dioxide (CO <sub>2</sub> )<br>Dry chemical  |
| Unsuitable extinguishing media                | : High volume water jet   |
| Specific hazards during fire-fighting         | : Do not use a solid water stream as it may scatter and spread fire.<br>Flash back possible over considerable distance.<br>Vapours may form explosive mixtures with air.<br>Exposure to combustion products may be a hazard to health.            |
| Hazardous combustion products                 | : Carbon oxides<br>Nitrogen oxides (NO <sub>x</sub> )<br>Bromine compounds<br>Metal oxides<br>Sulphur compounds   |
| Specific extinguishing methods                | : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.<br>Use water spray to cool unopened containers.<br>Remove undamaged containers from fire area if it is safe to do so.<br>Evacuate area. |
| Special protective equipment for firefighters | : In the event of fire, wear self-contained breathing apparatus.<br>Use personal protective equipment.  |
| Hazchem Code                                  | : •3Y   |

**Deltamethrin (3%) Formulation**Version  
3.0Revision Date:  
14.04.2025SDS Number:  
7730558-00011Date of last issue: 28.09.2024  
Date of first issue: 13.01.2021**SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures : Remove all sources of ignition.  
Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g. by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Non-sparking tools should be used.  
Soak up with inert absorbent material.  
Suppress (knock down) gases/vapours/mists with a water spray jet.  
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

**SECTION 7. HANDLING AND STORAGE**

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.  
Use explosion-proof electrical, ventilating and lighting equipment.

Advice on safe handling : Do not get on skin or clothing.  
Do not breathe mist or vapours.  
Do not swallow.  
Do not get in eyes.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Non-sparking tools should be used.  
Keep container tightly closed.  
Already sensitised individuals, and those susceptible

# SAFETY DATA SHEET



## Deltamethrin (3%) Formulation

|                |                              |                              |   |
|----------------|------------------------------|------------------------------|---|
| Version<br>3.0 | Revision Date:<br>14.04.2025 | SDS Number:<br>7730558-00011 | Date of last issue: 28.09.2024<br>Date of first issue: 13.01.2021 |
|----------------|------------------------------|------------------------------|---|

|                             |   |
|-----------------------------|---|
|                             | <p>to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respiratory irritants or sensitizers.</p> <p>Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</p> <p>Take precautionary measures against static discharges.</p> <p>Do not eat, drink or smoke when using this product.</p> <p>Take care to prevent spills, waste and minimize release to the environment.</p>  |
| Hygiene measures            | <p>: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.</p> <p>When using do not eat, drink or smoke.</p> <p>Contaminated work clothing should not be allowed out of the workplace.</p> <p>Wash contaminated clothing before re-use.</p> <p>The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.</p> |
| Conditions for safe storage | <p>: Keep in properly labelled containers.</p> <p>Store locked up.</p> <p>Keep tightly closed.</p> <p>Keep in a cool, well-ventilated place.</p> <p>Store in accordance with the particular national regulations.</p> <p>Keep away from heat and sources of ignition.</p>   |
| Materials to avoid          | <p>: Do not store with the following product types:</p> <p>Self-reactive substances and mixtures</p> <p>Organic peroxides</p> <p>Oxidizing agents</p> <p>Flammable gases</p> <p>Pyrophoric liquids</p> <p>Pyrophoric solids</p> <p>Self-heating substances and mixtures</p> <p>Poisonous gases</p> <p>Explosives</p>  |

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

| Components         | CAS-No.    | Value type<br>(Form of<br>exposure) | Control parame-<br>ters / Permissible<br>concentration | Basis             |
|--------------------|------------|-------------------------------------|--|-------------------|
| Xylene             | 1330-20-7  | TWA                                 | 80 ppm<br>350 mg/m <sup>3</sup>                        | AU OEL            |
|                    |            | STEL                                | 150 ppm<br>655 mg/m <sup>3</sup>                       | AU OEL            |
| deltamethrin (ISO) | 52918-63-5 | TWA                                 | 20 ppm<br>15 µg/m <sup>3</sup> (OEB 3)                 | ACGIH<br>Internal |

# SAFETY DATA SHEET



## Deltamethrin (3%) Formulation

Version  
3.0

Revision Date:  
14.04.2025

SDS Number:  
7730558-00011

Date of last issue: 28.09.2024  
Date of first issue: 13.01.2021

|                            |          | Further information: DSEN, Skin    |                            |          |
|----------------------------|----------|------------------------------------|----------------------------|----------|
|                            |          | Wipe limit                         | 100 µg/100 cm <sup>2</sup> | Internal |
| 2,6-Di-tert-butyl-p-cresol | 128-37-0 | TWA                                | 10 mg/m <sup>3</sup>       | AU OEL   |
|                            |          | TWA (Inhalable fraction and vapor) | 2 mg/m <sup>3</sup>        | ACGIH    |

### Biological occupational exposure limits

| Components | CAS-No.   | Control parameters   | Biological specimen | Sampling time  | Permissible concentration | Basis     |
|------------|-----------|----------------------|---------------------|--|---------------------------|-----------|
| Xylene     | 1330-20-7 | Methylhippuric acids | Urine               | End of shift (As soon as possible after exposure ceases) | 0.3 g/g creatinine        | ACGIH BEI |

### Engineering measures

- Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., dripless quick connections). All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices). Minimize open handling.
- Use explosion-proof electrical, ventilating and lighting equipment.

### Personal protective equipment

|                          |  |
|--------------------------|--|
| Respiratory protection   | : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.   |
| Filter type              |  |
| Hand protection          | : Combined particulates and organic vapour type  |
| Material                 | : Chemical-resistant gloves  |
| Remarks                  | : Consider double gloving. Take note that the product is flammable, which may impact the selection of hand protection.   |
| Eye protection           | : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols. |
| Skin and body protection | : Work uniform or laboratory coat.   |

# SAFETY DATA SHEET



## Deltamethrin (3%) Formulation

Version 3.0      Revision Date: 14.04.2025      SDS Number: 7730558-00011      Date of last issue: 28.09.2024  
Date of first issue: 13.01.2021

---

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.  
Use appropriate degowning techniques to remove potentially contaminated clothing.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

|  |   |                   |
|--|---|-------------------|
| Appearance                                       | : | liquid            |
| Colour   | : | yellow            |
| Odour  | : | No data available |
| Odour Threshold                                  | : | No data available |
| pH   | : | 4 - 5             |
| Melting point/freezing point                     | : | No data available |
| Initial boiling point and boiling range          | : | No data available |
| Flash point                                      | : | 45 - 51 °C        |
| Evaporation rate                                 | : | No data available |
| Flammability (solid, gas)                        | : | Not applicable    |
| Flammability (liquids)                           | : | No data available |
| Upper explosion limit / Upper flammability limit | : | No data available |
| Lower explosion limit / Lower flammability limit | : | No data available |
| Vapour pressure                                  | : | No data available |
| Relative vapour density                          | : | No data available |
| Relative density                                 | : | No data available |
| Density  | : | No data available |
| Solubility(ies)                                  |   |                   |
| Water solubility                                 | : | soluble           |
| Partition coefficient: n-octanol/water           | : | Not applicable    |
| Auto-ignition temperature                        | : | No data available |

# SAFETY DATA SHEET



## Deltamethrin (3%) Formulation

Version 3.0      Revision Date: 14.04.2025      SDS Number: 7730558-00011      Date of last issue: 28.09.2024  
Date of first issue: 13.01.2021

---

Decomposition temperature : No data available

Viscosity  
Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics  
Particle size : Not applicable

---

## SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Flammable liquid and vapour.  
Vapours may form explosive mixture with air.  
Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

---

## SECTION 11. TOXICOLOGICAL INFORMATION

Exposure routes : Inhalation  
Skin contact  
Ingestion  
Eye contact

### Acute toxicity

Harmful if swallowed.

### Product:

Acute oral toxicity : Acute toxicity estimate: 1,291 mg/kg  
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

### Components:

#### Xylene:

Acute oral toxicity : LD50 (Rat): 3,523 mg/kg

## **Deltamethrin (3%) Formulation**

Version Revision Date: SDS Number: Date of last issue: 28.09.2024  
3.0 14.04.2025 7730558-00011 Date of first issue: 13.01.2021

Method: Directive 67/548/EEC, Annex V, B.1.

|                           |   |  |
|---------------------------|---|--|
| Acute inhalation toxicity | : | LC50 (Rat): 27.571 mg/l<br>Exposure time: 4 h<br>Test atmosphere: vapour |
| Acute dermal toxicity     | : | LD50 (Rabbit): > 4,200 mg/kg   |

## **Calcium dodecylbenzenesulphonate:**

|                       |   |
|-----------------------|---|
| Acute oral toxicity   | : LD50 (Rat): > 500 - 2,000 mg/kg<br>Method: OECD Test Guideline 401<br>Remarks: Based on data from similar materials |
| Acute dermal toxicity | : LD50 (Rabbit): > 2,000 mg/kg<br>Method: OECD Test Guideline 402<br>Remarks: Based on data from similar materials    |

### **Nonylphenol, ethoxylated:**

Acute oral toxicity : LD50 (Rat): 500 - 2,000 mg/kg

### **deltamethrin (ISO):**

|   |   |
|---|---|
| Acute oral toxicity                             | : LD50 (Rat): 66.7 mg/kg<br>LD50 (Rat): 9 - 139 mg/kg<br>LD50 (Mouse): 19 - 34 mg/kg                                      |
| Acute inhalation toxicity                       | : LC50 (Rat): 0.8 mg/l<br>Exposure time: 2 h<br>Test atmosphere: dust/mist  |
| Acute dermal toxicity                           | : LD50 (Rabbit): 2,000 mg/kg<br>LD50 (Rat): > 800 mg/kg   |
| Acute toxicity (other routes of administration) | : LD50 (Rat): 2.5 mg/kg<br>Application Route: Intravenous<br>LD50 (Mouse): 10 mg/kg<br>Application Route: Intraperitoneal |

## 2,6-Di-tert-butyl-p-cresol:

|                       |   |
|-----------------------|---|
| Acute oral toxicity   | : LD50 (Rat): > 6,000 mg/kg<br>Method: OECD Test Guideline 401  |
| Acute dermal toxicity | : LD50 (Rat): > 2,000 mg/kg<br>Method: OECD Test Guideline 402<br>Assessment: The substance or mixture has no acute dermal toxicity |

# SAFETY DATA SHEET



## Deltamethrin (3%) Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 7730558-00011 Date of last issue: 28.09.2024 Date of first issue: 13.01.2021

---

II

### **Skin corrosion/irritation**

Causes skin irritation.

#### **Components:**

##### **Xylene:**

|         |   |                 |
|---------|---|-----------------|
| Species | : | Rabbit          |
| Result  | : | Skin irritation |

##### **Calcium dodecylbenzenesulphonate:**

|         |   |                                      |
|---------|---|--------------------------------------|
| Species | : | Rabbit                               |
| Method  | : | OECD Test Guideline 404              |
| Result  | : | Skin irritation                      |
| Remarks | : | Based on data from similar materials |

##### **Nonylphenol, ethoxylated:**

|         |   |                         |
|---------|---|-------------------------|
| Species | : | Rabbit                  |
| Method  | : | OECD Test Guideline 404 |
| Result  | : | No skin irritation      |

##### **deltamethrin (ISO):**

|         |   |                    |
|---------|---|--------------------|
| Species | : | Rabbit             |
| Result  | : | No skin irritation |

##### **2,6-Di-tert-butyl-p-cresol:**

|         |   |                                      |
|---------|---|--------------------------------------|
| Species | : | Rabbit                               |
| Method  | : | OECD Test Guideline 404              |
| Result  | : | No skin irritation                   |
| Remarks | : | Based on data from similar materials |

### **Serious eye damage/eye irritation**

Causes serious eye damage.

#### **Components:**

##### **Xylene:**

|         |   |  |
|---------|---|--|
| Species | : | Rabbit                                       |
| Result  | : | Irritation to eyes, reversing within 21 days |

##### **Calcium dodecylbenzenesulphonate:**

|         |   |                                      |
|---------|---|--------------------------------------|
| Species | : | Rabbit                               |
| Result  | : | Irreversible effects on the eye      |
| Method  | : | OECD Test Guideline 405              |
| Remarks | : | Based on data from similar materials |

# SAFETY DATA SHEET



## Deltamethrin (3%) Formulation

Version 3.0      Revision Date: 14.04.2025      SDS Number: 7730558-00011      Date of last issue: 28.09.2024  
Date of first issue: 13.01.2021

---

### Nonylphenol, ethoxylated:

|         |   |                                 |
|---------|---|---------------------------------|
| Species | : | Rabbit                          |
| Result  | : | Irreversible effects on the eye |
| Method  | : | OECD Test Guideline 405         |

### deltamethrin (ISO):

|         |   |                         |
|---------|---|-------------------------|
| Species | : | Rabbit                  |
| Result  | : | Moderate eye irritation |

### 2,6-Di-tert-butyl-p-cresol:

|         |   |                                      |
|---------|---|--------------------------------------|
| Species | : | Rabbit                               |
| Result  | : | No eye irritation                    |
| Method  | : | OECD Test Guideline 405              |
| Remarks | : | Based on data from similar materials |

### Respiratory or skin sensitisation

#### Skin sensitisation

May cause an allergic skin reaction.

#### Respiratory sensitisation

Not classified based on available information.

#### Components:

##### Xylene:

|                 |   |                               |
|-----------------|---|-------------------------------|
| Test Type       | : | Local lymph node assay (LLNA) |
| Exposure routes | : | Skin contact                  |
| Species         | : | Mouse                         |
| Result          | : | negative                      |

##### Calcium dodecylbenzenesulphonate:

|                 |   |                                      |
|-----------------|---|--------------------------------------|
| Test Type       | : | Maximisation Test                    |
| Exposure routes | : | Skin contact                         |
| Species         | : | Guinea pig                           |
| Method          | : | OECD Test Guideline 406              |
| Result          | : | negative                             |
| Remarks         | : | Based on data from similar materials |

##### Nonylphenol, ethoxylated:

|                 |   |                                      |
|-----------------|---|--------------------------------------|
| Test Type       | : | Maximisation Test                    |
| Exposure routes | : | Skin contact                         |
| Species         | : | Guinea pig                           |
| Result          | : | negative                             |
| Remarks         | : | Based on data from similar materials |

##### deltamethrin (ISO):

|           |   |                   |
|-----------|---|-------------------|
| Test Type | : | Maximisation Test |
|-----------|---|-------------------|

# SAFETY DATA SHEET



## Deltamethrin (3%) Formulation

Version 3.0      Revision Date: 14.04.2025      SDS Number: 7730558-00011      Date of last issue: 28.09.2024  
Date of first issue: 13.01.2021

---

|                 |   |  |
|-----------------|---|--|
| Exposure routes | : | Dermal                                 |
| Species         | : | Guinea pig                             |
| Result          | : | negative                               |
| Test Type       | : | Human repeat insult patch test (HRIPT) |
| Exposure routes | : | Dermal                                 |
| Species         | : | Humans                                 |
| Result          | : | positive                               |

### 2,6-Di-tert-butyl-p-cresol:

|                 |   |  |
|-----------------|---|--|
| Test Type       | : | Human repeat insult patch test (HRIPT) |
| Exposure routes | : | Skin contact                           |
| Species         | : | Humans                                 |
| Result          | : | negative                               |

### Chronic toxicity

#### Germ cell mutagenicity

Not classified based on available information.

#### Components:

##### Xylene:

|                       |   |   |
|-----------------------|---|---|
| Genotoxicity in vitro | : | Test Type: Bacterial reverse mutation assay (AMES)<br>Result: negative  |
|                       |   | Test Type: Chromosome aberration test in vitro<br>Result: negative  |
|                       |   | Test Type: In vitro mammalian cell gene mutation test<br>Result: negative   |
|                       |   | Test Type: In vitro sister chromatid exchange assay in mammalian cells<br>Result: negative  |
| Genotoxicity in vivo  | : | Test Type: Rodent dominant lethal test (germ cell) (in vivo)<br>Species: Mouse<br>Application Route: Skin contact<br>Result: negative |

##### Calcium dodecylbenzenesulphonate:

|                       |   |  |
|-----------------------|---|--|
| Genotoxicity in vitro | : | Test Type: Bacterial reverse mutation assay (AMES)<br>Method: OECD Test Guideline 471<br>Result: negative<br>Remarks: Based on data from similar materials |
|                       |   | Test Type: In vitro mammalian cell gene mutation test<br>Result: negative<br>Remarks: Based on data from similar materials                                 |

**Deltamethrin (3%) Formulation**

Version 3.0      Revision Date: 14.04.2025      SDS Number: 7730558-00011      Date of last issue: 28.09.2024  
Date of first issue: 13.01.2021

---

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: negative  
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

**Nonylphenol, ethoxylated:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative  
Remarks: Based on data from similar materials

**deltamethrin (ISO):**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative  
  
Test Type: DNA Repair  
Test system: Escherichia coli  
Result: negative

Test Type: Chromosomal aberration  
Test system: Chinese hamster ovary cells  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Test system: Chinese hamster lung cells  
Concentration: LOAEL: 20 mg/kg  
Result: positive

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Application Route: Oral  
Result: negative

Test Type: dominant lethal test  
Species: Mouse  
Application Route: Oral  
Result: negative

Test Type: sister chromatid exchange assay  
Species: Mouse  
Cell type: Bone marrow  
Application Route: Oral  
Result: negative

**Deltamethrin (3%) Formulation**

Version 3.0      Revision Date: 14.04.2025      SDS Number: 7730558-00011      Date of last issue: 28.09.2024  
Date of first issue: 13.01.2021

---

**2,6-Di-tert-butyl-p-cresol:**

|                       |  |
|-----------------------|--|
| Genotoxicity in vitro | : Test Type: Bacterial reverse mutation assay (AMES)<br>Result: negative   |
|                       | Test Type: In vitro mammalian cell gene mutation test<br>Result: negative  |
|                       | Test Type: Chromosome aberration test in vitro<br>Result: negative   |
| Genotoxicity in vivo  | : Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)<br>Species: Rat<br>Application Route: Ingestion<br>Result: negative |

**Carcinogenicity**

Not classified based on available information.

**Components:****Xylene:**

|                   |             |
|-------------------|-------------|
| Species           | : Rat       |
| Application Route | : Ingestion |
| Exposure time     | : 103 weeks |
| Result            | : negative  |

**deltamethrin (ISO):**

|                   |                          |
|-------------------|--------------------------|
| Species           | : Mouse, male and female |
| Application Route | : oral (feed)            |
| Exposure time     | : 104 weeks              |
| NOAEL             | : 8 mg/kg body weight    |
| LOAEL             | : 4 mg/kg body weight    |
| Result            | : positive               |
| Target Organs     | : Lymph nodes            |
| Species           | : Rat, male and female   |
| Application Route | : oral (feed)            |
| Exposure time     | : 2 Years                |
| Result            | : negative               |
| Species           | : Dog, male and female   |
| Application Route | : oral (feed)            |
| Exposure time     | : 2 Years                |
| NOAEL             | : 1 mg/kg body weight    |
| Result            | : negative               |

**2,6-Di-tert-butyl-p-cresol:**

|                   |             |
|-------------------|-------------|
| Species           | : Rat       |
| Application Route | : Ingestion |

**Deltamethrin (3%) Formulation**

Version 3.0      Revision Date: 14.04.2025      SDS Number: 7730558-00011      Date of last issue: 28.09.2024  
Date of first issue: 13.01.2021

---

Exposure time : 22 Months  
Result : negative

**Reproductive toxicity**

Suspected of damaging fertility. Suspected of damaging the unborn child.

**Components:****Xylene:**

Effects on fertility : Test Type: One-generation reproduction toxicity study  
Species: Rat  
Application Route: inhalation (vapour)  
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: inhalation (vapour)  
Result: negative

**Calcium dodecylbenzenesulphonate:**

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 422  
Result: negative  
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 422  
Result: negative  
Remarks: Based on data from similar materials

**deltamethrin (ISO):**

Effects on fertility : Test Type: Three-generation reproduction toxicity study  
Species: Rat  
Application Route: oral (feed)  
Early Embryonic Development: NOAEL: 50 mg/kg body weight  
Symptoms: No effects on fertility, Embryo-foetal toxicity  
Remarks: Significant toxicity observed in testing

Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Oral  
Early Embryonic Development: LOAEL: 84 - 149 mg/kg body weight  
Symptoms: No effects on fertility, Embryo-foetal toxicity

## Deltamethrin (3%) Formulation

Version 3.0      Revision Date: 14.04.2025      SDS Number: 7730558-00011      Date of last issue: 28.09.2024  
Date of first issue: 13.01.2021

---

Test Type: Fertility  
Species: Rat, male  
Application Route: Oral  
Fertility: LOAEL: 1 mg/kg body weight  
Symptoms: Effects on fertility  
Target Organs: Testes

Effects on foetal development : Test Type: Development  
Species: Mouse  
Application Route: oral (gavage)  
Developmental Toxicity: LOAEL: 1 mg/kg body weight  
Result: Skeletal malformations  
Remarks: Maternal toxicity observed.

Test Type: Development  
Species: Rat, female  
Developmental Toxicity: NOAEL: 10 mg/kg body weight  
Symptoms: No effects on foetal development

Test Type: Development  
Species: Rabbit, female  
Application Route: oral (gavage)  
Developmental Toxicity: NOAEL: 16 mg/kg body weight  
Symptoms: No effects on foetal development

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments.

### **2,6-Di-tert-butyl-p-cresol:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

### **STOT - single exposure**

May cause respiratory irritation.

#### **Components:**

##### **Xylene:**

Assessment : May cause respiratory irritation.

##### **deltamethrin (ISO):**

Assessment : May cause respiratory irritation.

**Deltamethrin (3%) Formulation**Version  
3.0Revision Date:  
14.04.2025SDS Number:  
7730558-00011Date of last issue: 28.09.2024  
Date of first issue: 13.01.2021**STOT - repeated exposure**

May cause damage to organs through prolonged or repeated exposure.

**Components:****Xylene:**

|                 |  |
|-----------------|--|
| Exposure routes | : inhalation (vapour)  |
| Target Organs   | : Auditory system  |
| Assessment      | : Shown to produce significant health effects in animals at concentrations of >0.2 to 1 mg/l/6h/d. |

**Calcium dodecylbenzenesulphonate:**

|            |  |
|------------|--|
| Assessment | : No significant health effects observed in animals at concentrations of 100 mg/kg bw or less. |
|------------|--|

**deltamethrin (ISO):**

|                 |   |
|-----------------|---|
| Exposure routes | : Ingestion   |
| Target Organs   | : Central nervous system, Immune system                           |
| Assessment      | : Causes damage to organs through prolonged or repeated exposure. |

|                 |   |
|-----------------|---|
| Exposure routes | : inhalation (dust/mist/fume)                                     |
| Target Organs   | : Central nervous system  |
| Assessment      | : Causes damage to organs through prolonged or repeated exposure. |

**2,6-Di-tert-butyl-p-cresol:**

|            |  |
|------------|--|
| Assessment | : No significant health effects observed in animals at concentrations of 100 mg/kg bw or less. |
|------------|--|

**Repeated dose toxicity****Components:****Xylene:**

|                   |  |
|-------------------|--|
| Species           | : Rat                                  |
| LOAEL             | : > 0.2 - 1 mg/l                       |
| Application Route | : inhalation (vapour)                  |
| Exposure time     | : 13 Weeks                             |
| Remarks           | : Based on data from similar materials |

|                   |             |
|-------------------|-------------|
| Species           | : Rat       |
| LOAEL             | : 150 mg/kg |
| Application Route | : Ingestion |
| Exposure time     | : 90 Days   |

**Calcium dodecylbenzenesulphonate:**

|         |               |
|---------|---------------|
| Species | : Rat         |
| LOAEL   | : > 200 mg/kg |

## Deltamethrin (3%) Formulation

Version 3.0      Revision Date: 14.04.2025      SDS Number: 7730558-00011      Date of last issue: 28.09.2024  
 Date of first issue: 13.01.2021

|                            |   |   |
|----------------------------|---|---|
| Application Route          | : | Ingestion   |
| Exposure time              | : | 6 - 7 Weeks   |
| Method                     | : | OECD Test Guideline 422   |
| Remarks                    | : | Based on data from similar materials                              |
| Species                    | : | Rabbit  |
| NOAEL                      | : | > 100 mg/kg   |
| Application Route          | : | Skin contact  |
| Exposure time              | : | 28 Days   |
| Method                     | : | OECD Test Guideline 410   |
| Remarks                    | : | Based on data from similar materials                              |
| <b>deltamethrin (ISO):</b> |   |   |
| Species                    | : | Rat, male and female  |
| NOAEL                      | : | 1 mg/kg   |
| LOAEL                      | : | 2.5 mg/kg   |
| Application Route          | : | Oral  |
| Exposure time              | : | 13 Weeks  |
| Target Organs              | : | Nervous system  |
| Symptoms                   | : | hyperexcitability   |
| Species                    | : | Rat   |
| LOAEL                      | : | 3 mg/m <sup>3</sup>   |
| Application Route          | : | inhalation (dust/mist/fume)                                       |
| Exposure time              | : | 2 wk / 5 d/wk / 6 h/d   |
| Symptoms                   | : | Local irritation, respiratory tract irritation                    |
| Species                    | : | Dog   |
| NOAEL                      | : | 0.1 mg/kg   |
| LOAEL                      | : | 1 mg/kg   |
| Application Route          | : | Oral  |
| Exposure time              | : | 13 Weeks  |
| Target Organs              | : | Nervous system  |
| Symptoms                   | : | Dilatation of the pupil, Vomiting, Tremors, Diarrhoea, Salivation |
| Species                    | : | Rat   |
| NOAEL                      | : | 14 mg/kg  |
| LOAEL                      | : | 54 mg/kg  |
| Application Route          | : | Oral  |
| Exposure time              | : | 91 d  |
| Target Organs              | : | Nervous system  |
| Species                    | : | Mouse   |
| LOAEL                      | : | 6 mg/kg   |
| Application Route          | : | Oral  |
| Exposure time              | : | 12 Weeks  |
| Target Organs              | : | Immune system   |
| Symptoms                   | : | immune system effects   |

### 2,6-Di-tert-butyl-p-cresol:

**Deltamethrin (3%) Formulation**

Version 3.0      Revision Date: 14.04.2025      SDS Number: 7730558-00011      Date of last issue: 28.09.2024  
Date of first issue: 13.01.2021

---

|                   |   |           |
|-------------------|---|-----------|
| Species           | : | Rat       |
| NOAEL             | : | 25 mg/kg  |
| Application Route | : | Ingestion |
| Exposure time     | : | 22 Months |

**Aspiration toxicity**

May be fatal if swallowed and enters airways.

**Components:****Xylene:**

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

**Experience with human exposure****Components:****deltamethrin (ISO):**

|              |   |   |
|--------------|---|---|
| Inhalation   | : | Symptoms: respiratory tract irritation, Dizziness, Sweating, Headache, Nausea, Vomiting, anorexia, Fatigue, tingling, Palpitation, Blurred vision, muscle twitching               |
| Skin contact | : | Symptoms: Skin irritation, Erythema, pruritis, Headache, Nausea, Vomiting, Dizziness, tingling, Sweating, muscle twitching, Blurred vision, Fatigue, anorexia, Allergic reactions |
| Ingestion    | : | Symptoms: muscle pain, Small pupils   |

---

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****Xylene:**

|   |   |  |
|---|---|--|
| Toxicity to fish  | : | LC50 (Oncorhynchus mykiss (rainbow trout)): 13.5 mg/l<br>Exposure time: 96 h   |
| Toxicity to daphnia and other aquatic invertebrates           | : | EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l<br>Exposure time: 24 h<br>Method: OECD Test Guideline 202<br>Remarks: Based on data from similar materials  |
| Toxicity to algae/aquatic plants                              | : | EC50 (Skeletonema costatum (marine diatom)): 10 mg/l<br>Exposure time: 72 h  |
| Toxicity to fish (Chronic toxicity)                           | : | NOEC (Danio rerio (zebra fish)): > 0.1 - < 1 mg/l<br>Exposure time: 35 d<br>Method: OECD Test Guideline 210<br>Remarks: Based on data from similar materials |
| Toxicity to daphnia and other aquatic invertebrates (Chronic) | : | EL10 (Daphnia magna (Water flea)): > 1 - 10 mg/l<br>Exposure time: 21 d  |

**Deltamethrin (3%) Formulation**

Version 3.0      Revision Date: 14.04.2025      SDS Number: 7730558-00011      Date of last issue: 28.09.2024  
Date of first issue: 13.01.2021

---

ic toxicity)

Method: OECD Test Guideline 211

Remarks: Based on data from similar materials

Toxicity to microorganisms

: NOEC: > 100 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Remarks: Based on data from similar materials

**Calcium dodecylbenzenesulphonate:**

Toxicity to fish

: LC50 (Leuciscus idus (Golden orfe)): > 1 - 10 mg/l

Exposure time: 96 h

Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l

Exposure time: 48 h

Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants

: ErC50 (Pseudokirchneriella subcapitata (green algae)): > 10 - 100 mg/l

Exposure time: 72 h

Remarks: Based on data from similar materials

NOEC (Pseudokirchneriella subcapitata (green algae)): > 0.1 - 1 mg/l

Exposure time: 72 h

Remarks: Based on data from similar materials

Toxicity to fish (Chronic toxicity)

: NOEC (Pimephales promelas (fathead minnow)): > 0.1 - 1 mg/l

Exposure time: 28 d

Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)

: NOEC (Daphnia magna (Water flea)): > 1 mg/l

Exposure time: 21 d

Remarks: Based on data from similar materials

Toxicity to microorganisms

: EC50 (activated sludge): > 100 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Remarks: Based on data from similar materials

**Nonylphenol, ethoxylated:**

Toxicity to fish

: LC50 (Pimephales promelas (fathead minnow)): > 0.1 - 1 mg/l

Exposure time: 96 h

Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates

: EC50 (Ceriodaphnia dubia (water flea)): > 0.1 - 1 mg/l

Exposure time: 48 h

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

: ErC50 (Selenastrum capricornutum (green algae)): > 1 - 10

# SAFETY DATA SHEET



## **Deltamethrin (3%) Formulation**

Version Revision Date: SDS Number: Date of last issue: 28.09.2024  
3.0 14.04.2025 7730558-00011 Date of first issue: 13.01.2021

|  |  |
|--|--|
| plants   | mg/l<br>Exposure time: 72 h<br>Method: OECD Test Guideline 201<br>Remarks: Based on data from similar materials  |
|  | EC10 ( <i>Selenastrum capricornutum</i> (green algae)): > 1 mg/l<br>Exposure time: 72 h<br>Method: OECD Test Guideline 201<br>Remarks: Based on data from similar materials  |
| Toxicity to fish (Chronic toxicity)                                    | : NOEC ( <i>Oryzias latipes</i> (Japanese medaka)): > 0.1 - 1 mg/l<br>Exposure time: 100 d<br>Remarks: Based on data from similar materials  |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : NOEC ( <i>Mysidopsis bahia</i> (opossum shrimp)): > 0.001 - 0.01 mg/l<br>Exposure time: 28 d<br>Remarks: Based on data from similar materials  |
| <b>deltamethrin (ISO):</b>   |  |
| Toxicity to fish   | : LC50 ( <i>Cyprinodon variegatus</i> (sheepshead minnow)): 0.0004 mg/l<br>Exposure time: 96 h<br><br>LC50 ( <i>Oncorhynchus mykiss</i> (rainbow trout)): 0.00039 mg/l<br>Exposure time: 96 h  |
| Toxicity to daphnia and other aquatic invertebrates                    | : EC50 ( <i>Mysidopsis bahia</i> (opossum shrimp)): 0.0037 µg/l<br>Exposure time: 48 h<br><br>EC50 ( <i>Daphnia magna</i> (Water flea)): 0.0035 mg/l<br>Exposure time: 48 h<br><br>LC50 ( <i>Gammarus fasciatus</i> (freshwater shrimp)): 0.0003 µg/l<br>Exposure time: 96 h |
| Toxicity to algae/aquatic plants                                       | : EC50 ( <i>Pseudokirchneriella subcapitata</i> (green algae)): > 9.1 mg/l<br>Exposure time: 72 h<br>Method: OECD Test Guideline 201<br>Remarks: No toxicity at the limit of solubility  |
| Toxicity to fish (Chronic toxicity)                                    | : NOEC ( <i>Pimephales promelas</i> (fathead minnow)): 0.000022 mg/l<br>Exposure time: 36 d<br><br>NOEC ( <i>Pimephales promelas</i> (fathead minnow)): 0.000017 mg/l<br>Exposure time: 260 d  |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : NOEC ( <i>Daphnia magna</i> (Water flea)): 0.0041 µg/l<br>Exposure time: 21 d  |

# SAFETY DATA SHEET



## **Deltamethrin (3%) Formulation**

Version Revision Date: SDS Number: Date of last issue: 28.09.2024  
3.0 14.04.2025 7730558-00011 Date of first issue: 13.01.2021

||ic toxicity)

### 2,6-Di-tert-butyl-p-cresol:

|  |   |  |
|--|---|--|
| Toxicity to fish   | : | LC50 (Danio rerio (zebra fish)): > 0.57 mg/l<br>Exposure time: 96 h<br>Method: Directive 67/548/EEC, Annex V, C.1.           |
| Toxicity to daphnia and other aquatic invertebrates                    | : | EC50 (Daphnia magna (Water flea)): 0.48 mg/l<br>Exposure time: 48 h<br>Method: OECD Test Guideline 202                       |
| Toxicity to algae/aquatic plants                                       | : | ErC50 (Pseudokirchneriella subcapitata (green algae)): > 0.24 mg/l<br>Exposure time: 72 h<br>Method: OECD Test Guideline 201 |
|  |   | NOEC (Pseudokirchneriella subcapitata (green algae)): 0.24 mg/l<br>Exposure time: 72 h<br>Method: OECD Test Guideline 201    |
| Toxicity to fish (Chronic toxicity)                                    | : | NOEC (Oryzias latipes (Japanese medaka)): 0.053 mg/l<br>Exposure time: 30 d<br>Method: OECD Test Guideline 210               |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | NOEC (Daphnia magna (Water flea)): 0.316 mg/l<br>Exposure time: 21 d   |
| Toxicity to microorganisms   | : | EC50: > 10,000 mg/l<br>Exposure time: 3 h<br>Method: OECD Test Guideline 209   |

## Persistence and degradability

## Components:

## Xylene:

|                  |  |
|------------------|--|
| Biodegradability | : Result: Readily biodegradable.<br>Biodegradation: > 70 %<br>Exposure time: 28 d<br>Method: OECD Test Guideline 301F<br>Remarks: Based on data from similar materials |
|------------------|--|

### Calcium dodecylbenzenesulphonate:

Biodegradability : Result: Readily biodegradable.  
Remarks: Based on data from similar materials

### **Nonylphenol, ethoxylated:**

Biodegradability : Result: Not readily biodegradable.  
Remarks: Based on data from similar materials

**Deltamethrin (3%) Formulation**

Version 3.0      Revision Date: 14.04.2025      SDS Number: 7730558-00011      Date of last issue: 28.09.2024  
Date of first issue: 13.01.2021

---

**deltamethrin (ISO):**

Stability in water : Hydrolysis: 0 %(30 d)

**2,6-Di-tert-butyl-p-cresol:**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 4.5 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301C

**Bioaccumulative potential****Components:****Xylene:**

Partition coefficient: n-octanol/water : log Pow: 3.16  
Remarks: Calculation

**Calcium dodecylbenzenesulphonate:**

Bioaccumulation : Bioconcentration factor (BCF): < 500  
Remarks: Based on data from similar materials

Partition coefficient: n-octanol/water : log Pow: 4.77  
Remarks: Calculation

**Nonylphenol, ethoxylated:**

Partition coefficient: n-octanol/water : log Pow: 4.48

**deltamethrin (ISO):**

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)  
Bioconcentration factor (BCF): 1,800

Partition coefficient: n-octanol/water : log Pow: 4.6

**2,6-Di-tert-butyl-p-cresol:**

Bioaccumulation : Species: Cyprinus carpio (Carp)  
Bioconcentration factor (BCF): 330 - 1,800

Partition coefficient: n-octanol/water : log Pow: 5.1

**Mobility in soil****Components:****deltamethrin (ISO):**

Distribution among environmental compartments : log Koc: 7.2

# SAFETY DATA SHEET



## Deltamethrin (3%) Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 7730558-00011 Date of last issue: 28.09.2024 Date of first issue: 13.01.2021

---

### Other adverse effects

No data available

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
Empty containers retain residue and can be dangerous.  
Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death.  
If not otherwise specified: Dispose of as unused product.

---

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

UN number : UN 1993  
Proper shipping name : FLAMMABLE LIQUID, N.O.S.  
(Xylene)  
Class : 3  
Packing group : III  
Labels : 3  
Environmentally hazardous : no

#### IATA-DGR

UN/ID No. : UN 1993  
Proper shipping name : Flammable liquid, n.o.s.  
(Xylene)  
Class : 3  
Packing group : III  
Labels : Flammable Liquids  
Packing instruction (cargo aircraft) : 366  
Packing instruction (passenger aircraft) : 355

#### IMDG-Code

UN number : UN 1993  
Proper shipping name : FLAMMABLE LIQUID, N.O.S.  
(Xylene, deltamethrin (ISO), 2,6-Di-tert-butyl-p-cresol)  
Class : 3  
Packing group : III  
Labels : 3  
EmS Code : F-E, S-E  
Marine pollutant : yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

# SAFETY DATA SHEET



## Deltamethrin (3%) Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 7730558-00011 Date of last issue: 28.09.2024 Date of first issue: 13.01.2021

---

### National Regulations

#### ADG

UN number : UN 1993  
Proper shipping name : FLAMMABLE LIQUID, N.O.S.  
(Xylene)  
Class : 3  
Packing group : III  
Labels : 3  
Hazchem Code : •3Y  
Environmentally hazardous : no

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## SECTION 15. REGULATORY INFORMATION

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

Therapeutic Goods (Poisons Standard) Instrument : Schedule 7 (Please use the original publication to check for specific uses, specific conditions or threshold limits that might apply for this chemical)

Prohibition/Licensing Requirements : There is no applicable prohibition, authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regulations.

#### The components of this product are reported in the following inventories:

AICS : not determined  
DSL : not determined  
IECSC : not determined

---

## SECTION 16: ANY OTHER RELEVANT INFORMATION

#### Further information

Revision Date : 14.04.2025  
Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : dd.mm.yyyy

# SAFETY DATA SHEET



## Deltamethrin (3%) Formulation

Version 3.0      Revision Date: 14.04.2025      SDS Number: 7730558-00011      Date of last issue: 28.09.2024  
Date of first issue: 13.01.2021

---

### Full text of other abbreviations

|               |   |  |
|---------------|---|--|
| ACGIH         | : | USA. ACGIH Threshold Limit Values (TLV)                            |
| ACGIH BEI     | : | ACGIH - Biological Exposure Indices (BEI)                          |
| AU OEL        | : | Australia. Workplace Exposure Standards for Airborne Contaminants. |
| ACGIH / TWA   | : | 8-hour, time-weighted average                                      |
| AU OEL / TWA  | : | Exposure standard - time weighted average                          |
| AU OEL / STEL | : | Exposure standard - short term exposure limit                      |

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AU / EN