

**Deltamethrin (3%) Formulation**

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 2024/09/28  |
| 3.0     | 2025/04/14     | 7730564-00010 | Date of first issue: 2021/01/13 |

---

**1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : Deltamethrin (3%) Formulation

**Manufacturer or supplier's details**

Company : MSD

Address : 126 E. Lincoln Avenue  
Rahway, New Jersey U.S.A. 07065

Telephone : +1-908-740-4000

Emergency telephone number : +1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

**Recommended use of the chemical and restrictions on use**

Recommended use : Veterinary product

Restrictions on use : Not applicable

---

**2. HAZARDS IDENTIFICATION****GHS Classification**

Flammable liquids : Category 3

Acute toxicity (Oral) : Category 4

Skin corrosion/irritation : Category 2

Serious eye damage/eye irritation : Category 1

Skin sensitisation : Category 1

Reproductive toxicity : Category 2

Specific target organ toxicity - single exposure : Category 3

Specific target organ toxicity - repeated exposure : Category 2

Aspiration hazard : Category 1

Short-term (acute) aquatic hazard : Category 1

## Deltamethrin (3%) Formulation

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 2024/09/28  |
| 3.0     | 2025/04/14     | 7730564-00010 | Date of first issue: 2021/01/13 |

---

Long-term (chronic) aquatic hazard : Category 1

**GHS label elements**

Hazard pictograms :



Signal word : Danger

Hazard statements : H226 Flammable liquid and vapour.  
 H302 Harmful if swallowed.  
 H304 May be fatal if swallowed and enters airways.  
 H315 Causes skin irritation.  
 H317 May cause an allergic skin reaction.  
 H318 Causes serious eye damage.  
 H335 May cause respiratory irritation.  
 H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.  
 H373 May cause damage to organs through prolonged or repeated exposure.  
 H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**  
 P201 Obtain special instructions before use.  
 P202 Do not handle until all safety precautions have been read and understood.  
 P210 Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.  
 P233 Keep container tightly closed.  
 P241 Use explosion-proof electrical/ ventilating/ lighting equipment.  
 P242 Use only non-sparking tools.  
 P243 Take precautionary measures against static discharge.  
 P260 Do not breathe mist or vapours.  
 P264 Wash skin thoroughly after handling.  
 P270 Do not eat, drink or smoke when using this product.  
 P271 Use only outdoors or in a well-ventilated area.  
 P272 Contaminated work clothing should not be allowed out of the workplace.  
 P273 Avoid release to the environment.  
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.  
 P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.  
 P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/

**Deltamethrin (3%) Formulation**

|                |                              |                              |                                                                   |
|----------------|------------------------------|------------------------------|-------------------------------------------------------------------|
| Version<br>3.0 | Revision Date:<br>2025/04/14 | SDS Number:<br>7730564-00010 | Date of last issue: 2024/09/28<br>Date of first issue: 2021/01/13 |
|----------------|------------------------------|------------------------------|-------------------------------------------------------------------|

doctor if you feel unwell.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P331 Do NOT induce vomiting.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P362 + P364 Take off contaminated clothing and wash it before reuse.

P391 Collect spillage.

**Storage:**

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards which do not result in classification**

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).

Vapours may form explosive mixture with air.

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Components**

| Chemical name                    | CAS-No.    | Concentration (% w/w) |
|----------------------------------|------------|-----------------------|
| Xylene                           | 1330-20-7  | >= 60 -<= 100         |
| Calcium dodecylbenzenesulphonate | 26264-06-2 | >= 3 -< 10            |
| Nonylphenol, ethoxylated         | 9016-45-9  | >= 3 -< 10            |
| deltamethrin (ISO)               | 52918-63-5 | >= 3 -< 10            |
| 2,6-Di-tert-butyl-p-cresol       | 128-37-0   | >= 0.25 -< 2.5        |

**4. FIRST AID MEASURES**

|                         |                                                                                                                                                                     |
|-------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| General advice          | : In the case of accident or if you feel unwell, seek medical advice immediately.<br>When symptoms persist or in all cases of doubt seek medical advice.            |
| If inhaled              | : If inhaled, remove to fresh air.<br>Get medical attention.                                                                                                        |
| In case of skin contact | : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.<br>Get medical attention. |

**Deltamethrin (3%) Formulation**

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue:             |
| 3.0     | 2025/04/14     | 7730564-00010 | 2024/09/28                      |
|         |                |               | Date of first issue: 2021/01/13 |

|                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|-------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| In case of eye contact                                      | : Wash clothing before reuse.<br>Thoroughly clean shoes before reuse.<br>In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.<br>If easy to do, remove contact lens, if worn.<br>Get medical attention immediately.                                                                                                                                                                                                                                             |
| If swallowed                                                | : If swallowed, DO NOT induce vomiting.<br>If vomiting occurs have person lean forward.<br>Call a physician or poison control centre immediately.<br>Rinse mouth thoroughly with water.<br>Never give anything by mouth to an unconscious person.                                                                                                                                                                                                                                                   |
| Most important symptoms and effects, both acute and delayed | : This product contains a pyrethroid.<br>Pyrethroid poisoning should not be confused with carbamate or organophosphate poisoning.<br>Harmful if swallowed.<br>May be fatal if swallowed and enters airways.<br>Causes skin irritation.<br>May cause an allergic skin reaction.<br>Causes serious eye damage.<br>May cause respiratory irritation.<br>Suspected of damaging fertility. Suspected of damaging the unborn child.<br>May cause damage to organs through prolonged or repeated exposure. |
| Protection of first-aiders                                  | : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).                                                                                                                                                                                                                                                                                                                       |
| Notes to physician                                          | : Treat symptomatically and supportively.                                                                                                                                                                                                                                                                                                                                                                                                                                                           |

**5. FIREFIGHTING MEASURES**

|                                       |                                                                                                                                                                                                                                        |
|---------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Suitable extinguishing media          | : Water spray<br>Alcohol-resistant foam<br>Carbon dioxide (CO <sub>2</sub> )<br>Dry chemical                                                                                                                                           |
| Unsuitable extinguishing media        | : High volume water jet                                                                                                                                                                                                                |
| Specific hazards during fire-fighting | : Do not use a solid water stream as it may scatter and spread fire.<br>Flash back possible over considerable distance.<br>Vapours may form explosive mixtures with air.<br>Exposure to combustion products may be a hazard to health. |
| Hazardous combustion products         | : Carbon oxides<br>Nitrogen oxides (NO <sub>x</sub> )<br>Bromine compounds<br>Metal oxides<br>Sulphur compounds                                                                                                                        |
| Specific extinguishing methods        | : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.                                                                                                                              |

**Deltamethrin (3%) Formulation**

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 2024/09/28  |
| 3.0     | 2025/04/14     | 7730564-00010 | Date of first issue: 2021/01/13 |

---

Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

---

**6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures : Remove all sources of ignition.  
Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g. by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Non-sparking tools should be used.  
Soak up with inert absorbent material.  
Suppress (knock down) gases/vapours/mists with a water spray jet.  
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

**7. HANDLING AND STORAGE**

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.  
Use explosion-proof electrical, ventilating and lighting equipment.

Advice on safe handling : Do not get on skin or clothing.  
Do not breathe mist or vapours.  
Do not swallow.

**Deltamethrin (3%) Formulation**

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue:             |
| 3.0     | 2025/04/14     | 7730564-00010 | 2024/09/28                      |
|         |                |               | Date of first issue: 2021/01/13 |

Do not get in eyes.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Non-sparking tools should be used.  
Keep container tightly closed.  
Already sensitised individuals, and those susceptible to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respiratory irritants or sensitisers.  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
Take precautionary measures against static discharges.  
Do not eat, drink or smoke when using this product.  
Take care to prevent spills, waste and minimize release to the environment.

Conditions for safe storage : Keep in properly labelled containers.  
Store locked up.  
Keep tightly closed.  
Keep in a cool, well-ventilated place.  
Store in accordance with the particular national regulations.  
Keep away from heat and sources of ignition.

Materials to avoid : Do not store with the following product types:  
Self-reactive substances and mixtures  
Organic peroxides  
Oxidizing agents  
Flammable gases  
Pyrophoric liquids  
Pyrophoric solids  
Self-heating substances and mixtures  
Poisonous gases  
Explosives

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Components with workplace control parameters**

| Components | CAS-No.                                                                                                                                         | Value type<br>(Form of exposure) | Control parameters / Permissible concentration | Basis  |
|------------|-------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------|------------------------------------------------|--------|
| Xylene     | 1330-20-7                                                                                                                                       | NAB                              | 100 ppm<br>434 mg/m3                           | ID OEL |
|            | Further information: Not classified as carcinogenic to humans. Not enough data to classify these materials as carcinogenic to humans or animals |                                  |                                                |        |
|            |                                                                                                                                                 | PSD                              | 150 ppm<br>651 mg/m3                           | ID OEL |
|            | Further information: Not classified as carcinogenic to humans. Not enough data to classify these materials as carcinogenic to humans or animals |                                  |                                                |        |

## Deltamethrin (3%) Formulation

Version 3.0      Revision Date: 2025/04/14      SDS Number: 7730564-00010      Date of last issue: 2024/09/28  
 Date of first issue: 2021/01/13

|                            |                                 |                                    |                              |          |
|----------------------------|---------------------------------|------------------------------------|------------------------------|----------|
|                            |                                 | TWA                                | 20 ppm                       | ACGIH    |
| deltamethrin (ISO)         | 52918-63-5                      | TWA                                | 15 µg/m <sup>3</sup> (OEB 3) | Internal |
|                            | Further information: DSEN, Skin |                                    |                              |          |
|                            |                                 | Wipe limit                         | 100 µg/100 cm <sup>2</sup>   | Internal |
| 2,6-Di-tert-butyl-p-cresol | 128-37-0                        | TWA (Inhalable fraction and vapor) | 2 mg/m <sup>3</sup>          | ACGIH    |

## Biological occupational exposure limits

| Components | CAS-No.   | Control parameters   | Biological specimen | Sampling time                                            | Permissible concentration | Basis     |
|------------|-----------|----------------------|---------------------|----------------------------------------------------------|---------------------------|-----------|
| Xylene     | 1330-20-7 | Methylhippuric acids | Urine               | End of shift (As soon as possible after exposure ceases) | 0.3 g/g creatinine        | ACGIH BEI |

**Engineering measures** : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).  
 All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
 Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).  
 Minimize open handling.  
 Use explosion-proof electrical, ventilating and lighting equipment.

## Personal protective equipment

**Respiratory protection** : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

**Filter type** : Combined particulates and organic vapour type

**Hand protection**

**Material** : Chemical-resistant gloves

**Remarks** : Consider double gloving. Take note that the product is flammable, which may impact the selection of hand protection.

**Eye protection** : Wear safety glasses with side shields or goggles.  
 If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
 Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

**Deltamethrin (3%) Formulation**

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 2024/09/28  |
| 3.0     | 2025/04/14     | 7730564-00010 | Date of first issue: 2021/01/13 |

---

|                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|--------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Skin and body protection | : Work uniform or laboratory coat.<br>Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.<br>Use appropriate degowning techniques to remove potentially contaminated clothing.                                                                                                                                                                                                                                                                                        |
| Hygiene measures         | : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.<br>When using do not eat, drink or smoke.<br>Contaminated work clothing should not be allowed out of the workplace.<br>Wash contaminated clothing before re-use.<br>The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls. |

---

**9. PHYSICAL AND CHEMICAL PROPERTIES**

|                                                  |                     |
|--------------------------------------------------|---------------------|
| Appearance                                       | : liquid            |
| Colour                                           | : yellow            |
| Odour                                            | : No data available |
| Odour Threshold                                  | : No data available |
| pH                                               | : 4 - 5             |
| Melting point/freezing point                     | : No data available |
| Initial boiling point and boiling range          | : No data available |
| Flash point                                      | : 45 - 51 °C        |
| Evaporation rate                                 | : No data available |
| Flammability (solid, gas)                        | : Not applicable    |
| Flammability (liquids)                           | : No data available |
| Upper explosion limit / Upper flammability limit | : No data available |
| Lower explosion limit / Lower flammability limit | : No data available |
| Vapour pressure                                  | : No data available |

**Deltamethrin (3%) Formulation**

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 2024/09/28  |
| 3.0     | 2025/04/14     | 7730564-00010 | Date of first issue: 2021/01/13 |

---

|                                        |   |                                                          |
|----------------------------------------|---|----------------------------------------------------------|
| Relative vapour density                | : | No data available                                        |
| Relative density                       | : | No data available                                        |
| Density                                | : | No data available                                        |
| Solubility(ies)                        | : |                                                          |
| Water solubility                       | : | soluble                                                  |
| Partition coefficient: n-octanol/water | : | Not applicable                                           |
| Auto-ignition temperature              | : | No data available                                        |
| Decomposition temperature              | : | No data available                                        |
| Viscosity                              | : |                                                          |
| Viscosity, kinematic                   | : | No data available                                        |
| Explosive properties                   | : | Not explosive                                            |
| Oxidizing properties                   | : | The substance or mixture is not classified as oxidizing. |
| Molecular weight                       | : | No data available                                        |
| Particle characteristics               | : |                                                          |
| Particle size                          | : | Not applicable                                           |

---

**10. STABILITY AND REACTIVITY**

|                                    |   |                                                                                                                         |
|------------------------------------|---|-------------------------------------------------------------------------------------------------------------------------|
| Reactivity                         | : | Not classified as a reactivity hazard.                                                                                  |
| Chemical stability                 | : | Stable under normal conditions.                                                                                         |
| Possibility of hazardous reactions | : | Flammable liquid and vapour.<br>Vapours may form explosive mixture with air.<br>Can react with strong oxidizing agents. |
| Conditions to avoid                | : | Heat, flames and sparks.                                                                                                |
| Incompatible materials             | : | Oxidizing agents                                                                                                        |
| Hazardous decomposition products   | : | No hazardous decomposition products are known.                                                                          |

---

**11. TOXICOLOGICAL INFORMATION**

|                                          |   |                                                        |
|------------------------------------------|---|--------------------------------------------------------|
| Information on likely routes of exposure | : | Inhalation<br>Skin contact<br>Ingestion<br>Eye contact |
|------------------------------------------|---|--------------------------------------------------------|

**Acute toxicity**

Harmful if swallowed.

**Deltamethrin (3%) Formulation**

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 2024/09/28  |
| 3.0     | 2025/04/14     | 7730564-00010 | Date of first issue: 2021/01/13 |

---

**Product:**

|                           |   |                                                                                                                     |
|---------------------------|---|---------------------------------------------------------------------------------------------------------------------|
| Acute oral toxicity       | : | Acute toxicity estimate: 1,291 mg/kg<br>Method: Calculation method                                                  |
| Acute inhalation toxicity | : | Acute toxicity estimate: > 5 mg/l<br>Exposure time: 4 h<br>Test atmosphere: dust/mist<br>Method: Calculation method |

**Components:****Xylene:**

|                           |   |                                                                          |
|---------------------------|---|--------------------------------------------------------------------------|
| Acute oral toxicity       | : | LD50 (Rat): 3,523 mg/kg<br>Method: Directive 67/548/EEC, Annex V, B.1.   |
| Acute inhalation toxicity | : | LC50 (Rat): 27.571 mg/l<br>Exposure time: 4 h<br>Test atmosphere: vapour |
| Acute dermal toxicity     | : | LD50 (Rabbit): > 4,200 mg/kg                                             |

**Calcium dodecylbenzenesulphonate:**

|                       |   |                                                                                                                     |
|-----------------------|---|---------------------------------------------------------------------------------------------------------------------|
| Acute oral toxicity   | : | LD50 (Rat): > 500 - 2,000 mg/kg<br>Method: OECD Test Guideline 401<br>Remarks: Based on data from similar materials |
| Acute dermal toxicity | : | LD50 (Rabbit): > 2,000 mg/kg<br>Method: OECD Test Guideline 402<br>Remarks: Based on data from similar materials    |

**Nonylphenol, ethoxylated:**

|                     |   |                               |
|---------------------|---|-------------------------------|
| Acute oral toxicity | : | LD50 (Rat): 500 - 2,000 mg/kg |
|---------------------|---|-------------------------------|

**deltamethrin (ISO):**

|                                 |   |                                                                                            |
|---------------------------------|---|--------------------------------------------------------------------------------------------|
| Acute oral toxicity             | : | LD50 (Rat): 66.7 mg/kg<br><br>LD50 (Rat): 9 - 139 mg/kg<br><br>LD50 (Mouse): 19 - 34 mg/kg |
| Acute inhalation toxicity       | : | LC50 (Rat): 0.8 mg/l<br>Exposure time: 2 h<br>Test atmosphere: dust/mist                   |
| Acute dermal toxicity           | : | LD50 (Rabbit): 2,000 mg/kg<br><br>LD50 (Rat): > 800 mg/kg                                  |
| Acute toxicity (other routes of | : | LD50 (Rat): 2.5 mg/kg                                                                      |

**Deltamethrin (3%) Formulation**

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 2024/09/28  |
| 3.0     | 2025/04/14     | 7730564-00010 | Date of first issue: 2021/01/13 |

---

administration)

Application Route: Intravenous

LD50 (Mouse): 10 mg/kg

Application Route: Intraperitoneal

**2,6-Di-tert-butyl-p-cresol:**

|                     |   |                                 |
|---------------------|---|---------------------------------|
| Acute oral toxicity | : | LD50 (Rat): > 6,000 mg/kg       |
|                     | : | Method: OECD Test Guideline 401 |

|                       |   |                                                                   |
|-----------------------|---|-------------------------------------------------------------------|
| Acute dermal toxicity | : | LD50 (Rat): > 2,000 mg/kg                                         |
|                       | : | Method: OECD Test Guideline 402                                   |
|                       | : | Assessment: The substance or mixture has no acute dermal toxicity |

**Skin corrosion/irritation**

Causes skin irritation.

**Components:****Xylene:**

|         |   |                 |
|---------|---|-----------------|
| Species | : | Rabbit          |
| Result  | : | Skin irritation |

**Calcium dodecylbenzenesulphonate:**

|         |   |                                      |
|---------|---|--------------------------------------|
| Species | : | Rabbit                               |
| Method  | : | OECD Test Guideline 404              |
| Result  | : | Skin irritation                      |
| Remarks | : | Based on data from similar materials |

**Nonylphenol, ethoxylated:**

|         |   |                         |
|---------|---|-------------------------|
| Species | : | Rabbit                  |
| Method  | : | OECD Test Guideline 404 |
| Result  | : | No skin irritation      |

**deltamethrin (ISO):**

|         |   |                    |
|---------|---|--------------------|
| Species | : | Rabbit             |
| Result  | : | No skin irritation |

**2,6-Di-tert-butyl-p-cresol:**

|         |   |                                      |
|---------|---|--------------------------------------|
| Species | : | Rabbit                               |
| Method  | : | OECD Test Guideline 404              |
| Result  | : | No skin irritation                   |
| Remarks | : | Based on data from similar materials |

**Serious eye damage/eye irritation**

Causes serious eye damage.

**Deltamethrin (3%) Formulation**

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 2024/09/28  |
| 3.0     | 2025/04/14     | 7730564-00010 | Date of first issue: 2021/01/13 |

---

**Components:****Xylene:**

|         |                                                |
|---------|------------------------------------------------|
| Species | : Rabbit                                       |
| Result  | : Irritation to eyes, reversing within 21 days |

**Calcium dodecylbenzenesulphonate:**

|         |                                        |
|---------|----------------------------------------|
| Species | : Rabbit                               |
| Result  | : Irreversible effects on the eye      |
| Method  | : OECD Test Guideline 405              |
| Remarks | : Based on data from similar materials |

**Nonylphenol, ethoxylated:**

|         |                                   |
|---------|-----------------------------------|
| Species | : Rabbit                          |
| Result  | : Irreversible effects on the eye |
| Method  | : OECD Test Guideline 405         |

**deltamethrin (ISO):**

|         |                           |
|---------|---------------------------|
| Species | : Rabbit                  |
| Result  | : Moderate eye irritation |

**2,6-Di-tert-butyl-p-cresol:**

|         |                                        |
|---------|----------------------------------------|
| Species | : Rabbit                               |
| Result  | : No eye irritation                    |
| Method  | : OECD Test Guideline 405              |
| Remarks | : Based on data from similar materials |

**Respiratory or skin sensitisation****Skin sensitisation**

May cause an allergic skin reaction.

**Respiratory sensitisation**

Not classified based on available information.

**Components:****Xylene:**

|                 |                                 |
|-----------------|---------------------------------|
| Test Type       | : Local lymph node assay (LLNA) |
| Exposure routes | : Skin contact                  |
| Species         | : Mouse                         |
| Result          | : negative                      |

**Calcium dodecylbenzenesulphonate:**

|                 |                           |
|-----------------|---------------------------|
| Test Type       | : Maximisation Test       |
| Exposure routes | : Skin contact            |
| Species         | : Guinea pig              |
| Method          | : OECD Test Guideline 406 |
| Result          | : negative                |

**Deltamethrin (3%) Formulation**

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 2024/09/28  |
| 3.0     | 2025/04/14     | 7730564-00010 | Date of first issue: 2021/01/13 |

---

Remarks : Based on data from similar materials

**Nonylphenol, ethoxylated:**

Test Type : Maximisation Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Result : negative  
Remarks : Based on data from similar materials

**deltamethrin (ISO):**

Test Type : Maximisation Test  
Exposure routes : Dermal  
Species : Guinea pig  
Result : negative

Test Type : Human repeat insult patch test (HRIPT)  
Exposure routes : Dermal  
Species : Humans  
Result : positive

**2,6-Di-tert-butyl-p-cresol:**

Test Type : Human repeat insult patch test (HRIPT)  
Exposure routes : Skin contact  
Species : Humans  
Result : negative

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****Xylene:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative  
  
Test Type: Chromosome aberration test in vitro  
Result: negative  
  
Test Type: In vitro mammalian cell gene mutation test  
Result: negative  
  
Test Type: In vitro sister chromatid exchange assay in mammalian cells  
Result: negative  
  
Genotoxicity in vivo : Test Type: Rodent dominant lethal test (germ cell) (in vivo)  
Species: Mouse  
Application Route: Skin contact  
Result: negative

**Deltamethrin (3%) Formulation**

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 2024/09/28  |
| 3.0     | 2025/04/14     | 7730564-00010 | Date of first issue: 2021/01/13 |

---

**Calcium dodecylbenzenesulphonate:**

|                       |                                                                                                                                                                                                         |
|-----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Genotoxicity in vitro | : Test Type: Bacterial reverse mutation assay (AMES)<br>Method: OECD Test Guideline 471<br>Result: negative<br>Remarks: Based on data from similar materials                                            |
|                       | Test Type: In vitro mammalian cell gene mutation test<br>Result: negative<br>Remarks: Based on data from similar materials                                                                              |
|                       | Test Type: Chromosome aberration test in vitro<br>Method: OECD Test Guideline 473<br>Result: negative<br>Remarks: Based on data from similar materials                                                  |
| Genotoxicity in vivo  | : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)<br>Species: Mouse<br>Application Route: Ingestion<br>Result: negative<br>Remarks: Based on data from similar materials |

**Nonylphenol, ethoxylated:**

|                       |                                                                                                                           |
|-----------------------|---------------------------------------------------------------------------------------------------------------------------|
| Genotoxicity in vitro | : Test Type: Bacterial reverse mutation assay (AMES)<br>Result: negative<br>Remarks: Based on data from similar materials |
|-----------------------|---------------------------------------------------------------------------------------------------------------------------|

**deltamethrin (ISO):**

|                       |                                                                                                                                                        |
|-----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| Genotoxicity in vitro | : Test Type: Bacterial reverse mutation assay (AMES)<br>Result: negative                                                                               |
|                       | Test Type: DNA Repair<br>Test system: Escherichia coli<br>Result: negative                                                                             |
|                       | Test Type: Chromosomal aberration<br>Test system: Chinese hamster ovary cells<br>Result: negative                                                      |
|                       | Test Type: In vitro mammalian cell gene mutation test<br>Test system: Chinese hamster lung cells<br>Concentration: LOAEL: 20 mg/kg<br>Result: positive |
| Genotoxicity in vivo  | : Test Type: Micronucleus test<br>Species: Mouse<br>Application Route: Oral<br>Result: negative                                                        |
|                       | Test Type: dominant lethal test<br>Species: Mouse                                                                                                      |

**Deltamethrin (3%) Formulation**

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 2024/09/28  |
| 3.0     | 2025/04/14     | 7730564-00010 | Date of first issue: 2021/01/13 |

Application Route: Oral  
Result: negative

Test Type: sister chromatid exchange assay  
Species: Mouse  
Cell type: Bone marrow  
Application Route: Oral  
Result: negative

**2,6-Di-tert-butyl-p-cresol:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)  
Species: Rat  
Application Route: Ingestion  
Result: negative

**Carcinogenicity**

Not classified based on available information.

**Components:****Xylene:**

Species : Rat  
Application Route : Ingestion  
Exposure time : 103 weeks  
Result : negative

**deltamethrin (ISO):**

Species : Mouse, male and female  
Application Route : oral (feed)  
Exposure time : 104 weeks  
NOAEL : 8 mg/kg body weight  
LOAEL : 4 mg/kg body weight  
Result : positive  
Target Organs : Lymph nodes

Species : Rat, male and female  
Application Route : oral (feed)  
Exposure time : 2 Years  
Result : negative

Species : Dog, male and female

**Deltamethrin (3%) Formulation**

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 2024/09/28  |
| 3.0     | 2025/04/14     | 7730564-00010 | Date of first issue: 2021/01/13 |

---

|                   |                       |
|-------------------|-----------------------|
| Application Route | : oral (feed)         |
| Exposure time     | : 2 Years             |
| NOAEL             | : 1 mg/kg body weight |
| Result            | : negative            |

**2,6-Di-tert-butyl-p-cresol:**

|                   |             |
|-------------------|-------------|
| Species           | : Rat       |
| Application Route | : Ingestion |
| Exposure time     | : 22 Months |
| Result            | : negative  |

**Reproductive toxicity**

Suspected of damaging fertility. Suspected of damaging the unborn child.

**Components:****Xylene:**

|                               |                                                                                                                                       |
|-------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|
| Effects on fertility          | : Test Type: One-generation reproduction toxicity study<br>Species: Rat<br>Application Route: inhalation (vapour)<br>Result: negative |
| Effects on foetal development | : Test Type: Embryo-foetal development<br>Species: Rat<br>Application Route: inhalation (vapour)<br>Result: negative                  |

**Calcium dodecylbenzenesulphonate:**

|                               |                                                                                                                                                                                                                                                                        |
|-------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Effects on fertility          | : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test<br>Species: Rat<br>Application Route: Ingestion<br>Method: OECD Test Guideline 422<br>Result: negative<br>Remarks: Based on data from similar materials |
| Effects on foetal development | : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test<br>Species: Rat<br>Application Route: Ingestion<br>Method: OECD Test Guideline 422<br>Result: negative<br>Remarks: Based on data from similar materials |

**deltamethrin (ISO):**

|                      |                                                                                                                                                                         |
|----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Effects on fertility | : Test Type: Three-generation reproduction toxicity study<br>Species: Rat<br>Application Route: oral (feed)<br>Early Embryonic Development: NOAEL: 50 mg/kg body weight |
|----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

**Deltamethrin (3%) Formulation**

|                |                              |                              |                                                                   |
|----------------|------------------------------|------------------------------|-------------------------------------------------------------------|
| Version<br>3.0 | Revision Date:<br>2025/04/14 | SDS Number:<br>7730564-00010 | Date of last issue: 2024/09/28<br>Date of first issue: 2021/01/13 |
|----------------|------------------------------|------------------------------|-------------------------------------------------------------------|

|                                    |   |                                                                                                                                                                                                                                 |
|------------------------------------|---|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                    |   | Symptoms: No effects on fertility, Embryo-foetal toxicity<br>Remarks: Significant toxicity observed in testing                                                                                                                  |
|                                    |   | Test Type: Two-generation reproduction toxicity study<br>Species: Rat<br>Application Route: Oral<br>Early Embryonic Development: LOAEL: 84 - 149 mg/kg body weight<br>Symptoms: No effects on fertility, Embryo-foetal toxicity |
|                                    |   | Test Type: Fertility<br>Species: Rat, male<br>Application Route: Oral<br>Fertility: LOAEL: 1 mg/kg body weight<br>Symptoms: Effects on fertility<br>Target Organs: Testes                                                       |
| Effects on foetal development      | : | Test Type: Development<br>Species: Mouse<br>Application Route: oral (gavage)<br>Developmental Toxicity: LOAEL: 1 mg/kg body weight<br>Result: Skeletal malformations<br>Remarks: Maternal toxicity observed.                    |
|                                    |   | Test Type: Development<br>Species: Rat, female<br>Developmental Toxicity: NOAEL: 10 mg/kg body weight<br>Symptoms: No effects on foetal development                                                                             |
|                                    |   | Test Type: Development<br>Species: Rabbit, female<br>Application Route: oral (gavage)<br>Developmental Toxicity: NOAEL: 16 mg/kg body weight<br>Symptoms: No effects on foetal development                                      |
| Reproductive toxicity - Assessment | : | Some evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments.                                                                                                          |

**2,6-Di-tert-butyl-p-cresol:**

|                               |   |                                                                                                                           |
|-------------------------------|---|---------------------------------------------------------------------------------------------------------------------------|
| Effects on fertility          | : | Test Type: Two-generation reproduction toxicity study<br>Species: Rat<br>Application Route: Ingestion<br>Result: negative |
| Effects on foetal development | : | Test Type: Embryo-foetal development<br>Species: Rat<br>Application Route: Ingestion<br>Result: negative                  |

**STOT - single exposure**

May cause respiratory irritation.

**Deltamethrin (3%) Formulation**

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 2024/09/28  |
| 3.0     | 2025/04/14     | 7730564-00010 | Date of first issue: 2021/01/13 |

---

**Components:****Xylene:**

|| Assessment : May cause respiratory irritation.

**deltamethrin (ISO):**

|| Assessment : May cause respiratory irritation.

**STOT - repeated exposure**

May cause damage to organs through prolonged or repeated exposure.

**Components:****Xylene:**

|| Exposure routes : inhalation (vapour)  
|| Target Organs : Auditory system  
|| Assessment : Shown to produce significant health effects in animals at concentrations of >0.2 to 1 mg/l/6h/d.

**Calcium dodecylbenzenesulphonate:**

|| Assessment : No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.

**deltamethrin (ISO):**

|| Exposure routes : Ingestion  
|| Target Organs : Central nervous system, Immune system  
|| Assessment : Causes damage to organs through prolonged or repeated exposure.

|| Exposure routes : inhalation (dust/mist/fume)  
|| Target Organs : Central nervous system  
|| Assessment : Causes damage to organs through prolonged or repeated exposure.

**2,6-Di-tert-butyl-p-cresol:**

|| Assessment : No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.

**Repeated dose toxicity****Components:****Xylene:**

|| Species : Rat  
|| LOAEL : > 0.2 - 1 mg/l  
|| Application Route : inhalation (vapour)  
|| Exposure time : 13 Weeks  
|| Remarks : Based on data from similar materials

**Deltamethrin (3%) Formulation**

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 2024/09/28  |
| 3.0     | 2025/04/14     | 7730564-00010 | Date of first issue: 2021/01/13 |

---

|                   |             |
|-------------------|-------------|
| Species           | : Rat       |
| LOAEL             | : 150 mg/kg |
| Application Route | : Ingestion |
| Exposure time     | : 90 Days   |

**Calcium dodecylbenzenesulphonate:**

|                   |                                        |
|-------------------|----------------------------------------|
| Species           | : Rat                                  |
| LOAEL             | : > 200 mg/kg                          |
| Application Route | : Ingestion                            |
| Exposure time     | : 6 - 7 Weeks                          |
| Method            | : OECD Test Guideline 422              |
| Remarks           | : Based on data from similar materials |

|                   |                                        |
|-------------------|----------------------------------------|
| Species           | : Rabbit                               |
| NOAEL             | : > 100 mg/kg                          |
| Application Route | : Skin contact                         |
| Exposure time     | : 28 Days                              |
| Method            | : OECD Test Guideline 410              |
| Remarks           | : Based on data from similar materials |

**deltamethrin (ISO):**

|                   |                        |
|-------------------|------------------------|
| Species           | : Rat, male and female |
| NOAEL             | : 1 mg/kg              |
| LOAEL             | : 2.5 mg/kg            |
| Application Route | : Oral                 |
| Exposure time     | : 13 Weeks             |
| Target Organs     | : Nervous system       |
| Symptoms          | : hyperexcitability    |

|                   |                                                  |
|-------------------|--------------------------------------------------|
| Species           | : Rat                                            |
| LOAEL             | : 3 mg/m <sup>3</sup>                            |
| Application Route | : inhalation (dust/mist/fume)                    |
| Exposure time     | : 2 wk / 5 d/wk / 6 h/d                          |
| Symptoms          | : Local irritation, respiratory tract irritation |

|                   |                                                                     |
|-------------------|---------------------------------------------------------------------|
| Species           | : Dog                                                               |
| NOAEL             | : 0.1 mg/kg                                                         |
| LOAEL             | : 1 mg/kg                                                           |
| Application Route | : Oral                                                              |
| Exposure time     | : 13 Weeks                                                          |
| Target Organs     | : Nervous system                                                    |
| Symptoms          | : Dilatation of the pupil, Vomiting, Tremors, Diarrhoea, Salivation |

|                   |                  |
|-------------------|------------------|
| Species           | : Rat            |
| NOAEL             | : 14 mg/kg       |
| LOAEL             | : 54 mg/kg       |
| Application Route | : Oral           |
| Exposure time     | : 91 d           |
| Target Organs     | : Nervous system |

**Deltamethrin (3%) Formulation**

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 2024/09/28  |
| 3.0     | 2025/04/14     | 7730564-00010 | Date of first issue: 2021/01/13 |

---

|                   |                         |
|-------------------|-------------------------|
| Species           | : Mouse                 |
| LOAEL             | : 6 mg/kg               |
| Application Route | : Oral                  |
| Exposure time     | : 12 Weeks              |
| Target Organs     | : Immune system         |
| Symptoms          | : immune system effects |

**2,6-Di-tert-butyl-p-cresol:**

|                   |             |
|-------------------|-------------|
| Species           | : Rat       |
| NOAEL             | : 25 mg/kg  |
| Application Route | : Ingestion |
| Exposure time     | : 22 Months |

**Aspiration toxicity**

May be fatal if swallowed and enters airways.

**Components:****Xylene:**

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

**Experience with human exposure****Components:****deltamethrin (ISO):**

|              |                                                                                                                                                                                     |
|--------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Inhalation   | : Symptoms: respiratory tract irritation, Dizziness, Sweating, Headache, Nausea, Vomiting, anorexia, Fatigue, tingling, Palpitation, Blurred vision, muscle twitching               |
| Skin contact | : Symptoms: Skin irritation, Erythema, pruritis, Headache, Nausea, Vomiting, Dizziness, tingling, Sweating, muscle twitching, Blurred vision, Fatigue, anorexia, Allergic reactions |
| Ingestion    | : Symptoms: muscle pain, Small pupils                                                                                                                                               |

---

**12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****Xylene:**

|                                                     |                                                                                                                                                               |
|-----------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Toxicity to fish                                    | : LC50 (Oncorhynchus mykiss (rainbow trout)): 13.5 mg/l<br>Exposure time: 96 h                                                                                |
| Toxicity to daphnia and other aquatic invertebrates | : EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l<br>Exposure time: 24 h<br>Method: OECD Test Guideline 202<br>Remarks: Based on data from similar materials |
| Toxicity to algae/aquatic                           | : EC50 (Skeletonema costatum (marine diatom)): 10 mg/l                                                                                                        |

## Deltamethrin (3%) Formulation

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue:             |
| 3.0     | 2025/04/14     | 7730564-00010 | 2024/09/28                      |
|         |                |               | Date of first issue: 2021/01/13 |

|                                                                        |                                                                                                                                                                |
|------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| plants                                                                 | Exposure time: 72 h                                                                                                                                            |
| Toxicity to fish (Chronic toxicity)                                    | : NOEC (Danio rerio (zebra fish)): > 0.1 - < 1 mg/l<br>Exposure time: 35 d<br>Method: OECD Test Guideline 210<br>Remarks: Based on data from similar materials |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : EL10 (Daphnia magna (Water flea)): > 1 - 10 mg/l<br>Exposure time: 21 d<br>Method: OECD Test Guideline 211<br>Remarks: Based on data from similar materials  |
| Toxicity to microorganisms                                             | : NOEC: > 100 mg/l<br>Exposure time: 3 h<br>Method: OECD Test Guideline 209<br>Remarks: Based on data from similar materials                                   |

**Calcium dodecylbenzenesulphonate:**

|                                                                        |                                                                                                                                                                                                                                                                                                      |
|------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Toxicity to fish                                                       | : LC50 (Leuciscus idus (Golden orfe)): > 1 - 10 mg/l<br>Exposure time: 96 h<br>Remarks: Based on data from similar materials                                                                                                                                                                         |
| Toxicity to daphnia and other aquatic invertebrates                    | : EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l<br>Exposure time: 48 h<br>Remarks: Based on data from similar materials                                                                                                                                                                           |
| Toxicity to algae/aquatic plants                                       | : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 10 - 100 mg/l<br>Exposure time: 72 h<br>Remarks: Based on data from similar materials<br><br>NOEC (Pseudokirchneriella subcapitata (green algae)): > 0.1 - 1 mg/l<br>Exposure time: 72 h<br>Remarks: Based on data from similar materials |
| Toxicity to fish (Chronic toxicity)                                    | : NOEC (Pimephales promelas (fathead minnow)): > 0.1 - 1 mg/l<br>Exposure time: 28 d<br>Remarks: Based on data from similar materials                                                                                                                                                                |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : NOEC (Daphnia magna (Water flea)): > 1 mg/l<br>Exposure time: 21 d<br>Remarks: Based on data from similar materials                                                                                                                                                                                |
| Toxicity to microorganisms                                             | : EC50 (activated sludge): > 100 mg/l<br>Exposure time: 3 h<br>Method: OECD Test Guideline 209<br>Remarks: Based on data from similar materials                                                                                                                                                      |

**Nonylphenol, ethoxylated:**

## Deltamethrin (3%) Formulation

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 2024/09/28  |
| 3.0     | 2025/04/14     | 7730564-00010 | Date of first issue: 2021/01/13 |

|                                                                        |                                                                                                                                                                                                                                                                                                                                                        |
|------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Toxicity to fish                                                       | : LC50 (Pimephales promelas (fathead minnow)): > 0.1 - 1 mg/l<br>Exposure time: 96 h<br>Remarks: Based on data from similar materials                                                                                                                                                                                                                  |
| Toxicity to daphnia and other aquatic invertebrates                    | : EC50 (Ceriodaphnia dubia (water flea)): > 0.1 - 1 mg/l<br>Exposure time: 48 h<br>Remarks: Based on data from similar materials                                                                                                                                                                                                                       |
| Toxicity to algae/aquatic plants                                       | : ErC50 (Selenastrum capricornutum (green algae)): > 1 - 10 mg/l<br>Exposure time: 72 h<br>Method: OECD Test Guideline 201<br>Remarks: Based on data from similar materials<br><br>EC10 (Selenastrum capricornutum (green algae)): > 1 mg/l<br>Exposure time: 72 h<br>Method: OECD Test Guideline 201<br>Remarks: Based on data from similar materials |
| M-Factor (Acute aquatic toxicity)                                      | : 1                                                                                                                                                                                                                                                                                                                                                    |
| Toxicity to fish (Chronic toxicity)                                    | : NOEC (Oryzias latipes (Japanese medaka)): > 0.1 - 1 mg/l<br>Exposure time: 100 d<br>Remarks: Based on data from similar materials                                                                                                                                                                                                                    |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : NOEC (Mysidopsis bahia (opossum shrimp)): > 0.001 - 0.01 mg/l<br>Exposure time: 28 d<br>Remarks: Based on data from similar materials                                                                                                                                                                                                                |
| M-Factor (Chronic aquatic toxicity)                                    | : 10                                                                                                                                                                                                                                                                                                                                                   |

**deltamethrin (ISO):**

|                                                     |                                                                                                                                                                                                                                                      |
|-----------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Toxicity to fish                                    | : LC50 (Cyprinodon variegatus (sheepshead minnow)): 0.00048 mg/l<br>Exposure time: 96 h<br><br>LC50 (Oncorhynchus mykiss (rainbow trout)): 0.00039 mg/l<br>Exposure time: 96 h                                                                       |
| Toxicity to daphnia and other aquatic invertebrates | : EC50 (Mysidopsis bahia (opossum shrimp)): 0.0037 µg/l<br>Exposure time: 48 h<br><br>EC50 (Daphnia magna (Water flea)): 0.0035 mg/l<br>Exposure time: 48 h<br><br>LC50 (Gammarus fasciatus (freshwater shrimp)): 0.0003 µg/l<br>Exposure time: 96 h |
| Toxicity to algae/aquatic plants                    | : EC50 (Pseudokirchneriella subcapitata (green algae)): > 9.1 mg/l<br>Exposure time: 72 h                                                                                                                                                            |

## Deltamethrin (3%) Formulation

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 2024/09/28  |
| 3.0     | 2025/04/14     | 7730564-00010 | Date of first issue: 2021/01/13 |

|                                                                        |                                                                                                                                |
|------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|
|                                                                        | Method: OECD Test Guideline 201                                                                                                |
|                                                                        | Remarks: No toxicity at the limit of solubility                                                                                |
| M-Factor (Acute aquatic toxicity)                                      | : 1,000,000                                                                                                                    |
| Toxicity to fish (Chronic toxicity)                                    | : NOEC (Pimephales promelas (fathead minnow)): 0.000022 mg/l<br>Exposure time: 36 d                                            |
|                                                                        | NOEC (Pimephales promelas (fathead minnow)): 0.000017 mg/l<br>Exposure time: 260 d                                             |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : NOEC (Daphnia magna (Water flea)): 0.0041 µg/l<br>Exposure time: 21 d                                                        |
| M-Factor (Chronic aquatic toxicity)                                    | : 1,000,000                                                                                                                    |
| <b>2,6-Di-tert-butyl-p-cresol:</b>                                     |                                                                                                                                |
| Toxicity to fish                                                       | : LC50 (Danio rerio (zebra fish)): > 0.57 mg/l<br>Exposure time: 96 h<br>Method: Directive 67/548/EEC, Annex V, C.1.           |
| Toxicity to daphnia and other aquatic invertebrates                    | : EC50 (Daphnia magna (Water flea)): 0.48 mg/l<br>Exposure time: 48 h<br>Method: OECD Test Guideline 202                       |
| Toxicity to algae/aquatic plants                                       | : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 0.24 mg/l<br>Exposure time: 72 h<br>Method: OECD Test Guideline 201 |
|                                                                        | NOEC (Pseudokirchneriella subcapitata (green algae)): 0.24 mg/l<br>Exposure time: 72 h<br>Method: OECD Test Guideline 201      |
| M-Factor (Acute aquatic toxicity)                                      | : 1                                                                                                                            |
| Toxicity to fish (Chronic toxicity)                                    | : NOEC (Oryzias latipes (Japanese medaka)): 0.053 mg/l<br>Exposure time: 30 d<br>Method: OECD Test Guideline 210               |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : NOEC (Daphnia magna (Water flea)): 0.316 mg/l<br>Exposure time: 21 d                                                         |
| M-Factor (Chronic aquatic toxicity)                                    | : 1                                                                                                                            |
| Toxicity to microorganisms                                             | : EC50: > 10,000 mg/l<br>Exposure time: 3 h<br>Method: OECD Test Guideline 209                                                 |

**Deltamethrin (3%) Formulation**

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 2024/09/28  |
| 3.0     | 2025/04/14     | 7730564-00010 | Date of first issue: 2021/01/13 |

---

**Persistence and degradability****Components:****Xylene:**

|                  |   |                                                                                                                                                                      |
|------------------|---|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Biodegradability | : | Result: Readily biodegradable.<br>Biodegradation: > 70 %<br>Exposure time: 28 d<br>Method: OECD Test Guideline 301F<br>Remarks: Based on data from similar materials |
|------------------|---|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|

**Calcium dodecylbenzenesulphonate:**

|                  |   |                                                                                 |
|------------------|---|---------------------------------------------------------------------------------|
| Biodegradability | : | Result: Readily biodegradable.<br>Remarks: Based on data from similar materials |
|------------------|---|---------------------------------------------------------------------------------|

**Nonylphenol, ethoxylated:**

|                  |   |                                                                                     |
|------------------|---|-------------------------------------------------------------------------------------|
| Biodegradability | : | Result: Not readily biodegradable.<br>Remarks: Based on data from similar materials |
|------------------|---|-------------------------------------------------------------------------------------|

**deltamethrin (ISO):**

|                    |   |                       |
|--------------------|---|-----------------------|
| Stability in water | : | Hydrolysis: 0 %(30 d) |
|--------------------|---|-----------------------|

**2,6-Di-tert-butyl-p-cresol:**

|                  |   |                                                                                                                        |
|------------------|---|------------------------------------------------------------------------------------------------------------------------|
| Biodegradability | : | Result: Not readily biodegradable.<br>Biodegradation: 4.5 %<br>Exposure time: 28 d<br>Method: OECD Test Guideline 301C |
|------------------|---|------------------------------------------------------------------------------------------------------------------------|

**Bioaccumulative potential****Components:****Xylene:**

|                                        |   |                                       |
|----------------------------------------|---|---------------------------------------|
| Partition coefficient: n-octanol/water | : | log Pow: 3.16<br>Remarks: Calculation |
|----------------------------------------|---|---------------------------------------|

**Calcium dodecylbenzenesulphonate:**

|                 |   |                                                                                       |
|-----------------|---|---------------------------------------------------------------------------------------|
| Bioaccumulation | : | Bioconcentration factor (BCF): < 500<br>Remarks: Based on data from similar materials |
|-----------------|---|---------------------------------------------------------------------------------------|

|                                        |   |                                       |
|----------------------------------------|---|---------------------------------------|
| Partition coefficient: n-octanol/water | : | log Pow: 4.77<br>Remarks: Calculation |
|----------------------------------------|---|---------------------------------------|

**Nonylphenol, ethoxylated:**

|                                        |   |               |
|----------------------------------------|---|---------------|
| Partition coefficient: n-octanol/water | : | log Pow: 4.48 |
|----------------------------------------|---|---------------|

**deltamethrin (ISO):**

**Deltamethrin (3%) Formulation**

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 2024/09/28  |
| 3.0     | 2025/04/14     | 7730564-00010 | Date of first issue: 2021/01/13 |

Bioaccumulation : Species: *Lepomis macrochirus* (Bluegill sunfish)  
Bioconcentration factor (BCF): 1,800

Partition coefficient: n-octanol/water : log Pow: 4.6

**2,6-Di-tert-butyl-p-cresol:**

Bioaccumulation : Species: *Cyprinus carpio* (Carp)  
Bioconcentration factor (BCF): 330 - 1,800

Partition coefficient: n-octanol/water : log Pow: 5.1

**Mobility in soil****Components:****deltamethrin (ISO):**

Distribution among environmental compartments : log Koc: 7.2

**Other adverse effects**

No data available

**13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
Empty containers retain residue and can be dangerous.  
Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death.  
If not otherwise specified: Dispose of as unused product.

**14. TRANSPORT INFORMATION****International Regulations****UNRTDG**

UN number : UN 1993  
Proper shipping name : FLAMMABLE LIQUID, N.O.S.  
(Xylene)  
Class : 3  
Packing group : III  
Labels : 3  
Environmentally hazardous : no

**IATA-DGR**

UN/ID No. : UN 1993  
Proper shipping name : Flammable liquid, n.o.s.

**Deltamethrin (3%) Formulation**

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 2024/09/28  |
| 3.0     | 2025/04/14     | 7730564-00010 | Date of first issue: 2021/01/13 |

---

(Xylene)

|                                          |                     |
|------------------------------------------|---------------------|
| Class                                    | : 3                 |
| Packing group                            | : III               |
| Labels                                   | : Flammable Liquids |
| Packing instruction (cargo aircraft)     | : 366               |
| Packing instruction (passenger aircraft) | : 355               |

**IMDG-Code**

|                      |                                                                                        |
|----------------------|----------------------------------------------------------------------------------------|
| UN number            | : UN 1993                                                                              |
| Proper shipping name | : FLAMMABLE LIQUID, N.O.S.<br>(Xylene, deltamethrin (ISO), 2,6-Di-tert-butyl-p-cresol) |
| Class                | : 3                                                                                    |
| Packing group        | : III                                                                                  |
| Labels               | : 3                                                                                    |
| EmS Code             | : F-E, <u>S-E</u>                                                                      |
| Marine pollutant     | : yes                                                                                  |

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

**15. REGULATORY INFORMATION****Safety, health and environmental regulations/legislation specific for the substance or mixture**

**Minister of Industry Regulation No. 23/M-IND/PER/4/2013 concerning the Revision of Minister of Industry Regulation No. 87/M-IND/PER/9/2009 concerning Globally Harmonized System of Classification and Labelling of Chemicals.**

**Regulation of the Minister of Health No. 472 of 1996 on the Safeguarding of Substances Hazardous to Health**

Hazardous substances that must be registered : Not applicable

**Government Regulation No. 74 of 2001 on the Management of Hazardous and Toxic Substances**

|                                       |                  |
|---------------------------------------|------------------|
| Hazardous substances approved for use | : Not applicable |
| Prohibited substances                 | : Not applicable |
| Restricted substances                 | : Not applicable |

**Regulation of the Ministry of Trade No. 7 of 2022 on Distribution and Control of Hazardous Materials**

Type of hazardous materials subject to distribution and control, Annex I : Not applicable

Type of hazardous materials subject to distribution and control, Annex II : Not applicable

**Deltamethrin (3%) Formulation**

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 2024/09/28  |
| 3.0     | 2025/04/14     | 7730564-00010 | Date of first issue: 2021/01/13 |

**The components of this product are reported in the following inventories:**

|       |   |                |
|-------|---|----------------|
| AICS  | : | not determined |
| DSL   | : | not determined |
| IECSC | : | not determined |

**16. OTHER INFORMATION**

Revision Date : 2025/04/14

**Further information**

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

**Full text of other abbreviations**

|           |   |                                           |
|-----------|---|-------------------------------------------|
| ACGIH     | : | USA. ACGIH Threshold Limit Values (TLV)   |
| ACGIH BEI | : | ACGIH - Biological Exposure Indices (BEI) |
| ID OEL    | : | Indonesia. Occupational Exposure Limits   |

|              |   |                               |
|--------------|---|-------------------------------|
| ACGIH / TWA  | : | 8-hour, time-weighted average |
| ID OEL / NAB | : | Long term exposure limit      |
| ID OEL / PSD | : | Short term exposure limit     |

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Develop-

**Deltamethrin (3%) Formulation**

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 2024/09/28  |
| 3.0     | 2025/04/14     | 7730564-00010 | Date of first issue: 2021/01/13 |

---

ment; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

ID / EN