

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Atropine Sulfate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/04/14
5.1	2025/06/16	7665461-00012	Date of first issue: 2020/12/14

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Atropine Sulfate Formulation

#### Manufacturer or supplier's details

Company : MSD

Address : No. 485 Jing Tai Road  
Pu Tuo District - Shanghai - China 200331

Telephone : +1-908-740-4000

Emergency telephone number : 86-571-87268110

E-mail address : EHSDATASTEWARD@msd.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

### 2. HAZARDS IDENTIFICATION

#### Emergency Overview

Appearance	: liquid
Colour	: Translucent-colorless to pale yellow
Odour	: No data available

May cause an allergic skin reaction.

#### GHS Classification

Skin sensitisation : Category 1

#### GHS label elements

Hazard pictograms :



Signal word : Warning

Hazard statements : H317 May cause an allergic skin reaction.

Precautionary statements : **Prevention:**  
P261 Avoid breathing mist or vapours.  
P272 Contaminated work clothing should not be allowed out of

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Atropine Sulfate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/04/14
5.1	2025/06/16	7665461-00012	Date of first issue: 2020/12/14

the workplace.  
P280 Wear protective gloves.

### Response:

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P333 + P317 If skin irritation or rash occurs: Get medical help.

P362 + P364 Take off contaminated clothing and wash it before reuse.

### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### Physical and chemical hazards

Not classified based on available information.

### Health hazards

May cause an allergic skin reaction.

### Environmental hazards

Not classified based on available information.

### Other hazards which do not result in classification

None known.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
Benzyl alcohol	100-51-6	>= 1 -< 10
Sodium chloride	7647-14-5	>= 1 -< 10
Atropine Sulfate	5908-99-6	>= 0.1 -< 1

## 4. FIRST AID MEASURES

General advice	: In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	: If inhaled, remove to fresh air. Get medical attention.
In case of skin contact	: In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	: Flush eyes with water as a precaution.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Atropine Sulfate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/04/14
5.1	2025/06/16	7665461-00012	Date of first issue: 2020/12/14

If swallowed	: Get medical attention if irritation develops and persists. If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	: May cause an allergic skin reaction.
Protection of first-aiders	: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	: Treat symptomatically and supportively.

### 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Water spray Alcohol-resistant foam Carbon dioxide (CO <sub>2</sub> ) Dry chemical
Unsuitable extinguishing media	: None known.
Specific hazards during fire-fighting	: Exposure to combustion products may be a hazard to health.
Hazardous combustion products	: Carbon oxides Metal oxides Chlorine compounds
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	: Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Atropine Sulfate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/04/14
5.1	2025/06/16	7665461-00012	Date of first issue: 2020/12/14

cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.  
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

## 7. HANDLING AND STORAGE

### Handling

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not get on skin or clothing.  
Avoid breathing mist or vapours.  
Do not swallow.  
Avoid contact with eyes.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Take care to prevent spills, waste and minimize release to the environment.

Avoidance of contact : Oxidizing agents

### Storage

Conditions for safe storage : Keep in properly labelled containers.  
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents

Packaging material : Unsuitable material: None known.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Atropine Sulfate	5908-99-6	TWA	2 µg/m3 (OEB 4)	
Further information: Eye				

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Atropine Sulfate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/04/14
5.1	2025/06/16	7665461-00012	Date of first issue: 2020/12/14

		Wipe limit	20 µg/100 cm²	
--	--	------------	---------------	--

**Engineering measures** : The information below is intended for larger pilot/commercial-scale operations and manufacturing. For smaller scale, clinical, or pharmacy settings, site-specific internal risk assessment practices should be conducted to determine appropriate exposure control measures. The health hazard risks of handling this material are dependent on multiple factors, including but not limited to physical form and quantity handled. If applicable, use process enclosures, local exhaust ventilation (e.g., Biosafety Cabinet, Ventilated Balance Enclosures), or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels as low as reasonably achievable.

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Essentially no open handling permitted.

Use closed processing systems or containment technologies. If handled in a laboratory, use a properly designed biosafety cabinet, fume hood, or other containment device if the potential exists for aerosolization. If this potential does not exist, handle over lined trays or benchtops.

### Personal protective equipment

**Respiratory protection** : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

**Filter type** : Combined particulates and organic vapour type

**Eye/face protection** : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

**Skin and body protection** : Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

**Hand protection**

**Material** : Chemical-resistant gloves

**Remarks** : Consider double gloving.

**Hygiene measures** : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Atropine Sulfate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/04/14
5.1	2025/06/16	7665461-00012	Date of first issue: 2020/12/14

Contaminated work clothing should not be allowed out of the workplace.

Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: Translucent-colorless to pale yellow
Odour	: No data available
Odour Threshold	: No data available
pH	: 3.0 - 6.5
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: No data available
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Flammability (liquids)	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Relative density	: No data available
Density	: 0.900 - 1.100 g/cm <sup>3</sup>
Solubility(ies) Water solubility	: No data available
Partition coefficient: n-	: Not applicable

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Atropine Sulfate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/04/14
5.1	2025/06/16	7665461-00012	Date of first issue: 2020/12/14

octanol/water

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics

Particle size : Not applicable

### 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Can react with strong oxidizing agents.

Conditions to avoid : None known.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

### 11. TOXICOLOGICAL INFORMATION

Exposure routes : Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg  
Method: Calculation method

#### Components:

##### Benzyl alcohol:

Acute oral toxicity : LD50 (Rat): 1,200 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.4 mg/l  
Exposure time: 4 h

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Atropine Sulfate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/04/14
5.1	2025/06/16	7665461-00012	Date of first issue: 2020/12/14

---

Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: The substance or mixture has no acute inhalation toxicity

### Sodium chloride:

Acute oral toxicity : LD50 (Rat): 3,550 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 42 mg/l  
Exposure time: 1 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

### Atropine Sulfate:

Acute oral toxicity : LD50 (Rat): 500 mg/kg

LD50 (Mouse): 75 mg/kg

LD50 (Rabbit): 600 mg/kg

LD50 (Guinea pig): 1,100 mg/kg

### Skin corrosion/irritation

Not classified based on available information.

### Components:

#### Benzyl alcohol:

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

#### Sodium chloride:

Species : Rabbit  
Result : No skin irritation

### Serious eye damage/eye irritation

Not classified based on available information.

### Components:

#### Benzyl alcohol:

Species : Rabbit  
Result : Irritation to eyes, reversing within 21 days  
Method : OECD Test Guideline 405



# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Atropine Sulfate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/04/14
5.1	2025/06/16	7665461-00012	Date of first issue: 2020/12/14

---

### Sodium chloride:

Species	:	Rabbit
Result	:	No eye irritation

### Respiratory or skin sensitisation

#### Skin sensitisation

May cause an allergic skin reaction.

#### Respiratory sensitisation

Not classified based on available information.

### Components:

#### Benzyl alcohol:

Test Type	:	Human repeat insult patch test (HRIPT)
Exposure routes	:	Skin contact
Species	:	Humans
Result	:	positive
Assessment	:	Probability or evidence of low to moderate skin sensitisation rate in humans

### Sodium chloride:

Test Type	:	Local lymph node assay (LLNA)
Exposure routes	:	Skin contact
Species	:	Mouse
Result	:	negative

### Germ cell mutagenicity

Not classified based on available information.

### Components:

#### Benzyl alcohol:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Result: negative

### Sodium chloride:

Genotoxicity in vitro	:	Test Type: In vitro mammalian cell gene mutation test Result: positive
	:	Test Type: Bacterial reverse mutation assay (AMES)

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Atropine Sulfate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/04/14
5.1	2025/06/16	7665461-00012	Date of first issue: 2020/12/14

Result: negative

Test Type: Saccharomyces cerevisiae, gene mutation assay (in vitro)

Result: positive

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)

Result: positive

Test Type: Chromosome aberration test in vitro

Result: positive

Test Type: Chromosome aberration test in vitro

Result: negative

Genotoxicity in vivo

: Test Type: In vivo micronucleus test

Species: Mouse

Application Route: Intraperitoneal injection

Result: negative

Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)

Species: Rat

Application Route: Intraperitoneal injection

Result: positive

Germ cell mutagenicity - Assessment

: Weight of evidence does not support classification as a germ cell mutagen.

### Atropine Sulfate:

Genotoxicity in vitro

: Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Germ cell mutagenicity - Assessment

: Weight of evidence does not support classification as a germ cell mutagen.

### Carcinogenicity

Not classified based on available information.

### Components:

#### Benzyl alcohol:

Species

: Mouse

Application Route

: Ingestion

Exposure time

: 103 weeks

Method

: OECD Test Guideline 451

Result

: negative

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Atropine Sulfate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/04/14
5.1	2025/06/16	7665461-00012	Date of first issue: 2020/12/14

### Sodium chloride:

Species	: Rat
Application Route	: Ingestion
Exposure time	: 2 Years
Result	: negative

### Atropine Sulfate:

Species	: Rat
Application Route	: Intraperitoneal injection
Exposure time	: 28 month(s)
NOAEL	: 2.5 mg/kg bw/day
Result	: negative

Carcinogenicity - Assessment	: Weight of evidence does not support classification as a carcinogen
------------------------------	--

### Reproductive toxicity

Not classified based on available information.

### Components:

#### Benzyl alcohol:

Effects on fertility	: Test Type: Fertility/early embryonic development Species: Rat Application Route: Ingestion Result: negative Remarks: Based on data from similar materials
----------------------	---

Effects on foetal development	: Test Type: Embryo-foetal development Species: Mouse Application Route: Ingestion Result: negative
-------------------------------	--

#### Atropine Sulfate:

Effects on fertility	: Test Type: Fertility/early embryonic development Species: Rat, male Application Route: Ingestion General Toxicity - Parent: LOAEL: 62.5 mg/kg body weight Result: Reduced fertility
----------------------	---

	: Test Type: Fertility/early embryonic development Species: Rat, female Application Route: Intraperitoneal injection General Toxicity - Parent: LOAEL: 1 mg/kg body weight Result: Effect on estrous cycle
--	--

Effects on foetal development	: Test Type: Fertility/early embryonic development Species: Rat Application Route: Intravenous injection
-------------------------------	--

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Atropine Sulfate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/04/14
5.1	2025/06/16	7665461-00012	Date of first issue: 2020/12/14

Developmental Toxicity: LOAEL: 50 mg/kg body weight  
Result: Abnormalities of the musculoskeletal system

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments.

### STOT - single exposure

Not classified based on available information.

#### Components:

##### Atropine Sulfate:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

### STOT - repeated exposure

Not classified based on available information.

#### Components:

##### Atropine Sulfate:

Exposure routes : Inhalation  
Target Organs : Eye, Central nervous system  
Assessment : Shown to produce significant health effects in animals at concentrations of 50 ppmV/6h/d or less.

### Repeated dose toxicity

#### Components:

##### Benzyl alcohol:

Species : Rat  
NOAEL : 1.072 mg/l  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 28 Days  
Method : OECD Test Guideline 412

##### Sodium chloride:

Species : Rat  
LOAEL : 2,533 mg/kg  
Application Route : Ingestion  
Exposure time : 2 yr

##### Atropine Sulfate:

Species : Rabbit  
LOAEL : 59 mg/kg  
Application Route : Subcutaneous  
Exposure time : 100 d  
Target Organs : Central nervous system

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Atropine Sulfate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/04/14
5.1	2025/06/16	7665461-00012	Date of first issue: 2020/12/14

Symptoms : Convulsions, respiratory depression

Species : Rat  
LOAEL : 0.5 mg/kg  
Application Route : Inhalation  
Exposure time : 21 d  
Target Organs : Eye  
Symptoms : Dilatation of the pupil

Species : Dog  
LOAEL : 0.5 mg/kg  
Application Route : Inhalation  
Exposure time : 21 d  
Target Organs : Eye  
Symptoms : Dilatation of the pupil

### Aspiration toxicity

Not classified based on available information.

### Experience with human exposure

#### Components:

#### Atropine Sulfate:

General Information : Target Organs: Central nervous system  
Symptoms: dry mouth, Blurred vision, tachycardia, constipation, central nervous system effects, restlessness, Fatigue, delirium, mental depression

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

#### Benzyl alcohol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 460 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 230 mg/l  
aquatic invertebrates : Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic : EC50 (Pseudokirchneriella subcapitata (green algae)): 770  
plants : mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 310  
mg/l  
Exposure time: 72 h

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Atropine Sulfate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/04/14
5.1	2025/06/16	7665461-00012	Date of first issue: 2020/12/14

Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 51 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

### Sodium chloride:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 5,840 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 4,136 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50: > 2,000 mg/l  
Exposure time: 96 h

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 252 mg/l  
Exposure time: 33 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia pulex (Water flea)): 314 mg/l  
Exposure time: 21 d

Toxicity to microorganisms : EC10: > 1,000 mg/l

### Atropine Sulfate:

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 356 mg/l  
Exposure time: 48 h

### Persistence and degradability

#### Components:

#### Benzyl alcohol:

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 92 - 96 %  
Exposure time: 14 d

### Bioaccumulative potential

#### Components:

#### Benzyl alcohol:

Partition coefficient: n-octanol/water : log Pow: 1.05

#### Atropine Sulfate:

Partition coefficient: n-octanol/water : log Pow: 1.83

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Atropine Sulfate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/04/14
5.1	2025/06/16	7665461-00012	Date of first issue: 2020/12/14

### Mobility in soil

No data available

### Other adverse effects

No data available

## 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues	:	Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

## 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Environmentally hazardous	:	no

#### IATA-DGR

UN/ID No.	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Packing instruction (cargo aircraft)	:	Not applicable
Packing instruction (passenger aircraft)	:	Not applicable

#### IMDG-Code

UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
EmS Code	:	Not applicable
Marine pollutant	:	no

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Atropine Sulfate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/04/14
5.1	2025/06/16	7665461-00012	Date of first issue: 2020/12/14

### National Regulations

#### GB 6944/12268

UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Marine pollutant	:	no

#### Special precautions for user

Not applicable

## 15. REGULATORY INFORMATION

### National regulatory information

#### Law on the Prevention and Control of Occupational Diseases

#### Regulations on Safety Management of Hazardous Chemicals

Catalogue of Hazardous Chemicals	:	This product is not listed in the catalogue of hazardous chemicals, but it meets the definition of hazardous chemicals and its principles of determination.
----------------------------------	---	---

Identification of Major Hazard Installations for Hazardous Chemicals (GB 18218)	:	Not listed
---	---	------------

Hazardous Chemicals for Priority Management under SAWS	:	Not listed
--	---	------------

Catalogue of Specially Controlled Hazardous Chemicals	:	Not listed
---	---	------------

List of Explosive Precursors	:	Not listed
------------------------------	---	------------

#### Regulations on Labour Protection in Workplaces where Toxic Substances are Used

Catalogue of Highly Toxic Chemicals	:	Not listed
-------------------------------------	---	------------

#### Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

China Severely Restricted Toxic Chemicals for Import and Export	:	Not listed
---	---	------------

#### Regulation on the Administration of Precursor Chemicals

Catalogue and Classification of Precursor Chemicals	:	Not listed
---	---	------------



# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Atropine Sulfate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/04/14
5.1	2025/06/16	7665461-00012	Date of first issue: 2020/12/14

### Yangtze River Protection Law

This product does not contain any dangerous chemicals prohibited for inland river transport.

### Regulations of Ozone Depleting Substances Management

List of Controlled Ozone Depleting Substances Import : Not listed  
and Export

List of Controlled Ozone Depleting Substances : Not listed

### Environmental Protection Law

List of Priority Controlled Chemicals : Not listed

List of Key Controlled New Pollutants : Not listed

### The components of this product are reported in the following inventories:

DSL : not determined

AICS : not determined

IECSC : not determined

## 16. OTHER INFORMATION

Revision Date : 2025/06/16

### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : yyyy/mm/dd

### Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Atropine Sulfate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/04/14
5.1	2025/06/16	7665461-00012	Date of first issue: 2020/12/14

---

Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CN / EN