

Atropine Sulfate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2024
5.0	14.04.2025	7665456-00012	Date of first issue: 14.12.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier**

Trade name : Atropine Sulfate Formulation

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-
stance/Mixture : Veterinary product

Recommended restrictions
on use : Not applicable

1.3 Details of the supplier of the safety data sheet

Company : MSD
20 Spartan Road
1619 Spartan, South Africa

Telephone : +27119239300

E-mail address of person
responsible for the SDS : EHSDATASTEWARD@msd.com

1.4 Emergency telephone number

+1-908-423-6000

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture****Classification (REGULATION (EC) No 1272/2008)**

Skin sensitisation, Category 1 H317: May cause an allergic skin reaction.

2.2 Label elements**Labelling (REGULATION (EC) No 1272/2008)**

Hazard pictograms :



Signal word : Warning

Hazard statements : H317 May cause an allergic skin reaction.

Precautionary statements : **Prevention:**
P272 Contaminated work clothing should not be allowed out
of the workplace.

Atropine Sulfate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2024
5.0	14.04.2025	7665456-00012	Date of first issue: 14.12.2020

P280 Wear protective gloves.

Response:

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P362 + P364 Take off contaminated clothing and wash it before reuse.

Hazardous components which must be listed on the label:

Benzyl alcohol

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients**3.2 Mixtures****Components**

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Benzyl alcohol	100-51-6 202-859-9 603-057-00-5	Acute Tox. 4; H302 Eye Irrit. 2; H319 Skin Sens. 1B; H317	>= 1 - < 10
Atropine Sulfate	5908-99-6	Acute Tox. 4; H302 Repr. 2; H361 STOT RE 1; H372 (Eye, Central nervous system)	>= 0,1 - < 1

For explanation of abbreviations see section 16.

SECTION 4: First aid measures**4.1 Description of first aid measures**

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- If inhaled : If inhaled, remove to fresh air.
Get medical attention.

Atropine Sulfate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2024
5.0	14.04.2025	7665456-00012	Date of first issue: 14.12.2020

- | | | |
|-------------------------|---|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| In case of skin contact | : | In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse. |
| In case of eye contact | : | Flush eyes with water as a precaution.
Get medical attention if irritation develops and persists. |
| If swallowed | : | If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water. |

4.2 Most important symptoms and effects, both acute and delayed

- | | | |
|-------|---|--------------------------------------|
| Risks | : | May cause an allergic skin reaction. |
|-------|---|--------------------------------------|

4.3 Indication of any immediate medical attention and special treatment needed

- | | | |
|-----------|---|-----------------------------------------|
| Treatment | : | Treat symptomatically and supportively. |
|-----------|---|-----------------------------------------|
-

SECTION 5: Firefighting measures**5.1 Extinguishing media**

- | | | |
|--------------------------------|---|--------------------------------------------------------------------------------------------|
| Suitable extinguishing media | : | Water spray
Alcohol-resistant foam
Carbon dioxide (CO ₂)
Dry chemical |
| Unsuitable extinguishing media | : | None known. |

5.2 Special hazards arising from the substance or mixture

- | | | |
|---------------------------------------|---|------------------------------------------------------------|
| Specific hazards during fire-fighting | : | Exposure to combustion products may be a hazard to health. |
| Hazardous combustion products | : | Carbon oxides
Metal oxides
Chlorine compounds |

5.3 Advice for firefighters

- | | | |
|-----------------------------------------------|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Special protective equipment for firefighters | : | In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment. |
| Specific extinguishing methods | : | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area. |

Atropine Sulfate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2024
5.0	14.04.2025	7665456-00012	Date of first issue: 14.12.2020

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g. by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material.
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not get on skin or clothing.
Avoid breathing mist or vapours.
Do not swallow.
Avoid contact with eyes.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Take care to prevent spills, waste and minimize release to the environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated

Atropine Sulfate Formulation

Version 5.0 Revision Date: 14.04.2025 SDS Number: 7665456-00012 Date of last issue: 04.12.2024
Date of first issue: 14.12.2020

work clothing should not be allowed out of the workplace.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep in properly labelled containers. Store in accordance with the particular national regulations.

Advice on common storage : Do not store with the following product types:
Strong oxidizing agents
Gases

7.3 Specific end use(s)

Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Atropine Sulfate	5908-99-6	TWA	2 µg/m ³ (OEB 4)	
	Further information: Eye			
		Wipe limit	20 µg/100 cm ²	

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006

Substance name	End Use	Exposure routes	Potential health effects	Value
Benzyl alcohol	Workers	Inhalation	Long-term systemic effects	22 mg/m ³
	Workers	Inhalation	Acute systemic effects	110 mg/m ³
	Workers	Skin contact	Long-term systemic effects	8 mg/kg bw/day
	Workers	Skin contact	Acute systemic effects	40 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	5,4 mg/m ³
	Consumers	Inhalation	Acute systemic effects	27 mg/m ³
	Consumers	Skin contact	Long-term systemic effects	4 mg/kg bw/day
	Consumers	Skin contact	Acute systemic effects	20 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	4 mg/kg bw/day

Atropine Sulfate Formulation

Version 5.0 Revision Date: 14.04.2025 SDS Number: 7665456-00012 Date of last issue: 04.12.2024
 Date of first issue: 14.12.2020

	Consumers	Ingestion	Acute systemic effects	20 mg/kg bw/day
Sodium chloride	Workers	Inhalation	Long-term systemic effects	2068,62 mg/m ³
	Workers	Inhalation	Acute systemic effects	2068,62 mg/m ³
	Workers	Skin contact	Long-term systemic effects	295,52 mg/kg bw/day
	Workers	Skin contact	Acute systemic effects	295,52 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	443,28 mg/m ³
	Consumers	Inhalation	Acute systemic effects	443,28 mg/m ³
	Consumers	Skin contact	Long-term systemic effects	126,65 mg/kg bw/day
	Consumers	Skin contact	Acute systemic effects	126,65 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	126,65 mg/kg bw/day
	Consumers	Ingestion	Acute systemic effects	126,65 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006

Substance name	Environmental Compartment	Value
Benzyl alcohol	Fresh water	1 mg/l
	Marine water	0,1 mg/l
	Intermittent use/release	2,3 mg/l
	Sewage treatment plant	39 mg/l
	Fresh water sediment	5,27 mg/kg
	Marine sediment	0,527 mg/kg
	Soil	0,456 mg/kg
Sodium chloride	Fresh water	5 mg/l
	Sewage treatment plant	500 mg/l
	Soil	4,86 mg/kg dry weight (d.w.)

8.2 Exposure controls

Engineering measures

The information below is intended for larger pilot/commercial-scale operations and manufacturing. For smaller scale, clinical, or pharmacy settings, site-specific internal risk assessment practices should be conducted to determine appropriate exposure control measures. The health hazard risks of handling this material are dependent on multiple factors, including but not limited to physical form and quantity handled. If applicable, use process enclosures, local exhaust ventilation (e.g., Biosafety Cabinet, Ventilated Balance Enclosures), or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels as low as reasonably achievable.

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Essentially no open handling permitted.

Use closed processing systems or containment technologies.

If handled in a laboratory, use a properly designed biosafety cabinet, fume hood, or other containment device if the potential exists for aerosolization. If this potential does not exist, handle over lined trays or benchtops.

Atropine Sulfate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2024
5.0	14.04.2025	7665456-00012	Date of first issue: 14.12.2020

Personal protective equipment

Eye/face protection	:	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Hand protection		
Material	:	Chemical-resistant gloves
Remarks	:	Consider double gloving.
Skin and body protection	:	Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.
Respiratory protection	:	If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Filter type	:	Combined particulates and organic vapour type (A-P)

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties**

Appearance	:	liquid
Colour	:	Translucent-colorless to pale yellow
Odour	:	No data available
Odour Threshold	:	No data available
pH	:	3,0 - 6,5
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available

Atropine Sulfate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2024
5.0	14.04.2025	7665456-00012	Date of first issue: 14.12.2020

Relative density	:	No data available
Density	:	0,900 - 1,100 g/cm ³
Solubility(ies)		
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.

9.2 Other information

Molecular weight	:	No data available
Particle size	:	Not applicable

SECTION 10: Stability and reactivity**10.1 Reactivity**

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	Can react with strong oxidizing agents.
---------------------	---	-----------------------------------------

10.4 Conditions to avoid

Conditions to avoid	:	None known.
---------------------	---	-------------

10.5 Incompatible materials

Materials to avoid	:	Oxidizing agents
--------------------	---	------------------

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information**11.1 Information on toxicological effects**

Information on likely routes of	:	Inhalation
---------------------------------	---	------------

Atropine Sulfate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2024
5.0	14.04.2025	7665456-00012	Date of first issue: 14.12.2020

exposure

Skin contact
Ingestion
Eye contact

Acute toxicity

|| Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2.000 mg/kg
Method: Calculation method

Components:**Benzyl alcohol:**

Acute oral toxicity : LD50 (Rat): 1.200 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5,4 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Assessment: The substance or mixture has no acute inhalation toxicity

Atropine Sulfate:

Acute oral toxicity : LD50 (Rat): 500 mg/kg

LD50 (Mouse): 75 mg/kg

LD50 (Rabbit): 600 mg/kg

LD50 (Guinea pig): 1.100 mg/kg

Skin corrosion/irritation

|| Not classified based on available information.

Components:**Benzyl alcohol:**

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Serious eye damage/eye irritation

|| Not classified based on available information.

Components:**Benzyl alcohol:**

Species : Rabbit

Method : OECD Test Guideline 405

Result : Irritation to eyes, reversing within 21 days

Atropine Sulfate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2024
5.0	14.04.2025	7665456-00012	Date of first issue: 14.12.2020

Respiratory or skin sensitisation**Skin sensitisation**

|| May cause an allergic skin reaction.

Respiratory sensitisation

|| Not classified based on available information.

Components:**Benzyl alcohol:**

Test Type	: Human repeat insult patch test (HRIPT)
Exposure routes	: Skin contact
Species	: Humans
Result	: positive

Assessment	: Probability or evidence of low to moderate skin sensitisation rate in humans
------------	--------------------------------------------------------------------------------

Germ cell mutagenicity

|| Not classified based on available information.

Components:**Benzyl alcohol:**

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Result: negative

Atropine Sulfate:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
Germ cell mutagenicity- Assessment	: Weight of evidence does not support classification as a germ cell mutagen.

Carcinogenicity

|| Not classified based on available information.

Components:**Benzyl alcohol:**

Species	: Mouse
Application Route	: Ingestion
Exposure time	: 103 weeks
Method	: OECD Test Guideline 451
Result	: negative

Atropine Sulfate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2024
5.0	14.04.2025	7665456-00012	Date of first issue: 14.12.2020

Atropine Sulfate:

Species	: Rat
Application Route	: Intraperitoneal injection
Exposure time	: 28 month(s)
NOAEL	: 2,5 mg/kg bw/day
Result	: negative

Carcinogenicity - Assessment	: Weight of evidence does not support classification as a carcinogen
------------------------------	----------------------------------------------------------------------

Reproductive toxicity

Not classified based on available information.

Components:**Benzyl alcohol:**

Effects on fertility	: Test Type: Fertility/early embryonic development Species: Rat Application Route: Ingestion Result: negative Remarks: Based on data from similar materials
----------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Effects on foetal development	: Test Type: Embryo-foetal development Species: Mouse Application Route: Ingestion Result: negative
-------------------------------	--------------------------------------------------------------------------------------------------------------

Atropine Sulfate:

Effects on fertility	: Test Type: Fertility/early embryonic development Species: Rat, male Application Route: Ingestion General Toxicity - Parent: LOAEL: 62,5 mg/kg body weight Result: Reduced fertility
----------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

	: Test Type: Fertility/early embryonic development Species: Rat, female Application Route: Intraperitoneal injection General Toxicity - Parent: LOAEL: 1 mg/kg body weight Result: Effect on estrous cycle
--	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Effects on foetal development	: Test Type: Fertility/early embryonic development Species: Rat Application Route: Intravenous injection Developmental Toxicity: LOAEL: 50 mg/kg body weight Result: Abnormalities of the musculoskeletal system
-------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Reproductive toxicity - Assessment	: Some evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments.
------------------------------------	--------------------------------------------------------------------------------------------------------------------------

STOT - single exposure

Not classified based on available information.

Atropine Sulfate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2024
5.0	14.04.2025	7665456-00012	Date of first issue: 14.12.2020

Components:**Atropine Sulfate:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT - repeated exposure

Not classified based on available information.

Components:**Atropine Sulfate:**

Exposure routes : Inhalation
Target Organs : Eye, Central nervous system
Assessment : Shown to produce significant health effects in animals at concentrations of 50 ppmV/6h/d or less.

Repeated dose toxicity**Components:****Benzyl alcohol:**

Species : Rat
NOAEL : 1,072 mg/l
Application Route : inhalation (dust/mist/fume)
Exposure time : 28 Days
Method : OECD Test Guideline 412

Atropine Sulfate:

Species : Rabbit
LOAEL : 59 mg/kg
Application Route : Subcutaneous
Exposure time : 100 d
Target Organs : Central nervous system
Symptoms : Convulsions, respiratory depression

Species : Rat
LOAEL : 0,5 mg/kg
Application Route : Inhalation
Exposure time : 21 d
Target Organs : Eye
Symptoms : Dilatation of the pupil

Species : Dog
LOAEL : 0,5 mg/kg
Application Route : Inhalation
Exposure time : 21 d
Target Organs : Eye
Symptoms : Dilatation of the pupil

Aspiration toxicity

Not classified based on available information.

Atropine Sulfate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2024
5.0	14.04.2025	7665456-00012	Date of first issue: 14.12.2020

Experience with human exposure**Components:****Atropine Sulfate:**

General Information	: Target Organs: Central nervous system Symptoms: dry mouth, Blurred vision, tachycardia, constipation, central nervous system effects, restlessness, Fatigue, delirium, mental depression
---------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

SECTION 12: Ecological information**12.1 Toxicity****Components:****Benzyl alcohol:**

Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): 460 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 230 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: EC50 (Pseudokirchneriella subcapitata (green algae)): 770 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 NOEC (Pseudokirchneriella subcapitata (green algae)): 310 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC: 51 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

Atropine Sulfate:

Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 356 mg/l Exposure time: 48 h
-----------------------------------------------------	----------------------------------------------------------------------

12.2 Persistence and degradability**Components:****Benzyl alcohol:**

Biodegradability	: Result: Readily biodegradable. Biodegradation: 92 - 96 % Exposure time: 14 d
------------------	--------------------------------------------------------------------------------------

Atropine Sulfate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2024
5.0	14.04.2025	7665456-00012	Date of first issue: 14.12.2020

12.3 Bioaccumulative potential**Components:****Benzyl alcohol:**

Partition coefficient: n-octanol/water	: log Pow: 1,05
----------------------------------------	-----------------

Atropine Sulfate:

Partition coefficient: n-octanol/water	: log Pow: 1,83
----------------------------------------	-----------------

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment**Product:**

Assessment	: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.
------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

12.6 Other adverse effects**Product:**

Endocrine disrupting potential	: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
--------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

SECTION 13: Disposal considerations**13.1 Waste treatment methods**

Product	: Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities. Do not dispose of waste into sewer.
Contaminated packaging	: Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

SECTION 14: Transport information**14.1 UN number**

ADN	: Not regulated as a dangerous good
ADR	: Not regulated as a dangerous good
RID	: Not regulated as a dangerous good

Atropine Sulfate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2024
5.0	14.04.2025	7665456-00012	Date of first issue: 14.12.2020

IMDG : Not regulated as a dangerous good

IATA : Not regulated as a dangerous good

14.2 UN proper shipping name

ADN : Not regulated as a dangerous good

ADR : Not regulated as a dangerous good

RID : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

IATA : Not regulated as a dangerous good

14.3 Transport hazard class(es)

ADN : Not regulated as a dangerous good

ADR : Not regulated as a dangerous good

RID : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

IATA : Not regulated as a dangerous good

14.4 Packing group

ADN : Not regulated as a dangerous good

ADR : Not regulated as a dangerous good

RID : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

IATA (Cargo) : Not regulated as a dangerous good

IATA (Passenger) : Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks : Not applicable for product as supplied.

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

The components of this product are reported in the following inventories:

DSL : not determined

AICS : not determined

IECSC : not determined

Atropine Sulfate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2024
5.0	14.04.2025	7665456-00012	Date of first issue: 14.12.2020

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Other information : Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Full text of H-Statements

H302 : Harmful if swallowed.
H317 : May cause an allergic skin reaction.
H319 : Causes serious eye irritation.
H361 : Suspected of damaging fertility or the unborn child.
H372 : Causes damage to organs through prolonged or repeated exposure if inhaled.

Full text of other abbreviations

Acute Tox. : Acute toxicity
Eye Irrit. : Eye irritation
Repr. : Reproductive toxicity
Skin Sens. : Skin sensitisation
STOT RE : Specific target organ toxicity - repeated exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN

Atropine Sulfate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2024
5.0	14.04.2025	7665456-00012	Date of first issue: 14.12.2020

- United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Classification of the mixture:

Skin Sens. 1

H317

Classification procedure:

Calculation method

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

ZA / EN