

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Sulfadiazine (41%) / Trimethoprim (8%) Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/04/14
7.0	2025/06/17	9791120-00014	Date of first issue: 2021/10/08

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Sulfadiazine (41%) / Trimethoprim (8%) Solid Formulation

Manufacturer or supplier's details

Company : MSD

Address : No. 485 Jing Tai Road
Pu Tuo District - Shanghai - China 200331

Telephone : +1-908-740-4000

Emergency telephone number : 86-571-87268110

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	: powder
Colour	: white
Odour	: No data available

May be harmful if swallowed. Causes skin and eye irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause respiratory irritation. Suspected of damaging the unborn child. May cause damage to organs through prolonged or repeated exposure. Very toxic to aquatic life with long lasting effects.

GHS Classification

Acute toxicity (Oral) : Category 5

Skin corrosion/irritation : Category 2

Serious eye damage/eye irritation : Category 2B

Respiratory sensitisation : Category 1

Reproductive toxicity : Category 2

Specific target organ toxicity - : Category 3

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Sulfadiazine (41%) / Trimethoprim (8%) Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/04/14
7.0	2025/06/17	9791120-00014	Date of first issue: 2021/10/08

single exposure

Specific target organ toxicity - : Category 2
repeated exposure

Short-term (acute) aquatic : Category 1
hazard

Long-term (chronic) aquatic : Category 1
hazard

GHS label elements

Hazard pictograms



Signal word

: Danger

Hazard statements

: H303 May be harmful if swallowed.
H315 + H320 Causes skin and eye irritation.
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335 May cause respiratory irritation.
H361d Suspected of damaging the unborn child.
H373 May cause damage to organs through prolonged or repeated exposure.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

Prevention:

P203 Obtain, read and follow all safety instructions before use.
P233 Keep container tightly closed.
P260 Do not breathe dust.
P264 Wash skin thoroughly after handling.
P271 Use only outdoors or in a well-ventilated area.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.
P284 Wear respiratory protection.

Response:

P301 + P332 + P317 IF SWALLOWED or if skin irritation occurs: Get medical help.
P302 + P352 IF ON SKIN: Wash with plenty of water.
P304 + P340 + P319 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical help if you feel unwell.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Sulfadiazine (41%) / Trimethoprim (8%) Solid Formulation

Version 7.0 Revision Date: 2025/06/17 SDS Number: 9791120-00014 Date of last issue: 2025/04/14
Date of first issue: 2021/10/08

easy to do. Continue rinsing.
P318 IF exposed or concerned, get medical advice.
P337 + P317 If eye irritation persists: Get medical help.
P342 + P316 If experiencing respiratory symptoms: Get emergency medical help immediately.
P362 + P364 Take off contaminated clothing and wash it before reuse.
P391 Collect spillage.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Physical and chemical hazards

Not classified based on available information.

Health hazards

May be harmful if swallowed. Causes skin irritation. Causes eye irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Suspected of damaging the unborn child. May cause respiratory irritation. May cause damage to organs through prolonged or repeated exposure.

Environmental hazards

Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

Other hazards which do not result in classification

May form explosive dust-air mixture during processing, handling or other means.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
sulfadiazine	68-35-9	≥ 30 -< 50
Trimethoprim	738-70-5	≥ 3 -< 10

4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
If not breathing, give artificial respiration.
If breathing is difficult, give oxygen.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Sulfadiazine (41%) / Trimethoprim (8%) Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/04/14
7.0	2025/06/17	9791120-00014	Date of first issue: 2021/10/08

In case of skin contact	: Get medical attention. In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention.
If swallowed	: If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	: Excessive exposure may aggravate preexisting asthma and other respiratory disorders (e.g. emphysema, bronchitis, reactive airways dysfunction syndrome). May be harmful if swallowed. Causes skin and eye irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause respiratory irritation. Suspected of damaging the unborn child. May cause damage to organs through prolonged or repeated exposure.
Protection of first-aiders	: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	: Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	: None known.
Specific hazards during fire-fighting	: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Exposure to combustion products may be a hazard to health.
Hazardous combustion products	: Carbon oxides
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Sulfadiazine (41%) / Trimethoprim (8%) Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/04/14
7.0	2025/06/17	9791120-00014	Date of first issue: 2021/10/08

Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Surround spill with absorbents and place a damp covering over the area to minimise entry of the material into the air.
Add excess liquid to allow the material to enter into solution.
Soak up with inert absorbent material.
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

7. HANDLING AND STORAGE

Handling

Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Sulfadiazine (41%) / Trimethoprim (8%) Solid Formulation

Version 7.0 Revision Date: 2025/06/17 SDS Number: 9791120-00014 Date of last issue: 2025/04/14
Date of first issue: 2021/10/08

- Advice on safe handling : ventilation.
Do not get on skin or clothing.
Do not breathe dust.
Do not swallow.
Do not get in eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Keep container tightly closed.
Already sensitised individuals, and those susceptible to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respiratory irritants or sensitisers.
Minimize dust generation and accumulation.
Keep container closed when not in use.
Keep away from heat and sources of ignition.
Take precautionary measures against static discharges.
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment.
- Avoidance of contact : Oxidizing agents
- Storage**
- Conditions for safe storage : Keep in properly labelled containers.
Store locked up.
Keep tightly closed.
Keep in a cool, well-ventilated place.
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:
Strong oxidizing agents
- Packaging material : Unsuitable material: None known.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
sulfadiazine	68-35-9	TWA	2 mg/m ³ (OEB 1)	Internal
Trimethoprim	738-70-5	TWA	400 µg/m ³ (OEB 2)	Internal

- Engineering measures** : Use feasible engineering controls to minimize exposure to compound.
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Sulfadiazine (41%) / Trimethoprim (8%) Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/04/14
7.0	2025/06/17	9791120-00014	Date of first issue: 2021/10/08

Personal protective equipment

- | | | |
|--------------------------|---|--|
| Respiratory protection | : | If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection. |
| Filter type | : | Particulates type |
| Eye/face protection | : | Wear safety glasses with side shields or goggles.
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols. |
| Skin and body protection | : | Work uniform or laboratory coat. |
| Hand protection | : | |
| Material | : | Chemical-resistant gloves |
| Hygiene measures | : | If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls. |

9. PHYSICAL AND CHEMICAL PROPERTIES

- | | | |
|---|---|---|
| Appearance | : | powder |
| Colour | : | white |
| Odour | : | No data available |
| Odour Threshold | : | No data available |
| pH | : | 6.5 - 8.5 |
| Melting point/freezing point | : | No data available |
| Initial boiling point and boiling range | : | No data available |
| Flash point | : | Not applicable |
| Evaporation rate | : | Not applicable |
| Flammability (solid, gas) | : | May form explosive dust-air mixture during processing, handling or other means. |

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Sulfadiazine (41%) / Trimethoprim (8%) Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/04/14
7.0	2025/06/17	9791120-00014	Date of first issue: 2021/10/08

Flammability (liquids)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	Not applicable
Relative vapour density	:	Not applicable
Relative density	:	No data available
Density	:	No data available
Solubility(ies)	:	
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics	:	
Particle size	:	No data available

10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Sulfadiazine (41%) / Trimethoprim (8%) Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/04/14
7.0	2025/06/17	9791120-00014	Date of first issue: 2021/10/08

Incompatible materials : Oxidizing agents
Hazardous decomposition products : No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Exposure routes : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

May be harmful if swallowed.

Product:

Acute oral toxicity : Acute toxicity estimate: 2,251 mg/kg
Method: Calculation method

Components:

sulfadiazine:

Acute oral toxicity : LD50 (Mouse): 1,500 mg/kg
Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg
Remarks: Based on data from similar materials
Acute toxicity (other routes of administration) : LD50 (Rat): 880 mg/kg
Application Route: Intravenous
LD50 (Mouse): 180 mg/kg
Application Route: Intravenous

Trimethoprim:

Acute oral toxicity : LD50 (Rat): 1,500 - 5,300 mg/kg
LD50 (Mouse): 1,910 - 7,000 mg/kg
Acute toxicity (other routes of administration) : LD50 (Rat): 400 - 500 mg/kg
Application Route: Intraperitoneal
LD50 (Dog): 90 mg/kg
Application Route: Intravenous
LD50 (Mouse): 132 mg/kg
Application Route: Intravenous

Skin corrosion/irritation

Causes skin irritation.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Sulfadiazine (41%) / Trimethoprim (8%) Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/04/14
7.0	2025/06/17	9791120-00014	Date of first issue: 2021/10/08

Components:

sulfadiazine:

Result	: Skin irritation
Remarks	: Based on data from similar materials

Serious eye damage/eye irritation

Causes eye irritation.

Components:

sulfadiazine:

Species	: Rabbit
Result	: Irritation to eyes, reversing within 7 days
Remarks	: Based on data from similar materials

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Components:

sulfadiazine:

Test Type	: Maximisation Test
Species	: Guinea pig
Result	: Not a skin sensitizer.
Remarks	: Based on data from similar materials

Trimethoprim:

Test Type	: Maximisation Test
Exposure routes	: Dermal
Species	: Guinea pig
Result	: Not a skin sensitizer.

Germ cell mutagenicity

Not classified based on available information.

Components:

sulfadiazine:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative Remarks: Based on data from similar materials
	Test Type: Chromosomal aberration

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Sulfadiazine (41%) / Trimethoprim (8%) Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/04/14
7.0	2025/06/17	9791120-00014	Date of first issue: 2021/10/08

Test system: Chinese hamster ovary cells
Result: negative
Remarks: Based on data from similar materials

Trimethoprim:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative Test Type: Chromosomal aberration Result: negative Test Type: In vitro mammalian cell gene mutation test Result: negative Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro) Result: negative
Genotoxicity in vivo	:	Test Type: Micronucleus test Species: Rat Result: negative Test Type: Chromosomal aberration Species: Humans Result: negative

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Suspected of damaging the unborn child.

Components:

sulfadiazine:

Effects on foetal development	:	Test Type: Development Species: Mouse Application Route: Oral General Toxicity Maternal: NOAEL: 1,000 mg/kg body weight Result: Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses
-------------------------------	---	--

Trimethoprim:

Effects on fertility	:	Test Type: Fertility Species: Rat Application Route: Oral Fertility: NOAEL: 70 mg/kg body weight Result: No effects on fertility
----------------------	---	--

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Sulfadiazine (41%) / Trimethoprim (8%) Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/04/14
7.0	2025/06/17	9791120-00014	Date of first issue: 2021/10/08

Effects on foetal development

: Test Type: Development
Species: Rat
Application Route: Oral
Developmental Toxicity: LOAEL: 70 mg/kg body weight
Result: Effects on newborn
Remarks: Maternal toxicity observed.

Test Type: Development
Species: Rat
Application Route: Oral
Developmental Toxicity: LOAEL: 70 mg/kg body weight
Result: Embryotoxic effects.
Remarks: Maternal toxicity observed.

Test Type: Development
Species: Rat
Application Route: Oral
Developmental Toxicity: LOAEL: 15 mg/kg body weight
Result: Embryotoxic effects., Teratogenic effects

Test Type: Development
Species: Hamster
Application Route: Oral
Developmental Toxicity: LOAEL: 1.7 mg/kg body weight
Result: Embryotoxic effects., No teratogenic effects

Test Type: Development
Species: Rabbit
Application Route: Oral
Developmental Toxicity: LOAEL: 100 mg/kg body weight
Result: Embryotoxic effects., No teratogenic effects

Reproductive toxicity - Assessment

: Suspected of damaging the unborn child.

STOT - single exposure

May cause respiratory irritation.

Components:

sulfadiazine:

Assessment : May cause respiratory irritation.

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Sulfadiazine (41%) / Trimethoprim (8%) Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/04/14
7.0	2025/06/17	9791120-00014	Date of first issue: 2021/10/08

Components:

Trimethoprim:

Target Organs	: Bone marrow
Assessment	: Causes damage to organs through prolonged or repeated exposure.

Repeated dose toxicity

Components:

Trimethoprim:

Species	: Rat
NOAEL	: 100 mg/kg
LOAEL	: 300 mg/kg
Application Route	: Oral
Exposure time	: 6 Months
Target Organs	: Bone marrow, Liver, Pituitary gland, Thyroid

Species	: Rat
LOAEL	: 300 mg/kg
Application Route	: Oral
Exposure time	: 3 Months
Target Organs	: Bone marrow

Species	: Dog
NOAEL	: 2.5 mg/kg
LOAEL	: 45 mg/kg
Application Route	: Oral
Exposure time	: 3 Months
Target Organs	: Blood, Thyroid

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

sulfadiazine:

General Information	: May cause eye, skin, and respiratory tract irritation.
---------------------	--

Trimethoprim:

Ingestion	: Target Organs: Bone marrow Symptoms: Abdominal pain, Nausea, Vomiting, skin rash, Dizziness, Headache, mental depression, confusion
-----------	--

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Sulfadiazine (41%) / Trimethoprim (8%) Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/04/14
7.0	2025/06/17	9791120-00014	Date of first issue: 2021/10/08

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

sulfadiazine:

Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: EC50 (Anabaena flos-aquae): 17 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 NOEC (Anabaena flos-aquae): 3.9 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 EC50 (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 NOEC (Pseudokirchneriella subcapitata (green algae)): 0.13 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 EC50 (Microcystis aeruginosa (blue-green algae)): 0.135 mg/l Exposure time: 7 Days Method: ISO 8692
M-Factor (Acute aquatic toxicity)	: 1
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 6.2 mg/l Exposure time: 21 d Method: OECD Test Guideline 211
M-Factor (Chronic aquatic toxicity)	: 1
Toxicity to microorganisms	: EC50: > 1,000 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Sulfadiazine (41%) / Trimethoprim (8%) Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/04/14
7.0	2025/06/17	9791120-00014	Date of first issue: 2021/10/08

NOEC: 1,000 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

Trimethoprim:

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 100 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna Straus): 92 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (microalgae)): 80.3 mg/l Exposure time: 72 h
		NOEC (Pseudokirchneriella subcapitata (green algae)): 16 mg/l Exposure time: 72 h
		EC50 (Anabaena flos-aquae): 253 mg/l Exposure time: 72 h
		EC10 (Anabaena flos-aquae): 26 mg/l Exposure time: 72 h
Toxicity to fish (Chronic toxicity)	:	NOEC (Zebrafish): 0.157 mg/l Exposure time: 21 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 6 mg/l Exposure time: 21 d
Toxicity to microorganisms	:	EC10: 16.7 mg/l Exposure time: 3 hrs Test Type: Respiration inhibition Method: OECD Test Guideline 209
		EC50: > 1,000 mg/l Exposure time: 3 hrs Test Type: Respiration inhibition Method: OECD Test Guideline 209

Persistence and degradability

Components:

sulfadiazine:

Biodegradability	:	Result: Not readily biodegradable.
------------------	---	------------------------------------

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Sulfadiazine (41%) / Trimethoprim (8%) Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/04/14
7.0	2025/06/17	9791120-00014	Date of first issue: 2021/10/08

Biodegradation: 0 %
Exposure time: 28 d
Method: OECD Test Guideline 314

Trimethoprim:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 4 %
Exposure time: 28 d
Method: OECD Test Guideline 301D

Result: Not inherently biodegradable.
Biodegradation: 0 %
Exposure time: 28 d
Method: OECD Test Guideline 302B

Bioaccumulative potential

Components:

sulfadiazine:

Partition coefficient: n-octanol/water : log Pow: 0.12

Trimethoprim:

Partition coefficient: n-octanol/water : log Pow: 0.91

Mobility in soil

No data available

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Sulfadiazine (41%) / Trimethoprim (8%) Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/04/14
7.0	2025/06/17	9791120-00014	Date of first issue: 2021/10/08

N.O.S.
(sulfadiazine)

Class	:	9
Packing group	:	III
Labels	:	9
Environmentally hazardous	:	yes

IATA-DGR

UN/ID No.	:	UN 3077
Proper shipping name	:	Environmentally hazardous substance, solid, n.o.s. (sulfadiazine)
Class	:	9
Packing group	:	III
Labels	:	Miscellaneous
Packing instruction (cargo aircraft)	:	956
Packing instruction (passenger aircraft)	:	956
Environmentally hazardous	:	yes

IMDG-Code

UN number	:	UN 3077
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (sulfadiazine)
Class	:	9
Packing group	:	III
Labels	:	9
EmS Code	:	F-A, S-F
Marine pollutant	:	yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

GB 6944/12268

UN number	:	UN 3077
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (sulfadiazine)
Class	:	9
Packing group	:	III
Labels	:	9
Marine pollutant	:	no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Sulfadiazine (41%) / Trimethoprim (8%) Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/04/14
7.0	2025/06/17	9791120-00014	Date of first issue: 2021/10/08

15. REGULATORY INFORMATION

National regulatory information

Law on the Prevention and Control of Occupational Diseases

Regulations on Safety Management of Hazardous Chemicals

Catalogue of Hazardous Chemicals : This product is not listed in the catalogue of hazardous chemicals, but it meets the definition of hazardous chemicals and its principles of determination.

Identification of Major Hazard Installations for Hazardous Chemicals (GB 18218) : Not listed

Hazardous Chemicals for Priority Management under SAWS : Not listed

Catalogue of Specially Controlled Hazardous Chemicals : Not listed

List of Explosive Precursors : Not listed

Regulations on Labour Protection in Workplaces where Toxic Substances are Used

Catalogue of Highly Toxic Chemicals : Not listed

Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

China Severely Restricted Toxic Chemicals for Import and Export : Not listed

Regulation on the Administration of Precursor Chemicals

Catalogue and Classification of Precursor Chemicals : Not listed

Yangtze River Protection Law

This product does not contain any dangerous chemicals prohibited for inland river transport.

Regulations of Ozone Depleting Substances Management

List of Controlled Ozone Depleting Substances Import and Export : Not listed

List of Controlled Ozone Depleting Substances : Not listed

Environmental Protection Law

List of Priority Controlled Chemicals : Not listed

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Sulfadiazine (41%) / Trimethoprim (8%) Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/04/14
7.0	2025/06/17	9791120-00014	Date of first issue: 2021/10/08

List of Key Controlled New Pollutants : Not listed

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

16. OTHER INFORMATION

Revision Date : 2025/06/17

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Sulfadiazine (41%) / Trimethoprim (8%) Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/04/14
7.0	2025/06/17	9791120-00014	Date of first issue: 2021/10/08

1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CN / EN