

# SAFETY DATA SHEET



## Sulfadiazine (41%) / Trimethoprim (8%) Solid Formulation

Version  
7.0

Revision Date:  
17.06.2025

SDS Number:  
9791128-00013

Date of last issue: 14.04.2025  
Date of first issue: 08.10.2021

---

### Section 1: Identification

**Product identifier** : Sulfadiazine (41%) / Trimethoprim (8%) Solid Formulation

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product  
Restrictions on use : Not applicable

#### Manufacturer or supplier's details

Company : MSD  
Address : 50 Tuas West Drive  
Singapore - Singapore 638408  
Telephone : +1-908-740-4000  
Emergency telephone number : 65 6697 2111 (24/7/365)  
E-mail address : EHSDATASTEWARD@msd.com

---

### Section 2: Hazard identification

#### Classification of the substance or mixture

Skin corrosion/irritation : Category 2  
Serious eye damage/eye irritation : Category 2  
Respiratory sensitisation : Category 1  
Reproductive toxicity : Category 2  
Specific target organ toxicity - single exposure : Category 3  
Specific target organ toxicity - repeated exposure : Category 2 (Bone marrow)  
Short-term (acute) aquatic hazard : Category 1  
Long-term (chronic) aquatic hazard : Category 1

#### GHS Label elements, including precautionary statements

# SAFETY DATA SHEET



## Sulfadiazine (41%) / Trimethoprim (8%) Solid Formulation

Version  
7.0

Revision Date:  
17.06.2025

SDS Number:  
9791128-00013

Date of last issue: 14.04.2025  
Date of first issue: 08.10.2021

Hazard pictograms



Signal word

: Danger

Hazard statements

: H315 Causes skin irritation.  
H319 Causes serious eye irritation.  
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
H335 May cause respiratory irritation.  
H361d Suspected of damaging the unborn child.  
H373 May cause damage to organs (Bone marrow) through prolonged or repeated exposure.  
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

: **Prevention:**

P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P260 Do not breathe dust.  
P264 Wash skin thoroughly after handling.  
P271 Use only outdoors or in a well-ventilated area.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.  
P284 Wear respiratory protection.

**Response:**

P302 + P352 IF ON SKIN: Wash with plenty of water.  
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P332 + P313 If skin irritation occurs: Get medical advice/ attention.  
P337 + P313 If eye irritation persists: Get medical advice/ attention.  
P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER/ doctor.  
P391 Collect spillage.

**Storage:**

P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste

**Sulfadiazine (41%) / Trimethoprim (8%) Solid Formulation**Version  
7.0Revision Date:  
17.06.2025SDS Number:  
9791128-00013Date of last issue: 14.04.2025  
Date of first issue: 08.10.2021

disposal plant.

**Other hazards which do not result in classification**

May form explosive dust-air mixture during processing, handling or other means.

**Section 3: Composition/information on ingredients**

Substance / Mixture : Mixture

**Components**

Chemical name	CAS-No.	Concentration (% w/w)
Sulfadiazine	68-35-9	>= 30 -< 50
Trimethoprim	738-70-5	>= 3 -< 10

**Section 4: First-aid measures****Description of necessary first-aid measures**

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
If not breathing, give artificial respiration.  
If breathing is difficult, give oxygen.  
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.

In case of eye contact : Thoroughly clean shoes before reuse.  
In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Get medical attention.

If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.

**Most important symptoms and effects, both acute and delayed**

Risks : Excessive exposure may aggravate preexisting asthma and other respiratory disorders (e.g. emphysema, bronchitis, reactive airways dysfunction syndrome).  
Causes skin irritation.  
Causes serious eye irritation.  
May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
May cause respiratory irritation.  
Suspected of damaging the unborn child.

# SAFETY DATA SHEET



## Sulfadiazine (41%) / Trimethoprim (8%) Solid Formulation

Version  
7.0

Revision Date:  
17.06.2025

SDS Number:  
9791128-00013

Date of last issue: 14.04.2025  
Date of first issue: 08.10.2021

---

Protection of first-aiders : May cause damage to organs through prolonged or repeated exposure.  
First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

### Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

---

## Section 5: Fire-fighting measures

### Extinguishing media

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : None known.

### Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.  
Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides

### Special protective actions for fire-fighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

---

## Section 6: Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

### Environmental precautions

# SAFETY DATA SHEET



## Sulfadiazine (41%) / Trimethoprim (8%) Solid Formulation

Version  
7.0

Revision Date:  
17.06.2025

SDS Number:  
9791128-00013

Date of last issue: 14.04.2025  
Date of first issue: 08.10.2021

---

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

### Methods and materials for containment and cleaning up

Methods for cleaning up : Surround spill with absorbents and place a damp covering over the area to minimise entry of the material into the air.  
Add excess liquid to allow the material to enter into solution.  
Soak up with inert absorbent material.  
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).  
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

## Section 7: Handling and storage

### Precautions for safe handling

Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.  
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Do not get on skin or clothing.  
Do not breathe dust.  
Do not swallow.  
Do not get in eyes.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Keep container tightly closed.  
Already sensitised individuals, and those susceptible to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respiratory irritants or sensitizers.  
Minimize dust generation and accumulation.  
Keep container closed when not in use.

# SAFETY DATA SHEET



## Sulfadiazine (41%) / Trimethoprim (8%) Solid Formulation

Version  
7.0

Revision Date:  
17.06.2025

SDS Number:  
9791128-00013

Date of last issue: 14.04.2025  
Date of first issue: 08.10.2021

Keep away from heat and sources of ignition.  
Take precautionary measures against static discharges.  
Do not eat, drink or smoke when using this product.  
Take care to prevent spills, waste and minimize release to the environment.

Hygiene measures

- If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
- When using do not eat, drink or smoke.
- Wash contaminated clothing before re-use.
- The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

### Conditions for safe storage, including any incompatibilities

Conditions for safe storage

- Keep in properly labelled containers.
- Store locked up.
- Keep tightly closed.
- Keep in a cool, well-ventilated place.
- Store in accordance with the particular national regulations.

Materials to avoid

- Do not store with the following product types:
- Strong oxidizing agents

---

## Section 8: Exposure controls/personal protection

### Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
sulfadiazine	68-35-9	TWA	2 mg/m3 (OEB 1)	Internal
Trimethoprim	738-70-5	TWA	400 µg/m3 (OEB 2)	Internal

Appropriate engineering control measures

- Use feasible engineering controls to minimize exposure to compound.
- All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

#### Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

- Wear safety glasses with side shields or goggles.
- If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
- Wear a faceshield or other full face protection if there is a

# SAFETY DATA SHEET



## Sulfadiazine (41%) / Trimethoprim (8%) Solid Formulation

Version 7.0

Revision Date: 17.06.2025

SDS Number: 9791128-00013

Date of last issue: 14.04.2025  
Date of first issue: 08.10.2021

---

	potential for direct contact to the face with dusts, mists, or aerosols.
Skin protection	: Work uniform or laboratory coat.
Respiratory protection	: If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Filter type	: Particulates type
Hand protection	
Material	: Chemical-resistant gloves

---

### Section 9: Physical and chemical properties

Appearance	: powder
Colour	: white
Odour	: No data available
Odour Threshold	: No data available
pH	: 6.5 - 8.5
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: Not applicable
Evaporation rate	: Not applicable
Flammability (solid, gas)	: May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	: Not applicable
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapour pressure	: Not applicable
Relative vapour density	: Not applicable
Relative density	: No data available
Density	: No data available

# SAFETY DATA SHEET



## Sulfadiazine (41%) / Trimethoprim (8%) Solid Formulation

Version 7.0

Revision Date: 17.06.2025

SDS Number: 9791128-00013

Date of last issue: 14.04.2025  
Date of first issue: 08.10.2021

---

### Solubility(ies)

Water solubility : No data available

Partition coefficient: n-octanol/water

: Not applicable

Auto-ignition temperature

: No data available

Decomposition temperature

: No data available

### Viscosity

Viscosity, kinematic : Not applicable

Explosive properties

: Not explosive

Oxidizing properties

: The substance or mixture is not classified as oxidizing.

Molecular weight

: No data available

Particle characteristics

Particle size : No data available

---

## Section 10: Stability and reactivity

Reactivity

: Not classified as a reactivity hazard.

Chemical stability

: Stable under normal conditions.

Possibility of hazardous reactions

: May form explosive dust-air mixture during processing, handling or other means.  
Can react with strong oxidizing agents.

Conditions to avoid

: Heat, flames and sparks.

Avoid dust formation.

Incompatible materials

: Oxidizing agents

Hazardous decomposition products

: No hazardous decomposition products are known.

---

## Section 11: Toxicological information

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

### Acute toxicity

Not classified based on available information.

### Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg  
Method: Calculation method

**Sulfadiazine (41%) / Trimethoprim (8%) Solid Formulation**Version  
7.0Revision Date:  
17.06.2025SDS Number:  
9791128-00013Date of last issue: 14.04.2025  
Date of first issue: 08.10.2021**Components:****sulfadiazine:**

Acute oral toxicity	:	LD50 (Mouse): 1,500 mg/kg
Acute dermal toxicity	:	LD50 (Rat): > 5,000 mg/kg Remarks: Based on data from similar materials
Acute toxicity (other routes of administration)	:	LD50 (Rat): 880 mg/kg Application Route: Intravenous
		LD50 (Mouse): 180 mg/kg Application Route: Intravenous

**Trimethoprim:**

Acute oral toxicity	:	LD50 (Rat): 1,500 - 5,300 mg/kg
		LD50 (Mouse): 1,910 - 7,000 mg/kg
Acute toxicity (other routes of administration)	:	LD50 (Rat): 400 - 500 mg/kg Application Route: Intraperitoneal
		LD50 (Dog): 90 mg/kg Application Route: Intravenous
		LD50 (Mouse): 132 mg/kg Application Route: Intravenous

**Skin corrosion/irritation**

Causes skin irritation.

**Components:****sulfadiazine:**

Result	:	Skin irritation
Remarks	:	Based on data from similar materials

**Serious eye damage/eye irritation**

Causes serious eye irritation.

**Components:****sulfadiazine:**

Species	:	Rabbit
Result	:	Irritation to eyes, reversing within 7 days
Remarks	:	Based on data from similar materials

**Sulfadiazine (41%) / Trimethoprim (8%) Solid Formulation**Version  
7.0Revision Date:  
17.06.2025SDS Number:  
9791128-00013Date of last issue: 14.04.2025  
Date of first issue: 08.10.2021**Respiratory or skin sensitisation****Skin sensitisation**

Not classified based on available information.

**Respiratory sensitisation**

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

**Components:****sulfadiazine:**

Test Type	:	Maximisation Test
Species	:	Guinea pig
Result	:	Not a skin sensitizer.
Remarks	:	Based on data from similar materials

**Trimethoprim:**

Test Type	:	Maximisation Test
Exposure routes	:	Dermal
Species	:	Guinea pig
Result	:	Not a skin sensitizer.

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****sulfadiazine:**

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative Remarks: Based on data from similar materials
	:	Test Type: Chromosomal aberration Test system: Chinese hamster ovary cells Result: negative Remarks: Based on data from similar materials

**Trimethoprim:**

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
	:	Test Type: Chromosomal aberration Result: negative
	:	Test Type: In vitro mammalian cell gene mutation test Result: negative
	:	Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro) Result: negative

**Sulfadiazine (41%) / Trimethoprim (8%) Solid Formulation**Version  
7.0Revision Date:  
17.06.2025SDS Number:  
9791128-00013Date of last issue: 14.04.2025  
Date of first issue: 08.10.2021**Genotoxicity in vivo**

: Test Type: Micronucleus test  
Species: Rat  
Result: negative

Test Type: Chromosomal aberration  
Species: Humans  
Result: negative

**Carcinogenicity**

Not classified based on available information.

**Reproductive toxicity**

Suspected of damaging the unborn child.

**Components:****sulfadiazine:**

Effects on foetal development : Test Type: Development  
Species: Mouse  
Application Route: Oral  
General Toxicity Maternal: NOAEL: 1,000 mg/kg body weight  
Result: Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses

**Trimethoprim:**

Effects on fertility : Test Type: Fertility  
Species: Rat  
Application Route: Oral  
Fertility: NOAEL: 70 mg/kg body weight  
Result: No effects on fertility

Effects on foetal development : Test Type: Development  
Species: Rat  
Application Route: Oral  
Developmental Toxicity: LOAEL: 70 mg/kg body weight  
Result: Effects on newborn  
Remarks: Maternal toxicity observed.

Test Type: Development  
Species: Rat  
Application Route: Oral  
Developmental Toxicity: LOAEL: 70 mg/kg body weight  
Result: Embryotoxic effects.  
Remarks: Maternal toxicity observed.

Test Type: Development  
Species: Rat  
Application Route: Oral  
Developmental Toxicity: LOAEL: 15 mg/kg body weight

**Sulfadiazine (41%) / Trimethoprim (8%) Solid Formulation**

Version 7.0	Revision Date: 17.06.2025	SDS Number: 9791128-00013	Date of last issue: 14.04.2025 Date of first issue: 08.10.2021
----------------	------------------------------	------------------------------	---

---

Result: Embryotoxic effects., Teratogenic effects

Test Type: Development

Species: Hamster

Application Route: Oral

Developmental Toxicity: LOAEL: 1.7 mg/kg body weight

Result: Embryotoxic effects., No teratogenic effects

Test Type: Development

Species: Rabbit

Application Route: Oral

Developmental Toxicity: LOAEL: 100 mg/kg body weight

Result: Embryotoxic effects., No teratogenic effects

Reproductive toxicity - Assessment : Suspected of damaging the unborn child.

**STOT - single exposure**

May cause respiratory irritation.

**Components:****sulfadiazine:**

Assessment : May cause respiratory irritation.

**STOT - repeated exposure**

May cause damage to organs (Bone marrow) through prolonged or repeated exposure.

**Components:****Trimethoprim:**

Target Organs : Bone marrow  
Assessment : Causes damage to organs through prolonged or repeated exposure.

**Repeated dose toxicity****Components:****Trimethoprim:**

Species : Rat  
NOAEL : 100 mg/kg  
LOAEL : 300 mg/kg  
Application Route : Oral  
Exposure time : 6 Months  
Target Organs : Bone marrow, Liver, Pituitary gland, Thyroid

Species : Rat  
LOAEL : 300 mg/kg  
Application Route : Oral  
Exposure time : 3 Months

**Sulfadiazine (41%) / Trimethoprim (8%) Solid Formulation**Version  
7.0Revision Date:  
17.06.2025SDS Number:  
9791128-00013Date of last issue: 14.04.2025  
Date of first issue: 08.10.2021

Target Organs	:	Bone marrow
Species	:	Dog
NOAEL	:	2.5 mg/kg
LOAEL	:	45 mg/kg
Application Route	:	Oral
Exposure time	:	3 Months
Target Organs	:	Blood, Thyroid

**Aspiration toxicity**

Not classified based on available information.

**Experience with human exposure****Components:****sulfadiazine:**

General Information	:	May cause eye, skin, and respiratory tract irritation.
---------------------	---	--

**Trimethoprim:**

Ingestion	:	Target Organs: Bone marrow Symptoms: Abdominal pain, Nausea, Vomiting, skin rash, Dizziness, Headache, mental depression, confusion
-----------	---	--

**Section 12: Ecological information****Toxicity****Components:****sulfadiazine:**

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Anabaena flos-aquae): 17 mg/l Exposure time: 72 h Method: OECD Test Guideline 201  NOEC (Anabaena flos-aquae): 3.9 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
	:	EC50 (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l Exposure time: 72 h Method: OECD Test Guideline 201

**Sulfadiazine (41%) / Trimethoprim (8%) Solid Formulation**Version  
7.0Revision Date:  
17.06.2025SDS Number:  
9791128-00013Date of last issue: 14.04.2025  
Date of first issue: 08.10.2021

	NOEC (Pseudokirchneriella subcapitata (green algae)): 0.13 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
	EC50 (Microcystis aeruginosa (blue-green algae)): 0.135 mg/l Exposure time: 7 Days Method: ISO 8692
M-Factor (Acute aquatic toxicity)	: 1
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 6.2 mg/l Exposure time: 21 d Method: OECD Test Guideline 211
M-Factor (Chronic aquatic toxicity)	: 1
Toxicity to microorganisms	: EC50: > 1,000 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209
	NOEC: 1,000 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209
<b>Trimethoprim:</b>	
Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): 100 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna Straus): 92 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: EC50 (Pseudokirchneriella subcapitata (microalgae)): 80.3 mg/l Exposure time: 72 h
	NOEC (Pseudokirchneriella subcapitata (green algae)): 16 mg/l Exposure time: 72 h
	EC50 (Anabaena flos-aquae): 253 mg/l Exposure time: 72 h
	EC10 (Anabaena flos-aquae): 26 mg/l Exposure time: 72 h
Toxicity to fish (Chronic tox-)	: NOEC (Zebrafish): 0.157 mg/l

**Sulfadiazine (41%) / Trimethoprim (8%) Solid Formulation**Version  
7.0Revision Date:  
17.06.2025SDS Number:  
9791128-00013Date of last issue: 14.04.2025  
Date of first issue: 08.10.2021

icity)

Exposure time: 21 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)

: NOEC (Daphnia magna (Water flea)): 6 mg/l  
Exposure time: 21 d

Toxicity to microorganisms

: EC10: 16.7 mg/l  
Exposure time: 3 hrs  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209EC50: > 1,000 mg/l  
Exposure time: 3 hrs  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209**Persistence and degradability****Components:****sulfadiazine:**

Biodegradability

: Result: Not readily biodegradable.  
Biodegradation: 0 %  
Exposure time: 28 d  
Method: OECD Test Guideline 314**Trimethoprim:**

Biodegradability

: Result: Not readily biodegradable.  
Biodegradation: 4 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301DResult: Not inherently biodegradable.  
Biodegradation: 0 %  
Exposure time: 28 d  
Method: OECD Test Guideline 302B**Bioaccumulative potential****Components:****sulfadiazine:**

Partition coefficient: n-octanol/water

: log Pow: 0.12

**Trimethoprim:**

Partition coefficient: n-octanol/water

: log Pow: 0.91

**Mobility in soil**

No data available

# SAFETY DATA SHEET



## Sulfadiazine (41%) / Trimethoprim (8%) Solid Formulation

Version  
7.0

Revision Date:  
17.06.2025

SDS Number:  
9791128-00013

Date of last issue: 14.04.2025  
Date of first issue: 08.10.2021

---

### Other adverse effects

No data available

---

## Section 13: Disposal considerations

### Disposal methods

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

## Section 14: Transport information

### International Regulations

#### UNRTDG

UN number : UN 3077

UN proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(sulfadiazine)

Transport hazard class(es) : 9

Packing group : III

Labels : 9

Environmental hazards : yes

#### IATA-DGR

UN/ID No. : UN 3077

UN proper shipping name : Environmentally hazardous substance, solid, n.o.s.  
(sulfadiazine)

Transport hazard class(es) : 9

Packing group : III

Labels : Miscellaneous

Packing instruction (cargo aircraft) : 956

Packing instruction (passenger aircraft) : 956

Environmentally hazardous : yes

#### IMDG-Code

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(sulfadiazine)

Transport hazard class(es) : 9

Packing group : III

Labels : 9

EmS Code : F-A, S-F

Marine pollutant : yes

# SAFETY DATA SHEET



## Sulfadiazine (41%) / Trimethoprim (8%) Solid Formulation

Version  
7.0

Revision Date:  
17.06.2025

SDS Number:  
9791128-00013

Date of last issue: 14.04.2025  
Date of first issue: 08.10.2021

---

### Transport in bulk according to IMO instruments

Not applicable for product as supplied.

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## Section 15: Regulatory information

### Safety, health and environmental regulations specific for the product in question

Workplace Safety and Health Act and Workplace Safety and Health (General Provisions) Regulations: This product is subject to the requirements in the Act/Regulations.

Environmental Protection and Management Act and : Not applicable  
Environmental Protection and Management (Hazardous Substances) Regulations

Fire Safety (Petroleum and Flammable Materials) : Not applicable  
Regulations

### The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

---

## Section 16: Other information

Revision Date : 17.06.2025

### Further information

Sources of key data used to : Internal technical data, data from raw material SDSs, OECD compile the Safety Data eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : dd.mm.yyyy

### Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule;

# SAFETY DATA SHEET



## Sulfadiazine (41%) / Trimethoprim (8%) Solid Formulation

Version  
7.0

Revision Date:  
17.06.2025

SDS Number:  
9791128-00013

Date of last issue: 14.04.2025  
Date of first issue: 08.10.2021

---

ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECL - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

SG / EN