

Enrofloxacin Liquid (20%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
7.0	14.04.2025	9743104-00011	Date of first issue: 13.10.2021

SECTION 1: IDENTIFICATION

Product name : Enrofloxacin Liquid (20%) Formulation

Manufacturer or supplier's details

Company : Intervet Australia Pty Limited (trading as MSD Animal Health)

Address : 91-105 Harpin Street
Bendigo 3550, Victoria Australia

Telephone : 1 800 033 461

Emergency telephone number : Poisons Information Centre: Phone 13 11 26

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION**GHS Classification**

Acute toxicity (Oral) : Category 4

Skin corrosion/irritation : Sub-category 1A

Serious eye damage/eye irritation : Category 1

Reproductive toxicity : Category 2

Specific target organ toxicity - repeated exposure : Category 1 (cartilage, Testis)

GHS label elements

Hazard pictograms :   

Signal word : Danger

Hazard statements : H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H361f Suspected of damaging fertility.
H372 Causes damage to organs (cartilage, Testis) through prolonged or repeated exposure.

Enrofloxacin Liquid (20%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
7.0	14.04.2025	9743104-00011	Date of first issue: 13.10.2021

Supplemental Hazard Statements : AUH071 Corrosive to the respiratory tract.

Precautionary statements : **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P260 Do not breathe mist or vapours.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:
P301 + P330 + P331 + P310 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/ doctor.
P303 + P361 + P353 + P310 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Immediately call a POISON CENTER/ doctor.
P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P363 Wash contaminated clothing before reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

May form explosive dust-air mixture during processing, handling or other means.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Enrofloxacin	93106-60-6	>= 10 -< 30
Potassium hydroxide	1310-58-3	>= 5 -< 10
Disodium EDTA, dihydrate	6381-92-6	< 10
Benzyl alcohol	100-51-6	< 1

Enrofloxacin Liquid (20%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
7.0	14.04.2025	9743104-00011	Date of first issue: 13.10.2021

SECTION 4. FIRST AID MEASURES

- | | | |
|---|---|--|
| General advice | : | In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice. |
| If inhaled | : | If inhaled, remove to fresh air.
If not breathing, give artificial respiration.
If breathing is difficult, give oxygen.
Get medical attention immediately. |
| In case of skin contact | : | In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.
Get medical attention immediately.
Wash clothing before reuse.
Thoroughly clean shoes before reuse. |
| In case of eye contact | : | In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
If easy to do, remove contact lens, if worn.
Get medical attention immediately. |
| If swallowed | : | If swallowed, DO NOT induce vomiting.
If vomiting occurs have person lean forward.
Call a physician or poison control centre immediately.
Rinse mouth thoroughly with water.
Never give anything by mouth to an unconscious person. |
| Most important symptoms and effects, both acute and delayed | : | Causes digestive tract burns.
Harmful if swallowed.
Causes serious eye damage.
Suspected of damaging fertility.
Causes damage to organs through prolonged or repeated exposure.
Causes severe burns.
Corrosive to the respiratory tract. |
| Protection of first-aiders | : | First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8). |
| Notes to physician | : | Treat symptomatically and supportively. |

SECTION 5. FIREFIGHTING MEASURES

- | | | |
|---------------------------------------|---|--|
| Suitable extinguishing media | : | Water spray
Alcohol-resistant foam
Carbon dioxide (CO ₂)
Dry chemical |
| Unsuitable extinguishing media | : | None known. |
| Specific hazards during fire-fighting | : | Exposure to combustion products may be a hazard to health. |
| Hazardous combustion prod- | : | Carbon oxides |

Enrofloxacin Liquid (20%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
7.0	14.04.2025	9743104-00011	Date of first issue: 13.10.2021

ucts		Metal oxides Nitrogen oxides (NO _x)
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.
Hazchem Code	:	2R

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures	:	Static electricity may accumulate and ignite suspended dust
--------------------	---	---

Enrofloxacin Liquid (20%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
7.0	14.04.2025	9743104-00011	Date of first issue: 13.10.2021

- causing an explosion.
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
- Advice on safe handling : Do not get on skin or clothing.
Do not breathe mist or vapours.
Do not swallow.
Do not get in eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Keep container tightly closed.
Minimize dust generation and accumulation.
Keep container closed when not in use.
Keep away from heat and sources of ignition.
Take precautionary measures against static discharges.
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.
- Conditions for safe storage : Keep in properly labelled containers.
Store locked up.
Keep tightly closed.
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:
Self-reactive substances and mixtures
Organic peroxides
Oxidizing agents
Explosives

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Components with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Enrofloxacin	93106-60-6	TWA	0.2 mg/m3 (OEB 2)	Internal
Potassium hydroxide	1310-58-3	Peak limit	2 mg/m3	AU OEL
		C	2 mg/m3	ACGIH

Enrofloxacin Liquid (20%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
7.0	14.04.2025	9743104-00011	Date of first issue: 13.10.2021

Engineering measures : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
Laboratory operations do not require special containment.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

Hand protection

Material : Chemical-resistant gloves

Eye protection : Wear safety glasses with side shields or goggles.
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Aqueous solution

Colour : light yellow

Odour : No data available

Odour Threshold : No data available

pH : 10.5 - 12.5

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : May form explosive dust-air mixture during processing, handling or other means.

Flammability (liquids) : Not applicable

Upper explosion limit / Upper : No data available

Enrofloxacin Liquid (20%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
7.0	14.04.2025	9743104-00011	Date of first issue: 13.10.2021

flammability limit

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : 0.950 - 1.150 g/cm³

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-octanol/water : Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics

Particle size : Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : May form explosive dust-air mixture during processing, handling or other means.
Can react with strong oxidizing agents.Conditions to avoid : Heat, flames and sparks.
Avoid dust formation.Incompatible materials : Oxidizing agents
Acids

Hazardous decomposition products : No hazardous decomposition products are known.

Enrofloxacin Liquid (20%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
7.0	14.04.2025	9743104-00011	Date of first issue: 13.10.2021

SECTION 11. TOXICOLOGICAL INFORMATION

Exposure routes : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Harmful if swallowed.

Product:

Acute oral toxicity : Acute toxicity estimate: 1,818 mg/kg
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method

Components:**Enrofloxacin:**

Acute oral toxicity : LD50 (Rabbit): 500 - 800 mg/kg
LD50 (Rat): > 5,000 mg/kg
LD50 (Mouse): > 5,000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Potassium hydroxide:

Acute oral toxicity : LD50 (Rat): 333 mg/kg
Acute inhalation toxicity : Assessment: Corrosive to the respiratory tract.

Disodium EDTA, dihydrate:

Acute oral toxicity : LD50 (Rat): 2,800 mg/kg
Acute inhalation toxicity : LC50 (Rat, male): > 1 mg/l
Exposure time: 6 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 412

Benzyl alcohol:

Acute oral toxicity : LD50 (Rat): 1,200 mg/kg
Acute inhalation toxicity : LC50 (Rat): > 5.4 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

Enrofloxacin Liquid (20%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
7.0	14.04.2025	9743104-00011	Date of first issue: 13.10.2021

Assessment: The substance or mixture has no acute inhalation toxicity

Skin corrosion/irritation

Causes severe burns.

Components:**Enrofloxacin:**

Result : No skin irritation

Potassium hydroxide:

Species : Rabbit

Result : Corrosive after 3 minutes or less of exposure

Benzyl alcohol:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Serious eye damage/eye irritation

Causes serious eye damage.

Components:**Enrofloxacin:**

Result : Mild eye irritation

Potassium hydroxide:

Species : Rabbit

Result : Irreversible effects on the eye

Disodium EDTA, dihydrate:

Species : Rabbit

Result : No eye irritation

Benzyl alcohol:

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days

Method : OECD Test Guideline 405

Respiratory or skin sensitisation**Skin sensitisation**

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Enrofloxacin Liquid (20%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
7.0	14.04.2025	9743104-00011	Date of first issue: 13.10.2021

Components:**Enrofloxacin:**

Test Type	: Maximisation Test
Exposure routes	: Dermal
Species	: Guinea pig
Result	: Not a skin sensitizer.

Potassium hydroxide:

Test Type	: Intracutaneous test
Exposure routes	: Skin contact
Species	: Guinea pig
Result	: negative

Disodium EDTA, dihydrate:

Test Type	: Maximisation Test
Exposure routes	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: negative
Remarks	: Based on data from similar materials

Benzyl alcohol:

Test Type	: Human repeat insult patch test (HRIPT)
Exposure routes	: Skin contact
Species	: Humans
Result	: positive

Assessment	: Probability or evidence of low to moderate skin sensitisation rate in humans
------------	--

Chronic toxicity**Germ cell mutagenicity**

Not classified based on available information.

Components:**Enrofloxacin:**

Genotoxicity in vitro	: Test Type: Chromosomal aberration Result: positive
Genotoxicity in vivo	: Test Type: Micronucleus test Species: Mouse Result: negative Test Type: Mammalian bone marrow sister chromatid exchange Species: Hamster Result: negative

Enrofloxacin Liquid (20%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
7.0	14.04.2025	9743104-00011	Date of first issue: 13.10.2021

Test Type: Chromosomal aberration
Species: Rat
Result: negative

Potassium hydroxide:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Disodium EDTA, dihydrate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative
Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test
Result: negative

Test Type: Chromosome aberration test in vitro
Result: negative
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Ingestion
Method: OECD Test Guideline 474
Result: negative

Benzyl alcohol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Intraperitoneal injection
Result: negative

Carcinogenicity

Not classified based on available information.

Components:**Enrofloxacin:**

Species : Rat
Application Route : Oral
Exposure time : 2 Years
Result : negative

Species : Mouse

Enrofloxacin Liquid (20%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
7.0	14.04.2025	9743104-00011	Date of first issue: 13.10.2021

Application Route	: Oral
Exposure time	: 2 Years
Result	: negative

Disodium EDTA, dihydrate:

Species	: Rat
Application Route	: Ingestion
Exposure time	: 103 weeks
Result	: negative
Remarks	: Based on data from similar materials

Benzyl alcohol:

Species	: Mouse
Application Route	: Ingestion
Exposure time	: 103 weeks
Method	: OECD Test Guideline 451
Result	: negative

Reproductive toxicity

Suspected of damaging fertility.

Components:**Enrofloxacin:**

Effects on fertility	: Test Type: Two-generation study Species: Rat Application Route: Oral Fertility: LOAEL: 15 mg/kg body weight Result: Effects on fertility, alteration in sperm morphology
Effects on foetal development	: Test Type: Development Species: Rat Application Route: Oral Developmental Toxicity: LOAEL: 210 mg/kg body weight Result: Reduced foetal weight, No teratogenic effects Remarks: Maternal toxicity observed. Test Type: Development Species: Rabbit Application Route: Oral Developmental Toxicity: NOAEL: 25 mg/kg body weight Result: No fetotoxicity, No teratogenic effects
Reproductive toxicity - Assessment	: Some evidence of adverse effects on sexual function and fertility, based on animal experiments.

Disodium EDTA, dihydrate:

Effects on fertility	: Test Type: Four-generation reproduction toxicity study Species: Rat Application Route: Ingestion
----------------------	--

Enrofloxacin Liquid (20%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
7.0	14.04.2025	9743104-00011	Date of first issue: 13.10.2021

Effects on foetal development		Result: negative
		Remarks: Based on data from similar materials
	:	Test Type: Embryo-foetal development
		Species: Rat
		Application Route: Ingestion
		Result: negative

Benzyl alcohol:

Effects on fertility	:	Test Type: Fertility/early embryonic development
		Species: Rat
		Application Route: Ingestion
		Result: negative
		Remarks: Based on data from similar materials

Effects on foetal development	:	Test Type: Embryo-foetal development
		Species: Mouse
		Application Route: Ingestion
		Result: negative

STOT - single exposure

Corrosive to the respiratory tract.

STOT - repeated exposure

Causes damage to organs (cartilage, Testis) through prolonged or repeated exposure.

Components:**Enrofloxacin:**

Target Organs	:	cartilage, Testis
Assessment	:	Causes damage to organs through prolonged or repeated exposure.

Disodium EDTA, dihydrate:

Exposure routes	:	inhalation (dust/mist/fume)
Target Organs	:	Respiratory Tract
Assessment	:	May cause damage to organs through prolonged or repeated exposure.

Repeated dose toxicity**Components:****Enrofloxacin:**

Species	:	Rat
NOAEL	:	36 mg/kg
LOAEL	:	150 mg/kg
Application Route	:	Oral
Exposure time	:	13 Weeks
Target Organs	:	Testis

Enrofloxacin Liquid (20%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
7.0	14.04.2025	9743104-00011	Date of first issue: 13.10.2021

Species	: Dog
NOAEL	: 3 mg/kg
LOAEL	: 9.6 mg/kg
Application Route	: Oral
Exposure time	: 13 Weeks
Target Organs	: cartilage

Species	: Cat
NOAEL	: 25 mg/kg
Application Route	: Oral
Exposure time	: 30 Days
Remarks	: No significant adverse effects were reported

Disodium EDTA, dihydrate:

Species	: Rat
NOAEL	: 500 mg/kg
Application Route	: Ingestion
Exposure time	: 13 Weeks

Species	: Rat
LOAEL	: 0.03 mg/l
Application Route	: inhalation (dust/mist/fume)
Exposure time	: 4 Weeks
Method	: OECD Test Guideline 412

Benzyl alcohol:

Species	: Rat
NOAEL	: 1.072 mg/l
Application Route	: inhalation (dust/mist/fume)
Exposure time	: 28 Days
Method	: OECD Test Guideline 412

Aspiration toxicity

Not classified based on available information.

Experience with human exposure**Components:****Enrofloxacin:**

Ingestion	: Symptoms: Gastrointestinal disturbance, central nervous system effects, Sensitivity to light
-----------	--

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****Enrofloxacin:**

Enrofloxacin Liquid (20%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
7.0	14.04.2025	9743104-00011	Date of first issue: 13.10.2021

Toxicity to fish	:	LC50 (<i>Lepomis macrochirus</i> (Bluegill sunfish)): 79.5 mg/l Exposure time: 96 h LC50 (<i>Oncorhynchus mykiss</i> (rainbow trout)): > 196 mg/l Exposure time: 96 h LC50 (<i>Oryzias latipes</i> (Japanese medaka)): > 100 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (<i>Hyalella azteca</i> (Amphipod)): > 206 mg/l Exposure time: 96 h EC50 (<i>Daphnia magna</i> (Water flea)): 79.9 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (<i>Pseudokirchneriella subcapitata</i> (green algae)): 3.1 mg/l Exposure time: 72 h EC50 (<i>Microcystis aeruginosa</i> (blue-green algae)): 0.049 mg/l Exposure time: 5 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (<i>Daphnia magna</i> (Water flea)): 9.8 mg/l Exposure time: 21 d NOEC (<i>Daphnia magna</i> (Water flea)): 5 mg/l Exposure time: 21 d LOEC (<i>Daphnia magna</i> (Water flea)): 15 mg/l Exposure time: 21 d

Disodium EDTA, dihydrate:

Toxicity to fish	:	LC50 (<i>Lepomis macrochirus</i> (Bluegill sunfish)): > 100 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (<i>Daphnia magna</i> (Water flea)): 140 mg/l Exposure time: 48 h Method: DIN 38412
Toxicity to algae/aquatic plants	:	ErC50 (<i>Pseudokirchneriella subcapitata</i> (green algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials EC10 (<i>Pseudokirchneriella subcapitata</i> (green algae)): > 1 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials

Enrofloxacin Liquid (20%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
7.0	14.04.2025	9743104-00011	28.09.2024
			Date of first issue: 13.10.2021

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 25 mg/l Exposure time: 21 d
Toxicity to microorganisms	:	EC10 (activated sludge): > 500 mg/l Exposure time: 30 min Method: OECD Test Guideline 209

Benzyl alcohol:

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 460 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 230 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): 770 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 NOEC (Pseudokirchneriella subcapitata (green algae)): 310 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 51 mg/l Exposure time: 21 d Method: OECD Test Guideline 211

Persistence and degradability**Components:****Disodium EDTA, dihydrate:**

Biodegradability	:	Result: Not readily biodegradable. Biodegradation: 2 % Exposure time: 28 d Method: OECD Test Guideline 301D
------------------	---	--

Benzyl alcohol:

Biodegradability	:	Result: Readily biodegradable. Biodegradation: 92 - 96 % Exposure time: 14 d
------------------	---	--

Bioaccumulative potential**Components:****Enrofloxacin:**

Partition coefficient: n-	:	log Pow: 0.5
---------------------------	---	--------------

Enrofloxacin Liquid (20%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
7.0	14.04.2025	9743104-00011	Date of first issue: 13.10.2021

|| octanol/water**Disodium EDTA, dihydrate:****||** Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): < 500
Remarks: Based on data from similar materials**||** Partition coefficient: n- : log Pow: -4.3
octanol/water**Benzyl alcohol:****||** Partition coefficient: n- : log Pow: 1.05
octanol/water**Mobility in soil****Components:****Enrofloxacin:****||** Distribution among environ- : Koc: 5.55
mental compartments**Other adverse effects**

No data available

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues	: Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	: Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

UN number	: UN 1814
Proper shipping name	: POTASSIUM HYDROXIDE SOLUTION
Class	: 8
Packing group	: II
Labels	: 8
Environmentally hazardous	: no

IATA-DGR

UN/ID No.	: UN 1814
Proper shipping name	: Potassium hydroxide solution
Class	: 8
Packing group	: II
Labels	: Corrosive
Packing instruction (cargo)	: 855

Enrofloxacin Liquid (20%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
7.0	14.04.2025	9743104-00011	Date of first issue: 13.10.2021

aircraft)

Packing instruction (passenger aircraft) : 851

IMDG-Code

UN number	: UN 1814
Proper shipping name	: POTASSIUM HYDROXIDE SOLUTION (Enrofloxacin)
Class	: 8
Packing group	: II
Labels	: 8
EmS Code	: F-A, S-B
Marine pollutant	: yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations**ADG**

UN number	: UN 1814
Proper shipping name	: POTASSIUM HYDROXIDE SOLUTION
Class	: 8
Packing group	: II
Labels	: 8
Hazchem Code	: 2R
Environmentally hazardous	: no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION**Safety, health and environmental regulations/legislation specific for the substance or mixture**

Therapeutic Goods (Poisons Standard) Instrument	: Schedule 5 (Please use the original publication to check for specific uses, specific conditions or threshold limits that might apply for this chemical)
---	---

Prohibition/Licensing Requirements	: There is no applicable prohibition, authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regulations.
------------------------------------	---

The components of this product are reported in the following inventories:

AICS	: not determined
DSL	: not determined
IECSC	: not determined

Enrofloxacin Liquid (20%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
7.0	14.04.2025	9743104-00011	Date of first issue: 13.10.2021

SECTION 16: ANY OTHER RELEVANT INFORMATION**Further information**

Revision Date : 14.04.2025
Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
AU OEL : Australia. Workplace Exposure Standards for Airborne Contaminants.

ACGIH / C : Ceiling limit
AU OEL / Peak limit : Exposure standard - peak

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recom-

Enrofloxacin Liquid (20%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
7.0	14.04.2025	9743104-00011	Date of first issue: 13.10.2021

mendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AU / EN