

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Enrofloxacin Liquid (20%) Formulation

Version 7.0      Revision Date: 14.04.2025      SDS Number: 9749474-00011      Date of last issue: 28.09.2024  
Date of first issue: 13.10.2021

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : Enrofloxacin Liquid (20%) Formulation

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Veterinary product

Recommended restrictions on use : Not applicable

#### 1.3 Details of the supplier of the safety data sheet

Company : MSD  
Kilsheelan  
Clonmel Tipperary, IE

Telephone : 353-51-601000

E-mail address of person responsible for the SDS : EHSDATASTEWARD@msd.com

#### 1.4 Emergency telephone number

+1-908-423-6000

---

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4	H302: Harmful if swallowed.
Skin corrosion, Sub-category 1A	H314: Causes severe skin burns and eye damage.
Serious eye damage, Category 1	H318: Causes serious eye damage.
Reproductive toxicity, Category 2	H361f: Suspected of damaging fertility.
Specific target organ toxicity - repeated exposure, Category 1	H372: Causes damage to organs through prolonged or repeated exposure.
Short-term (acute) aquatic hazard, Category 1	H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard, Category 1	H410: Very toxic to aquatic life with long lasting effects.

#### 2.2 Label elements

##### Labelling (REGULATION (EC) No 1272/2008)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Enrofloxacin Liquid (20%) Formulation

Version 7.0      Revision Date: 14.04.2025      SDS Number: 9749474-00011      Date of last issue: 28.09.2024  
Date of first issue: 13.10.2021



Signal word :

Danger

Hazard statements :

H302 Harmful if swallowed.  
H314 Causes severe skin burns and eye damage.  
H361f Suspected of damaging fertility.  
H372 Causes damage to organs through prolonged or repeated exposure.  
H410 Very toxic to aquatic life with long lasting effects.

Supplemental Hazard Statements

:

EUH071 Corrosive to the respiratory tract.

Precautionary statements :

**Prevention:**

P201 Obtain special instructions before use.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**

P303 + P361 + P353 + P310 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Immediately call a POISON CENTER/ doctor.  
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.  
P391 Collect spillage.

Hazardous components which must be listed on the label:

Enrofloxacin

Potassium hydroxide

EUH208 Contains Benzyl alcohol. May produce an allergic reaction.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

May form explosive dust-air mixture during processing, handling or other means.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Enrofloxacin Liquid (20%) Formulation

Version  
7.0

Revision Date:  
14.04.2025

SDS Number:  
9749474-00011

Date of last issue: 28.09.2024  
Date of first issue: 13.10.2021

### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

##### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Enrofloxacin	93106-60-6	Acute Tox. 4; H302 Repr. 2; H361f STOT RE 1; H372 (cartilage, Testis) Aquatic Acute 1; H400 Aquatic Chronic 1; H410  M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10	>= 20 - < 25
Potassium hydroxide	1310-58-3 215-181-3 019-002-00-8	Met. Corr. 1; H290 Acute Tox. 4; H302 Skin Corr. 1A; H314 Eye Dam. 1; H318 EUH014, EUH071  specific concentra- tion limit Skin Corr. 1A; H314 >= 5 % Skin Corr. 1B; H314 2 - < 5 % Skin Irrit. 2; H315 0,5 - < 2 % Eye Irrit. 2; H319 0,5 - < 2 % EUH071 >= 2 %  Acute toxicity esti- mate  Acute oral toxicity:	>= 5 - < 10

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Enrofloxacin Liquid (20%) Formulation

Version 7.0 Revision Date: 14.04.2025 SDS Number: 9749474-00011 Date of last issue: 28.09.2024  
Date of first issue: 13.10.2021

Disodium EDTA, dihydrate	6381-92-6 205-358-3	333 mg/kg Acute Tox. 4; H332 STOT RE 2; H373 (Respiratory Tract)	>= 1 - < 10
Benzyl alcohol	100-51-6 202-859-9 603-057-00-5	Acute Tox. 4; H302 Eye Irrit. 2; H319 Skin Sens. 1B; H317  Acute toxicity estimate  Acute oral toxicity: 1.200 mg/kg	>= 0,1 - < 1

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

If inhaled : If inhaled, remove to fresh air.  
If not breathing, give artificial respiration.  
If breathing is difficult, give oxygen.  
Get medical attention immediately.

In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.  
Get medical attention immediately.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Get medical attention immediately.

If swallowed : If swallowed, DO NOT induce vomiting.  
If vomiting occurs have person lean forward.  
Call a physician or poison control centre immediately.  
Rinse mouth thoroughly with water.  
Never give anything by mouth to an unconscious person.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Enrofloxacin Liquid (20%) Formulation

Version  
7.0

Revision Date:  
14.04.2025

SDS Number:  
9749474-00011

Date of last issue: 28.09.2024  
Date of first issue: 13.10.2021

---

### 4.2 Most important symptoms and effects, both acute and delayed

Risks : Causes digestive tract burns.  
May produce an allergic reaction.  
Harmful if swallowed.  
Causes serious eye damage.  
Suspected of damaging fertility.  
Causes damage to organs through prolonged or repeated exposure.  
Causes severe burns.  
Corrosive to the respiratory tract.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : None known.

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.  
Hazardous combustion products : Carbon oxides  
Metal oxides  
Nitrogen oxides (NO<sub>x</sub>)

### 5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Enrofloxacin Liquid (20%) Formulation

Version  
7.0

Revision Date:  
14.04.2025

SDS Number:  
9749474-00011

Date of last issue: 28.09.2024  
Date of first issue: 13.10.2021

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

### 6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g. by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material.  
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).  
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.  
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.  
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Do not get on skin or clothing.  
Do not breathe mist or vapours.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Enrofloxacin Liquid (20%) Formulation

Version 7.0	Revision Date: 14.04.2025	SDS Number: 9749474-00011	Date of last issue: 28.09.2024 Date of first issue: 13.10.2021
----------------	------------------------------	------------------------------	---

Do not swallow.  
Do not get in eyes.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Keep container tightly closed.  
Minimize dust generation and accumulation.  
Keep container closed when not in use.  
Keep away from heat and sources of ignition.  
Take precautionary measures against static discharges.  
Do not eat, drink or smoke when using this product.  
Take care to prevent spills, waste and minimize release to the environment.

**Hygiene measures**

: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: Keep in properly labelled containers. Store locked up. Keep tightly closed. Store in accordance with the particular national regulations.

Advice on common storage

: Do not store with the following product types:  
Strong oxidizing agents  
Self-reactive substances and mixtures  
Organic peroxides  
Explosives  
Gases

### 7.3 Specific end use(s)

Specific use(s)

: No data available

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Enrofloxacin	93106-60-6	TWA	0.2 mg/m <sup>3</sup> (OEB 2)	Internal
Potassium hydroxide	1310-58-3	T	2 mg/m <sup>3</sup>	FOR-2011-12-06-1358

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Enrofloxacin Liquid (20%) Formulation

Version  
7.0

Revision Date:  
14.04.2025

SDS Number:  
9749474-00011

Date of last issue: 28.09.2024  
Date of first issue: 13.10.2021

### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006

Substance name	End Use	Exposure routes	Potential health effects	Value
Potassium hydroxide	Workers	Inhalation	Long-term local effects	1 mg/m3
	Consumers	Inhalation	Long-term local effects	1 mg/m3
Disodium EDTA, dihydrate	Workers	Inhalation	Long-term systemic effects	1,5 mg/m3
	Workers	Inhalation	Acute systemic effects	3 mg/m3
	Workers	Inhalation	Long-term local effects	1,5 mg/m3
	Workers	Inhalation	Acute local effects	3 mg/m3
	Consumers	Inhalation	Long-term local effects	0,6 mg/m3
	Consumers	Inhalation	Acute local effects	1,2 mg/m3
	Consumers	Ingestion	Long-term systemic effects	25 mg/kg bw/day
	Workers	Inhalation	Long-term systemic effects	22 mg/m3
	Workers	Inhalation	Acute systemic effects	110 mg/m3
	Workers	Skin contact	Long-term systemic effects	8 mg/kg bw/day
	Workers	Skin contact	Acute systemic effects	40 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	5,4 mg/m3
	Consumers	Inhalation	Acute systemic effects	27 mg/m3
	Consumers	Skin contact	Long-term systemic effects	4 mg/kg bw/day
	Consumers	Skin contact	Acute systemic effects	20 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	4 mg/kg bw/day
	Consumers	Ingestion	Acute systemic effects	20 mg/kg bw/day

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006

Substance name	Environmental Compartment	Value
Disodium EDTA, dihydrate	Fresh water	2,5 mg/l
	Marine water	0,25 mg/l
	Sewage treatment plant	50 mg/l
	Soil	1,1 mg/kg dry weight (d.w.)
Benzyl alcohol	Fresh water	1 mg/l
	Marine water	0,1 mg/l
	Intermittent use/release	2,3 mg/l
	Sewage treatment plant	39 mg/l
	Fresh water sediment	5,27 mg/kg

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Enrofloxacin Liquid (20%) Formulation

Version 7.0      Revision Date: 14.04.2025      SDS Number: 9749474-00011      Date of last issue: 28.09.2024  
Date of first issue: 13.10.2021

	Marine sediment	0,527 mg/kg
	Soil	0,456 mg/kg

### 8.2 Exposure controls

#### Engineering measures

Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Laboratory operations do not require special containment.

#### Personal protective equipment

Eye/face protection	: Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Hand protection	
Material	: Chemical-resistant gloves
Skin and body protection	: Work uniform or laboratory coat.
Respiratory protection	: If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection. Equipment should conform to NS EN 143
Filter type	: Particulates type (P)

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state	: Aqueous solution
Colour	: light yellow
Odour	: No data available
Odour Threshold	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flammability (solid, gas)	: May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	: Not applicable
Upper explosion limit / Upper flammability limit	: No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Enrofloxacin Liquid (20%) Formulation

Version 7.0      Revision Date: 14.04.2025      SDS Number: 9749474-00011      Date of last issue: 28.09.2024  
Date of first issue: 13.10.2021

---

Lower explosion limit / Lower flammability limit : No data available

Flash point : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

pH : 10,5 - 12,5

Viscosity

Viscosity, kinematic : No data available

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-octanol/water : Not applicable

Vapour pressure : No data available

Relative density : No data available

Density : 0,950 - 1,150 g/cm<sup>3</sup>

Relative vapour density : No data available

Particle characteristics

Particle size : Not applicable

### 9.2 Other information

Explosives : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Evaporation rate : No data available

Molecular weight : No data available

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Not classified as a reactivity hazard.

### 10.2 Chemical stability

Stable under normal conditions.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Enrofloxacin Liquid (20%) Formulation

Version 7.0      Revision Date: 14.04.2025      SDS Number: 9749474-00011      Date of last issue: 28.09.2024  
Date of first issue: 13.10.2021

---

### 10.3 Possibility of hazardous reactions

Hazardous reactions : May form explosive dust-air mixture during processing, handling or other means.  
Can react with strong oxidizing agents.

### 10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.  
Avoid dust formation.

### 10.5 Incompatible materials

Materials to avoid : Oxidizing agents  
Acids

### 10.6 Hazardous decomposition products

No hazardous decomposition products are known.

---

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Harmful if swallowed.

#### Product:

Acute oral toxicity : Acute toxicity estimate: 1.818 mg/kg  
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

#### Components:

##### **Enrofloxacin:**

Acute oral toxicity : LD50 (Rabbit): 500 - 800 mg/kg  
LD50 (Rat): > 5.000 mg/kg  
LD50 (Mouse): > 5.000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg

##### **Potassium hydroxide:**

Acute oral toxicity : LD50 (Rat): 333 mg/kg

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Enrofloxacin Liquid (20%) Formulation

Version 7.0	Revision Date: 14.04.2025	SDS Number: 9749474-00011	Date of last issue: 28.09.2024 Date of first issue: 13.10.2021
----------------	------------------------------	------------------------------	---

---

||| Acute inhalation toxicity : Assessment: Corrosive to the respiratory tract.

### Disodium EDTA, dihydrate:

||| Acute oral toxicity : LD50 (Rat): 2.800 mg/kg

||| Acute inhalation toxicity : LC50 (Rat, male): > 1 mg/l  
Exposure time: 6 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 412

### Benzyl alcohol:

||| Acute oral toxicity : LD50 (Rat): 1.200 mg/kg

||| Acute inhalation toxicity : LC50 (Rat): > 5,4 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: The substance or mixture has no acute inhalation toxicity

### Skin corrosion/irritation

||| Causes severe burns.

### Components:

#### Enrofloxacin:

||| Result : No skin irritation

#### Potassium hydroxide:

||| Species : Rabbit  
||| Result : Corrosive after 3 minutes or less of exposure

#### Benzyl alcohol:

||| Species : Rabbit  
||| Method : OECD Test Guideline 404  
||| Result : No skin irritation

### Serious eye damage/eye irritation

||| Causes serious eye damage.

### Components:

#### Enrofloxacin:

||| Result : Mild eye irritation

#### Potassium hydroxide:

||| Species : Rabbit  
||| Result : Irreversible effects on the eye

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Enrofloxacin Liquid (20%) Formulation

Version 7.0      Revision Date: 14.04.2025      SDS Number: 9749474-00011      Date of last issue: 28.09.2024  
Date of first issue: 13.10.2021

---

### Disodium EDTA, dihydrate:

Species	:	Rabbit
Result	:	No eye irritation

### Benzyl alcohol:

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	Irritation to eyes, reversing within 21 days

### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.
--

#### Respiratory sensitisation

Not classified based on available information.
--

### Components:

#### Enrofloxacin:

Test Type	:	Maximisation Test
Exposure routes	:	Dermal
Species	:	Guinea pig
Result	:	Not a skin sensitizer.

#### Potassium hydroxide:

Test Type	:	Intracutaneous test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Result	:	negative

#### Disodium EDTA, dihydrate:

Test Type	:	Maximisation Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	negative
Remarks	:	Based on data from similar materials

#### Benzyl alcohol:

Test Type	:	Human repeat insult patch test (HRIPT)
Exposure routes	:	Skin contact
Species	:	Humans
Result	:	positive
Assessment	:	Probability or evidence of low to moderate skin sensitisation rate in humans

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Enrofloxacin Liquid (20%) Formulation

Version  
7.0

Revision Date:  
14.04.2025

SDS Number:  
9749474-00011

Date of last issue: 28.09.2024  
Date of first issue: 13.10.2021

### Germ cell mutagenicity

||| Not classified based on available information.

### Components:

#### **Enrofloxacin:**

Genotoxicity in vitro	: Test Type: Chromosomal aberration Result: positive
Genotoxicity in vivo	: Test Type: Micronucleus test Species: Mouse Result: negative
	: Test Type: Mammalian bone marrow sister chromatid exchange Species: Hamster Result: negative
	: Test Type: Chromosomal aberration Species: Rat Result: negative

#### **Potassium hydroxide:**

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
-----------------------	--

#### **Disodium EDTA, dihydrate:**

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative Remarks: Based on data from similar materials
	: Test Type: In vitro mammalian cell gene mutation test Result: negative
	: Test Type: Chromosome aberration test in vitro Result: negative Remarks: Based on data from similar materials
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Ingestion Method: OECD Test Guideline 474 Result: negative

#### **Benzyl alcohol:**

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Enrofloxacin Liquid (20%) Formulation

Version  
7.0

Revision Date:  
14.04.2025

SDS Number:  
9749474-00011

Date of last issue: 28.09.2024  
Date of first issue: 13.10.2021



Species: Mouse  
Application Route: Intraperitoneal injection  
Result: negative

### Carcinogenicity

|| Not classified based on available information.

### Components:

#### Enrofloxacin:

Species	:	Rat
Application Route	:	Oral
Exposure time	:	2 Years
Result	:	negative
Species	:	Mouse
Application Route	:	Oral
Exposure time	:	2 Years
Result	:	negative

#### Disodium EDTA, dihydrate:

Species	:	Rat
Application Route	:	Ingestion
Exposure time	:	103 weeks
Result	:	negative
Remarks	:	Based on data from similar materials

#### Benzyl alcohol:

Species	:	Mouse
Application Route	:	Ingestion
Exposure time	:	103 weeks
Method	:	OECD Test Guideline 451
Result	:	negative

### Reproductive toxicity

|| Suspected of damaging fertility.

### Components:

#### Enrofloxacin:

Effects on fertility	:	Test Type: Two-generation study Species: Rat Application Route: Oral Fertility: LOAEL: 15 mg/kg body weight Result: Effects on fertility, alteration in sperm morphology
Effects on foetal development	:	Test Type: Development Species: Rat Application Route: Oral Developmental Toxicity: LOAEL: 210 mg/kg body weight Result: Reduced foetal weight, No teratogenic effects



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Enrofloxacin Liquid (20%) Formulation

Version 7.0      Revision Date: 14.04.2025      SDS Number: 9749474-00011      Date of last issue: 28.09.2024  
Date of first issue: 13.10.2021

Assessment : May cause damage to organs through prolonged or repeated exposure.

### Repeated dose toxicity

#### Components:

##### **Enrofloxacin:**

Species	:	Rat
NOAEL	:	36 mg/kg
LOAEL	:	150 mg/kg
Application Route	:	Oral
Exposure time	:	13 Weeks
Target Organs	:	Testis

  

Species	:	Dog
NOAEL	:	3 mg/kg
LOAEL	:	9,6 mg/kg
Application Route	:	Oral
Exposure time	:	13 Weeks
Target Organs	:	cartilage

  

Species	:	Cat
NOAEL	:	25 mg/kg
Application Route	:	Oral
Exposure time	:	30 Days
Remarks	:	No significant adverse effects were reported

##### **Disodium EDTA, dihydrate:**

Species	:	Rat
NOAEL	:	500 mg/kg
Application Route	:	Ingestion
Exposure time	:	13 Weeks

  

Species	:	Rat
LOAEL	:	0,03 mg/l
Application Route	:	inhalation (dust/mist/fume)
Exposure time	:	4 Weeks
Method	:	OECD Test Guideline 412

##### **Benzyl alcohol:**

Species	:	Rat
NOAEL	:	1,072 mg/l
Application Route	:	inhalation (dust/mist/fume)
Exposure time	:	28 Days
Method	:	OECD Test Guideline 412

##### **Aspiration toxicity**

Not classified based on available information.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Enrofloxacin Liquid (20%) Formulation

Version  
7.0

Revision Date:  
14.04.2025

SDS Number:  
9749474-00011

Date of last issue: 28.09.2024  
Date of first issue: 13.10.2021

---

### 11.2 Information on other hazards

#### Endocrine disrupting properties

Not classified based on available information.

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### Experience with human exposure

#### Components:

#### Enrofloxacin:

Ingestion : Symptoms: Gastrointestinal disturbance, central nervous system effects, Sensitivity to light

---

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Components:

#### Enrofloxacin:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 79,5 mg/l  
Exposure time: 96 h

LC50 (Oncorhynchus mykiss (rainbow trout)): > 196 mg/l  
Exposure time: 96 h

LC50 (Oryzias latipes (Japanese medaka)): > 100 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Hyalella azteca (Amphipod)): > 206 mg/l  
Exposure time: 96 h

EC50 (Daphnia magna (Water flea)): 79,9 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 3,1 mg/l  
Exposure time: 72 h

EC50 (Microcystis aeruginosa (blue-green algae)): 0,049 mg/l  
Exposure time: 5 d

M-Factor (Acute aquatic toxicity) : 10

Toxicity to daphnia and other : NOEC: 9,8 mg/l

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Enrofloxacin Liquid (20%) Formulation

Version 7.0      Revision Date: 14.04.2025      SDS Number: 9749474-00011      Date of last issue: 28.09.2024  
Date of first issue: 13.10.2021

aquatic invertebrates (Chronic toxicity)  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)

NOEC: 5 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)

LOEC: 15 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic toxicity) : 10

### Disodium EDTA, dihydrate:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): > 100 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 140 mg/l  
Exposure time: 48 h  
Method: DIN 38412

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

EC10 (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

Toxicity to microorganisms : EC10 (activated sludge): > 500 mg/l  
Exposure time: 30 min  
Method: OECD Test Guideline 209

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 25 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)

### Benzyl alcohol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 460 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 230 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 770 mg/l

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Enrofloxacin Liquid (20%) Formulation

Version 7.0      Revision Date: 14.04.2025      SDS Number: 9749474-00011      Date of last issue: 28.09.2024  
Date of first issue: 13.10.2021

---

	Exposure time: 72 h Method: OECD Test Guideline 201
	NOEC (Pseudokirchneriella subcapitata (green algae)): 310 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC: 51 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

### 12.2 Persistence and degradability

#### Components:

##### **Disodium EDTA, dihydrate:**

Biodegradability	: Result: Not readily biodegradable. Biodegradation: 2 % Exposure time: 28 d Method: OECD Test Guideline 301D
------------------	--

##### **Benzyl alcohol:**

Biodegradability	: Result: Readily biodegradable. Biodegradation: 92 - 96 % Exposure time: 14 d
------------------	--

### 12.3 Bioaccumulative potential

#### Components:

##### **Enrofloxacin:**

Partition coefficient: n-octanol/water	: log Pow: 0,5
--	----------------

##### **Disodium EDTA, dihydrate:**

Bioaccumulation	: Species: Lepomis macrochirus (Bluegill sunfish) Bioconcentration factor (BCF): < 500 Remarks: Based on data from similar materials
-----------------	--

Partition coefficient: n-octanol/water	: log Pow: -4,3
--	-----------------

##### **Benzyl alcohol:**

Partition coefficient: n-octanol/water	: log Pow: 1,05
--	-----------------

### 12.4 Mobility in soil

#### Components:

##### **Enrofloxacin:**

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Enrofloxacin Liquid (20%) Formulation

---

Version 7.0	Revision Date: 14.04.2025	SDS Number: 9749474-00011	Date of last issue: 28.09.2024 Date of first issue: 13.10.2021
----------------	------------------------------	------------------------------	---

---

||| Distribution among environmental compartments : Koc: 5,55

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

No data available

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.  
Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

## SECTION 14: Transport information

### 14.1 UN number or ID number

ADN : UN 1814  
ADR : UN 1814  
RID : UN 1814  
IMDG : UN 1814  
IATA : UN 1814

### 14.2 UN proper shipping name

ADN : POTASSIUM HYDROXIDE SOLUTION

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Enrofloxacin Liquid (20%) Formulation

Version 7.0	Revision Date: 14.04.2025	SDS Number: 9749474-00011	Date of last issue: 28.09.2024 Date of first issue: 13.10.2021
----------------	------------------------------	------------------------------	---

---

**ADR** : POTASSIUM HYDROXIDE SOLUTION  
**RID** : POTASSIUM HYDROXIDE SOLUTION  
**IMDG** : POTASSIUM HYDROXIDE SOLUTION  
(Enrofloxacin)  
**IATA** : Potassium hydroxide solution

### 14.3 Transport hazard class(es)

	Class	Subsidiary risks
<b>ADN</b>	: 8	
<b>ADR</b>	: 8	
<b>RID</b>	: 8	
<b>IMDG</b>	: 8	
<b>IATA</b>	: 8	

### 14.4 Packing group

**ADN**  
Packing group : II  
Classification Code : C5  
Hazard Identification Number : 80  
Labels : 8

**ADR**  
Packing group : II  
Classification Code : C5  
Hazard Identification Number : 80  
Labels : 8  
Tunnel restriction code : (E)

**RID**  
Packing group : II  
Classification Code : C5  
Hazard Identification Number : 80  
Labels : 8

**IMDG**  
Packing group : II  
Labels : 8  
EmS Code : F-A, S-B

**IATA (Cargo)**  
Packing instruction (cargo aircraft) : 855  
Packing instruction (LQ) : Y840  
Packing group : II  
Labels : Corrosive

**IATA (Passenger)**  
Packing instruction (passenger aircraft) : 851  
Packing instruction (LQ) : Y840

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Enrofloxacin Liquid (20%) Formulation

Version 7.0      Revision Date: 14.04.2025      SDS Number: 9749474-00011      Date of last issue: 28.09.2024  
Date of first issue: 13.10.2021

---

Packing group : II  
Labels : Corrosive

### 14.5 Environmental hazards

**ADN**  
Environmentally hazardous : yes

**ADR**  
Environmentally hazardous : yes

**RID**  
Environmentally hazardous : yes

**IMDG**  
Marine pollutant : yes

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

---

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

: Conditions of restriction for the following entries should be considered: Number on list 3

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

: Number on list 75: If you intend to use this product as tattoo ink, please contact your vendor.

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

: Substance(s) or mixture(s) are listed here according to their appearance in the regulation, irrespective of their use/purpose or the conditions of the restriction. Please refer to the conditions in corresponding Regulation to determine whether an entry is applicable to the placing on the market or not.

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).

: Not applicable

REACH - List of substances subject to authorisation (Annex XIV)

: Not applicable

Regulation (EU) No 2024/590 on substances that de-

: Not applicable

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Enrofloxacin Liquid (20%) Formulation

---

Version 7.0	Revision Date: 14.04.2025	SDS Number: 9749474-00011	Date of last issue: 28.09.2024 Date of first issue: 13.10.2021
----------------	------------------------------	------------------------------	---

---

plete the ozone layer

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

		Quantity 1	Quantity 2
E1	ENVIRONMENTAL HAZARDS	100 t	200 t

### Other regulations:

Note the Working Environment Act § 4-1 and § 4-2 on requirements for the employer to protect pregnant employees against discomfort and injury as a result of the work situation and the working environment.

Note the regulation on organization, leadership and participation, chapter 12 on the work of children and young people.

### The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

### 15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

---

## SECTION 16: Other information

Other information : Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

### Full text of H-Statements

H290	: May be corrosive to metals.
H302	: Harmful if swallowed.
H314	: Causes severe skin burns and eye damage.
H317	: May cause an allergic skin reaction.
H318	: Causes serious eye damage.
H319	: Causes serious eye irritation.
H332	: Harmful if inhaled.
H361f	: Suspected of damaging fertility.
H372	: Causes damage to organs through prolonged or repeated exposure.
H373	: May cause damage to organs through prolonged or repeated exposure.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.
EUH014	: Reacts violently with water.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Enrofloxacin Liquid (20%) Formulation

Version 7.0	Revision Date: 14.04.2025	SDS Number: 9749474-00011	Date of last issue: 28.09.2024 Date of first issue: 13.10.2021
----------------	------------------------------	------------------------------	---

EUH071 : Corrosive to the respiratory tract.

### Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Eye Dam.	: Serious eye damage
Eye Irrit.	: Eye irritation
Met. Corr.	: Corrosive to metals
Repr.	: Reproductive toxicity
Skin Corr.	: Skin corrosion
Skin Sens.	: Skin sensitisation
STOT RE	: Specific target organ toxicity - repeated exposure
FOR-2011-12-06-1358	: Norway. Occupational Exposure limits
FOR-2011-12-06-1358 / T	: Ceiling

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECL - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Enrofloxacin Liquid (20%) Formulation

Version  
7.0

Revision Date:  
14.04.2025

SDS Number:  
9749474-00011

Date of last issue: 28.09.2024  
Date of first issue: 13.10.2021

---

### Classification of the mixture:

Acute Tox. 4	H302
Skin Corr. 1A	H314
Eye Dam. 1	H318
Repr. 2	H361f
STOT RE 1	H372
Aquatic Acute 1	H400
Aquatic Chronic 1	H410

### Classification procedure:

Calculation method

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

NO / EN