

# SAFETY DATA SHEET



## Enrofloxacin Liquid (20%) Formulation

Version 9.0      Revision Date: 14.04.2025      SDS Number: 9743111-00010      Date of last issue: 28.09.2024  
Date of first issue: 13.10.2021

---

### Section 1: Identification

Product name : Enrofloxacin Liquid (20%) Formulation

#### Manufacturer or supplier's details

Company : MSD

Address : 33 Whakatiki Street - Private Bag 908  
Upper Hutt - New Zealand

Telephone : 0800 800 543

Emergency telephone number : 0800 764 766 (0800 POISON)    0800 243 622 (0800  
CHEMCALL)

E-mail address : EHSDATASTEWARD@msd.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

---

### Section 2: Hazard identification

#### GHS Classification

Acute toxicity (Oral) : Category 4

Skin corrosion/irritation : Category 1A

Serious eye damage/eye irritation : Category 1

Reproductive toxicity : Category 2

Specific target organ toxicity - repeated exposure : Category 1 (cartilage, Testis)

Specific target organ toxicity - repeated exposure : Category 2 (Respiratory Tract)

Hazardous to the aquatic environment - acute hazard : Category 1

Hazardous to the aquatic environment - chronic hazard : Category 1

#### GHS label elements

# SAFETY DATA SHEET



## Enrofloxacin Liquid (20%) Formulation

Version 9.0	Revision Date: 14.04.2025	SDS Number: 9743111-00010	Date of last issue: 28.09.2024 Date of first issue: 13.10.2021
----------------	------------------------------	------------------------------	---

Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	<p>H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H361f Suspected of damaging fertility. H372 Causes damage to organs (cartilage, Testis) through prolonged or repeated exposure. H373 May cause damage to organs (Respiratory Tract) through prolonged or repeated exposure. H410 Very toxic to aquatic life with long lasting effects.</p>
Precautionary statements	:	<p><b>Prevention:</b> P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P260 Do not breathe mist or vapours. P264 Wash skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.</p> <p><b>Response:</b> P301 + P330 + P331 + P310 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/ doctor. P303 + P361 + P353 + P310 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Immediately call a POISON CENTER/ doctor. P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor. P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor. P308 + P313 IF exposed or concerned: Get medical advice/ attention. P363 Wash contaminated clothing before reuse. P391 Collect spillage.</p> <p><b>Storage:</b> P405 Store locked up.</p> <p><b>Disposal:</b> P501 Dispose of contents/ container to an approved waste disposal plant.</p>

# SAFETY DATA SHEET



## Enrofloxacin Liquid (20%) Formulation

Version 9.0      Revision Date: 14.04.2025      SDS Number: 9743111-00010      Date of last issue: 28.09.2024  
Date of first issue: 13.10.2021

### Other hazards which do not result in classification

Corrosive to the respiratory tract.

May form explosive dust-air mixture during processing, handling or other means.

### Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
Enrofloxacin	93106-60-6	>= 20 -< 25
Potassium hydroxide	1310-58-3	>= 5 -< 10
Disodium EDTA, dihydrate	6381-92-6	>= 1 -< 10
Benzyl alcohol	100-51-6	>= 0.1 -< 1

### Section 4: First-aid measures

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
If not breathing, give artificial respiration.  
If breathing is difficult, give oxygen.  
Get medical attention immediately.

In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.  
Get medical attention immediately.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Get medical attention immediately.

If swallowed : If swallowed, DO NOT induce vomiting.  
If vomiting occurs have person lean forward.  
Call a physician or poison control centre immediately.  
Rinse mouth thoroughly with water.  
Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed : Causes digestive tract burns.  
Corrosive to respiratory system.  
Harmful if swallowed.  
Causes serious eye damage.  
Suspected of damaging fertility.  
Causes damage to organs through prolonged or repeated exposure.  
Causes severe burns.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

# SAFETY DATA SHEET



## Enrofloxacin Liquid (20%) Formulation

Version 9.0      Revision Date: 14.04.2025      SDS Number: 9743111-00010      Date of last issue: 28.09.2024  
Date of first issue: 13.10.2021

---

Notes to physician : Treat symptomatically and supportively.

---

### Section 5: Fire-fighting measures

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : None known.

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides  
Metal oxides  
Nitrogen oxides (NO<sub>x</sub>)

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

Hazchem Code : 2R

---

### Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g. by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.  
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).  
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.

**Enrofloxacin Liquid (20%) Formulation**

---

Version 9.0	Revision Date: 14.04.2025	SDS Number: 9743111-00010	Date of last issue: 28.09.2024 Date of first issue: 13.10.2021
----------------	------------------------------	------------------------------	---

---

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

**Section 7: Handling and storage**

Technical measures	<ul style="list-style-type: none"><li>Static electricity may accumulate and ignite suspended dust causing an explosion.</li><li>Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.</li></ul>
Local/Total ventilation	<ul style="list-style-type: none"><li>If sufficient ventilation is unavailable, use with local exhaust ventilation.</li></ul>
Advice on safe handling	<ul style="list-style-type: none"><li>Do not get on skin or clothing.</li><li>Do not breathe mist or vapours.</li><li>Do not swallow.</li><li>Do not get in eyes.</li><li>Wash skin thoroughly after handling.</li><li>Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment</li><li>Keep container tightly closed.</li><li>Minimize dust generation and accumulation.</li><li>Keep container closed when not in use.</li><li>Keep away from heat and sources of ignition.</li><li>Take precautionary measures against static discharges.</li><li>Do not eat, drink or smoke when using this product.</li><li>Take care to prevent spills, waste and minimize release to the environment.</li></ul>
Hygiene measures	<ul style="list-style-type: none"><li>If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.</li><li>When using do not eat, drink or smoke.</li><li>Wash contaminated clothing before re-use.</li><li>The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.</li></ul>
Conditions for safe storage	<ul style="list-style-type: none"><li>Keep in properly labelled containers.</li><li>Store locked up.</li><li>Keep tightly closed.</li><li>Store in accordance with the particular national regulations.</li></ul>
Materials to avoid	<ul style="list-style-type: none"><li>Do not store with the following product types:</li><li>Self-reactive substances and mixtures</li></ul>

# SAFETY DATA SHEET



## Enrofloxacin Liquid (20%) Formulation

Version 9.0      Revision Date: 14.04.2025      SDS Number: 9743111-00010      Date of last issue: 28.09.2024  
Date of first issue: 13.10.2021

Organic peroxides  
Oxidizing agents  
Explosives

---

### Section 8: Exposure controls/personal protection

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Enrofloxacin	93106-60-6	TWA	0.2 mg/m <sup>3</sup> (OEB 2)	Internal
Potassium hydroxide	1310-58-3	WES-Ceiling	2 mg/m <sup>3</sup>	NZ OEL

**Engineering measures** : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections). All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Laboratory operations do not require special containment.

#### Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

Hand protection : Chemical-resistant gloves

Material : Chemical-resistant gloves

Eye protection : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Eye protection : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.

---

### Section 9: Physical and chemical properties

Appearance : Aqueous solution

Colour : light yellow

Odour : No data available

Odour Threshold : No data available

pH : 10.5 - 12.5

# SAFETY DATA SHEET



## Enrofloxacin Liquid (20%) Formulation

Version 9.0      Revision Date: 14.04.2025      SDS Number: 9743111-00010      Date of last issue: 28.09.2024  
Date of first issue: 13.10.2021

---

Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	0.950 - 1.150 g/cm <sup>3</sup>
Solubility(ies)		
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics		
Particle size	:	Not applicable

# SAFETY DATA SHEET



## Enrofloxacin Liquid (20%) Formulation

Version 9.0      Revision Date: 14.04.2025      SDS Number: 9743111-00010      Date of last issue: 28.09.2024  
Date of first issue: 13.10.2021

---

### Section 10: Stability and reactivity

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
Incompatible materials	:	Oxidizing agents Acids
Hazardous decomposition products	:	No hazardous decomposition products are known.

---

### Section 11: Toxicological information

Exposure routes	:	Inhalation Skin contact Ingestion Eye contact
-----------------	---	--

#### Acute toxicity

Harmful if swallowed.

#### Product:

Acute oral toxicity	:	Acute toxicity estimate: 1,112 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Acute toxicity estimate: > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method

#### Components:

##### **Enrofloxacin:**

Acute oral toxicity	:	LD50 (Rabbit): 500 - 800 mg/kg LD50 (Rat): > 5,000 mg/kg LD50 (Mouse): > 5,000 mg/kg
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg

##### **Potassium hydroxide:**

Acute oral toxicity	:	Acute toxicity estimate: 100 mg/kg Method: Expert judgement Remarks: Based on national or regional regulation.
Acute inhalation toxicity	:	Assessment: Corrosive to the respiratory tract.

# SAFETY DATA SHEET



## Enrofloxacin Liquid (20%) Formulation

Version 9.0      Revision Date: 14.04.2025      SDS Number: 9743111-00010      Date of last issue: 28.09.2024  
Date of first issue: 13.10.2021

||

### Disodium EDTA, dihydrate:

Acute oral toxicity	: LD50 (Rat): 2,800 mg/kg
Acute inhalation toxicity	: LC50 (Rat, male): > 1 mg/l Exposure time: 6 h Test atmosphere: dust/mist Method: OECD Test Guideline 412

### Benzyl alcohol:

Acute oral toxicity	: LD50 (Rat): 1,200 mg/kg
Acute inhalation toxicity	: LC50 (Rat): > 5.4 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	: Acute toxicity estimate: 1,100 mg/kg Method: Expert judgement Remarks: Based on national or regional regulation.

### Skin corrosion/irritation

Causes severe burns.

### Components:

#### Enrofloxacin:

Result	: No skin irritation
--------	----------------------

#### Potassium hydroxide:

Species	: Rabbit
Result	: Corrosive after 3 minutes or less of exposure

#### Benzyl alcohol:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation

#### Serious eye damage/eye irritation

Causes serious eye damage.

### Components:

#### Enrofloxacin:

Result	: Mild eye irritation
--------	-----------------------

# SAFETY DATA SHEET



## Enrofloxacin Liquid (20%) Formulation

Version 9.0      Revision Date: 14.04.2025      SDS Number: 9743111-00010      Date of last issue: 28.09.2024  
Date of first issue: 13.10.2021

---

### Potassium hydroxide:

Species	:	Rabbit
Result	:	Irreversible effects on the eye

### Disodium EDTA, dihydrate:

Species	:	Rabbit
Result	:	No eye irritation

### Benzyl alcohol:

Species	:	Rabbit
Result	:	Irritation to eyes, reversing within 21 days
Method	:	OECD Test Guideline 405

### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

#### Respiratory sensitisation

Not classified based on available information.

### Components:

#### Enrofloxacin:

Test Type	:	Maximisation Test
Exposure routes	:	Dermal
Species	:	Guinea pig
Result	:	Not a skin sensitizer.

#### Potassium hydroxide:

Test Type	:	Intracutaneous test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Result	:	negative

#### Disodium EDTA, dihydrate:

Test Type	:	Maximisation Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	negative
Remarks	:	Based on data from similar materials

#### Benzyl alcohol:

Test Type	:	Human repeat insult patch test (HRIPT)
Exposure routes	:	Skin contact
Species	:	Humans
Result	:	positive

# SAFETY DATA SHEET



## Enrofloxacin Liquid (20%) Formulation

Version 9.0      Revision Date: 14.04.2025      SDS Number: 9743111-00010      Date of last issue: 28.09.2024  
Date of first issue: 13.10.2021

Assessment : Probability or evidence of low to moderate skin sensitisation rate in humans

### Chronic toxicity

#### Germ cell mutagenicity

Not classified based on available information.

#### Components:

##### **Enrofloxacin:**

Genotoxicity in vitro : Test Type: Chromosomal aberration  
Result: positive

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Result: negative

Test Type: Mammalian bone marrow sister chromatid exchange  
Species: Hamster  
Result: negative

Test Type: Chromosomal aberration  
Species: Rat  
Result: negative

##### **Potassium hydroxide:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

##### **Disodium EDTA, dihydrate:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative  
Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: negative  
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Ingestion  
Method: OECD Test Guideline 474  
Result: negative

# SAFETY DATA SHEET



## Enrofloxacin Liquid (20%) Formulation

Version 9.0      Revision Date: 14.04.2025      SDS Number: 9743111-00010      Date of last issue: 28.09.2024  
Date of first issue: 13.10.2021

---

### **Benzyl alcohol:**

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Result: negative

### **Carcinogenicity**

Not classified based on available information.

### **Components:**

#### **Enrofloxacin:**

Species	:	Rat
Application Route	:	Oral
Exposure time	:	2 Years
Result	:	negative
Species	:	Mouse
Application Route	:	Oral
Exposure time	:	2 Years
Result	:	negative

#### **Disodium EDTA, dihydrate:**

Species	:	Rat
Application Route	:	Ingestion
Exposure time	:	103 weeks
Result	:	negative
Remarks	:	Based on data from similar materials

#### **Benzyl alcohol:**

Species	:	Mouse
Application Route	:	Ingestion
Exposure time	:	103 weeks
Method	:	OECD Test Guideline 451
Result	:	negative

### **Reproductive toxicity**

Suspected of damaging fertility.

### **Components:**

#### **Enrofloxacin:**

Effects on fertility	:	Test Type: Two-generation study Species: Rat Application Route: Oral Fertility: LOAEL: 15 mg/kg body weight
----------------------	---	--

# SAFETY DATA SHEET



## Enrofloxacin Liquid (20%) Formulation

Version 9.0      Revision Date: 14.04.2025      SDS Number: 9743111-00010      Date of last issue: 28.09.2024  
Date of first issue: 13.10.2021

Result: Effects on fertility, alteration in sperm morphology

Effects on foetal development : Test Type: Development  
Species: Rat  
Application Route: Oral  
Developmental Toxicity: LOAEL: 210 mg/kg body weight  
Result: Reduced foetal weight, No teratogenic effects  
Remarks: Maternal toxicity observed.

Test Type: Development  
Species: Rabbit  
Application Route: Oral  
Developmental Toxicity: NOAEL: 25 mg/kg body weight  
Result: No fetotoxicity, No teratogenic effects

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, based on animal experiments.

### Disodium EDTA, dihydrate:

Effects on fertility : Test Type: Four-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

### Benzyl alcohol:

Effects on fertility : Test Type: Fertility/early embryonic development  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Mouse  
Application Route: Ingestion  
Result: negative

### STOT - single exposure

Not classified based on available information.

### STOT - repeated exposure

Causes damage to organs (cartilage, Testis) through prolonged or repeated exposure.  
May cause damage to organs (Respiratory Tract) through prolonged or repeated exposure.

# SAFETY DATA SHEET



## Enrofloxacin Liquid (20%) Formulation

Version 9.0      Revision Date: 14.04.2025      SDS Number: 9743111-00010      Date of last issue: 28.09.2024  
Date of first issue: 13.10.2021

---

### Components:

#### **Enrofloxacin:**

Target Organs Assessment

: cartilage, Testis  
: Causes damage to organs through prolonged or repeated exposure.

#### **Disodium EDTA, dihydrate:**

Exposure routes  
Target Organs Assessment

: inhalation (dust/mist/fume)  
: Respiratory Tract  
: May cause damage to organs through prolonged or repeated exposure.

### **Repeated dose toxicity**

### Components:

#### **Enrofloxacin:**

Species

: Rat

NOAEL

: 36 mg/kg

LOAEL

: 150 mg/kg

Application Route

: Oral

Exposure time

: 13 Weeks

Target Organs

: Testis

Species

: Dog

NOAEL

: 3 mg/kg

LOAEL

: 9.6 mg/kg

Application Route

: Oral

Exposure time

: 13 Weeks

Target Organs

: cartilage

Species

: Cat

NOAEL

: 25 mg/kg

Application Route

: Oral

Exposure time

: 30 Days

Remarks

: No significant adverse effects were reported

#### **Disodium EDTA, dihydrate:**

Species

: Rat

NOAEL

: 500 mg/kg

Application Route

: Ingestion

Exposure time

: 13 Weeks

Species

: Rat

LOAEL

: 0.03 mg/l

Application Route

: inhalation (dust/mist/fume)

Exposure time

: 4 Weeks

Method

: OECD Test Guideline 412

# SAFETY DATA SHEET



## Enrofloxacin Liquid (20%) Formulation

Version 9.0      Revision Date: 14.04.2025      SDS Number: 9743111-00010      Date of last issue: 28.09.2024  
Date of first issue: 13.10.2021

---

### Benzyl alcohol:

Species	:	Rat
NOAEL	:	1.072 mg/l
Application Route	:	inhalation (dust/mist/fume)
Exposure time	:	28 Days
Method	:	OECD Test Guideline 412

### Aspiration toxicity

Not classified based on available information.

### Experience with human exposure

#### Components:

##### Enrofloxacin:

Ingestion	:	Symptoms: Gastrointestinal disturbance, central nervous system effects, Sensitivity to light
-----------	---	--

---

## Section 12: Ecological information

### Ecotoxicity

#### Components:

##### Enrofloxacin:

Toxicity to fish	:	LC50 (Lepomis macrochirus (Bluegill sunfish)): 79.5 mg/l Exposure time: 96 h
		LC50 (Oncorhynchus mykiss (rainbow trout)): > 196 mg/l Exposure time: 96 h
		LC50 (Oryzias latipes (Japanese medaka)): > 100 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Hyalella azteca (Amphipod)): > 206 mg/l Exposure time: 96 h
		EC50 (Daphnia magna (Water flea)): 79.9 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): 3.1 mg/l Exposure time: 72 h
		EC50 (Microcystis aeruginosa (blue-green algae)): 0.049 mg/l Exposure time: 5 d
M-Factor (Acute aquatic toxicity)	:	10
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 9.8 mg/l Exposure time: 21 d

**Enrofloxacin Liquid (20%) Formulation**

Version 9.0      Revision Date: 14.04.2025      SDS Number: 9743111-00010      Date of last issue: 28.09.2024  
Date of first issue: 13.10.2021

---

NOEC (Daphnia magna (Water flea)): 5 mg/l  
Exposure time: 21 d

LOEC (Daphnia magna (Water flea)): 15 mg/l  
Exposure time: 21 d

M-Factor (Chronic aquatic toxicity) : 10

**Disodium EDTA, dihydrate:**

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): > 100 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 140 mg/l  
Exposure time: 48 h  
Method: DIN 38412

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

EC10 (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 25 mg/l  
Exposure time: 21 d

Toxicity to microorganisms : EC10 (activated sludge): > 500 mg/l  
Exposure time: 30 min  
Method: OECD Test Guideline 209

**Benzyl alcohol:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 460 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 230 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 770 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 310 mg/l

**Enrofloxacin Liquid (20%) Formulation**

Version 9.0      Revision Date: 14.04.2025      SDS Number: 9743111-00010      Date of last issue: 28.09.2024  
Date of first issue: 13.10.2021

---

Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 51 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

**Persistence and degradability****Components:****Disodium EDTA, dihydrate:**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 2 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301D

**Benzyl alcohol:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 92 - 96 %  
Exposure time: 14 d

**Bioaccumulative potential****Components:****Enrofloxacin:**

Partition coefficient: n-octanol/water : log Pow: 0.5

**Disodium EDTA, dihydrate:**

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)  
Bioconcentration factor (BCF): < 500  
Remarks: Based on data from similar materials

Partition coefficient: n-octanol/water : log Pow: -4.3

**Benzyl alcohol:**

Partition coefficient: n-octanol/water : log Pow: 1.05

**Mobility in soil****Components:****Enrofloxacin:**

Distribution among environmental compartments : Koc: 5.55

**Other adverse effects**

No data available

# SAFETY DATA SHEET



## Enrofloxacin Liquid (20%) Formulation

Version 9.0 Revision Date: 14.04.2025 SDS Number: 9743111-00010 Date of last issue: 28.09.2024 Date of first issue: 13.10.2021

---

### Section 13: Disposal considerations

#### Disposal methods

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

### Section 14: Transport information

#### International Regulations

##### UNRTDG

UN number : UN 1814  
Proper shipping name : POTASSIUM HYDROXIDE SOLUTION  
Class : 8  
Packing group : II  
Labels : 8  
Environmentally hazardous : no

##### IATA-DGR

UN/ID No. : UN 1814  
Proper shipping name : Potassium hydroxide solution  
Class : 8  
Packing group : II  
Labels : Corrosive  
Packing instruction (cargo aircraft) : 855  
Packing instruction (passenger aircraft) : 851

##### IMDG-Code

UN number : UN 1814  
Proper shipping name : POTASSIUM HYDROXIDE SOLUTION (Enrofloxacin)  
Class : 8  
Packing group : II  
Labels : 8  
EmS Code : F-A, S-B  
Marine pollutant : yes

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### National Regulations

##### NZS 5433

UN number : UN 1814  
Proper shipping name : POTASSIUM HYDROXIDE SOLUTION  
Class : 8  
Packing group : II  
Labels : 8

# SAFETY DATA SHEET



## Enrofloxacin Liquid (20%) Formulation

Version 9.0      Revision Date: 14.04.2025      SDS Number: 9743111-00010      Date of last issue: 28.09.2024  
Date of first issue: 13.10.2021

---

Hazchem Code : 2R  
Marine pollutant : no

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## Section 15: Regulatory information

### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### HSNO Approval Number

not allocated

#### Tolerable Exposure Limits (TEL)

Not applicable

#### Environmental Exposure Limits (EEL)

Not applicable

### The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

---

## Section 16: Other information

Revision Date : 14.04.2025

### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : dd.mm.yyyy

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

NZ OEL : New Zealand. Workplace Exposure Standards for Atmospheric Contaminants

ACGIH / C : Ceiling limit

NZ OEL / WES-Ceiling : Workplace Exposure Standard - Ceiling

# SAFETY DATA SHEET



## Enrofloxacin Liquid (20%) Formulation

---

Version 9.0	Revision Date: 14.04.2025	SDS Number: 9743111-00010	Date of last issue: 28.09.2024 Date of first issue: 13.10.2021
----------------	------------------------------	------------------------------	---

---

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECL - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

NZ / EN