

Neomycin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.03.2025
4.0	14.04.2025	9404843-00009	Date of first issue: 02.09.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier**

Trade name : Neomycin Formulation

1.2 Relevant identified uses of the substance or mixture and uses advised againstUse of the Sub-
stance/Mixture : Veterinary productRecommended restrictions
on use : Not applicable**1.3 Details of the supplier of the safety data sheet**Company : MSD
20 Spartan Road
1619 Spartan, South Africa

Telephone : +27119239300

E-mail address of person
responsible for the SDS : EHSDATASTEWARD@msd.com**1.4 Emergency telephone number**

+1-908-423-6000

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture****Classification (REGULATION (EC) No 1272/2008)**

Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Reproductive toxicity, Category 2	H361d: Suspected of damaging the unborn child.
Specific target organ toxicity - repeated exposure, Category 2	H373: May cause damage to organs through prolonged or repeated exposure.
Short-term (acute) aquatic hazard, Category 1	H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard, Category 1	H410: Very toxic to aquatic life with long lasting effects.

2.2 Label elements**Labelling (REGULATION (EC) No 1272/2008)**

Hazard pictograms :



Signal word : Warning

Neomycin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.03.2025
4.0	14.04.2025	9404843-00009	Date of first issue: 02.09.2021

Hazard statements : H317 May cause an allergic skin reaction.
 H361d Suspected of damaging the unborn child.
 H373 May cause damage to organs through prolonged or repeated exposure.
 H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**
 P201 Obtain special instructions before use.
 P260 Do not breathe dust.
 P273 Avoid release to the environment.
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:
 P308 + P313 IF exposed or concerned: Get medical advice/ attention.
 P391 Collect spillage.

Hazardous components which must be listed on the label:
 Neomycin, sulfate (salt)

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.
 Dust contact with the eyes can lead to mechanical irritation.
 Contact with dust can cause mechanical irritation or drying of the skin.
 May form combustible dust concentrations in air during processing, handling or other means.

SECTION 3: Composition/information on ingredients**3.2 Mixtures****Components**

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Neomycin, sulfate (salt)	1405-10-3 215-773-1	Skin Sens. 1B; H317 Repr. 2; H361d STOT RE 2; H373 (Kidney, inner ear) Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1.000	>= 50 - < 70

Neomycin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.03.2025
4.0	14.04.2025	9404843-00009	Date of first issue: 02.09.2021

		M-Factor (Chronic aquatic toxicity): 10	
--	--	---	--

For explanation of abbreviations see section 16.

SECTION 4: First aid measures**4.1 Description of first aid measures**

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- If inhaled : If inhaled, remove to fresh air.
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
- In case of eye contact : If in eyes, rinse well with water.
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water.

4.2 Most important symptoms and effects, both acute and delayed

- Risks : Contact with dust can cause mechanical irritation or drying of the skin.
Dust contact with the eyes can lead to mechanical irritation.
- May cause an allergic skin reaction.
Suspected of damaging the unborn child.
May cause damage to organs through prolonged or repeated exposure.

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : Treat symptomatically and supportively.

Neomycin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.03.2025
4.0	14.04.2025	9404843-00009	Date of first issue: 02.09.2021

SECTION 5: Firefighting measures**5.1 Extinguishing media**

Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.
Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Personal precautions : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).

Neomycin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.03.2025
4.0	14.04.2025	9404843-00009	Date of first issue: 02.09.2021

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage**7.1 Precautions for safe handling**

- | | | |
|-------------------------|---|--|
| Technical measures | : | Static electricity may accumulate and ignite suspended dust causing an explosion.
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres. |
| Local/Total ventilation | : | Use only with adequate ventilation. |
| Advice on safe handling | : | Do not get on skin or clothing.
Do not breathe dust.
Do not swallow.
Avoid contact with eyes.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Minimize dust generation and accumulation.
Keep container closed when not in use.
Keep away from heat and sources of ignition.
Take precautionary measures against static discharges.
Take care to prevent spills, waste and minimize release to the environment. |
| Hygiene measures | : | If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls. |

7.2 Conditions for safe storage, including any incompatibilities

- | | | |
|---|---|--|
| Requirements for storage areas and containers | : | Keep in properly labelled containers. Store locked up. Store in accordance with the particular national regulations. |
| Advice on common storage | : | Do not store with the following product types:
Strong oxidizing agents |

7.3 Specific end use(s)

Neomycin Formulation

Version 4.0 Revision Date: 14.04.2025 SDS Number: 9404843-00009 Date of last issue: 06.03.2025
 Date of first issue: 02.09.2021

Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Neomycin, sulfate (salt)	1405-10-3	TWA	1.5 mg/m ³ (OEB 1)	Internal
Further information: DSEN, OTO				
		Wipe limit	0.1 mg/100 cm ²	Internal

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006

Substance name	Environmental Compartment	Value
Neomycin, sulfate (salt)	Water	0,00004 mg/l

8.2 Exposure controls

Engineering measures

Use feasible engineering controls to minimize exposure to compound.
 All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Personal protective equipment

Eye/face protection : Wear safety glasses with side shields or goggles.
 If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
 Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Hand protection :
 Material : Chemical-resistant gloves

Skin and body protection : Work uniform or laboratory coat.

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type (P)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : powder
 Colour : White to light yellow
 Odour : No data available
 Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Neomycin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.03.2025
4.0	14.04.2025	9404843-00009	Date of first issue: 02.09.2021

Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	May form combustible dust concentrations in air during processing, handling or other means.
Flammability (liquids)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	Not applicable
Relative vapour density	:	Not applicable
Relative density	:	No data available
Density	:	No data available
Solubility(ies)		
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.

9.2 Other information

Molecular weight	:	No data available
Particle size	:	No data available

SECTION 10: Stability and reactivity**10.1 Reactivity**

Not classified as a reactivity hazard.

Neomycin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.03.2025
4.0	14.04.2025	9404843-00009	Date of first issue: 02.09.2021

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : May form combustible dust concentrations in air during processing, handling or other means.
Can react with strong oxidizing agents.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.
Avoid dust formation.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information**11.1 Information on toxicological effects**

Information on likely routes of exposure : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

|| Not classified based on available information.

Components:**Neomycin, sulfate (salt):**

Acute oral toxicity	: LD50 (Mouse): 2.880 mg/kg
	LD50 (Rat): 2.750 mg/kg
Acute toxicity (other routes of administration)	: LD50 (Rat): 633 mg/kg
	Application Route: Subcutaneous
	LD50 (Mouse): 116 mg/kg
	Application Route: Intraperitoneal
	LD50 (Mouse): 27,6 mg/kg
	Application Route: Intravenous
	LD50 (Mouse): 275 mg/kg
	Application Route: Subcutaneous

Skin corrosion/irritation

|| Not classified based on available information.

Components:**Neomycin, sulfate (salt):**

Neomycin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.03.2025
4.0	14.04.2025	9404843-00009	Date of first issue: 02.09.2021

Species	: Rabbit
Result	: Mild skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:**Neomycin, sulfate (salt):**

Species	: Rabbit
Result	: No eye irritation

Respiratory or skin sensitisation**Skin sensitisation**

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Components:**Neomycin, sulfate (salt):**

Exposure routes	: Dermal
Species	: Humans
Result	: positive

Germ cell mutagenicity

Not classified based on available information.

Components:**Neomycin, sulfate (salt):**

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
	Test Type: In vitro mammalian cell gene mutation test Test system: Chinese hamster ovary cells Result: negative
	Test Type: Chromosomal aberration Test system: Human lymphocytes Result: positive
	Test Type: in vitro micronucleus test Result: negative
Genotoxicity in vivo	: Test Type: Cytogenetic assay Species: Mouse Cell type: Bone marrow Application Route: Intravenous injection Result: negative

Neomycin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.03.2025
4.0	14.04.2025	9404843-00009	Date of first issue: 02.09.2021

Carcinogenicity

|| Not classified based on available information.

Components:**Neomycin, sulfate (salt):**

Species	: Rat
Exposure time	: 2 Years
Result	: negative

Reproductive toxicity

|| Suspected of damaging the unborn child.

Components:**Neomycin, sulfate (salt):**

Effects on fertility	: Test Type: Three-generation reproduction toxicity study Species: Rat Application Route: Oral General Toxicity - Parent: NOAEL: 25 mg/kg body weight Result: No effects on fertility and early embryonic development were detected.
----------------------	--

Effects on foetal development	: Test Type: Embryo-foetal development Species: Rat Application Route: Oral Embryo-foetal toxicity: NOAEL: 275 mg/kg body weight Result: No adverse effects, No teratogenic effects
-------------------------------	---

	: Test Type: Development Species: Rat Application Route: Subcutaneous Developmental Toxicity: LOAEL: 6 mg/kg body weight Result: positive
--	---

Reproductive toxicity - Assessment	: Some evidence of adverse effects on development, based on animal experiments.
------------------------------------	---

STOT - single exposure

|| Not classified based on available information.

STOT - repeated exposure

|| May cause damage to organs through prolonged or repeated exposure.

Components:**Neomycin, sulfate (salt):**

Target Organs	: Kidney, inner ear
Assessment	: May cause damage to organs through prolonged or repeated exposure.
Remarks	: Based on human experience.

Neomycin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.03.2025
4.0	14.04.2025	9404843-00009	Date of first issue: 02.09.2021

Repeated dose toxicity**Components:****Neomycin, sulfate (salt):**

Species	: Mouse
LOAEL	: 30 mg/kg
Application Route	: Subcutaneous
Exposure time	: 14 d
Target Organs	: Kidney

Species	: Guinea pig
NOAEL	: 50 mg/kg
LOAEL	: 100 mg/kg
Application Route	: Intramuscular
Exposure time	: 30 - 60 Weeks
Target Organs	: ear

Species	: Guinea pig
NOAEL	: 10 mg/kg
Application Route	: Oral
Exposure time	: 90 d
Remarks	: No significant adverse effects were reported

Species	: Guinea pig
LOAEL	: 100 mg/kg
Application Route	: Subcutaneous
Exposure time	: 34 d

Species	: Dog
LOAEL	: 24 mg/kg
Application Route	: Intramuscular
Exposure time	: 30 d
Target Organs	: Kidney

Species	: Rat
LOAEL	: 25 mg/kg
Application Route	: oral (feed)
Exposure time	: 84 Weeks
Target Organs	: ear
Symptoms	: hearing loss
Remarks	: mortality observed

Species	: Dog
LOAEL	: 20 mg/kg
Application Route	: Subcutaneous
Exposure time	: 90 d
Target Organs	: Kidney

Aspiration toxicity

Not classified based on available information.

Neomycin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.03.2025
4.0	14.04.2025	9404843-00009	Date of first issue: 02.09.2021

Experience with human exposure**Components:****Neomycin, sulfate (salt):**

Skin contact	:	Symptoms: Sensitisation Remarks: May irritate skin.
Eye contact	:	Remarks: May cause eye irritation.
Ingestion	:	Symptoms: Nausea, Vomiting, Diarrhoea, tinnitus, hearing loss, Loss of balance

SECTION 12: Ecological information**12.1 Toxicity****Components:****Neomycin, sulfate (salt):**

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 72 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 LC50 (Americamysis): 39 mg/l Exposure time: 96 h Method: US-EPA OPPTS 850.1035
Toxicity to algae/aquatic plants	:	EC50 (Anabaena flos-aquae (cyanobacterium)): 0,00075 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 NOEC (Anabaena flos-aquae (cyanobacterium)): 0,0003 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 EC50 (Pseudokirchneriella subcapitata (green algae)): 0,0099 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 NOEC (Pseudokirchneriella subcapitata (green algae)): 0,0022 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
M-Factor (Acute aquatic toxicity)	:	1.000
Toxicity to microorganisms	:	EC50 (Natural microorganism): 107,6 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209 EC10 (Natural microorganism): 2,8 mg/l Exposure time: 3 h Test Type: Respiration inhibition

Neomycin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.03.2025
4.0	14.04.2025	9404843-00009	Date of first issue: 02.09.2021

	Method: OECD Test Guideline 209
M-Factor (Chronic aquatic toxicity)	: 10

12.2 Persistence and degradability

Components:**Neomycin, sulfate (salt):**

Biodegradability	: Result: rapidly degradable Biodegradation: 50 % Exposure time: 1,2 d Method: OECD Test Guideline 314
------------------	---

12.3 Bioaccumulative potential

Components:**Neomycin, sulfate (salt):**

Partition coefficient: n-octanol/water	: log Pow: < -2
--	-----------------

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment	: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.
------------	--

12.6 Other adverse effects

Product:

Endocrine disrupting potential	: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
--------------------------------	---

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	: Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities. Do not dispose of waste into sewer.
Contaminated packaging	: Empty containers should be taken to an approved waste handling site for recycling or disposal.

Neomycin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.03.2025
4.0	14.04.2025	9404843-00009	Date of first issue: 02.09.2021

If not otherwise specified: Dispose of as unused product.

SECTION 14: Transport information**14.1 UN number**

ADN	:	UN 3077
ADR	:	UN 3077
RID	:	UN 3077
IMDG	:	UN 3077
IATA	:	UN 3077

14.2 UN proper shipping name

ADN	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Neomycin, sulfate (salt))
ADR	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Neomycin, sulfate (salt))
RID	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Neomycin, sulfate (salt))
IMDG	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Neomycin, sulfate (salt))
IATA	:	Environmentally hazardous substance, solid, n.o.s. (Neomycin, sulfate (salt))

14.3 Transport hazard class(es)

	Class	Subsidiary risks
ADN	:	9
ADR	:	9
RID	:	9
IMDG	:	9
IATA	:	9

14.4 Packing group

ADN	
Packing group	: III
Classification Code	: M7
Hazard Identification Number	: 90
Labels	: 9
ADR	
Packing group	: III
Classification Code	: M7
Hazard Identification Number	: 90
Labels	: 9

Neomycin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.03.2025
4.0	14.04.2025	9404843-00009	Date of first issue: 02.09.2021

Tunnel restriction code : (-)

RID

Packing group	: III
Classification Code	: M7
Hazard Identification Number	: 90
Labels	: 9

IMDG

Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F

IATA (Cargo)

Packing instruction (cargo aircraft)	: 956
Packing instruction (LQ)	: Y956
Packing group	: III
Labels	: Miscellaneous

IATA (Passenger)

Packing instruction (passenger aircraft)	: 956
Packing instruction (LQ)	: Y956
Packing group	: III
Labels	: Miscellaneous

14.5 Environmental hazards**ADN**

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks : Not applicable for product as supplied.

Neomycin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.03.2025
4.0	14.04.2025	9404843-00009	Date of first issue: 02.09.2021

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

The components of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Other information	:	Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.
-------------------	---	--

Full text of H-Statements

H317	:	May cause an allergic skin reaction.
H361d	:	Suspected of damaging the unborn child.
H373	:	May cause damage to organs through prolonged or repeated exposure.
H400	:	Very toxic to aquatic life.
H410	:	Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Aquatic Acute	:	Short-term (acute) aquatic hazard
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Repr.	:	Reproductive toxicity
Skin Sens.	:	Skin sensitisation
STOT RE	:	Specific target organ toxicity - repeated exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization;

Neomycin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.03.2025
4.0	14.04.2025	9404843-00009	Date of first issue: 02.09.2021

KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Classification of the mixture:

Skin Sens. 1	H317
Repr. 2	H361d
STOT RE 2	H373
Aquatic Acute 1	H400
Aquatic Chronic 1	H410

Classification procedure:

Calculation method
Calculation method
Calculation method
Calculation method
Calculation method

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

ZA / EN