

# SAFETY DATA SHEET



## Flumethrin (2%) Formulation

Version 4.0      Revision Date: 14.04.2025      SDS Number: 10225132-00010      Date of last issue: 24.02.2025  
Date of first issue: 12.11.2021

---

### Section 1: Identification

**Product identifier** : Flumethrin (2%) Formulation

**Recommended use of the chemical and restrictions on use**

Recommended use : Veterinary product  
Restrictions on use : Not applicable

**Manufacturer or supplier's details**

Company : MSD  
Address : 50 Tuas West Drive  
Singapore - Singapore 638408  
Telephone : +1-908-740-4000  
Emergency telephone number : 65 6697 2111 (24/7/365)  
E-mail address : EHSDATASTEWARD@msd.com

---

### Section 2: Hazard identification

**Classification of the substance or mixture**

Acute toxicity (Oral) : Category 3  
Acute toxicity (Dermal) : Category 2  
Skin corrosion/irritation : Category 2  
Serious eye damage/eye irritation : Category 2  
Reproductive toxicity : Category 1B  
Specific target organ toxicity - single exposure (Oral) : Category 2  
Specific target organ toxicity - repeated exposure : Category 2 (Auditory system)  
Specific target organ toxicity - repeated exposure (Oral) : Category 2  
Aspiration hazard : Category 1  
Long-term (chronic) aquatic hazard : Category 2

# SAFETY DATA SHEET



## Flumethrin (2%) Formulation

Version  
4.0

Revision Date:  
14.04.2025

SDS Number:  
10225132-00010

Date of last issue: 24.02.2025  
Date of first issue: 12.11.2021

### GHS Label elements, including precautionary statements

Hazard pictograms



Signal word

: Danger

Hazard statements

: H301 Toxic if swallowed.  
H304 May be fatal if swallowed and enters airways.  
H310 Fatal in contact with skin.  
H315 Causes skin irritation.  
H319 Causes serious eye irritation.  
H360D May damage the unborn child.  
H371 May cause damage to organs if swallowed.  
H373 May cause damage to organs through prolonged or repeated exposure if swallowed.  
H373 May cause damage to organs (Auditory system) through prolonged or repeated exposure.  
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

: **Prevention:**

P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P260 Do not breathe mist or vapours.  
P262 Do not get in eyes, on skin, or on clothing.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

**Response:**

P301 + P310 + P330 IF SWALLOWED: Immediately call a POISON CENTER/ doctor. Rinse mouth.  
P302 + P352 + P310 IF ON SKIN: Wash with plenty of water. Immediately call a POISON CENTER/ doctor.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor.  
P331 Do NOT induce vomiting.  
P332 + P313 If skin irritation occurs: Get medical advice/ attention.  
P337 + P313 If eye irritation persists: Get medical advice/ attention.  
P391 Collect spillage.

**Storage:**

# SAFETY DATA SHEET



## Flumethrin (2%) Formulation

Version  
4.0

Revision Date:  
14.04.2025

SDS Number:  
10225132-00010

Date of last issue: 24.02.2025  
Date of first issue: 12.11.2021

P405 Store locked up.

### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards which do not result in classification

May form explosive dust-air mixture during processing, handling or other means.

## Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
Paraffin oil	8012-95-1	>= 50 -< 70
Xylene	1330-20-7	>= 10 -< 20
Flumethrin	69770-45-2	>= 2.5 -< 10

## Section 4: First-aid measures

### Description of necessary first-aid measures

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.  
Get medical attention immediately.  
Wash clothing before reuse.  
Destroy contaminated shoes.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Get medical attention.

If swallowed : If swallowed, DO NOT induce vomiting.  
If vomiting occurs have person lean forward.  
Call a physician or poison control centre immediately.  
Rinse mouth thoroughly with water.  
Never give anything by mouth to an unconscious person.

### Most important symptoms and effects, both acute and delayed

Risks : Toxic if swallowed.  
May be fatal if swallowed and enters airways.  
Fatal in contact with skin.  
Causes skin irritation.  
Causes serious eye irritation.  
May damage the unborn child.

# SAFETY DATA SHEET



## Flumethrin (2%) Formulation

Version 4.0      Revision Date: 14.04.2025      SDS Number: 10225132-00010      Date of last issue: 24.02.2025  
Date of first issue: 12.11.2021

---

Protection of first-aiders : May cause damage to organs if swallowed.  
May cause damage to organs through prolonged or repeated exposure.  
First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

### Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

---

## Section 5: Fire-fighting measures

### Extinguishing media

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : None known.

### Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides

### Special protective actions for fire-fighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

---

## Section 6: Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.  
Only trained personnel should re-enter the area.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

### Environmental precautions

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.

**Flumethrin (2%) Formulation**

Version 4.0	Revision Date: 14.04.2025	SDS Number: 10225132-00010	Date of last issue: 24.02.2025 Date of first issue: 12.11.2021
----------------	------------------------------	-------------------------------	---

Prevent spreading over a wide area (e.g. by containment or oil barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages cannot be contained.

**Methods and materials for containment and cleaning up**

Methods for cleaning up : Soak up with inert absorbent material. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

**Section 7: Handling and storage****Precautions for safe handling**

Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Do not get on skin or clothing. Do not breathe mist or vapours. Do not swallow. Do not get in eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment. Keep container tightly closed. Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition. Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to the environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

# SAFETY DATA SHEET



## Flumethrin (2%) Formulation

Version  
4.0

Revision Date:  
14.04.2025

SDS Number:  
10225132-00010

Date of last issue: 24.02.2025  
Date of first issue: 12.11.2021

flushing systems and safety showers close to the working place.

When using do not eat, drink or smoke.

Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

### Conditions for safe storage, including any incompatibilities

Conditions for safe storage : Keep in properly labelled containers.  
Store locked up.  
Keep tightly closed.  
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:  
Explosives

---

## Section 8: Exposure controls/personal protection

### Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Paraffin oil	8012-95-1	PEL (long term) (Mist)	5 mg/m3	SG OEL
		PEL (short term) (Mist)	10 mg/m3	SG OEL
		TWA (Inhal- able particu- late matter)	5 mg/m3	ACGIH
Xylene	1330-20-7	PEL (long term)	100 ppm 434 mg/m3	SG OEL
		PEL (short term)	150 ppm 651 mg/m3	SG OEL
		TWA	20 ppm	ACGIH
Flumethrin	69770-45-2	TWA	30 µg/m3 (OEB 3)	Internal
		Further information: Skin		
			Wipe limit	300 µg/100 cm <sup>2</sup>
				Internal

#### Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sam- pling time	Permissible concentra- tion	Basis
Xylene	1330-20-7	methylhip- puric acid	Urine		1.5 g/g cre- atinine	SG BTLV
		Methylhip-	Urine	End of	0.3 g/g cre-	ACGIH

# SAFETY DATA SHEET



## Flumethrin (2%) Formulation

Version  
4.0

Revision Date:  
14.04.2025

SDS Number:  
10225132-00010

Date of last issue: 24.02.2025  
Date of first issue: 12.11.2021

		puric acids		shift (As soon as possible after exposure ceases)	atinine	BEI
--	--	-------------	--	---	---------	-----

### Appropriate engineering control measures

- : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections). All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices). Minimize open handling.

### Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection	: Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin protection	: Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.
Respiratory protection	: If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Filter type	: Combined particulates and organic vapour type
Hand protection	
Material	: Chemical-resistant gloves
Remarks	: Consider double gloving.

### Section 9: Physical and chemical properties

Appearance	: liquid
Colour	: light brown
Odour	: odourized
Odour Threshold	: No data available
pH	: No data available

# SAFETY DATA SHEET



## Flumethrin (2%) Formulation

Version 4.0      Revision Date: 14.04.2025      SDS Number: 10225132-00010      Date of last issue: 24.02.2025  
Date of first issue: 12.11.2021

---

Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	0.750 - 0.950 g/cm <sup>3</sup>
Solubility(ies)		
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics		
Particle size	:	Not applicable

# SAFETY DATA SHEET



## Flumethrin (2%) Formulation

Version 4.0      Revision Date: 14.04.2025      SDS Number: 10225132-00010      Date of last issue: 24.02.2025  
Date of first issue: 12.11.2021

---

### Section 10: Stability and reactivity

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

---

### Section 11: Toxicological information

Information on likely routes of exposure	:	Inhalation Skin contact Ingestion Eye contact
--	---	--

#### Acute toxicity

Toxic if swallowed.  
Fatal in contact with skin.

#### Product:

Acute oral toxicity	:	Acute toxicity estimate: 187.52 mg/kg Method: Calculation method
Acute dermal toxicity	:	Acute toxicity estimate: 187.5 mg/kg Method: Calculation method

#### Components:

##### Paraffin oil:

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity

##### Xylene:

Acute oral toxicity	:	LD50 (Rat): 3,523 mg/kg Method: Directive 67/548/EEC, Annex V, B.1.
Acute inhalation toxicity	:	LC50 (Rat): 27.571 mg/l Exposure time: 4 h Test atmosphere: vapour
Acute dermal toxicity	:	LD50 (Rabbit): > 4,200 mg/kg

**Flumethrin (2%) Formulation**

Version 4.0      Revision Date: 14.04.2025      SDS Number: 10225132-00010      Date of last issue: 24.02.2025  
Date of first issue: 12.11.2021

---

**Flumethrin:**

Acute oral toxicity	:	LD50 (Rat): > 20 mg/kg
		LD50 (Mouse): > 20 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 2,934 mg/l
Acute dermal toxicity	:	LD50 (Rat): > 5 mg/kg

**Skin corrosion/irritation**

Causes skin irritation.

**Components:****Paraffin oil:**

Species	:	Rabbit
Result	:	No skin irritation

**Xylene:**

Species	:	Rabbit
Result	:	Skin irritation

**Flumethrin:**

Result	:	No skin irritation
--------	---	--------------------

**Serious eye damage/eye irritation**

Causes serious eye irritation.

**Components:****Paraffin oil:**

Species	:	Rabbit
Result	:	No eye irritation

**Xylene:**

Species	:	Rabbit
Result	:	Irritation to eyes, reversing within 21 days

**Flumethrin:**

Result	:	Mild eye irritation
--------	---	---------------------

**Respiratory or skin sensitisation****Skin sensitisation**

Not classified based on available information.

**Respiratory sensitisation**

Not classified based on available information.

**Flumethrin (2%) Formulation**

Version 4.0      Revision Date: 14.04.2025      SDS Number: 10225132-00010      Date of last issue: 24.02.2025  
Date of first issue: 12.11.2021

---

**Components:****Xylene:**

Test Type	:	Local lymph node assay (LLNA)
Exposure routes	:	Skin contact
Species	:	Mouse
Result	:	negative

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****Xylene:**

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
		Test Type: Chromosome aberration test in vitro Result: negative
		Test Type: In vitro mammalian cell gene mutation test Result: negative
		Test Type: In vitro sister chromatid exchange assay in mammalian cells Result: negative
Genotoxicity in vivo	:	Test Type: Rodent dominant lethal test (germ cell) (in vivo) Species: Mouse Application Route: Skin contact Result: negative

**Flumethrin:**

Genotoxicity in vitro	:	Test Type: Microbial mutagenesis assay (Ames test) Test system: <i>Salmonella typhimurium</i> Result: equivocal
		Test Type: Chromosomal aberration Test system: Chinese hamster ovary cells Result: positive Remarks: Not classified due to inconclusive data.
		Test Type: Chromosomal aberration Test system: Human lymphocytes Result: negative
		Test Type: in vitro micronucleus test Test system: Mouse Result: negative
Germ cell mutagenicity -	:	Weight of evidence does not support classification as a germ

**Flumethrin (2%) Formulation**

Version 4.0      Revision Date: 14.04.2025      SDS Number: 10225132-00010      Date of last issue: 24.02.2025  
Date of first issue: 12.11.2021

---

Assessment cell mutagen.

**Carcinogenicity**

Not classified based on available information.

**Components:****Xylene:**

Species : Rat  
Application Route : Ingestion  
Exposure time : 103 weeks  
Result : negative

**Flumethrin:**

Species : Rat  
Application Route : Oral  
Exposure time : 2 Years  
NOAEL : 0.5 mg/kg body weight  
Result : negative

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

**Reproductive toxicity**

May damage the unborn child.

**Components:****Xylene:**

Effects on fertility : Test Type: One-generation reproduction toxicity study  
Species: Rat  
Application Route: inhalation (vapour)  
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: inhalation (vapour)  
Result: negative

**Flumethrin:**

Effects on foetal development : Test Type: Development  
Species: Rat  
Application Route: Oral  
Developmental Toxicity: NOAEL: 0.36 mg/kg body weight  
Result: Maternal toxicity observed., Reduced offspring weight gain, foetal abnormalities

Test Type: Development  
Species: Rat  
Application Route: Oral

**Flumethrin (2%) Formulation**

Version 4.0      Revision Date: 14.04.2025      SDS Number: 10225132-00010      Date of last issue: 24.02.2025  
Date of first issue: 12.11.2021

---

Developmental Toxicity: NOAEL: 0.5 mg/kg body weight  
Result: Maternal toxicity observed., Skeletal malformations, Reduced foetal weight

Test Type: Development  
Species: Rabbit  
Application Route: Oral  
Developmental Toxicity: NOAEL: 1.7 mg/kg body weight  
Result: No teratogenic potential

Reproductive toxicity - Assessment : May damage the unborn child.

**STOT - single exposure**

May cause damage to organs if swallowed.

**Components:****Xylene:**

Assessment : May cause respiratory irritation.

**Flumethrin:**

Exposure routes : Oral  
Assessment : Causes damage to organs.

**STOT - repeated exposure**

May cause damage to organs through prolonged or repeated exposure if swallowed.  
May cause damage to organs (Auditory system) through prolonged or repeated exposure.

**Components:****Xylene:**

Exposure routes : inhalation (vapour)  
Target Organs : Auditory system  
Assessment : Shown to produce significant health effects in animals at concentrations of >0.2 to 1 mg/l/6h/d.

**Flumethrin:**

Exposure routes : Oral  
Assessment : Causes damage to organs through prolonged or repeated exposure.

**Repeated dose toxicity****Components:****Paraffin oil:**

Species : Rat, female  
LOAEL : 161 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days

**Flumethrin (2%) Formulation**

Version 4.0      Revision Date: 14.04.2025      SDS Number: 10225132-00010      Date of last issue: 24.02.2025  
Date of first issue: 12.11.2021

---

**Xylene:**

Species	:	Rat
LOAEL	:	> 0.2 - 1 mg/l
Application Route	:	inhalation (vapour)
Exposure time	:	13 Weeks
Remarks	:	Based on data from similar materials

  

Species	:	Rat
LOAEL	:	150 mg/kg
Application Route	:	Ingestion
Exposure time	:	90 Days

**Flumethrin:**

Species	:	Rat
NOAEL	:	0.7 mg/kg
Application Route	:	Oral
Exposure time	:	13 Weeks
Target Organs	:	digestive system, Skin
Symptoms	:	decrease in appetite, Skin disorders

  

Species	:	Dog
NOAEL	:	0.88 mg/kg
Application Route	:	Oral
Exposure time	:	13 Weeks
Target Organs	:	digestive system, Hair, Skin
Symptoms	:	decrease in appetite, Skin disorders

**Aspiration toxicity**

May be fatal if swallowed and enters airways.

**Components:****Paraffin oil:**

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.
--

**Xylene:**

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.
--

---

**Section 12: Ecological information****Toxicity****Components:****Paraffin oil:**

Toxicity to fish	:	LL50 (Scophthalmus maximus (turbot)): > 100 mg/l
------------------	---	--

**Flumethrin (2%) Formulation**

Version 4.0      Revision Date: 14.04.2025      SDS Number: 10225132-00010      Date of last issue: 24.02.2025  
Date of first issue: 12.11.2021

---

Exposure time: 96 h  
Test substance: Water Accommodated Fraction  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EL50 (Acartia tonsa (Calanoid copepod)): > 100 mg/l  
Exposure time: 48 h  
Test substance: Water Accommodated Fraction  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : EL50 (Skeletonema costatum (marine diatom)): > 100 mg/l  
Exposure time: 72 h  
Test substance: Water Accommodated Fraction  
Remarks: Based on data from similar materials

NOELR (Skeletonema costatum (marine diatom)): > 1 mg/l  
Exposure time: 72 h  
Test substance: Water Accommodated Fraction  
Remarks: Based on data from similar materials

**Xylene:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 13.5 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l  
Exposure time: 24 h  
Method: OECD Test Guideline 202  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : EC50 (Skeletonema costatum (marine diatom)): 10 mg/l  
Exposure time: 72 h

Toxicity to fish (Chronic toxicity) : NOEC (Danio rerio (zebra fish)): > 0.1 - < 1 mg/l  
Exposure time: 35 d  
Method: OECD Test Guideline 210  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EL10 (Daphnia magna (Water flea)): > 1 - 10 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211  
Remarks: Based on data from similar materials

Toxicity to microorganisms : NOEC: > 100 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209  
Remarks: Based on data from similar materials

**Flumethrin:**

Toxicity to fish (Chronic toxicity) : NOEC (Danio rerio (zebra fish)): 0.046 mg/l  
Exposure time: 144 h

M-Factor (Chronic aquatic : 1

# SAFETY DATA SHEET



## Flumethrin (2%) Formulation

Version 4.0      Revision Date: 14.04.2025      SDS Number: 10225132-00010      Date of last issue: 24.02.2025  
Date of first issue: 12.11.2021

---

[[toxicity)

### Persistence and degradability

#### Components:

##### **Xylene:**

[[Biodegradability : Result: Readily biodegradable.  
Biodegradation: > 70 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301F  
Remarks: Based on data from similar materials

### Bioaccumulative potential

#### Components:

##### **Paraffin oil:**

[[Partition coefficient: n-octanol/water : log Pow: > 4  
Remarks: Calculation

##### **Xylene:**

[[Partition coefficient: n-octanol/water : log Pow: 3.16  
Remarks: Calculation

##### **Flumethrin:**

[[Partition coefficient: n-octanol/water : log Pow: 6.2

### **Mobility in soil**

No data available

### **Other adverse effects**

No data available

---

## Section 13: Disposal considerations

### **Disposal methods**

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.  
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

## Section 14: Transport information

### **International Regulations**

#### **UNRTDG**

UN number : UN 2810  
UN proper shipping name : TOXIC LIQUID, ORGANIC, N.O.S.

---

# SAFETY DATA SHEET



## Flumethrin (2%) Formulation

Version 4.0      Revision Date: 14.04.2025      SDS Number: 10225132-00010      Date of last issue: 24.02.2025  
Date of first issue: 12.11.2021

---

**(Flumethrin)**  
Transport hazard class(es) : 6.1  
Packing group : II  
Labels : 6.1  
Environmental hazards : yes

### IATA-DGR

UN/ID No. : UN 2810  
UN proper shipping name : Toxic liquid, organic, n.o.s.  
(Flumethrin)  
Transport hazard class(es) : 6.1  
Packing group : II  
Labels : Toxic  
Packing instruction (cargo aircraft) : 662  
Packing instruction (passenger aircraft) : 654

### IMDG-Code

UN number : UN 2810  
Proper shipping name : TOXIC LIQUID, ORGANIC, N.O.S.  
(Flumethrin)  
Transport hazard class(es) : 6.1  
Packing group : II  
Labels : 6.1  
EmS Code : F-A, S-A  
Marine pollutant : yes

### Transport in bulk according to IMO instruments

Not applicable for product as supplied.

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## Section 15: Regulatory information

### Safety, health and environmental regulations specific for the product in question

Workplace Safety and Health Act and Workplace Safety and Health (General Provisions) Regulations: This product is subject to the requirements in the Act/Regulations.

Environmental Protection and Management Act and : Not applicable  
Environmental Protection and Management (Hazardous Substances) Regulations  
Fire Safety (Petroleum and Flammable Materials) : Not applicable  
Regulations

### The components of this product are reported in the following inventories:

AICS : not determined  
DSL : not determined

# SAFETY DATA SHEET



## Flumethrin (2%) Formulation

Version 4.0 Revision Date: 14.04.2025 SDS Number: 10225132-00010 Date of last issue: 24.02.2025 Date of first issue: 12.11.2021

---

IECSC : not determined

### Section 16: Other information

Revision Date : 14.04.2025

#### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : dd.mm.yyyy

#### Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI	: ACGIH - Biological Exposure Indices (BEI)
SG BTLV	: Singapore. Biological Threshold Limit Values
SG OEL	: Singapore. Workplace Safety and Health (General Provisions) Regulations - First Schedule Permissible Exposure Limits of Toxic Substances.
ACGIH / TWA	: 8-hour, time-weighted average
SG OEL / PEL (long term)	: Permissible Exposure Level (PEL) Long Term
SG OEL / PEL (short term)	: Permissible Exposure Level (PEL) Short Term

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evalu-

# SAFETY DATA SHEET



## Flumethrin (2%) Formulation

---

Version 4.0	Revision Date: 14.04.2025	SDS Number: 10225132-00010	Date of last issue: 24.02.2025
			Date of first issue: 12.11.2021

---

tion, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

SG / EN