

# SAFETY DATA SHEET



## Ampicillin Formulation

Version  
2.0

Revision Date:  
14.04.2025

SDS Number:  
10082462-00008

Date of last issue: 28.09.2024  
Date of first issue: 27.10.2021

---

### SECTION 1. IDENTIFICATION

Product name : Ampicillin Formulation

#### Manufacturer or supplier's details

Company : MSD

Address : Talcahuano 750, 6th floor, Ciudad Autonoma  
Buenos Aires, Argentina C1013AAP

Telephone : 908-740-4000

Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS Classification

Respiratory sensitization : Category 1

Short-term (acute) aquatic hazard : Category 2

Long-term (chronic) aquatic hazard : Category 3

#### GHS label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
H401 Toxic to aquatic life.  
H412 Harmful to aquatic life with long lasting effects.

Precautionary Statements : **Prevention:**

P261 Avoid breathing mist or vapors.  
P273 Avoid release to the environment.  
P284 Wear respiratory protection.

# SAFETY DATA SHEET



## Ampicillin Formulation

Version  
2.0

Revision Date:  
14.04.2025

SDS Number:  
10082462-00008

Date of last issue: 28.09.2024  
Date of first issue: 27.10.2021

### Response:

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER/ doctor.

### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards which do not result in classification

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
Ampicillin	69-53-4	>= 10 -< 20

## SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
If not breathing, give artificial respiration.  
If breathing is difficult, give oxygen.  
Get medical attention.

In case of skin contact : Wash with water and soap as a precaution.  
Get medical attention if symptoms occur.

In case of eye contact : Flush eyes with water as a precaution.  
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention if symptoms occur.  
Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and delayed : Excessive exposure may aggravate preexisting asthma and other respiratory disorders (e.g. emphysema, bronchitis, reactive airways dysfunction syndrome).  
May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

## SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO2)

# SAFETY DATA SHEET



## Ampicillin Formulation

Version  
2.0

Revision Date:  
14.04.2025

SDS Number:  
10082462-00008

Date of last issue: 28.09.2024  
Date of first issue: 27.10.2021

Dry chemical

Unsuitable extinguishing media : None known.

Specific hazards during fire fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Nitrogen oxides (NOx)  
Carbon oxides  
Sulfur oxides

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g., by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.  
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

## SECTION 7. HANDLING AND STORAGE

## Ampicillin Formulation

Version 2.0	Revision Date: 14.04.2025	SDS Number: 10082462-00008	Date of last issue: 28.09.2024 Date of first issue: 27.10.2021
----------------	------------------------------	-------------------------------	---

Technical measures	: See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	: If sufficient ventilation is unavailable, use with local exhaust ventilation.
Advice on safe handling	: Do not breathe mist or vapors. Do not swallow. Avoid contact with eyes. Avoid prolonged or repeated contact with skin. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Keep container tightly closed. Already sensitized individuals, and those susceptible to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respiratory irritants or sensitizers. Take care to prevent spills, waste and minimize release to the environment.
Conditions for safe storage	: Keep in properly labeled containers. Keep tightly closed. Keep in a cool, well-ventilated place. Store in accordance with the particular national regulations.
Materials to avoid	: Do not store with the following product types: Strong oxidizing agents Gases

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Ampicillin	69-53-4	TWA	0.6 mg/m <sup>3</sup> (OEB 2)	Internal
Further information: RSEN				

Engineering measures	: Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections). All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Laboratory operations do not require special containment.
----------------------	---

### Personal protective equipment

Respiratory protection	: If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Filter type	: Combined particulates and organic vapor type
Hand protection	
Material	: Chemical-resistant gloves
Eye protection	: Wear safety glasses with side shields or goggles.

# SAFETY DATA SHEET



## Ampicillin Formulation

Version 2.0	Revision Date: 14.04.2025	SDS Number: 10082462-00008	Date of last issue: 28.09.2024 Date of first issue: 27.10.2021
-------------	---------------------------	----------------------------	---

	If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	: Work uniform or laboratory coat.
Hygiene measures	: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: suspension
Color	: white to off-white
Odor	: No data available
Odor Threshold	: No data available
pH	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: No data available
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Flammability (liquids)	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapor pressure	: No data available
Relative vapor density	: No data available
Relative density	: No data available
Density	: No data available

# SAFETY DATA SHEET



## Ampicillin Formulation

Version 2.0 Revision Date: 14.04.2025 SDS Number: 10082462-00008 Date of last issue: 28.09.2024  
Date of first issue: 27.10.2021

---

Solubility(ies)	
Water solubility	: No data available
Partition coefficient: n-octanol/water	: Not applicable
Autoignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	
Viscosity, kinematic	: No data available
Explosive properties	: Not explosive
Oxidizing properties	: The substance or mixture is not classified as oxidizing.
Molecular weight	: No data available
Particle characteristics	
Particle size	: Not applicable

---

## SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Can react with strong oxidizing agents.
Conditions to avoid	: None known.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: No hazardous decomposition products are known.

---

## SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure	: Inhalation Skin contact Ingestion Eye contact
--	--

### Acute toxicity

Not classified based on available information.

### Components:

#### **Ampicillin:**

Acute oral toxicity	: LD50 (Rat): 10.000 mg/kg
	: LD50 (Mouse): 15.200 mg/kg
Acute toxicity (other routes of administration)	: LD50 (Rat): 6.200 mg/kg Application Route: Intravenous

**Ampicillin Formulation**Version  
2.0Revision Date:  
14.04.2025SDS Number:  
10082462-00008Date of last issue: 28.09.2024  
Date of first issue: 27.10.2021

LD50 (Mouse): 4.600 mg/kg  
Application Route: Intravenous

**Skin corrosion/irritation**

Not classified based on available information.

**Serious eye damage/eye irritation**

Not classified based on available information.

**Respiratory or skin sensitization****Skin sensitization**

Not classified based on available information.

**Respiratory sensitization**

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

**Components:****Ampicillin:**

Routes of exposure : Inhalation  
Result : Sensitizer

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****Ampicillin:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Test system: mouse lymphoma cells  
Result: negative

Test Type: sister chromatid exchange assay  
Test system: Chinese hamster ovary cells  
Result: negative

Test Type: Chromosomal aberration  
Test system: Chinese hamster ovary cells  
Result: negative

Test Type: Chromosomal aberration  
Test system: Human lymphocytes  
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Rat  
Application Route: Oral  
Result: negative

**Carcinogenicity**

Not classified based on available information.

# SAFETY DATA SHEET



## Ampicillin Formulation

Version 2.0

Revision Date: 14.04.2025

SDS Number: 10082462-00008

Date of last issue: 28.09.2024  
Date of first issue: 27.10.2021

### Components:

#### **Ampicillin:**

Species	:	Rat
Application Route	:	Oral
Exposure time	:	2 Years
Tumor Type	:	750 mg/kg body weight adrenal, Leukemia, breast tumors
Species	:	Mouse
Application Route	:	Oral
Exposure time	:	2 Years
Tumor Type	:	3.000 mg/kg body weight Lungs
Remarks	:	Benign tumor(s)
Carcinogenicity - Assessment	:	Weight of evidence does not support classification as a carcinogen

#### **Reproductive toxicity**

Not classified based on available information.

### Components:

#### **Ampicillin:**

Effects on fertility	:	Test Type: Fertility Species: Guinea pig Target Organs: Uterus (including cervix)
Effects on fetal development	:	Test Type: Development Species: Rat Developmental Toxicity: NOAEL: 250 mg/kg body weight Result: No effects on fetal development.

#### **STOT-single exposure**

Not classified based on available information.

#### **STOT-repeated exposure**

Not classified based on available information.

#### **Repeated dose toxicity**

### Components:

#### **Ampicillin:**

Species	:	Rat
LOAEL	:	3.000 mg/kg
Application Route	:	Oral
Exposure time	:	13 Weeks
Symptoms	:	Diarrhea
Species	:	Mouse
LOAEL	:	2.000 mg/kg
Application Route	:	Oral
Exposure time	:	13 Weeks

# SAFETY DATA SHEET



## Ampicillin Formulation

Version 2.0 Revision Date: 14.04.2025 SDS Number: 10082462-00008 Date of last issue: 28.09.2024 Date of first issue: 27.10.2021

Symptoms	:	Diarrhea
Species	:	Rat
LOAEL	:	750 mg/kg
Application Route	:	Oral
Exposure time	:	2 y
Target Organs	:	Thyroid, forestomach
Symptoms	:	Diarrhea, Salivation, decreased activity
Species	:	Mouse
LOAEL	:	2.000 mg/kg
Application Route	:	Oral
Exposure time	:	2 y
Target Organs	:	forestomach
Symptoms	:	Ulceration, Inflammation, fungal infections

### Aspiration toxicity

Not classified based on available information.

### Experience with human exposure

#### Components:

##### Ampicillin:

Inhalation	:	Symptoms: Asthma, Hay fever Remarks: May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Ingestion	:	Symptoms: skin rash, Nausea, Diarrhea, Vomiting, colitis, urticaria

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

##### Ampicillin:

Toxicity to fish	:	LC50 (Oryzias latipes (Japanese medaka)): > 1.000 mg/l Exposure time: 96 h  LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (Anabaena flos-aquae): 190 µg/l Exposure time: 72 h Method: OECD Test Guideline 201  NOEC (Anabaena flos-aquae): 13 µg/l Exposure time: 72 h Method: OECD Test Guideline 201  EC50 (Pseudokirchneriella subcapitata (green algae)): > 100

# SAFETY DATA SHEET



## Ampicillin Formulation

Version  
2.0

Revision Date:  
14.04.2025

SDS Number:  
10082462-00008

Date of last issue: 28.09.2024  
Date of first issue: 27.10.2021

mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 1

Toxicity to microorganisms : EC50: > 1.000 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

NOEC: 9 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

### Persistence and degradability

#### Components:

##### **Ampicillin:**

Biodegradability : Result: rapidly degradable  
Biodegradation: 35 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B

### Bioaccumulative potential

#### Components:

##### **Ampicillin:**

Partition coefficient: n-octanol/water : log Pow: -2,0  
pH: 7

### Mobility in soil

No data available

### Other adverse effects

No data available

## SECTION 13. DISPOSAL CONSIDERATIONS

#### **Disposal methods**

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

# SAFETY DATA SHEET



## Ampicillin Formulation

Version 2.0      Revision Date: 14.04.2025      SDS Number: 10082462-00008      Date of last issue: 28.09.2024  
Date of first issue: 27.10.2021

---

### SECTION 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

Not regulated as a dangerous good

##### IATA-DGR

Not regulated as a dangerous good

##### IMDG-Code

Not regulated as a dangerous good

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### Special precautions for user

Not applicable

---

### SECTION 15. REGULATORY INFORMATION

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

Argentina. Carcinogenic Substances and Agents Registry. : Not applicable

Control of precursors and essential chemicals for the preparation of drugs. : Not applicable

#### The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

---

### SECTION 16. OTHER INFORMATION

Revision Date : 14.04.2025  
Date format : dd.mm.yyyy

#### Further information

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

#### Full text of other abbreviations

# SAFETY DATA SHEET



## Ampicillin Formulation

Version  
2.0

Revision Date:  
14.04.2025

SDS Number:  
10082462-00008

Date of last issue: 28.09.2024  
Date of first issue: 27.10.2021

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECL - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AR / Z8