

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Deltamethrin (1.05%) Formulation

Version  
3.0

Revision Date:  
14.04.2025

SDS Number:  
10215165-00009

Date of last issue: 28.09.2024  
Date of first issue: 10.11.2021

---

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Deltamethrin (1.05%) Formulation

#### Manufacturer or supplier's details

Company : MSD

Address : Briahnager - Off Pune Nagar Road  
Wagholi - Pune - India 412 207

Telephone : +1-908-740-4000

Emergency telephone number : +1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

---

### 2. HAZARDS IDENTIFICATION

#### Manufacture, Storage and Import of Hazardous Chemicals Rules 1989

##### Classification

Not classified as hazardous according to criteria laid down in Part I of Schedule-1.

##### GHS Classification

Acute toxicity (Inhalation) : Category 4

Skin sensitisation : Category 1

Specific target organ toxicity - : Category 2 (Central nervous system, Immune system)  
repeated exposure (Oral)

Specific target organ toxicity - : Category 2 (Central nervous system)  
repeated exposure  
(Inhalation)

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

##### GHS label elements

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Deltamethrin (1.05%) Formulation

Version  
3.0

Revision Date:  
14.04.2025

SDS Number:  
10215165-00009

Date of last issue: 28.09.2024  
Date of first issue: 10.11.2021

Hazard pictograms



Signal word

: Warning

Hazard statements

: H317 May cause an allergic skin reaction.  
H332 Harmful if inhaled.  
H373 May cause damage to organs (Central nervous system, Immune system) through prolonged or repeated exposure if swallowed.  
H373 May cause damage to organs (Central nervous system) through prolonged or repeated exposure if inhaled.  
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

: **Prevention:**

P260 Do not breathe mist or vapours.  
P271 Use only outdoors or with adequate ventilation.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P273 Avoid release to the environment.  
P280 Wear protective gloves.

**Response:**

P302 + P352 IF ON SKIN: Wash with plenty of water.  
P304 + P340 + P317 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical help.  
P319 Get medical help if you feel unwell.  
P333 + P317 If skin irritation or rash occurs: Get medical help.  
P362 + P364 Take off contaminated clothing and wash it before reuse.  
P391 Collect spillage.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards which do not result in classification

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
Glycerides, mixed decanoyl and octanoyl	73398-61-5	>= 90 - <= 100
deltamethrin (ISO)	52918-63-5	>= 1 - < 2.5

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Deltamethrin (1.05%) Formulation

Version  
3.0

Revision Date:  
14.04.2025

SDS Number:  
10215165-00009

Date of last issue: 28.09.2024  
Date of first issue: 10.11.2021

### Alternative CAS Numbers for some regions

Chemical name	Alternative CAS Number(s)
Glycerides, mixed decanoyl and octanoyl	52622-27-2

## 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
If not breathing, give artificial respiration.  
If breathing is difficult, give oxygen.  
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.

In case of eye contact : If in eyes, rinse well with water.  
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and delayed : Contact with dust can cause mechanical irritation or drying of the skin.  
Dust contact with the eyes can lead to mechanical irritation.  
This product contains a pyrethroid.  
Pyrethroid poisoning should not be confused with carbamate or organophosphate poisoning.  
May cause an allergic skin reaction.  
Harmful if inhaled.  
May cause damage to organs through prolonged or repeated exposure if swallowed.  
May cause damage to organs through prolonged or repeated exposure if inhaled.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

## 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : None known.

Specific hazards during fire-fighting : Vapours may form explosive mixtures with air.  
Exposure to combustion products may be a hazard to health.

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Deltamethrin (1.05%) Formulation

Version  
3.0

Revision Date:  
14.04.2025

SDS Number:  
10215165-00009

Date of last issue: 28.09.2024  
Date of first issue: 10.11.2021

---

Hazardous combustion products	: Carbon oxides Nitrogen oxides (NOx) Bromine compounds
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	: Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	: Soak up with inert absorbent material. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

## 7. HANDLING AND STORAGE

Technical measures	: Static electricity may accumulate and ignite suspended dust causing an explosion. Provide adequate precautions, such as electrical grounding
--------------------	---

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Deltamethrin (1.05%) Formulation

Version  
3.0

Revision Date:  
14.04.2025

SDS Number:  
10215165-00009

Date of last issue: 28.09.2024  
Date of first issue: 10.11.2021

Local/Total ventilation	: and bonding, or inert atmospheres. If sufficient ventilation is unavailable, use with local exhaust ventilation.
Advice on safe handling	: Do not get on skin or clothing. Do not breathe mist or vapours. Do not swallow. Avoid contact with eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Keep container tightly closed. Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition. Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to the environment.
Conditions for safe storage	: Keep in properly labelled containers. Keep tightly closed. Keep in a cool, well-ventilated place. Store in accordance with the particular national regulations.
Materials to avoid	: Do not store with the following product types: Strong oxidizing agents

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
deltamethrin (ISO)	52918-63-5	TWA	15 µg/m <sup>3</sup> (OEB 3)	Internal
	Further information: DSEN, Skin			
		Wipe limit	100 µg/100 cm <sup>2</sup>	Internal

### Engineering measures

: Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).  
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).  
Minimize open handling.

### Personal protective equipment

#### Respiratory protection

: If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Deltamethrin (1.05%) Formulation

Version  
3.0

Revision Date:  
14.04.2025

SDS Number:  
10215165-00009

Date of last issue: 28.09.2024  
Date of first issue: 10.11.2021

Filter type	: Combined particulates and organic vapour type
Hand protection	
Material	: Chemical-resistant gloves
Remarks	: Consider double gloving.
Eye protection	: Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	: Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.
Hygiene measures	: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: Colorless to pale yellow
Odour	: No data available
Odour Threshold	: No data available
pH	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: > 150 °C
Flash point	: > 93 °C
Evaporation rate	: No data available
Flammability (solid, gas)	: May form explosive dust-air mixture during processing, handling or other means.

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Deltamethrin (1.05%) Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 10215165-00009 Date of last issue: 28.09.2024 Date of first issue: 10.11.2021

---

Flammability (liquids)	:	Ignitable (see flash point)
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	0.945 - 0.955 (20 °C)
Density	:	No data available
Solubility(ies)		
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics		
Particle size	:	Not applicable

---

## 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Vapours may form explosive mixture with air. May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Deltamethrin (1.05%) Formulation

Version  
3.0

Revision Date:  
14.04.2025

SDS Number:  
10215165-00009

Date of last issue: 28.09.2024  
Date of first issue: 10.11.2021

### 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Harmful if inhaled.

#### Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg  
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: 1.49 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

#### Components:

##### Glycerides, mixed decanoyl and octanoyl:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat): > 1.86 mg/l  
Exposure time: 6 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity  
Remarks: Based on data from similar materials

##### deltamethrin (ISO):

Acute oral toxicity : LD50 (Rat): 66.7 mg/kg  
LD50 (Rat): 9 - 139 mg/kg  
LD50 (Mouse): 19 - 34 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0.8 mg/l  
Exposure time: 2 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): 2,000 mg/kg  
LD50 (Rat): > 800 mg/kg

Acute toxicity (other routes of administration) : LD50 (Rat): 2.5 mg/kg  
Application Route: Intravenous

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Deltamethrin (1.05%) Formulation

Version  
3.0

Revision Date:  
14.04.2025

SDS Number:  
10215165-00009

Date of last issue: 28.09.2024  
Date of first issue: 10.11.2021

LD50 (Mouse): 10 mg/kg  
Application Route: Intraperitoneal

### Skin corrosion/irritation

Not classified based on available information.

#### Components:

##### Glycerides, mixed decanoyl and octanoyl:

Species	:	Rabbit
Result	:	No skin irritation

##### deltamethrin (ISO):

Species	:	Rabbit
Result	:	No skin irritation

### Serious eye damage/eye irritation

Not classified based on available information.

#### Components:

##### Glycerides, mixed decanoyl and octanoyl:

Species	:	Rabbit
Result	:	No eye irritation

##### deltamethrin (ISO):

Species	:	Rabbit
Result	:	Moderate eye irritation

### Respiratory or skin sensitisation

#### Skin sensitisation

May cause an allergic skin reaction.

#### Respiratory sensitisation

Not classified based on available information.

#### Components:

##### Glycerides, mixed decanoyl and octanoyl:

Test Type	:	Buehler Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	negative
Remarks	:	Based on data from similar materials

##### deltamethrin (ISO):

Test Type	:	Maximisation Test
Exposure routes	:	Dermal
Species	:	Guinea pig

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Deltamethrin (1.05%) Formulation

Version 3.0      Revision Date: 14.04.2025      SDS Number: 10215165-00009      Date of last issue: 28.09.2024  
Date of first issue: 10.11.2021

Result	:	negative
Test Type	:	Human repeat insult patch test (HRIPT)
Exposure routes	:	Dermal
Species	:	Humans
Result	:	positive

### Germ cell mutagenicity

Not classified based on available information.

### Components:

#### Glycerides, mixed decanoyl and octanoyl:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Method: Directive 67/548/EEC, Annex, B.13/14 Result: negative Remarks: Based on data from similar materials
		Test Type: Chromosome aberration test in vitro Result: negative Remarks: Based on data from similar materials
		Test Type: In vitro mammalian cell gene mutation test Result: negative Remarks: Based on data from similar materials
		Test Type: In vitro sister chromatid exchange assay in mammalian cells Result: negative Remarks: Based on data from similar materials
Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Ingestion Result: negative Remarks: Based on data from similar materials

#### deltamethrin (ISO):

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
		Test Type: DNA Repair Test system: Escherichia coli Result: negative
		Test Type: Chromosomal aberration Test system: Chinese hamster ovary cells Result: negative
		Test Type: In vitro mammalian cell gene mutation test Test system: Chinese hamster lung cells Concentration: LOAEL: 20 mg/kg

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Deltamethrin (1.05%) Formulation

Version  
3.0

Revision Date:  
14.04.2025

SDS Number:  
10215165-00009

Date of last issue: 28.09.2024  
Date of first issue: 10.11.2021

		Result: positive
Genotoxicity in vivo	:	Test Type: Micronucleus test Species: Mouse Application Route: Oral Result: negative
		Test Type: dominant lethal test Species: Mouse Application Route: Oral Result: negative
		Test Type: sister chromatid exchange assay Species: Mouse Cell type: Bone marrow Application Route: Oral Result: negative

### Carcinogenicity

Not classified based on available information.

### Components:

#### **deltamethrin (ISO):**

Species	:	Mouse, male and female
Application Route	:	oral (feed)
Exposure time	:	104 weeks
NOAEL	:	8 mg/kg body weight
LOAEL	:	4 mg/kg body weight
Result	:	positive
Target Organs	:	Lymph nodes
Species	:	Rat, male and female
Application Route	:	oral (feed)
Exposure time	:	2 Years
Result	:	negative
Species	:	Dog, male and female
Application Route	:	oral (feed)
Exposure time	:	2 Years
NOAEL	:	1 mg/kg body weight
Result	:	negative

### Reproductive toxicity

Not classified based on available information.

### Components:

#### **Glycerides, mixed decanoyl and octanoyl:**

Effects on fertility	:	Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Ingestion Method: OECD Test Guideline 416 Result: negative
----------------------	---	--

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Deltamethrin (1.05%) Formulation

Version  
3.0

Revision Date:  
14.04.2025

SDS Number:  
10215165-00009

Date of last issue: 28.09.2024  
Date of first issue: 10.11.2021

		Remarks: Based on data from similar materials
Effects on foetal development	:	Test Type: Embryo-foetal development Species: Rat Application Route: Intravenous injection Result: negative Remarks: Based on data from similar materials
<b>deltamethrin (ISO):</b>		
Effects on fertility	:	Test Type: Three-generation reproduction toxicity study Species: Rat Application Route: oral (feed) Early Embryonic Development: NOAEL: 50 mg/kg body weight Symptoms: No effects on fertility, Embryo-foetal toxicity Remarks: Significant toxicity observed in testing
		Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Oral Early Embryonic Development: LOAEL: 84 - 149 mg/kg body weight Symptoms: No effects on fertility, Embryo-foetal toxicity
		Test Type: Fertility Species: Rat, male Application Route: Oral Fertility: LOAEL: 1 mg/kg body weight Symptoms: Effects on fertility Target Organs: Testes
Effects on foetal development	:	Test Type: Development Species: Mouse Application Route: oral (gavage) Developmental Toxicity: LOAEL: 1 mg/kg body weight Result: Skeletal malformations Remarks: Maternal toxicity observed.
		Test Type: Development Species: Rat, female Developmental Toxicity: NOAEL: 10 mg/kg body weight Symptoms: No effects on foetal development
		Test Type: Development Species: Rabbit, female Application Route: oral (gavage) Developmental Toxicity: NOAEL: 16 mg/kg body weight Symptoms: No effects on foetal development
Reproductive toxicity - Assessment	:	Some evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments.

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Deltamethrin (1.05%) Formulation

Version  
3.0

Revision Date:  
14.04.2025

SDS Number:  
10215165-00009

Date of last issue: 28.09.2024  
Date of first issue: 10.11.2021

### STOT - single exposure

Not classified based on available information.

#### Components:

##### **deltamethrin (ISO):**

Assessment	: May cause respiratory irritation.
------------	-------------------------------------

### STOT - repeated exposure

May cause damage to organs (Central nervous system, Immune system) through prolonged or repeated exposure if swallowed.

May cause damage to organs (Central nervous system) through prolonged or repeated exposure if inhaled.

#### Components:

##### **deltamethrin (ISO):**

Exposure routes	: Ingestion
Target Organs	: Central nervous system, Immune system
Assessment	: Causes damage to organs through prolonged or repeated exposure.
Exposure routes	: inhalation (dust/mist/fume)
Target Organs	: Central nervous system
Assessment	: Causes damage to organs through prolonged or repeated exposure.

### Repeated dose toxicity

#### Components:

##### **Glycerides, mixed decanoyl and octanoyl:**

Species	: Rat
NOAEL	: 5,000 mg/kg
Application Route	: Ingestion
Exposure time	: 13 Weeks
Remarks	: Based on data from similar materials

##### **deltamethrin (ISO):**

Species	: Rat, male and female
NOAEL	: 1 mg/kg
LOAEL	: 2.5 mg/kg
Application Route	: Oral
Exposure time	: 13 Weeks
Target Organs	: Nervous system
Symptoms	: hyperexcitability

Species	: Rat
LOAEL	: 3 mg/m3
Application Route	: inhalation (dust/mist/fume)
Exposure time	: 2 wk / 5 d/wk / 6 h/d
Symptoms	: Local irritation, respiratory tract irritation

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Deltamethrin (1.05%) Formulation

Version 3.0      Revision Date: 14.04.2025      SDS Number: 10215165-00009      Date of last issue: 28.09.2024  
Date of first issue: 10.11.2021

---

Species	: Dog
NOAEL	: 0.1 mg/kg
LOAEL	: 1 mg/kg
Application Route	: Oral
Exposure time	: 13 Weeks
Target Organs	: Nervous system
Symptoms	: Dilatation of the pupil, Vomiting, Tremors, Diarrhoea, Salivation
Species	: Rat
NOAEL	: 14 mg/kg
LOAEL	: 54 mg/kg
Application Route	: Oral
Exposure time	: 91 d
Target Organs	: Nervous system
Species	: Mouse
LOAEL	: 6 mg/kg
Application Route	: Oral
Exposure time	: 12 Weeks
Target Organs	: Immune system
Symptoms	: immune system effects

### Aspiration toxicity

Not classified based on available information.

### Experience with human exposure

#### Components:

##### **deltamethrin (ISO):**

Inhalation	: Symptoms: respiratory tract irritation, Dizziness, Sweating, Headache, Nausea, Vomiting, anorexia, Fatigue, tingling, Palpitation, Blurred vision, muscle twitching
Skin contact	: Symptoms: Skin irritation, Erythema, pruritis, Headache, Nausea, Vomiting, Dizziness, tingling, Sweating, muscle twitching, Blurred vision, Fatigue, anorexia, Allergic reactions
Ingestion	: Symptoms: muscle pain, Small pupils

---

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

##### **Glycerides, mixed decanoyl and octanoyl:**

Toxicity to fish	: LL50 (Danio rerio (zebra fish)): > 1,000 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction Method: Directive 67/548/EEC, Annex V, C.1.
Toxicity to daphnia and other aquatic invertebrates	: EL50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Test substance: Water Accommodated Fraction

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Deltamethrin (1.05%) Formulation

Version  
3.0

Revision Date:  
14.04.2025

SDS Number:  
10215165-00009

Date of last issue: 28.09.2024  
Date of first issue: 10.11.2021

		Method: Directive 67/548/EEC, Annex V, C.2. Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	:	EL10 ( <i>Desmodesmus subspicatus</i> (green algae)): > 1,000 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction Method: Directive 67/548/EEC, Annex V, C.3.
		EL50 ( <i>Desmodesmus subspicatus</i> (green algae)): > 1,000 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction Method: Directive 67/548/EEC, Annex V, C.3.
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: >= 0.01 mg/l Exposure time: 21 d Species: <i>Daphnia magna</i> (Water flea) Test substance: Water Accommodated Fraction Method: OECD Test Guideline 211 Remarks: Based on data from similar materials No toxicity at the limit of solubility
<b>deltamethrin (ISO):</b>		
Toxicity to fish	:	LC50 ( <i>Cyprinodon variegatus</i> (sheepshead minnow)): 0.00048 mg/l Exposure time: 96 h  LC50 ( <i>Oncorhynchus mykiss</i> (rainbow trout)): 0.00039 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 ( <i>Mysidopsis bahia</i> (opossum shrimp)): 0.0037 µg/l Exposure time: 48 h  EC50 ( <i>Daphnia magna</i> (Water flea)): 0.0035 mg/l Exposure time: 48 h  LC50 ( <i>Gammaerus fasciatus</i> (freshwater shrimp)): 0.0003 µg/l Exposure time: 96 h
Toxicity to algae/aquatic plants	:	EC50 ( <i>Pseudokirchneriella subcapitata</i> (green algae)): > 9.1 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: No toxicity at the limit of solubility
M-Factor (Acute aquatic toxicity)	:	1,000,000
Toxicity to fish (Chronic toxicity)	:	NOEC: 0.000022 mg/l Exposure time: 36 d Species: <i>Pimephales promelas</i> (fathead minnow)  NOEC: 0.000017 mg/l

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Deltamethrin (1.05%) Formulation

Version  
3.0

Revision Date:  
14.04.2025

SDS Number:  
10215165-00009

Date of last issue: 28.09.2024  
Date of first issue: 10.11.2021

		Exposure time: 260 d Species: Pimephales promelas (fathead minnow)
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: 0.0041 µg/l Exposure time: 21 d Species: Daphnia magna (Water flea)
M-Factor (Chronic aquatic toxicity)	:	1,000,000

### Persistence and degradability

#### Components:

##### **Glycerides, mixed decanoyl and octanoyl:**

Biodegradability	:	Result: Readily biodegradable. Biodegradation: 95.4 % Exposure time: 28 d Method: OECD Test Guideline 301B
------------------	---	---

##### **deltamethrin (ISO):**

Stability in water	:	Hydrolysis: 0 %(30 d)
--------------------	---	-----------------------

### Bioaccumulative potential

#### Components:

##### **Glycerides, mixed decanoyl and octanoyl:**

Partition coefficient: n-octanol/water	:	log Pow: > 8
--	---	--------------

##### **deltamethrin (ISO):**

Bioaccumulation	:	Species: Lepomis macrochirus (Bluegill sunfish) Bioconcentration factor (BCF): 1,800
-----------------	---	---

Partition coefficient: n-octanol/water	:	log Pow: 4.6
--	---	--------------

### Mobility in soil

#### Components:

##### **deltamethrin (ISO):**

Distribution among environmental compartments	:	log Koc: 7.2
---	---	--------------

### Other adverse effects

No data available

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Deltamethrin (1.05%) Formulation

Version  
3.0

Revision Date:  
14.04.2025

SDS Number:  
10215165-00009

Date of last issue: 28.09.2024  
Date of first issue: 10.11.2021

### 13. DISPOSAL CONSIDERATIONS

#### Disposal methods

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

### 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(deltamethrin (ISO))

Class : 9

Packing group : III

Labels : 9

Environmentally hazardous : yes

##### IATA-DGR

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.  
(deltamethrin (ISO))

Class : 9

Packing group : III

Labels : Miscellaneous

Packing instruction (cargo aircraft) : 964

Packing instruction (passenger aircraft) : 964

Environmentally hazardous : yes

##### IMDG-Code

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(deltamethrin (ISO))

Class : 9

Packing group : III

Labels : 9

EmS Code : F-A, S-F

Marine pollutant : yes

#### Transport in bulk according to IMO instruments

Not applicable for product as supplied.

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Deltamethrin (1.05%) Formulation

Version 3.0      Revision Date: 14.04.2025      SDS Number: 10215165-00009      Date of last issue: 28.09.2024  
Date of first issue: 10.11.2021

---

Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## 15. REGULATORY INFORMATION

**Safety, health and environmental regulations/legislation specific for the substance or mixture**

**The components of this product are reported in the following inventories:**

AICS : not determined  
DSL : not determined  
IECSC : not determined

---

## 16. OTHER INFORMATION

Revision Date : 14.04.2025

### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : dd.mm.yyyy

### Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Deltamethrin (1.05%) Formulation

Version  
3.0

Revision Date:  
14.04.2025

SDS Number:  
10215165-00009

Date of last issue: 28.09.2024  
Date of first issue: 10.11.2021

---

es; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

IN / EN