

**Abamectin / Levamisole Hydrochloride /
Oxfendazole / Cobalt Disodium EDTA / Sodium
Selenate Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 24.03.2025
3.0	14.04.2025	10812606-00011	Date of first issue: 11.07.2022

SECTION 1. IDENTIFICATION

Product identifier : Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Other means of identification : Alliance (A010249)
COOPERS TRIFECTA TRIPLE ACTIVE DRENCH FOR
SHEEP AND CATTLE MINERALISED (67327)

Manufacturer or supplier's details

Company : MSD

Address : Rua Coronel Bento Soares, 530
Cruzeiro - Sao Paulo - Brazil CEP 12730-340

Telephone : 908-740-4000

Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION**GHS Classification in accordance with ABNT NBR 14725 Standard**

Acute toxicity (Oral) : Category 4

Acute toxicity (Inhalation) : Category 5

Respiratory sensitization : Category 1

Skin sensitization : Category 1

Germ cell mutagenicity : Category 2

Carcinogenicity : Category 2

Reproductive toxicity : Category 1B

Specific target organ toxicity - : Category 2 (Respiratory Tract, Thyroid, Heart, Blood)
repeated exposure

Short-term (acute) aquatic : Category 1
hazard

**Abamectin / Levamisole Hydrochloride /
Oxfendazole / Cobalt Disodium EDTA / Sodium
Selenate Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 24.03.2025
3.0	14.04.2025	10812606-00011	Date of first issue: 11.07.2022

Long-term (chronic) aquatic hazard : Category 1

GHS label elements in accordance with ABNT NBR 14725 Standard

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H302 Harmful if swallowed.
H317 May cause an allergic skin reaction.
H333 May be harmful if inhaled.
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H341 Suspected of causing genetic defects.
H351 Suspected of causing cancer.
H360FD May damage fertility. May damage the unborn child.
H373 May cause damage to organs (Respiratory Tract, Thyroid, Heart, Blood) through prolonged or repeated exposure.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements : **Prevention:**
P201 Obtain special instructions before use.
P270 Do not eat, drink or smoke when using this product.
P272 Contaminated work clothing should not be allowed out of the workplace.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
P302 + P352 IF ON SKIN: Wash with plenty of water.
P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER/ doctor.
P391 Collect spillage.

Storage:

P405 Store locked up.

Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 10812606-00011 Date of last issue: 24.03.2025
Date of first issue: 11.07.2022

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Classification	Concentration (% w/w)
Levamisole hydrochloride	16595-80-5	Acute Tox. (Oral), 3 Repr., 2 STOT RE, (Oral)(Blood, Testis) , 2 Aquatic Acute, 3 Aquatic Chronic, 3	≥ 5 -< 10
Cobalt disodium ethylenediaminetetraacetate	15137-09-4	Resp. Sens., 1B Muta., 2 Carc., 2 Repr., 2 STOT RE, (Respiratory Tract, Thyroid, Heart, Blood) , 1 Aquatic Chronic, 1	≥ 3 -< 5
oxfendazole	53716-50-0	Repr., 1B STOT RE, (Liver, Testis) , 2 Aquatic Acute, 1 Aquatic Chronic, 1	$\geq 2,5$ -< 5
Benzyl alcohol	100-51-6	Acute Tox. (Oral), 4 Eye Irrit., 2A Skin Sens., 1B	≥ 1 -< 5
Citric acid	77-92-9	Eye Irrit., 2A STOT SE, 3	≥ 1 -< 5
Polyethylene glycol stearate	9004-99-3		≥ 1 -< 5
Sodium selenate	13410-01-0	Acute Tox. (Oral), 2 Acute Tox. (Inhalation), 2 Skin Irrit., 2 STOT RE, 1 Aquatic Acute, 1 Aquatic Chronic, 1	$\geq 0,1$ -< 0,25
abamectin (combination of avermectin B1a and avermectin B1b) (ISO)	71751-41-2	Acute Tox. (Oral), 2 Acute Tox. (Inhalation), 1 Acute Tox. (Dermal), 3	$\geq 0,1$ -< 0,25

**Abamectin / Levamisole Hydrochloride /
Oxfendazole / Cobalt Disodium EDTA / Sodium
Selenate Formulation**

Version 3.0	Revision Date: 14.04.2025	SDS Number: 10812606-00011	Date of last issue: 24.03.2025 Date of first issue: 11.07.2022
----------------	------------------------------	-------------------------------	---

		Repr., 2 STOT RE, (Oral)(Central nervous system) , 1 Aquatic Acute, 1 Aquatic Chronic, 1	
--	--	---	--

SECTION 4. FIRST AID MEASURES

General advice	: In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.
In case of skin contact	: In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	: Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed	: If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and delayed	: Excessive exposure may aggravate preexisting asthma and other respiratory disorders (e.g. emphysema, bronchitis, reactive airways dysfunction syndrome). Harmful if swallowed. May cause an allergic skin reaction. May be harmful if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Suspected of causing genetic defects. Suspected of causing cancer. May damage fertility. May damage the unborn child. May cause damage to organs through prolonged or repeated exposure.
Protection of first-aiders	: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	: Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	: Water spray Alcohol-resistant foam
------------------------------	---

**Abamectin / Levamisole Hydrochloride /
Oxfendazole / Cobalt Disodium EDTA / Sodium
Selenate Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 24.03.2025
3.0	14.04.2025	10812606-00011	Date of first issue: 11.07.2022

Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : None known.

Specific hazards during fire fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides
Cobalt compounds
Nitrogen oxides (NO_x)
Metal oxides

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g., by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

**Abamectin / Levamisole Hydrochloride /
Oxfendazole / Cobalt Disodium EDTA / Sodium
Selenate Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 24.03.2025
3.0	14.04.2025	10812606-00011	Date of first issue: 11.07.2022

SECTION 7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
- Advice on safe handling : Do not get on skin or clothing.
Do not breathe mist or vapors.
Do not swallow.
Avoid contact with eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Keep container tightly closed.
Already sensitized individuals, and those susceptible to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respiratory irritants or sensitizers.
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Contaminated work clothing should not be allowed out of the workplace.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.
- Conditions for safe storage : Keep in properly labeled containers.
Store locked up.
Keep tightly closed.
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:
Strong oxidizing agents
Self-reactive substances and mixtures
Organic peroxides
Explosives
Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Ingredients with workplace control parameters**

Components	CAS-No.	Value type	Control parame-	Basis
------------	---------	------------	-----------------	-------

Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 10812606-00011 Date of last issue: 24.03.2025
Date of first issue: 11.07.2022

		(Form of exposure)	ters / Permissible concentration	
Levamisole hydrochloride	16595-80-5	TWA	20 µg/m ³ (OEB 3)	Internal
	Further information: Skin			
		Wipe limit	200 µg/100 cm ²	Internal
oxfendazole	53716-50-0	TWA	40 µg/m ³ (OEB 3)	Internal
		Wipe limit	400 µg/100 cm ²	Internal
Polyethylene glycol stearate	9004-99-3	TWA (Inhalable particulate matter)	10 mg/m ³	ACGIH
		TWA (Respirable particulate matter)	3 mg/m ³	ACGIH
Sodium selenate	13410-01-0	TWA	20 µg/m ³ (OEB 3)	Internal
		Wipe limit	200 µg/100 cm ²	Internal
		TWA	0,2 mg/m ³ (selenium)	ACGIH
abamectin (combination of avermectin B1a and avermectin B1b) (ISO)	71751-41-2	TWA	15 µg/m ³ (OEB 3)	Internal
		Wipe limit	150 µg/100 cm ²	Internal

Engineering measures : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).
Minimize open handling.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapor type

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

**Abamectin / Levamisole Hydrochloride /
Oxfendazole / Cobalt Disodium EDTA / Sodium
Selenate Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 24.03.2025
3.0	14.04.2025	10812606-00011	Date of first issue: 11.07.2022

Skin and body protection : aerosols.
: Work uniform or laboratory coat.
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.
Use appropriate degowning techniques to remove potentially contaminated clothing.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	: Aqueous solution, suspension
Color	: pink, to, purple
Odor	: No data available
Odor Threshold	: No data available
pH	: 3,4 - 4,4 (20 °C)
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: No data available
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Flammability (liquids)	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapor pressure	: No data available
Relative vapor density	: No data available
Relative density	: 1,05 - 1,08
Density	: No data available
Solubility(ies)	
Water solubility	: No data available
Partition coefficient: n-octanol/water	: Not applicable
Autoignition temperature	: No data available

**Abamectin / Levamisole Hydrochloride /
Oxfendazole / Cobalt Disodium EDTA / Sodium
Selenate Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 24.03.2025
3.0	14.04.2025	10812606-00011	Date of first issue: 11.07.2022

Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	770 - 5000 mm ² /s (20 °C)
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics		
Particle size	:	Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure	:	Inhalation Skin contact Ingestion Eye contact
--	---	--

Acute toxicity

Harmful if swallowed.
May be harmful if inhaled.

Product:

Acute oral toxicity	:	Acute toxicity estimate: 976,18 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Acute toxicity estimate: 7,42 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method
Acute dermal toxicity	:	Acute toxicity estimate: > 5.000 mg/kg Method: Calculation method

**Abamectin / Levamisole Hydrochloride /
Oxfendazole / Cobalt Disodium EDTA / Sodium
Selenate Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 24.03.2025
3.0	14.04.2025	10812606-00011	Date of first issue: 11.07.2022

Components:**Levamisole hydrochloride:**

Acute oral toxicity	:	LD50 (Rat): 180 mg/kg
		LD50 (Mouse): 223 mg/kg
		LD50 (Rabbit): 458 mg/kg
Acute inhalation toxicity	:	Remarks: No data available
Acute dermal toxicity	:	Remarks: No data available

Cobalt disodium ethylenediaminetetraacetate:

Acute oral toxicity	:	LD50 (Rat): > 2.000 mg/kg
		Remarks: Based on data from similar materials

oxfendazole:

Acute oral toxicity	:	LD50 (Rat): > 6.000 mg/kg
		LD50 (Dog): 1.600 mg/kg
		LD50 (sheep): 250 mg/kg

Benzyl alcohol:

Acute oral toxicity	:	LD50 (Rat): 1.200 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 5,4 mg/l
		Exposure time: 4 h
		Test atmosphere: dust/mist
		Method: OECD Test Guideline 403
		Assessment: The substance or mixture has no acute inhalation toxicity

Citric acid:

Acute oral toxicity	:	LD50 (Mouse): 5.400 mg/kg
Acute dermal toxicity	:	LD50 (Rat): > 2.000 mg/kg
		Method: OECD Test Guideline 402
		Assessment: The substance or mixture has no acute dermal toxicity

Polyethylene glycol stearate:

Acute oral toxicity	:	LD50 (Rat): > 5.000 mg/kg
---------------------	---	---------------------------

Sodium selenate:

Acute oral toxicity	:	LD50 (Rat): > 5 - 50 mg/kg
		Remarks: Based on data from similar materials

**Abamectin / Levamisole Hydrochloride /
Oxfendazole / Cobalt Disodium EDTA / Sodium
Selenate Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 24.03.2025
3.0	14.04.2025	10812606-00011	Date of first issue: 11.07.2022

Acute inhalation toxicity : LC50 (Rat): > 0,052 - 0,51 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Acute oral toxicity : LD50 (Rat): 24 mg/kg
LD50 (Mouse): 10 mg/kg
LDLo (Monkey): 24 mg/kg
Symptoms: Dilatation of the pupil

Acute inhalation toxicity : LC50 (Rat): 0,023 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): 330 mg/kg
LD50 (Rabbit): 2.000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:**Levamisole hydrochloride:**

Remarks : No data available

Cobalt disodium ethylenediaminetetraacetate:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation
Remarks : Based on data from similar materials

oxfendazole:

Species : Rabbit
Result : No skin irritation

Benzyl alcohol:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Citric acid:

Species : Rabbit
Method : OECD Test Guideline 404

**Abamectin / Levamisole Hydrochloride /
Oxfendazole / Cobalt Disodium EDTA / Sodium
Selenate Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 24.03.2025
3.0	14.04.2025	10812606-00011	Date of first issue: 11.07.2022

||Result : No skin irritation

Polyethylene glycol stearate:

||Species : Rabbit
||Method : Draize Test
||Result : No skin irritation

Sodium selenate:

||Species : reconstructed human epidermis (RhE)
||Method : OECD Test Guideline 431

||Species : reconstructed human epidermis (RhE)
||Method : OECD Test Guideline 439

||Result : Skin irritation

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

||Species : Rabbit
||Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:**Levamisole hydrochloride:**

||Remarks : No data available

Cobalt disodium ethylenediaminetetraacetate:

||Species : Rabbit
||Result : No eye irritation
||Remarks : Based on data from similar materials

oxfendazole:

||Species : Rabbit
||Result : No eye irritation

Benzyl alcohol:

||Species : Rabbit
||Result : Irritation to eyes, reversing within 21 days
||Method : OECD Test Guideline 405

Citric acid:

||Species : Rabbit
||Result : Irritation to eyes, reversing within 21 days
||Method : OECD Test Guideline 405

**Abamectin / Levamisole Hydrochloride /
Oxfendazole / Cobalt Disodium EDTA / Sodium
Selenate Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 24.03.2025
3.0	14.04.2025	10812606-00011	Date of first issue: 11.07.2022

Polyethylene glycol stearate:

Species	: Rabbit
Result	: No eye irritation
Method	: Draize Test

Sodium selenate:

Species	: Bovine cornea
Method	: OECD Test Guideline 437

Result	: No eye irritation
--------	---------------------

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Species	: Rabbit
Result	: Mild eye irritation

Respiratory or skin sensitization**Skin sensitization**

May cause an allergic skin reaction.

Respiratory sensitization

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Components:**Levamisole hydrochloride:**

Remarks	: No data available
---------	---------------------

Cobalt disodium ethylenediaminetetraacetate:

Routes of exposure	: inhalation (dust/mist/fume)
Species	: Humans
Result	: positive
Remarks	: Based on data from similar materials

Assessment	: Probability or evidence of low to moderate respiratory sensitization rate in humans
------------	---

Benzyl alcohol:

Test Type	: Human repeat insult patch test (HRIPT)
Routes of exposure	: Skin contact
Species	: Humans
Result	: positive

Assessment	: Probability or evidence of low to moderate skin sensitization rate in humans
------------	--

Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 24.03.2025
3.0	14.04.2025	10812606-00011	Date of first issue: 11.07.2022

Polyethylene glycol stearate:

Test Type	: Open epicutaneous test
Routes of exposure	: Skin contact
Species	: Guinea pig
Result	: negative

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Test Type	: Maximization Test
Routes of exposure	: Skin contact
Result	: Not a skin sensitizer.

Germ cell mutagenicity

Suspected of causing genetic defects.

Components:**Levamisole hydrochloride:**

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
	Test Type: Chromosome aberration test in vitro Result: negative

Cobalt disodium ethylenediaminetetraacetate:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative Remarks: Based on data from similar materials
	Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: positive Remarks: Based on data from similar materials
	Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: positive Remarks: Based on data from similar materials
Genotoxicity in vivo	: Test Type: Micronucleus test Species: Mouse Application Route: Intraperitoneal injection Result: positive Remarks: Based on data from similar materials
	Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis) Species: Mouse Application Route: Ingestion Result: positive

**Abamectin / Levamisole Hydrochloride /
Oxfendazole / Cobalt Disodium EDTA / Sodium
Selenate Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 24.03.2025
3.0	14.04.2025	10812606-00011	Date of first issue: 11.07.2022

	Remarks: Based on data from similar materials Test Type: Rodent dominant lethal test (germ cell) (in vivo) Species: Mouse Application Route: Ingestion Result: positive Remarks: Based on data from similar materials Germ cell mutagenicity - Assessment : Positive result(s) from in vivo mammalian somatic cell mutagenicity tests. Remarks: Based on data from similar materials
--	---

oxfendazole:

	Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis) Species: Mouse Application Route: Oral Result: positive
--	---

Benzyl alcohol:

	Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Result: negative
--	--

Citric acid:

	Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Test Type: in vitro micronucleus test Result: positive Test Type: Bacterial reverse mutation assay (AMES) Result: negative Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis) Species: Rat Application Route: Ingestion Result: negative
--	---

Polyethylene glycol stearate:

**Abamectin / Levamisole Hydrochloride /
Oxfendazole / Cobalt Disodium EDTA / Sodium
Selenate Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 24.03.2025
3.0	14.04.2025	10812606-00011	Date of first issue: 11.07.2022

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Sodium selenate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative
Remarks: Based on data from similar materials

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Test system: Chinese hamster lung cells
Result: negative

Test Type: Alkaline elution assay
Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow
cytogenetic test, chromosomal analysis)
Species: Mouse
Application Route: Intraperitoneal injection
Result: negative

Carcinogenicity

Suspected of causing cancer.

Components:**Levamisole hydrochloride:**

Species : Mouse
Application Route : Oral
Exposure time : 2 Years
NOAEL : 80 mg/kg body weight
Remarks : No significant adverse effects were reported

Species : Rat
Application Route : Oral
Exposure time : 2 Years
NOAEL : 40 mg/kg body weight
Remarks : No significant adverse effects were reported

Cobalt disodium ethylenediaminetetraacetate:

Species : Rat
Application Route : inhalation (dust/mist/fume)
Exposure time : 105 weeks
Result : positive

**Abamectin / Levamisole Hydrochloride /
Oxfendazole / Cobalt Disodium EDTA / Sodium
Selenate Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 24.03.2025
3.0	14.04.2025	10812606-00011	Date of first issue: 11.07.2022

Remarks : Based on data from similar materials

Species : Mouse
Application Route : inhalation (dust/mist/fume)
Exposure time : 105 weeks
Result : positive
Remarks : Based on data from similar materials

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in animal studies
Remarks: Based on data from similar materials

oxfendazole:

Species : Rat
Application Route : Oral
Exposure time : 1 Years
Symptoms : No adverse effects.
Target Organs : Liver

Species : Rat
Application Route : Oral
Exposure time : 2 Years
Symptoms : No adverse effects.
Target Organs : Liver

Benzyl alcohol:

Species : Mouse
Application Route : Ingestion
Exposure time : 103 weeks
Method : OECD Test Guideline 451
Result : negative

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Species : Rat
Application Route : Oral
Exposure time : 105 weeks
Result : negative

Species : Mouse
Application Route : Oral
Exposure time : 93 weeks
Result : negative

Reproductive toxicity

May damage fertility. May damage the unborn child.

Components:**Levamisole hydrochloride:**

Effects on fertility : Test Type: Three-generation reproduction toxicity study
Species: Rat

**Abamectin / Levamisole Hydrochloride /
Oxfendazole / Cobalt Disodium EDTA / Sodium
Selenate Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 24.03.2025
3.0	14.04.2025	10812606-00011	Date of first issue: 11.07.2022

	Application Route: Oral Result: No significant adverse effects were reported
Effects on fetal development	: Test Type: Embryo-fetal development Species: Rat Application Route: Oral Developmental Toxicity: NOAEL: 20 mg/kg body weight Result: Fetotoxicity. Test Type: Embryo-fetal development Species: Rabbit Application Route: Oral Developmental Toxicity: LOAEL: 40 mg/kg body weight Result: Fetotoxicity.
Reproductive toxicity - Assessment	: Some evidence of adverse effects on development, based on animal experiments.

Cobalt disodium ethylenediaminetetraacetate:

Effects on fertility	: Test Type: Fertility/early embryonic development Species: Rat Application Route: Ingestion Result: positive Remarks: Based on data from similar materials Test Type: Fertility/early embryonic development Species: Mouse Application Route: Ingestion Result: positive Remarks: Based on data from similar materials Test Type: Fertility/early embryonic development Species: Mouse Application Route: inhalation (dust/mist/fume) Result: positive Remarks: Based on data from similar materials Test Type: Fertility/early embryonic development Species: Rat Application Route: inhalation (dust/mist/fume) Result: positive Remarks: Based on data from similar materials
Effects on fetal development	: Test Type: Embryo-fetal development Species: Rat Application Route: Ingestion Method: OECD Test Guideline 414 Result: negative Remarks: Based on data from similar materials
Reproductive toxicity - Assessment	: Some evidence of adverse effects on sexual function and fertility, based on animal experiments.

**Abamectin / Levamisole Hydrochloride /
Oxfendazole / Cobalt Disodium EDTA / Sodium
Selenate Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 24.03.2025
3.0	14.04.2025	10812606-00011	Date of first issue: 11.07.2022

Remarks: Based on data from similar materials

oxfendazole:

Effects on fertility

: Test Type: Fertility/early embryonic development
Species: Rat, male
Application Route: Oral
Fertility: NOAEL: 17 mg/kg body weight
Target Organs: Testes
Result: Effects on fertility.

Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Oral
Fertility: NOAEL: 0,9 mg/kg body weight
Target Organs: Liver
Result: No effects on fertility.

Test Type: Fertility
Species: Mouse
Application Route: Oral
Duration of Single Treatment: 1 Months
Fertility: NOAEL: 750 mg/kg body weight
Target Organs: Testes
Result: Effects on fertility.

Effects on fetal development

: Test Type: Embryo-fetal development
Species: Rat
Application Route: Oral
Developmental Toxicity: NOAEL: 10 mg/kg body weight
Result: positive, Fetal effects.

Test Type: Embryo-fetal development
Species: Rat
Developmental Toxicity: NOAEL: 10 mg/kg body weight
Result: positive, Embryo-fetal toxicity.

Test Type: Embryo-fetal development
Species: Mouse
Application Route: Oral
Developmental Toxicity: NOAEL: 108 mg/kg body weight
Result: positive, Embryo-fetal toxicity., Fetal abnormalities.

Test Type: Embryo-fetal development
Species: Rabbit
Application Route: Oral
Developmental Toxicity: NOAEL: 0,625 mg/kg body weight

Reproductive toxicity - Assessment

: Clear evidence of adverse effects on sexual function and fertility, based on animal experiments., Clear evidence of adverse effects on development, based on animal experiments.

**Abamectin / Levamisole Hydrochloride /
Oxfendazole / Cobalt Disodium EDTA / Sodium
Selenate Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 24.03.2025
3.0	14.04.2025	10812606-00011	Date of first issue: 11.07.2022

Benzyl alcohol:

Effects on fertility	: Test Type: Fertility/early embryonic development Species: Rat Application Route: Ingestion Result: negative Remarks: Based on data from similar materials
Effects on fetal development	: Test Type: Embryo-fetal development Species: Mouse Application Route: Ingestion Result: negative

Citric acid:

Effects on fetal development	: Test Type: One-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative
------------------------------	---

Sodium selenate:

Effects on fertility	: Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative Remarks: Based on data from similar materials
Effects on fetal development	: Test Type: Embryo-fetal development Species: Mouse Application Route: Ingestion Result: negative Remarks: Based on data from similar materials

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Effects on fertility	: Test Type: Fertility Species: Rat, male Application Route: Oral Result: Effects on fertility. Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Oral Early Embryonic Development: NOAEL: 0,12 mg/kg body weight Result: Fetotoxicity.
Effects on fetal development	: Test Type: Embryo-fetal development Species: Mouse Application Route: Oral General Toxicity Maternal: NOAEL: 0,05 mg/kg body weight Developmental Toxicity: NOAEL: 0,2 mg/kg body weight Result: Cleft palate

**Abamectin / Levamisole Hydrochloride /
Oxfendazole / Cobalt Disodium EDTA / Sodium
Selenate Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 24.03.2025
3.0	14.04.2025	10812606-00011	Date of first issue: 11.07.2022

	Remarks: Adverse developmental effects were observed Test Type: Embryo-fetal development Species: Rabbit Application Route: Oral Developmental Toxicity: LOAEL: 2 mg/kg body weight Result: Cleft palate, Teratogenic effects., Reduced embryonic survival Remarks: Adverse developmental effects were observed Test Type: Development Species: Rat Application Route: Oral Developmental Toxicity: LOAEL: 1,6 mg/kg body weight Result: Teratogenic effects.
	Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal experiments.

STOT-single exposure

Not classified based on available information.

Components:**Citric acid:**

	Assessment : May cause respiratory irritation.
--	--

STOT-repeated exposure

May cause damage to organs (Respiratory Tract, Thyroid, Heart, Blood) through prolonged or repeated exposure.

Components:**Levamisole hydrochloride:**

	Target Organs : Blood, Testis
	Assessment : May cause damage to organs through prolonged or repeated exposure.

Cobalt disodium ethylenediaminetetraacetate:

	Routes of exposure : inhalation (dust/mist/fume)
	Target Organs : Respiratory Tract
	Assessment : Shown to produce significant health effects in animals at concentrations of 0.02 mg/l/6h/d or less.
	Remarks : Based on data from similar materials

	Routes of exposure : Ingestion
	Target Organs : Thyroid, Heart, Blood
	Assessment : Shown to produce significant health effects in animals at concentrations of >10 to 100 mg/kg bw.

Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 24.03.2025
3.0	14.04.2025	10812606-00011	Date of first issue: 11.07.2022

Remarks : Based on data from similar materials

oxfendazole:

Routes of exposure : Oral
Target Organs : Liver, Testis
Assessment : May cause damage to organs through prolonged or repeated exposure.

Sodium selenate:

Routes of exposure : Ingestion
Assessment : Shown to produce significant health effects in animals at concentrations of 10 mg/kg bw or less.

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Routes of exposure : Ingestion
Target Organs : Central nervous system
Assessment : Causes damage to organs through prolonged or repeated exposure.

Repeated dose toxicity

Components:

Levamisole hydrochloride:

Species : Rat
NOAEL : 2,5 mg/kg
Application Route : Oral
Exposure time : 18 Months
Target Organs : Testis

Species : Dog
LOAEL : 20 mg/kg
Application Route : Oral
Exposure time : 18 Months
Target Organs : Blood

Species : Dog
LOAEL : 40 mg/kg
Application Route : Oral
Exposure time : 3 Months

Cobalt disodium ethylenediaminetetraacetate:

Species : Rat
LOAEL : > 10 mg/kg
Application Route : Ingestion
Exposure time : 90 Days
Remarks : Based on data from similar materials

Species : Rat

**Abamectin / Levamisole Hydrochloride /
Oxfendazole / Cobalt Disodium EDTA / Sodium
Selenate Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 24.03.2025
3.0	14.04.2025	10812606-00011	Date of first issue: 11.07.2022

LOAEL	: < 0,01 mg/l
Application Route	: inhalation (dust/mist/fume)
Exposure time	: 13 Weeks
Method	: OECD Test Guideline 413
Remarks	: Based on data from similar materials

Species	: Mouse
LOAEL	: < 0,01 mg/l
Application Route	: inhalation (dust/mist/fume)
Exposure time	: 13 Weeks
Method	: OECD Test Guideline 413
Remarks	: Based on data from similar materials

oxfendazole:

Species	: Rat
NOAEL	: 11 mg/kg
Application Route	: Oral
Exposure time	: 2 Weeks
Target Organs	: Blood, Liver, Testis

Species	: Rat
NOAEL	: 3,8 mg/kg
Application Route	: Oral
Exposure time	: 3 Months
Target Organs	: Liver, Testis

Species	: Mouse
NOAEL	: 750 mg/kg
Application Route	: Oral
Exposure time	: 1 Months
Target Organs	: Liver

Species	: Mouse
NOAEL	: 37,5 mg/kg
Application Route	: Oral
Exposure time	: 3 Months
Target Organs	: Liver

Species	: Dog
NOAEL	: 6 mg/kg
Application Route	: Oral
Exposure time	: 1 Months
Remarks	: No significant adverse effects were reported

Species	: Dog
NOAEL	: 11 mg/kg
Application Route	: Oral
Exposure time	: 2 Weeks
Target Organs	: Lymph nodes, thymus gland

Species	: Dog
NOAEL	: 13,5 mg/kg

Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 24.03.2025
3.0	14.04.2025	10812606-00011	Date of first issue: 11.07.2022

Application Route	: Oral
Exposure time	: 12 Months
Target Organs	: Liver

Benzyl alcohol:

Species	: Rat
NOAEL	: 1,072 mg/l
Application Route	: inhalation (dust/mist/fume)
Exposure time	: 28 Days
Method	: OECD Test Guideline 412

Citric acid:

Species	: Rat
NOAEL	: 4.000 mg/kg
LOAEL	: 8.000 mg/kg
Application Route	: Ingestion
Exposure time	: 10 Days

Sodium selenate:

Species	: Rat
NOAEL	: 0,4 mg/kg
Application Route	: Ingestion
Exposure time	: 13 Weeks

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Species	: Rat
NOAEL	: 1,5 mg/kg
Application Route	: Oral
Exposure time	: 24 Months
Target Organs	: Central nervous system
Symptoms	: Tremors, ataxia

Species	: Mouse
NOAEL	: 4,0 mg/kg
Application Route	: Oral
Exposure time	: 24 Months
Target Organs	: Central nervous system
Symptoms	: Tremors, ataxia

Species	: Dog
NOAEL	: 0,25 mg/kg
LOAEL	: 0,5 mg/kg
Application Route	: Oral
Exposure time	: 53 Weeks
Target Organs	: Central nervous system
Symptoms	: Tremors, weight loss
Remarks	: mortality observed

Species	: Monkey
---------	----------

**Abamectin / Levamisole Hydrochloride /
Oxfendazole / Cobalt Disodium EDTA / Sodium
Selenate Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 24.03.2025
3.0	14.04.2025	10812606-00011	Date of first issue: 11.07.2022

NOAEL	: 1,0 mg/kg
Application Route	: Oral
Exposure time	: 14 Weeks
Target Organs	: Central nervous system

Aspiration toxicity

Not classified based on available information.

Experience with human exposure**Components:****Levamisole hydrochloride:**

Ingestion	: Symptoms: Nausea, Vomiting, Headache, Dizziness, hypotension
-----------	--

Cobalt disodium ethylenediaminetetraacetate:

Inhalation	: Target Organs: Respiratory system Remarks: Based on data from similar materials
Ingestion	: Target Organs: Blood Remarks: Based on data from similar materials Target Organs: Heart Target Organs: Thyroid

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Ingestion	: Symptoms: May cause, Tremors, Diarrhea, central nervous system effects, Salivation, tearing
-----------	---

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****Levamisole hydrochloride:**

Toxicity to fish	: LC50 (Oryzias latipes (Japanese medaka)): 37,3 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 64 mg/l Exposure time: 48 h Method: OECD Test Guideline 202

Cobalt disodium ethylenediaminetetraacetate:

Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	: ErC50 (Raphidocelis subcapitata (freshwater green alga)): > 100 mg/l Exposure time: 72 h

Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 24.03.2025
3.0	14.04.2025	10812606-00011	Date of first issue: 11.07.2022

		Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
Toxicity to fish (Chronic toxicity)	:	EC10 (Danio rerio (zebra fish)): > 1 mg/l Exposure time: 34 d Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	EC10 (Hyalella azteca (Amphipod)): > 0,01 - 0,1 mg/l Exposure time: 28 d Method: OECD Test Guideline 211 Remarks: Based on data from similar materials
M-Factor (Chronic aquatic toxicity)	:	1
oxfendazole:		
Toxicity to fish	:	LC50 (Lepomis macrochirus (Bluegill sunfish)): > 2,7 mg/l Exposure time: 96 h LC50 (Oncorhynchus mykiss (rainbow trout)): > 2,5 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0,059 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): > 4 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 NOEC (Pseudokirchneriella subcapitata (green algae)): > 4 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
M-Factor (Acute aquatic toxicity)	:	10
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 0,023 mg/l Exposure time: 21 d Method: OECD Test Guideline 211
M-Factor (Chronic aquatic toxicity)	:	1
Benzyl alcohol:		
Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 460 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 230 mg/l Exposure time: 48 h Method: OECD Test Guideline 202

Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 24.03.2025
3.0	14.04.2025	10812606-00011	Date of first issue: 11.07.2022

Toxicity to algae/aquatic plants	:	EC50 (<i>Pseudokirchneriella subcapitata</i> (green algae)): 770 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 NOEC (<i>Pseudokirchneriella subcapitata</i> (green algae)): 310 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (<i>Daphnia magna</i> (Water flea)): 51 mg/l Exposure time: 21 d Method: OECD Test Guideline 211

Citric acid:

Toxicity to fish	:	LC50 (<i>Pimephales promelas</i> (fathead minnow)): > 100 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (<i>Daphnia magna</i> (Water flea)): 1.535 mg/l Exposure time: 24 h

Polyethylene glycol stearate:

Toxicity to fish	:	LC50 (<i>Leuciscus idus</i> (Golden orfe)): > 10.000 mg/l Exposure time: 96 h Method: DIN 38412
Toxicity to microorganisms	:	EC10 (Bacteria): > 10.000 mg/l Exposure time: 16 h

Sodium selenate:

Toxicity to fish	:	LC50 (<i>Pimephales promelas</i> (fathead minnow)): > 1 - 10 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (<i>Daphnia magna</i> (Water flea)): > 1 - 10 mg/l Exposure time: 48 h Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	:	ErC50 (<i>Chlamydomonas reinhardtii</i> (green algae)): 245 µg/l Exposure time: 96 h NOEC (<i>Chlamydomonas reinhardtii</i> (green algae)): 197 µg/l Exposure time: 96 h
M-Factor (Acute aquatic toxicity)	:	1
Toxicity to fish (Chronic toxicity)	:	NOEC (<i>Lepomis macrochirus</i> (Bluegill sunfish)): > 0,01 - 0,1 mg/l Exposure time: 258 d Remarks: Based on data from similar materials

Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 24.03.2025
3.0	14.04.2025	10812606-00011	Date of first issue: 11.07.2022

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: > 0,1 - 1 mg/l
Exposure time: 28 d
Remarks: Based on data from similar materials

M-Factor (Chronic aquatic toxicity) : 1

Toxicity to microorganisms : EC10 (activated sludge): 590 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 3,2 µg/l
Exposure time: 96 h

LC50 (Lepomis macrochirus (Bluegill sunfish)): 9,6 µg/l
Exposure time: 96 h

LC50 (Ictalurus punctatus (channel catfish)): 24 µg/l
Exposure time: 96 h

LC50 (Cyprinus carpio (Carp)): 42 µg/l
Exposure time: 96 h

LC50 (Cyprinodon variegatus (sheepshead minnow)): 15 µg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Americamysis): 0,022 µg/l
Exposure time: 96 h

EC50 (Daphnia magna (Water flea)): 0,34 µg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 100 mg/l
Exposure time: 72 h

M-Factor (Acute aquatic toxicity) : 10.000

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0,52 µg/l
Exposure time: 32 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0,03 µg/l
Exposure time: 21 d

NOEC (Mysidopsis bahia (opossum shrimp)): 0,0035 µg/l
Exposure time: 28 d

M-Factor (Chronic aquatic toxicity) : 10.000

Toxicity to microorganisms : EC50: > 1.000 mg/l
Exposure time: 3 h

**Abamectin / Levamisole Hydrochloride /
Oxfendazole / Cobalt Disodium EDTA / Sodium
Selenate Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 24.03.2025
3.0	14.04.2025	10812606-00011	Date of first issue: 11.07.2022

||| Test Type: Respiration inhibition

Persistence and degradability

Components:

oxfendazole:

||| Stability in water : Hydrolysis: < 5 %(4 d)

Benzyl alcohol:

||| Biodegradability : Result: Readily biodegradable.
Biodegradation: 92 - 96 %
Exposure time: 14 d

Citric acid:

||| Biodegradability : Result: Readily biodegradable.
Biodegradation: 97 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

Polyethylene glycol stearate:

||| Biodegradability : Result: Readily biodegradable.
Biodegradation: > 70 %
Exposure time: 10 d
Method: OECD Test Guideline 302B

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

||| Stability in water : Hydrolysis: 50 %(< 12 h)

Bioaccumulative potential

Components:

Cobalt disodium ethylenediaminetetraacetate:

||| Partition coefficient: n- : log Pow: -3,86
octanol/water Remarks: Calculation

oxfendazole:

||| Partition coefficient: n- : log Pow: 1,95
octanol/water

Benzyl alcohol:

||| Partition coefficient: n- : log Pow: 1,05
octanol/water

Citric acid:

||| Partition coefficient: n- : log Pow: -1,72
octanol/water

**Abamectin / Levamisole Hydrochloride /
Oxfendazole / Cobalt Disodium EDTA / Sodium
Selenate Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 24.03.2025
3.0	14.04.2025	10812606-00011	Date of first issue: 11.07.2022

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Bioaccumulation : Bioconcentration factor (BCF): 52

Partition coefficient: n-
octanol/water : log Pow: 4**Mobility in soil****Components:****oxfendazole:**Distribution among environ-
mental compartments : log Koc: 3,2**abamectin (combination of avermectin B1a and avermectin B1b) (ISO):**Distribution among environ-
mental compartments : log Koc: > 3,6**Other adverse effects**

No data available

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues	: Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	: Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (abamectin (combination of avermectin B1a and avermectin B1b) (ISO), oxfendazole)
Class	: 9
Packing group	: III
Labels	: 9
Environmentally hazardous	: yes

IATA-DGR

UN/ID No.	: UN 3082
Proper shipping name	: Environmentally hazardous substance, liquid, n.o.s. (abamectin (combination of avermectin B1a and avermectin B1b) (ISO), oxfendazole)
Class	: 9
Packing group	: III
Labels	: Miscellaneous

**Abamectin / Levamisole Hydrochloride /
Oxfendazole / Cobalt Disodium EDTA / Sodium
Selenate Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 24.03.2025
3.0	14.04.2025	10812606-00011	Date of first issue: 11.07.2022

Packing instruction (cargo aircraft) : 964

Packing instruction (passenger aircraft) : 964

Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(abamectin (combination of avermectin B1a and avermectin B1b) (ISO), oxfendazole)

Class : 9

Packing group : III

Labels : 9

EmS Code : F-A, S-F

Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation**ANTT**

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(abamectin (combination of avermectin B1a and avermectin B1b) (ISO), oxfendazole)

Class : 9

Packing group : III

Labels : 9

Hazard Identification Number : 90

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION**Safety, health and environmental regulations/legislation specific for the substance or mixture**

National List of Carcinogenic Agents for Humans - (LINACH)

Group 2B: Possibly carcinogenic to humans

Cobalt disodium ethylenediaminetetraacetate 15137-09-4

Brazil. List of chemicals controlled by the Federal Police : Not applicable

The ingredients of this product are reported in the following inventories:

Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version 3.0	Revision Date: 14.04.2025	SDS Number: 10812606-00011	Date of last issue: 24.03.2025 Date of first issue: 11.07.2022
----------------	------------------------------	-------------------------------	---

AICS	: not determined
DSL	: not determined
IECSC	: not determined

SECTION 16. OTHER INFORMATION

Revision Date	: 14.04.2025
Date format	: dd.mm.yyyy

Further information

Sources of key data used to compile the Material Safety Data Sheet	: Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/
--	---

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
ACGIH / TWA	: 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transporta-

**Abamectin / Levamisole Hydrochloride /
Oxfendazole / Cobalt Disodium EDTA / Sodium
Selenate Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 24.03.2025
3.0	14.04.2025	10812606-00011	Date of first issue: 11.07.2022

tion of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

BR / Z8