

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version 3.0      Revision Date: 14.04.2025      SDS Number: 10812612-00011      Date of last issue: 24.03.2025  
Date of first issue: 11.07.2022

---

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Other means of identification : Alliance (A010249)  
COOPERS TRIFECTA TRIPLE ACTIVE DRENCH FOR SHEEP AND CATTLE MINERALISED (67327)

#### Manufacturer or supplier's details

Company : MSD

Address : Briahnager - Off Pune Nagar Road  
Wagholi - Pune - India 412 207

Telephone : +1-908-740-4000

Emergency telephone number : +1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

---

### 2. HAZARDS IDENTIFICATION

#### Manufacture, Storage and Import of Hazardous Chemicals Rules 1989

##### Classification

Not classified as hazardous according to criteria laid down in Part I of Schedule-1.

##### GHS Classification

Acute toxicity (Oral) : Category 4

Acute toxicity (Inhalation) : Category 5

Respiratory sensitisation : Category 1

Skin sensitisation : Category 1

Germ cell mutagenicity : Category 2

Carcinogenicity : Category 2

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version 3.0      Revision Date: 14.04.2025      SDS Number: 10812612-00011      Date of last issue: 24.03.2025  
Date of first issue: 11.07.2022

Reproductive toxicity : Category 1B

Specific target organ toxicity - repeated exposure : Category 2 (Respiratory Tract, Thyroid, Heart, Blood)

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

### GHS label elements

Hazard pictograms : The hazard pictograms are arranged in three rows. The first row contains a human figure with an exclamation mark (H302). The second row contains an exclamation mark (H317) and a tree with a dead branch (H333). The third row contains a dead fish (H334), a human figure with a broken bone (H341), a dead tree (H351), a dead fish (H360FD), a dead tree (H373), and a dead fish (H410).

Signal word : Danger

Hazard statements : H302 Harmful if swallowed.  
H317 May cause an allergic skin reaction.  
H333 May be harmful if inhaled.  
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
H341 Suspected of causing genetic defects.  
H351 Suspected of causing cancer.  
H360FD May damage fertility. May damage the unborn child.  
H373 May cause damage to organs (Respiratory Tract, Thyroid, Heart, Blood) through prolonged or repeated exposure.  
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**  
P203 Obtain, read and follow all safety instructions before use.  
P233 Keep container tightly closed.  
P260 Do not breathe mist or vapours.  
P264 Wash hands thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P271 Use only outdoors or with adequate ventilation.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.  
P284 Wear respiratory protection.

### Response:

P301 + P317 + P330 IF SWALLOWED: Get medical help.  
Rinse mouth.  
P302 + P352 IF ON SKIN: Wash with plenty of water.  
P304 + P317 IF INHALED: Get medical help.  
P304 + P340 IF INHALED: Remove person to fresh air and

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version  
3.0

Revision Date:  
14.04.2025

SDS Number:  
10812612-00011

Date of last issue: 24.03.2025  
Date of first issue: 11.07.2022

keep comfortable for breathing.

P318 If exposed or concerned, get medical advice.

P333 + P317 If skin irritation or rash occurs: Get medical help.

P342 + P316 If experiencing respiratory symptoms: Get emergency medical help immediately.

P362 + P364 Take off contaminated clothing and wash it before reuse.

P391 Collect spillage.

### Storage:

P403 Store in a well-ventilated place.

P405 Store locked up.

### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards which do not result in classification

None known.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
levamisole hydrochloride	16595-80-5	>= 5 - < 10
Cobalt disodium ethylenediaminetetraacetate	15137-09-4	>= 3 - < 5
oxfendazole	53716-50-0	>= 2.5 - < 5
Benzyl alcohol	100-51-6	>= 1 - < 5
Polyethylene glycol stearate	9004-99-3	>= 1 - < 5
Citric acid	77-92-9	>= 1 - < 5
Sodium selenate	13410-01-0	>= 0.1 - < 0.25
abamectin (combination of avermectin B1a and avermectin B1b) (ISO)	71751-41-2	>= 0.1 - < 0.25

## 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.

When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.

If not breathing, give artificial respiration.

If breathing is difficult, give oxygen.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.

Remove contaminated clothing and shoes.

Get medical attention.

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version 3.0      Revision Date: 14.04.2025      SDS Number: 10812612-00011      Date of last issue: 24.03.2025  
Date of first issue: 11.07.2022

---

In case of eye contact	<p>Wash clothing before reuse.</p> <p>Thoroughly clean shoes before reuse.</p> <p>: Flush eyes with water as a precaution.</p> <p>Get medical attention if irritation develops and persists.</p>
If swallowed	<p>: If swallowed, DO NOT induce vomiting.</p> <p>Get medical attention.</p> <p>Rinse mouth thoroughly with water.</p> <p>Never give anything by mouth to an unconscious person.</p>
Most important symptoms and effects, both acute and delayed	<p>: Excessive exposure may aggravate preexisting asthma and other respiratory disorders (e.g. emphysema, bronchitis, reactive airways dysfunction syndrome).</p> <p>Harmful if swallowed.</p> <p>May cause an allergic skin reaction.</p> <p>May be harmful if inhaled.</p> <p>May cause allergy or asthma symptoms or breathing difficulties if inhaled.</p> <p>Suspected of causing genetic defects.</p> <p>Suspected of causing cancer.</p> <p>May damage fertility. May damage the unborn child.</p> <p>May cause damage to organs through prolonged or repeated exposure.</p>
Protection of first-aiders	<p>: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).</p>
Notes to physician	<p>: Treat symptomatically and supportively.</p>

## 5. FIREFIGHTING MEASURES

Suitable extinguishing media	<p>: Water spray</p> <p>Alcohol-resistant foam</p> <p>Carbon dioxide (CO<sub>2</sub>)</p> <p>Dry chemical</p>
Unsuitable extinguishing media	<p>: None known.</p>
Specific hazards during fire-fighting	<p>: Exposure to combustion products may be a hazard to health.</p>
Hazardous combustion products	<p>: Carbon oxides</p> <p>Cobalt compounds</p> <p>Nitrogen oxides (NO<sub>x</sub>)</p> <p>Metal oxides</p>
Specific extinguishing methods	<p>: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.</p> <p>Use water spray to cool unopened containers.</p> <p>Remove undamaged containers from fire area if it is safe to do so.</p> <p>Evacuate area.</p>
Special protective equipment	<p>: In the event of fire, wear self-contained breathing apparatus.</p>

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version  
3.0

Revision Date:  
14.04.2025

SDS Number:  
10812612-00011

Date of last issue: 24.03.2025  
Date of first issue: 11.07.2022

for firefighters

Use personal protective equipment.

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Do not get on skin or clothing. Do not breathe mist or vapours. Do not swallow. Avoid contact with eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment. Keep container tightly closed. Already sensitised individuals, and those susceptible to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respiratory irritants or sensitizers. Do not eat, drink or smoke when using this product.

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 10812612-00011 Date of last issue: 24.03.2025  
Date of first issue: 11.07.2022

Take care to prevent spills, waste and minimize release to the environment.

Conditions for safe storage : Keep in properly labelled containers.  
Store locked up.  
Keep tightly closed.  
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
levamisole hydrochloride	16595-80-5	TWA	20 µg/m <sup>3</sup> (OEB 3)	Internal
Further information: Skin				
oxfendazole	53716-50-0	TWA	40 µg/m <sup>3</sup> (OEB 3)	Internal
		Wipe limit	400 µg/100 cm <sup>2</sup>	Internal
Polyethylene glycol stearate	9004-99-3	TWA (Inhalable particulate matter)	10 mg/m <sup>3</sup>	ACGIH
		TWA (Respirable particulate matter)	3 mg/m <sup>3</sup>	ACGIH
Sodium selenate	13410-01-0	TWA	20 µg/m <sup>3</sup> (OEB 3)	Internal
		Wipe limit	200 µg/100 cm <sup>2</sup>	Internal
		TWA	0.2 mg/m <sup>3</sup> (selenium)	ACGIH
abamectin (combination of avermectin B1a and avermectin B1b) (ISO)	71751-41-2	TWA	15 µg/m <sup>3</sup> (OEB 3)	Internal
		Wipe limit	150 µg/100 cm <sup>2</sup>	Internal

**Engineering measures** : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).  
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).  
Minimize open handling.

#### Personal protective equipment

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version 3.0      Revision Date: 14.04.2025      SDS Number: 10812612-00011      Date of last issue: 24.03.2025  
Date of first issue: 11.07.2022

---

Respiratory protection	: If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Filter type Hand protection	: Combined particulates and organic vapour type
Material	: Chemical-resistant gloves
Remarks Eye protection	: Consider double gloving. : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	: Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.
Hygiene measures	: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Aqueous solution, suspension
Colour	: pink, to, purple
Odour	: No data available
Odour Threshold	: No data available
pH	: 3.4 - 4.4 (20 °C)
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: No data available

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version 3.0      Revision Date: 14.04.2025      SDS Number: 10812612-00011      Date of last issue: 24.03.2025  
Date of first issue: 11.07.2022

---

Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Flammability (liquids)	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Relative density	: 1.05 - 1.08
Density	: No data available
Solubility(ies)	
Water solubility	: No data available
Partition coefficient: n-octanol/water	: Not applicable
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	
Viscosity, kinematic	: 770 - 5000 mm <sup>2</sup> /s ( 20 °C)
Explosive properties	: Not explosive
Oxidizing properties	: The substance or mixture is not classified as oxidizing.
Molecular weight	: No data available
Particle characteristics	
Particle size	: Not applicable

---

## 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Can react with strong oxidizing agents.
Conditions to avoid	: None known.

# SAFETY DATA SHEET

according to the Globally Harmonized System



# **Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation**

Version Revision Date: SDS Number: Date of last issue: 24.03.2025  
3.0 14.04.2025 10812612-00011 Date of first issue: 11.07.2022

Incompatible materials : Oxidizing agents  
Hazardous decomposition products : No hazardous decomposition products are known.

## 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

## Acute toxicity

Harmful if swallowed.  
May be harmful if inhaled.

### Product:

Acute oral toxicity	: Acute toxicity estimate: 976.18 mg/kg Method: Calculation method
Acute inhalation toxicity	: Acute toxicity estimate: 7.42 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method
Acute dermal toxicity	: Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method

## Components:

## levamisole hydrochloride:

Acute oral toxicity	: LD50 (Rat): 180 mg/kg
	LD50 (Mouse): 223 mg/kg
	LD50 (Rabbit): 458 mg/kg
Acute inhalation toxicity	: Remarks: No data available
Acute dermal toxicity	: Remarks: No data available

## Cobalt disodium ethylenediaminetetraacetate:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Remarks: Based on data from similar materials

## oxfendazole:

Acute oral toxicity : LD50 (Rat): > 6,000 mg/kg  
LD50 (Dog): 1,600 mg/kg  
LD50 (sheep): 250 mg/kg

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version  
3.0

Revision Date:  
14.04.2025

SDS Number:  
10812612-00011

Date of last issue: 24.03.2025  
Date of first issue: 11.07.2022

II

### Benzyl alcohol:

Acute oral toxicity	: LD50 (Rat): 1,200 mg/kg
Acute inhalation toxicity	: LC50 (Rat): > 5.4 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhalation toxicity

### Polyethylene glycol stearate:

Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg
---------------------	-----------------------------

### Citric acid:

Acute oral toxicity	: LD50 (Mouse): 5,400 mg/kg
Acute dermal toxicity	: LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity

### Sodium selenate:

Acute oral toxicity	: LD50 (Rat): > 5 - 50 mg/kg Remarks: Based on data from similar materials
Acute inhalation toxicity	: LC50 (Rat): > 0.052 - 0.51 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403

### abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Acute oral toxicity	: LD50 (Rat): 24 mg/kg  LD50 (Mouse): 10 mg/kg  LDLo (Monkey): 24 mg/kg Symptoms: Dilatation of the pupil
Acute inhalation toxicity	: LC50 (Rat): 0.023 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	: LD50 (Rat): 330 mg/kg  LD50 (Rabbit): 2,000 mg/kg

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version  
3.0

Revision Date:  
14.04.2025

SDS Number:  
10812612-00011

Date of last issue: 24.03.2025  
Date of first issue: 11.07.2022

### Skin corrosion/irritation

Not classified based on available information.

### Components:

#### levamisole hydrochloride:

||| Remarks : No data available

#### Cobalt disodium ethylenediaminetetraacetate:

||| Species : Rabbit  
||| Method : OECD Test Guideline 404  
||| Result : No skin irritation  
||| Remarks : Based on data from similar materials

#### oxfendazole:

||| Species : Rabbit  
||| Result : No skin irritation

#### Benzyl alcohol:

||| Species : Rabbit  
||| Method : OECD Test Guideline 404  
||| Result : No skin irritation

#### Polyethylene glycol stearate:

||| Species : Rabbit  
||| Method : Draize Test  
||| Result : No skin irritation

#### Citric acid:

||| Species : Rabbit  
||| Method : OECD Test Guideline 404  
||| Result : No skin irritation

#### Sodium selenate:

||| Species : reconstructed human epidermis (RhE)  
||| Method : OECD Test Guideline 431

||| Species : reconstructed human epidermis (RhE)  
||| Method : OECD Test Guideline 439

||| Result : Skin irritation

#### abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

||| Species : Rabbit  
||| Result : No skin irritation

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version  
3.0

Revision Date:  
14.04.2025

SDS Number:  
10812612-00011

Date of last issue: 24.03.2025  
Date of first issue: 11.07.2022

### Serious eye damage/eye irritation

Not classified based on available information.

#### Components:

##### levamisole hydrochloride:

||| Remarks : No data available

##### Cobalt disodium ethylenediaminetetraacetate:

||| Species : Rabbit  
||| Result : No eye irritation  
||| Remarks : Based on data from similar materials

##### oxfendazole:

||| Species : Rabbit  
||| Result : No eye irritation

##### Benzyl alcohol:

||| Species : Rabbit  
||| Method : OECD Test Guideline 405  
||| Result : Irritation to eyes, reversing within 21 days

##### Polyethylene glycol stearate:

||| Species : Rabbit  
||| Method : Draize Test  
||| Result : No eye irritation

##### Citric acid:

||| Species : Rabbit  
||| Method : OECD Test Guideline 405  
||| Result : Irritation to eyes, reversing within 21 days

##### Sodium selenate:

||| Species : Bovine cornea  
||| Method : OECD Test Guideline 437  
||| Result : No eye irritation

##### abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

||| Species : Rabbit  
||| Result : Mild eye irritation

#### Respiratory or skin sensitisation

#### Skin sensitisation

May cause an allergic skin reaction.

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version  
3.0

Revision Date:  
14.04.2025

SDS Number:  
10812612-00011

Date of last issue: 24.03.2025  
Date of first issue: 11.07.2022

### Respiratory sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

#### Components:

##### levamisole hydrochloride:

||| Remarks : No data available

##### Cobalt disodium ethylenediaminetetraacetate:

Exposure routes	: inhalation (dust/mist/fume)
Species	: Humans
Result	: positive
Remarks	: Based on data from similar materials
Assessment	: Probability or evidence of low to moderate respiratory sensitisation rate in humans

##### Benzyl alcohol:

Test Type	: Human repeat insult patch test (HRIPT)
Exposure routes	: Skin contact
Species	: Humans
Result	: positive
Assessment	: Probability or evidence of low to moderate skin sensitisation rate in humans

##### Polyethylene glycol stearate:

Test Type	: Open epicutaneous test
Exposure routes	: Skin contact
Species	: Guinea pig
Result	: negative

##### abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Test Type	: Maximisation Test
Exposure routes	: Skin contact
Result	: Not a skin sensitizer.

### Germ cell mutagenicity

Suspected of causing genetic defects.

#### Components:

##### levamisole hydrochloride:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
	Test Type: Chromosome aberration test in vitro

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version  
3.0

Revision Date:  
14.04.2025

SDS Number:  
10812612-00011

Date of last issue: 24.03.2025  
Date of first issue: 11.07.2022

Result: negative

### Cobalt disodium ethylenediaminetetraacetate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative  
Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: positive  
Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: positive  
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Application Route: Intraperitoneal injection  
Result: positive  
Remarks: Based on data from similar materials

Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)  
Species: Mouse  
Application Route: Ingestion  
Result: positive  
Remarks: Based on data from similar materials

Test Type: Rodent dominant lethal test (germ cell) (in vivo)  
Species: Mouse  
Application Route: Ingestion  
Result: positive  
Remarks: Based on data from similar materials

Germ cell mutagenicity - Assessment : Positive result(s) from in vivo mammalian somatic cell mutagenicity tests.  
Remarks: Based on data from similar materials

### oxfendazole:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)  
Species: Mouse  
Application Route: Oral  
Result: positive

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version  
3.0

Revision Date:  
14.04.2025

SDS Number:  
10812612-00011

Date of last issue: 24.03.2025  
Date of first issue: 11.07.2022

||

### Benzyl alcohol:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Result: negative

### Polyethylene glycol stearate:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
-----------------------	--

### Citric acid:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
	Test Type: in vitro micronucleus test Result: positive
	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
Genotoxicity in vivo	: Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis) Species: Rat Application Route: Ingestion Result: negative

### Sodium selenate:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative Remarks: Based on data from similar materials
-----------------------	--

### abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
	Test Type: In vitro mammalian cell gene mutation test Test system: Chinese hamster lung cells Result: negative
	Test Type: Alkaline elution assay Result: negative

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version  
3.0

Revision Date:  
14.04.2025

SDS Number:  
10812612-00011

Date of last issue: 24.03.2025  
Date of first issue: 11.07.2022

Genotoxicity in vivo	:	Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis) Species: Mouse Application Route: Intraperitoneal injection Result: negative
----------------------	---	--

### Carcinogenicity

Suspected of causing cancer.

### Components:

#### levamisole hydrochloride:

Species	:	Mouse
Application Route	:	Oral
Exposure time	:	2 Years
NOAEL	:	80 mg/kg body weight
Remarks	:	No significant adverse effects were reported

Species	:	Rat
Application Route	:	Oral
Exposure time	:	2 Years
NOAEL	:	40 mg/kg body weight
Remarks	:	No significant adverse effects were reported

#### Cobalt disodium ethylenediaminetetraacetate:

Species	:	Rat
Application Route	:	inhalation (dust/mist/fume)
Exposure time	:	105 weeks
Result	:	positive
Remarks	:	Based on data from similar materials

Species	:	Mouse
Application Route	:	inhalation (dust/mist/fume)
Exposure time	:	105 weeks
Result	:	positive
Remarks	:	Based on data from similar materials

Carcinogenicity - Assessment	:	Limited evidence of carcinogenicity in animal studies
		Remarks: Based on data from similar materials

#### oxfendazole:

Species	:	Rat
Application Route	:	Oral
Exposure time	:	1 Years
Symptoms	:	No adverse effects

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version 3.0      Revision Date: 14.04.2025      SDS Number: 10812612-00011      Date of last issue: 24.03.2025  
Date of first issue: 11.07.2022

Target Organs	:	Liver
Species	:	Rat
Application Route	:	Oral
Exposure time	:	2 Years
Symptoms	:	No adverse effects
Target Organs	:	Liver

### Benzyl alcohol:

Species	:	Mouse
Application Route	:	Ingestion
Exposure time	:	103 weeks
Method	:	OECD Test Guideline 451
Result	:	negative

### abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Species	:	Rat
Application Route	:	Oral
Exposure time	:	105 weeks
Result	:	negative
Species	:	Mouse
Application Route	:	Oral
Exposure time	:	93 weeks
Result	:	negative

### Reproductive toxicity

May damage fertility. May damage the unborn child.

### Components:

#### levamisole hydrochloride:

Effects on fertility	:	Test Type: Three-generation reproduction toxicity study Species: Rat Application Route: Oral Result: No significant adverse effects were reported
Effects on foetal development	:	Test Type: Embryo-foetal development Species: Rat Application Route: Oral Developmental Toxicity: NOAEL: 20 mg/kg body weight Result: Fetotoxicity
		Test Type: Embryo-foetal development Species: Rabbit Application Route: Oral Developmental Toxicity: LOAEL: 40 mg/kg body weight Result: Fetotoxicity
Reproductive toxicity - As-	:	Some evidence of adverse effects on development, based on

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version  
3.0

Revision Date:  
14.04.2025

SDS Number:  
10812612-00011

Date of last issue: 24.03.2025  
Date of first issue: 11.07.2022

Assessment

animal experiments.

### Cobalt disodium ethylenediaminetetraacetate:

Effects on fertility

: Test Type: Fertility/early embryonic development  
Species: Rat  
Application Route: Ingestion  
Result: positive  
Remarks: Based on data from similar materials

Test Type: Fertility/early embryonic development  
Species: Mouse  
Application Route: Ingestion  
Result: positive  
Remarks: Based on data from similar materials

Test Type: Fertility/early embryonic development  
Species: Mouse  
Application Route: inhalation (dust/mist/fume)  
Result: positive  
Remarks: Based on data from similar materials

Test Type: Fertility/early embryonic development  
Species: Rat  
Application Route: inhalation (dust/mist/fume)  
Result: positive  
Remarks: Based on data from similar materials

Effects on foetal development

: Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 414  
Result: negative  
Remarks: Based on data from similar materials

Reproductive toxicity - Assessment

: Some evidence of adverse effects on sexual function and fertility, based on animal experiments.  
Remarks: Based on data from similar materials

### Oxfendazole:

Effects on fertility

: Test Type: Fertility/early embryonic development  
Species: Rat, male  
Application Route: Oral  
Fertility: NOAEL: 17 mg/kg body weight  
Target Organs: Testes  
Result: Effects on fertility

Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Oral  
Fertility: NOAEL: 0.9 mg/kg body weight

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version  
3.0

Revision Date:  
14.04.2025

SDS Number:  
10812612-00011

Date of last issue: 24.03.2025  
Date of first issue: 11.07.2022

	<p>Target Organs: Liver Result: No effects on fertility</p>
	<p>Test Type: Fertility Species: Mouse Application Route: Oral Duration of Single Treatment: 1 Months Fertility: NOAEL: 750 mg/kg body weight Target Organs: Testes Result: Effects on fertility</p>
Effects on foetal development	<p>: Test Type: Embryo-foetal development Species: Rat Application Route: Oral Developmental Toxicity: NOAEL: 10 mg/kg body weight Result: positive, Fetal effects</p>
	<p>Test Type: Embryo-foetal development Species: Rat Developmental Toxicity: NOAEL: 10 mg/kg body weight Result: positive, Embryo-foetal toxicity</p>
	<p>Test Type: Embryo-foetal development Species: Mouse Application Route: Oral Developmental Toxicity: NOAEL: 108 mg/kg body weight Result: positive, Embryo-foetal toxicity, foetal abnormalities</p>
	<p>Test Type: Embryo-foetal development Species: Rabbit Application Route: Oral Developmental Toxicity: NOAEL: 0.625 mg/kg body weight</p>
Reproductive toxicity - Assessment	<p>: Clear evidence of adverse effects on sexual function and fertility, based on animal experiments., Clear evidence of adverse effects on development, based on animal experiments.</p>
<b>Benzyl alcohol:</b>	
Effects on fertility	<p>: Test Type: Fertility/early embryonic development Species: Rat Application Route: Ingestion Result: negative Remarks: Based on data from similar materials</p>
Effects on foetal development	<p>: Test Type: Embryo-foetal development Species: Mouse Application Route: Ingestion Result: negative</p>
<b>Citric acid:</b>	

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version  
3.0

Revision Date:  
14.04.2025

SDS Number:  
10812612-00011

Date of last issue: 24.03.2025  
Date of first issue: 11.07.2022

Effects on foetal development : Test Type: One-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative

### Sodium selenate:

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Mouse  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

### abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Effects on fertility : Test Type: Fertility  
Species: Rat, male  
Application Route: Oral  
Result: Effects on fertility  
  
Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Oral  
Early Embryonic Development: NOAEL: 0.12 mg/kg body weight  
Result: Fetotoxicity

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Mouse  
Application Route: Oral  
General Toxicity Maternal: NOAEL: 0.05 mg/kg body weight  
Developmental Toxicity: NOAEL: 0.2 mg/kg body weight  
Result: Cleft palate  
Remarks: Adverse developmental effects were observed

Test Type: Embryo-foetal development  
Species: Rabbit  
Application Route: Oral  
Developmental Toxicity: LOAEL: 2 mg/kg body weight  
Result: Cleft palate, Teratogenic effects, Reduced embryonic survival  
Remarks: Adverse developmental effects were observed

Test Type: Development  
Species: Rat  
Application Route: Oral

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version 3.0      Revision Date: 14.04.2025      SDS Number: 10812612-00011      Date of last issue: 24.03.2025  
Date of first issue: 11.07.2022

	Developmental Toxicity: LOAEL: 1.6 mg/kg body weight Result: Teratogenic effects
Reproductive toxicity - Assessment	: Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal experiments.

### STOT - single exposure

Not classified based on available information.

### Components:

#### **Citric acid:**

Assessment	: May cause respiratory irritation.
------------	-------------------------------------

### STOT - repeated exposure

May cause damage to organs (Respiratory Tract, Thyroid, Heart, Blood) through prolonged or repeated exposure.

### Components:

#### **levamisole hydrochloride:**

Target Organs Assessment	: Blood, Testis : May cause damage to organs through prolonged or repeated exposure.
--------------------------	---

#### **Cobalt disodium ethylenediaminetetraacetate:**

Exposure routes	: inhalation (dust/mist/fume)
Target Organs Assessment	: Respiratory Tract : Shown to produce significant health effects in animals at concentrations of 0.02 mg/l/6h/d or less.
Remarks	: Based on data from similar materials

Exposure routes	: Ingestion
Target Organs Assessment	: Thyroid, Heart, Blood : Shown to produce significant health effects in animals at concentrations of >10 to 100 mg/kg bw.
Remarks	: Based on data from similar materials

#### **oxfendazole:**

Exposure routes	: Oral
Target Organs Assessment	: Liver, Testis : May cause damage to organs through prolonged or repeated exposure.

#### **Sodium selenate:**

Exposure routes	: Ingestion
Assessment	: Shown to produce significant health effects in animals at con-

# SAFETY DATA SHEET

according to the Globally Harmonized System



# **Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation**

Version Revision Date: SDS Number: Date of last issue: 24.03.2025  
3.0 14.04.2025 10812612-00011 Date of first issue: 11.07.2022

2

centrations of 10 mg/kg bw or less.

**abamectin (combination of avermectin B1a and avermectin B1b) (ISO):**

Exposure routes	: Ingestion
Target Organs	: Central nervous system
Assessment	: Causes damage to organs through prolonged or repeated exposure.

## Repeated dose toxicity

## Components:

## **levamisole hydrochloride:**

Species	:	Rat
NOAEL	:	2.5 mg/kg
Application Route	:	Oral
Exposure time	:	18 Months
Target Organs	:	Testis

Species	: Dog
LOAEL	: 20 mg/kg
Application Route	: Oral
Exposure time	: 18 Months
Target Organs	: Blood

Species : Dog  
LOAEL : 40 mg/kg  
Application Route : Oral  
Exposure time : 3 Months

## Cobalt disodium ethylenediaminetetraacetate:

Species	:	Rat
LOAEL	:	> 10 mg/kg
Application Route	:	Ingestion
Exposure time	:	90 Days
Remarks	:	Based on data from similar materials

Species	: Rat
LOAEL	: < 0.01 mg/l
Application Route	: inhalation (dust/mist/fume)
Exposure time	: 13 Weeks
Method	: OECD Test Guideline 413
Remarks	: Based on data from similar materials

Species	: Mouse
LOAEL	: < 0.01 mg/l
Application Route	: inhalation (dust/mist/fume)
Exposure time	: 13 Weeks
Method	: OECD Test Guideline 413
Remarks	: Based on data from similar materials

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version  
3.0

Revision Date:  
14.04.2025

SDS Number:  
10812612-00011

Date of last issue: 24.03.2025  
Date of first issue: 11.07.2022

### oxfendazole:

Species	:	Rat
NOAEL	:	11 mg/kg
Application Route	:	Oral
Exposure time	:	2 Weeks
Target Organs	:	Blood, Liver, Testis
Species	:	Rat
NOAEL	:	3.8 mg/kg
Application Route	:	Oral
Exposure time	:	3 Months
Target Organs	:	Liver, Testis
Species	:	Mouse
NOAEL	:	750 mg/kg
Application Route	:	Oral
Exposure time	:	1 Months
Target Organs	:	Liver
Species	:	Mouse
NOAEL	:	37.5 mg/kg
Application Route	:	Oral
Exposure time	:	3 Months
Target Organs	:	Liver
Species	:	Dog
NOAEL	:	6 mg/kg
Application Route	:	Oral
Exposure time	:	1 Months
Remarks	:	No significant adverse effects were reported
Species	:	Dog
NOAEL	:	11 mg/kg
Application Route	:	Oral
Exposure time	:	2 Weeks
Target Organs	:	Lymph nodes, thymus gland
Species	:	Dog
NOAEL	:	13.5 mg/kg
Application Route	:	Oral
Exposure time	:	12 Months
Target Organs	:	Liver

### Benzyl alcohol:

Species	:	Rat
NOAEL	:	1.072 mg/l
Application Route	:	inhalation (dust/mist/fume)
Exposure time	:	28 Days
Method	:	OECD Test Guideline 412

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version  
3.0

Revision Date:  
14.04.2025

SDS Number:  
10812612-00011

Date of last issue: 24.03.2025  
Date of first issue: 11.07.2022

### Citric acid:

Species	:	Rat
NOAEL	:	4,000 mg/kg
LOAEL	:	8,000 mg/kg
Application Route	:	Ingestion
Exposure time	:	10 Days

### Sodium selenate:

Species	:	Rat
NOAEL	:	0.4 mg/kg
Application Route	:	Ingestion
Exposure time	:	13 Weeks

### abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Species	:	Rat
NOAEL	:	1.5 mg/kg
Application Route	:	Oral
Exposure time	:	24 Months
Target Organs	:	Central nervous system
Symptoms	:	Tremors, ataxia

Species	:	Mouse
NOAEL	:	4.0 mg/kg
Application Route	:	Oral
Exposure time	:	24 Months
Target Organs	:	Central nervous system
Symptoms	:	Tremors, ataxia

Species	:	Dog
NOAEL	:	0.25 mg/kg
LOAEL	:	0.5 mg/kg
Application Route	:	Oral
Exposure time	:	53 Weeks
Target Organs	:	Central nervous system
Symptoms	:	Tremors, weight loss
Remarks	:	mortality observed

Species	:	Monkey
NOAEL	:	1.0 mg/kg
Application Route	:	Oral
Exposure time	:	14 Weeks
Target Organs	:	Central nervous system

### Aspiration toxicity

Not classified based on available information.

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version  
3.0

Revision Date:  
14.04.2025

SDS Number:  
10812612-00011

Date of last issue: 24.03.2025  
Date of first issue: 11.07.2022

### Experience with human exposure

#### Components:

##### **levamisole hydrochloride:**

Ingestion : Symptoms: Nausea, Vomiting, Headache, Dizziness, hypotension

##### **Cobalt disodium ethylenediaminetetraacetate:**

Inhalation : Target Organs: Respiratory system  
Remarks: Based on data from similar materials

Ingestion : Target Organs: Blood  
Remarks: Based on data from similar materials  
Target Organs: Heart  
Target Organs: Thyroid

##### **abamectin (combination of avermectin B1a and avermectin B1b) (ISO):**

Ingestion : Symptoms: May cause, Tremors, Diarrhoea, central nervous system effects, Salivation, tearing

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

##### **levamisole hydrochloride:**

Toxicity to fish : LC50 (Oryzias latipes (Japanese medaka)): 37.3 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 64 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

##### **Cobalt disodium ethylenediaminetetraacetate:**

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : ErC50 ( Raphidocelis subcapitata (freshwater green alga)): > 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

Toxicity to fish (Chronic toxicity) : EC10: > 1 mg/l  
Exposure time: 34 d  
Species: Danio rerio (zebra fish)  
Remarks: Based on data from similar materials

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version 3.0      Revision Date: 14.04.2025      SDS Number: 10812612-00011      Date of last issue: 24.03.2025  
Date of first issue: 11.07.2022

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10: > 0.01 - 0.1 mg/l  
Exposure time: 28 d  
Species: Hyalella azteca (Amphipod)  
Method: OECD Test Guideline 211  
Remarks: Based on data from similar materials

M-Factor (Chronic aquatic toxicity) : 1

### oxfendazole:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): > 2.7 mg/l  
Exposure time: 96 h

LC50 (Oncorhynchus mykiss (rainbow trout)): > 2.5 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.059 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 ( Pseudokirchneriella subcapitata (green algae)): > 4 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
NOEC ( Pseudokirchneriella subcapitata (green algae)): > 4 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 10

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0.023 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Method: OECD Test Guideline 211

M-Factor (Chronic aquatic toxicity) : 1

### Benzyl alcohol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 460 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 230 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version  
3.0

Revision Date:  
14.04.2025

SDS Number:  
10812612-00011

Date of last issue: 24.03.2025  
Date of first issue: 11.07.2022

Toxicity to algae/aquatic plants	: EC50 ( <i>Pseudokirchneriella subcapitata</i> (green algae)): 770 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
	: NOEC ( <i>Pseudokirchneriella subcapitata</i> (green algae)): 310 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC: 51 mg/l Exposure time: 21 d Species: <i>Daphnia magna</i> (Water flea) Method: OECD Test Guideline 211

### Polyethylene glycol stearate:

Toxicity to fish	: LC50 ( <i>Leuciscus idus</i> (Golden orfe)): > 10,000 mg/l Exposure time: 96 h Method: DIN 38412
Toxicity to microorganisms	: EC10 (Bacteria): > 10,000 mg/l Exposure time: 16 h

### Citric acid:

Toxicity to fish	: LC50 ( <i>Pimephales promelas</i> (fathead minnow)): > 100 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 ( <i>Daphnia magna</i> (Water flea)): 1,535 mg/l Exposure time: 24 h

### Sodium selenate:

Toxicity to fish	: LC50 ( <i>Pimephales promelas</i> (fathead minnow)): > 1 - 10 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	: EC50 ( <i>Daphnia magna</i> (Water flea)): > 1 - 10 mg/l Exposure time: 48 h Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	: ErC50 ( <i>Chlamydomonas reinhardtii</i> (green algae)): 245 µg/l Exposure time: 96 h  NOEC ( <i>Chlamydomonas reinhardtii</i> (green algae)): 197 µg/l Exposure time: 96 h
M-Factor (Acute aquatic toxicity)	: 1
Toxicity to microorganisms	: EC10 (activated sludge): 590 mg/l

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version 3.0      Revision Date: 14.04.2025      SDS Number: 10812612-00011      Date of last issue: 24.03.2025  
Date of first issue: 11.07.2022

Toxicity to fish (Chronic toxicity): NOEC: > 0.01 - 0.1 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209  
Species: Lepomis macrochirus (Bluegill sunfish)  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity): NOEC: > 0.1 - 1 mg/l  
Exposure time: 28 d  
Remarks: Based on data from similar materials

M-Factor (Chronic aquatic toxicity): 1

### abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Toxicity to fish: LC50 (Oncorhynchus mykiss (rainbow trout)): 3.2 µg/l  
Exposure time: 96 h  
  
LC50 (Lepomis macrochirus (Bluegill sunfish)): 9.6 µg/l  
Exposure time: 96 h  
  
LC50 (Ictalurus punctatus (channel catfish)): 24 µg/l  
Exposure time: 96 h  
  
LC50 (Cyprinus carpio (Carp)): 42 µg/l  
Exposure time: 96 h  
  
LC50 (Cyprinodon variegatus (sheepshead minnow)): 15 µg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates: EC50 (Americamysis): 0.022 µg/l  
Exposure time: 96 h  
  
EC50 (Daphnia magna (Water flea)): 0.34 µg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants: EC50 (Pseudokirchneriella subcapitata (green algae)): 100 mg/l  
Exposure time: 72 h

M-Factor (Acute aquatic toxicity): 10,000

Toxicity to microorganisms: EC50: > 1,000 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition

Toxicity to fish (Chronic toxicity): NOEC: 0.52 µg/l  
Exposure time: 32 d  
Species: Pimephales promelas (fathead minnow)

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version  
3.0

Revision Date:  
14.04.2025

SDS Number:  
10812612-00011

Date of last issue: 24.03.2025  
Date of first issue: 11.07.2022

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC: 0.03 µg/l Exposure time: 21 d Species: Daphnia magna (Water flea)
	: NOEC: 0.0035 µg/l Exposure time: 28 d Species: Mysidopsis bahia (opossum shrimp)
M-Factor (Chronic aquatic toxicity)	: 10,000

### Persistence and degradability

#### Components:

##### **oxfendazole:**

Stability in water	: Hydrolysis: < 5 %(4 d)
--------------------	--------------------------

##### **Benzyl alcohol:**

Biodegradability	: Result: Readily biodegradable. Biodegradation: 92 - 96 % Exposure time: 14 d
------------------	--

##### **Polyethylene glycol stearate:**

Biodegradability	: Result: Readily biodegradable. Biodegradation: > 70 % Exposure time: 10 d Method: OECD Test Guideline 302B
------------------	---

##### **Citric acid:**

Biodegradability	: Result: Readily biodegradable. Biodegradation: 97 % Exposure time: 28 d Method: OECD Test Guideline 301B
------------------	---

##### **abamectin (combination of avermectin B1a and avermectin B1b) (ISO):**

Stability in water	: Hydrolysis: 50 %(< 12 h)
--------------------	----------------------------

### Bioaccumulative potential

#### Components:

##### **Cobalt disodium ethylenediaminetetraacetate:**

Partition coefficient: n-octanol/water	: log Pow: -3.86 Remarks: Calculation
--	--

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version  
3.0

Revision Date:  
14.04.2025

SDS Number:  
10812612-00011

Date of last issue: 24.03.2025  
Date of first issue: 11.07.2022

---

### oxfendazole:

Partition coefficient: n-octanol/water : log Pow: 1.95

### Benzyl alcohol:

Partition coefficient: n-octanol/water : log Pow: 1.05

### Citric acid:

Partition coefficient: n-octanol/water : log Pow: -1.72

### abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Bioaccumulation : Bioconcentration factor (BCF): 52

Partition coefficient: n-octanol/water : log Pow: 4

### Mobility in soil

### Components:

#### oxfendazole:

Distribution among environmental compartments : log Koc: 3.2

### abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Distribution among environmental compartments : log Koc: > 3.6

### Other adverse effects

No data available

---

## 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

## 14. TRANSPORT INFORMATION

### International Regulations

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version 3.0      Revision Date: 14.04.2025      SDS Number: 10812612-00011      Date of last issue: 24.03.2025  
Date of first issue: 11.07.2022

---

### UNRTDG

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(abamectin (combination of avermectin B1a and avermectin B1b) (ISO), oxfendazole)  
Class : 9  
Packing group : III  
Labels : 9  
Environmentally hazardous : yes

### IATA-DGR

UN/ID No. : UN 3082  
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.  
(abamectin (combination of avermectin B1a and avermectin B1b) (ISO), oxfendazole)  
Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 964  
Packing instruction (passenger aircraft) : 964  
Environmentally hazardous : yes

### IMDG-Code

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(abamectin (combination of avermectin B1a and avermectin B1b) (ISO), oxfendazole)  
Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes

### Transport in bulk according to IMO instruments

Not applicable for product as supplied.

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## 15. REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

The components of this product are reported in the following inventories:

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 10812612-00011 Date of last issue: 24.03.2025  
Date of first issue: 11.07.2022

AICS : not determined

DSL : not determined

IECSC : not determined

### 16. OTHER INFORMATION

Revision Date : 14.04.2025

#### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : dd.mm.yyyy

#### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Trans-

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version 3.0	Revision Date: 14.04.2025	SDS Number: 10812612-00011	Date of last issue: 24.03.2025 Date of first issue: 11.07.2022
----------------	------------------------------	-------------------------------	---

---

portion of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

IN / EN