

# SAFETY DATA SHEET



# **Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation**

Version Revision Date: SDS Number: Date of last issue: 24.03.2025  
3.0 14.04.2025 10812602-00011 Date of first issue: 11.07.2022

## SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation  
Other means of identification : Alliance (A010249)  
COOPERS TRIFECTA TRIPLE ACTIVE DRENCH FOR SHEEP AND CATTLE MINERALISED (67327)

**Manufacturer or supplier's details**

Company name of supplier : MSD  
Address : 126 E. Lincoln Avenue  
Rahway, New Jersey U.S.A. 07065  
Telephone : 908-740-4000  
Emergency telephone : 1-908-423-6000  
E-mail address : EHSDATATESTWARD@msd.com

### **Recommended use of the chemical and restrictions on use**

Recommended use : Veterinary product  
Restrictions on use : Not applicable

## SECTION 2. HAZARDS IDENTIFICATION

## GHS Classification

|  |   |   |
|--|---|---|
| Acute toxicity (Oral)  | : | Category 4  |
| Acute toxicity (Inhalation)                                  | : | Category 5  |
| Respiratory sensitization                                    | : | Category 1  |
| Skin sensitization   | : | Category 1  |
| Germ cell mutagenicity                                       | : | Category 2  |
| Carcinogenicity  | : | Category 2  |
| Reproductive toxicity  | : | Category 1B   |
| Specific target organ toxicity<br>- repeated exposure        | : | Category 1 (Respiratory Tract, Thyroid, Heart, Blood) |
| Specific target organ toxicity<br>- repeated exposure        | : | Category 2 (Liver, Testis)                            |
| Specific target organ toxicity<br>- repeated exposure (Oral) | : | Category 2 (Blood, Testis)                            |


## GHS label elements

# SAFETY DATA SHEET



# **Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation**

Version Revision Date: SDS Number: Date of last issue: 24.03.2025  
3.0 14.04.2025 10812602-00011 Date of first issue: 11.07.2022

|                          |   |   |
|--------------------------|---|---|
| Hazard pictograms        | : |   |
| Signal Word              | : | Danger  |
| Hazard Statements        | : | <p>H302 Harmful if swallowed.</p> <p>H317 May cause an allergic skin reaction.</p> <p>H333 May be harmful if inhaled.</p> <p>H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.</p> <p>H341 Suspected of causing genetic defects.</p> <p>H351 Suspected of causing cancer.</p> <p>H360FD May damage fertility. May damage the unborn child.</p> <p>H372 Causes damage to organs (Respiratory Tract, Thyroid, Heart, Blood) through prolonged or repeated exposure.</p> <p>H373 May cause damage to organs (Liver, Testis) through prolonged or repeated exposure.</p> <p>H373 May cause damage to organs (Blood, Testis) through prolonged or repeated exposure if swallowed.</p>  |
| Precautionary Statements | : | <p><b>Prevention:</b></p> <p>P201 Obtain special instructions before use.</p> <p>P202 Do not handle until all safety precautions have been read and understood.</p> <p>P260 Do not breathe mist or vapors.</p> <p>P264 Wash skin thoroughly after handling.</p> <p>P270 Do not eat, drink or smoke when using this product.</p> <p>P272 Contaminated work clothing should not be allowed out of the workplace.</p> <p>P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.</p> <p>P284 Wear respiratory protection.</p> <p><b>Response:</b></p> <p>P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth.</p> <p>P302 + P352 IF ON SKIN: Wash with plenty of water.</p> <p>P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.</p> <p>P308 + P313 IF exposed or concerned: Get medical advice/ attention.</p> <p>P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.</p> <p>P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER or doctor/ physician.</p> <p>P362 + P364 Take off contaminated clothing and wash it before reuse.</p> <p><b>Storage:</b></p> <p>P405 Store locked up</p> |

**Abamectin / Levamisole Hydrochloride /  
Oxfendazole / Cobalt Disodium EDTA / Sodium  
Selenate Formulation**Version  
3.0Revision Date:  
14.04.2025SDS Number:  
10812602-00011Date of last issue: 24.03.2025  
Date of first issue: 11.07.2022**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards**

None known.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Components**

| Chemical name  | CAS-No.    | Concentration (% w/w) |
|--|------------|-----------------------|
| Levamisole hydrochloride   | 16595-80-5 | >= 5 < 10             |
| Cobalt disodium ethylenediaminetetraacetate                        | 15137-09-4 | >= 1 < 5              |
| oxfendazole  | 53716-50-0 | >= 1 < 5              |
| Benzyl alcohol   | 100-51-6   | >= 1 < 5              |
| Citric acid  | 77-92-9    | >= 1 < 5              |
| Polyethylene glycol stearate                                       | 9004-99-3  | >= 1 < 5              |
| Sodium selenate  | 13410-01-0 | >= 0.1 < 1            |
| abamectin (combination of avermectin B1a and avermectin B1b) (ISO) | 71751-41-2 | >= 0.1 < 0.5          |

**SECTION 4. FIRST AID MEASURES**

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
If not breathing, give artificial respiration.  
If breathing is difficult, give oxygen.  
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.

In case of eye contact : Flush eyes with water as a precaution.  
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.  
Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed : Excessive exposure may aggravate preexisting asthma and other respiratory disorders (e.g. emphysema, bronchitis, reactive airways dysfunction syndrome).  
Harmful if swallowed.

# SAFETY DATA SHEET



## Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version 3.0      Revision Date: 14.04.2025      SDS Number: 10812602-00011      Date of last issue: 24.03.2025  
Date of first issue: 11.07.2022

---

|                            |   |
|----------------------------|---|
|                            | <p>May cause an allergic skin reaction.<br/>May be harmful if inhaled.<br/>May cause allergy or asthma symptoms or breathing difficulties if inhaled.<br/>Suspected of causing genetic defects.<br/>Suspected of causing cancer.<br/>May damage fertility. May damage the unborn child.<br/>Causes damage to organs through prolonged or repeated exposure.</p> |
| Protection of first-aiders | : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).   |
| Notes to physician         | : Treat symptomatically and supportively.   |

---

## SECTION 5. FIRE-FIGHTING MEASURES

|  |   |
|--|---|
| Suitable extinguishing media                   | : Water spray<br>Alcohol-resistant foam<br>Carbon dioxide (CO <sub>2</sub> )<br>Dry chemical  |
| Unsuitable extinguishing media                 | : None known.   |
| Specific hazards during fire fighting          | : Exposure to combustion products may be a hazard to health.  |
| Hazardous combustion products                  | : Carbon oxides<br>Cobalt compounds<br>Nitrogen oxides (NO <sub>x</sub> )<br>Metal oxides   |
| Specific extinguishing methods                 | : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.<br>Use water spray to cool unopened containers.<br>Remove undamaged containers from fire area if it is safe to do so.<br>Evacuate area. |
| Special protective equipment for fire-fighters | : In the event of fire, wear self-contained breathing apparatus.<br>Use personal protective equipment.  |

---

## SECTION 6. ACCIDENTAL RELEASE MEASURES

|   |   |
|---|---|
| Personal precautions, protective equipment and emergency procedures | : Use personal protective equipment.<br>Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).      |
| Environmental precautions   | : Avoid release to the environment.<br>Prevent further leakage or spillage if safe to do so.<br>Prevent spreading over a wide area (e.g., by containment or |

**Abamectin / Levamisole Hydrochloride /  
Oxfendazole / Cobalt Disodium EDTA / Sodium  
Selenate Formulation**Version  
3.0Revision Date:  
14.04.2025SDS Number:  
10812602-00011Date of last issue: 24.03.2025  
Date of first issue: 11.07.2022

oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.  
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

**SECTION 7. HANDLING AND STORAGE**

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Do not get on skin or clothing.  
Do not breathe mist or vapors.  
Do not swallow.  
Avoid contact with eyes.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Keep container tightly closed.  
Already sensitized individuals, and those susceptible to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respiratory irritants or sensitizers.  
Do not eat, drink or smoke when using this product.  
Take care to prevent spills, waste and minimize release to the environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Contaminated work clothing should not be allowed out of the workplace.  
Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment,

# SAFETY DATA SHEET



## Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 10812602-00011 Date of last issue: 24.03.2025 Date of first issue: 11.07.2022

|                             |  |
|-----------------------------|--|
|                             | appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.                |
| Conditions for safe storage | : Keep in properly labeled containers.<br>Store locked up.<br>Keep tightly closed.<br>Store in accordance with the particular national regulations.              |
| Materials to avoid          | : Do not store with the following product types:<br>Strong oxidizing agents<br>Self-reactive substances and mixtures<br>Organic peroxides<br>Explosives<br>Gases |

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Ingredients with workplace control parameters

| Components   | CAS-No.    | Value type (Form of exposure)       | Control parameters / Permissible concentration | Basis             |
|--|------------|-------------------------------------|--|-------------------|
| Levamisole hydrochloride   | 16595-80-5 | TWA                                 | 20 µg/m <sup>3</sup> (OEB 3)                   | Internal          |
| Further information: Skin  |            |                                     |  |                   |
| oxfendazole  | 53716-50-0 | TWA                                 | 40 µg/m <sup>3</sup> (OEB 3)                   | Internal          |
|  |            | Wipe limit                          | 400 µg/100 cm <sup>2</sup>                     | Internal          |
| Polyethylene glycol stearate                                       | 9004-99-3  | VLE-PPT                             | 10 mg/m <sup>3</sup>                           | NOM-010-STPS-2014 |
|  |            | TWA (Inhalable particulate matter)  | 10 mg/m <sup>3</sup>                           | ACGIH             |
|  |            | TWA (Respirable particulate matter) | 3 mg/m <sup>3</sup>                            | ACGIH             |
| Sodium selenate  | 13410-01-0 | TWA                                 | 20 µg/m <sup>3</sup> (OEB 3)                   | Internal          |
|  |            | Wipe limit                          | 200 µg/100 cm <sup>2</sup>                     | Internal          |
|  |            | VLE-PPT                             | 0.2 mg/m <sup>3</sup> (selenium)               | NOM-010-STPS-2014 |
|  |            | TWA                                 | 0.2 mg/m <sup>3</sup> (selenium)               | ACGIH             |
| abamectin (combination of avermectin B1a and avermectin B1b) (ISO) | 71751-41-2 | TWA                                 | 15 µg/m <sup>3</sup> (OEB 3)                   | Internal          |
|  |            | Wipe limit                          | 150 µg/100 cm <sup>2</sup>                     | Internal          |

**Engineering measures** : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).

# SAFETY DATA SHEET



## Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version  
3.0

Revision Date:  
14.04.2025

SDS Number:  
10812602-00011

Date of last issue: 24.03.2025  
Date of first issue: 11.07.2022

---

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices). Minimize open handling.

### Personal protective equipment

|                          |  |
|--------------------------|--|
| Respiratory protection   | : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.   |
| Filter type              | : Combined particulates and organic vapor type   |
| Hand protection          |  |
| Material                 | : Chemical-resistant gloves  |
| Remarks                  | : Consider double gloving.   |
| Eye protection           | : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols. |
| Skin and body protection | : Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.                    |

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

|   |                                |
|---|--------------------------------|
| Appearance                              | : Aqueous solution, suspension |
| Color                                   | : pink, to, purple             |
| Odor                                    | : No data available            |
| Odor Threshold                          | : No data available            |
| pH                                      | : 3.4 - 4.4 (20 °C)            |
| Melting point/freezing point            | : No data available            |
| Initial boiling point and boiling range | : No data available            |
| Flash point                             | : No data available            |
| Evaporation rate                        | : No data available            |

# SAFETY DATA SHEET



## Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version 3.0      Revision Date: 14.04.2025      SDS Number: 10812602-00011      Date of last issue: 24.03.2025  
Date of first issue: 11.07.2022

---

|  |   |  |
|--|---|--|
| Flammability (solid, gas)                        | : | Not applicable   |
| Flammability (liquids)                           | : | No data available  |
| Upper explosion limit / Upper flammability limit | : | No data available  |
| Lower explosion limit / Lower flammability limit | : | No data available  |
| Vapor pressure                                   | : | No data available  |
| Relative vapor density                           | : | No data available  |
| Relative density                                 | : | 1.05 - 1.08  |
| Density  | : | No data available  |
| Solubility(ies)                                  |   |  |
| Water solubility                                 | : | No data available  |
| Partition coefficient: n-octanol/water           | : | Not applicable   |
| Autoignition temperature                         | : | No data available  |
| Decomposition temperature                        | : | No data available  |
| Viscosity  |   |  |
| Viscosity, kinematic                             | : | 770 - 5000 mm <sup>2</sup> /s ( 20 °C)                   |
| Explosive properties                             | : | Not explosive  |
| Oxidizing properties                             | : | The substance or mixture is not classified as oxidizing. |
| Molecular weight                                 | : | No data available  |
| Particle characteristics                         |   |  |
| Particle size                                    | : | Not applicable   |

---

## SECTION 10. STABILITY AND REACTIVITY

|                                    |   |  |
|------------------------------------|---|--|
| Reactivity                         | : | Not classified as a reactivity hazard.         |
| Chemical stability                 | : | Stable under normal conditions.                |
| Possibility of hazardous reactions | : | Can react with strong oxidizing agents.        |
| Conditions to avoid                | : | None known.                                    |
| Incompatible materials             | : | Oxidizing agents                               |
| Hazardous decomposition            | : | No hazardous decomposition products are known. |

# SAFETY DATA SHEET



## Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version 3.0      Revision Date: 14.04.2025      SDS Number: 10812602-00011      Date of last issue: 24.03.2025  
Date of first issue: 11.07.2022

products

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Harmful if swallowed.  
May be harmful if inhaled.

#### Product:

|                           |  |
|---------------------------|--|
| Acute oral toxicity       | : Acute toxicity estimate: 976.18 mg/kg<br>Method: Calculation method  |
| Acute inhalation toxicity | : Acute toxicity estimate: 7.42 mg/l<br>Exposure time: 4 h<br>Test atmosphere: dust/mist<br>Method: Calculation method |
| Acute dermal toxicity     | : Acute toxicity estimate: > 5,000 mg/kg<br>Method: Calculation method   |

#### Components:

##### **Levamisole hydrochloride:**

|                           |  |
|---------------------------|--|
| Acute oral toxicity       | : LD50 (Rat): 180 mg/kg<br>LD50 (Mouse): 223 mg/kg<br>LD50 (Rabbit): 458 mg/kg |
| Acute inhalation toxicity | : Remarks: No data available   |
| Acute dermal toxicity     | : Remarks: No data available   |

##### **Cobalt disodium ethylenediaminetetraacetate:**

|                     |  |
|---------------------|--|
| Acute oral toxicity | : LD50 (Rat): > 2,000 mg/kg<br>Remarks: Based on data from similar materials |
|---------------------|--|

##### **oxfendazole:**

|                     |   |
|---------------------|---|
| Acute oral toxicity | : LD50 (Rat): > 6,000 mg/kg<br>LD50 (Dog): 1,600 mg/kg<br>LD50 (sheep): 250 mg/kg |
|---------------------|---|

**Abamectin / Levamisole Hydrochloride /  
Oxfendazole / Cobalt Disodium EDTA / Sodium  
Selenate Formulation**

Version 3.0      Revision Date: 14.04.2025      SDS Number: 10812602-00011      Date of last issue: 24.03.2025  
Date of first issue: 11.07.2022

---

**Benzyl alcohol:**

Acute oral toxicity : LD50 (Rat): 1,200 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.4 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: The substance or mixture has no acute inhalation toxicity

**Citric acid:**

Acute oral toxicity : LD50 (Mouse): 5,400 mg/kg

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

**Polyethylene glycol stearate:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

**Sodium selenate:**

Acute oral toxicity : LD50 (Rat): > 5 - 50 mg/kg  
Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat): > 0.052 - 0.51 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403

**abamectin (combination of avermectin B1a and avermectin B1b) (ISO):**

Acute oral toxicity : LD50 (Rat): 24 mg/kg  
LD50 (Mouse): 10 mg/kg  
LDLo (Monkey): 24 mg/kg  
Symptoms: Dilatation of the pupil

Acute inhalation toxicity : LC50 (Rat): 0.023 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): 330 mg/kg  
LD50 (Rabbit): 2,000 mg/kg

**Skin corrosion/irritation**

Not classified based on available information.

# SAFETY DATA SHEET



## Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version      Revision Date:      SDS Number:      Date of last issue: 24.03.2025  
3.0            14.04.2025            10812602-00011      Date of first issue: 11.07.2022

---

### Components:

#### Levamisole hydrochloride:

||| Remarks : No data available

#### Cobalt disodium ethylenediaminetetraacetate:

||| Species : Rabbit  
||| Method : OECD Test Guideline 404  
||| Result : No skin irritation  
||| Remarks : Based on data from similar materials

#### oxfendazole:

||| Species : Rabbit  
||| Result : No skin irritation

#### Benzyl alcohol:

||| Species : Rabbit  
||| Method : OECD Test Guideline 404  
||| Result : No skin irritation

#### Citric acid:

||| Species : Rabbit  
||| Method : OECD Test Guideline 404  
||| Result : No skin irritation

#### Polyethylene glycol stearate:

||| Species : Rabbit  
||| Method : Draize Test  
||| Result : No skin irritation

#### Sodium selenate:

||| Species : reconstructed human epidermis (RhE)  
||| Method : OECD Test Guideline 431

||| Species : reconstructed human epidermis (RhE)  
||| Method : OECD Test Guideline 439

||| Result : Skin irritation

#### abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

||| Species : Rabbit  
||| Result : No skin irritation

#### Serious eye damage/eye irritation

Not classified based on available information.

**Abamectin / Levamisole Hydrochloride /  
Oxfendazole / Cobalt Disodium EDTA / Sodium  
Selenate Formulation**

Version      Revision Date:      SDS Number:      Date of last issue: 24.03.2025  
3.0            14.04.2025            10812602-00011      Date of first issue: 11.07.2022

---

**Components:****Levamisole hydrochloride:**

||| Remarks : No data available

**Cobalt disodium ethylenediaminetetraacetate:**

||| Species : Rabbit  
||| Result : No eye irritation  
||| Remarks : Based on data from similar materials

**Oxfendazole:**

||| Species : Rabbit  
||| Result : No eye irritation

**Benzyl alcohol:**

||| Species : Rabbit  
||| Result : Irritation to eyes, reversing within 21 days  
||| Method : OECD Test Guideline 405

**Citric acid:**

||| Species : Rabbit  
||| Result : Irritation to eyes, reversing within 21 days  
||| Method : OECD Test Guideline 405

**Polyethylene glycol stearate:**

||| Species : Rabbit  
||| Result : No eye irritation  
||| Method : Draize Test

**Sodium selenate:**

||| Species : Bovine cornea  
||| Method : OECD Test Guideline 437  
  
||| Result : No eye irritation

**abamectin (combination of avermectin B1a and avermectin B1b) (ISO):**

||| Species : Rabbit  
||| Result : Mild eye irritation

**Respiratory or skin sensitization****Skin sensitization**

May cause an allergic skin reaction.

**Respiratory sensitization**

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

# SAFETY DATA SHEET



# **Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation**

Version Revision Date: SDS Number: Date of last issue: 24.03.2025  
3.0 14.04.2025 10812602-00011 Date of first issue: 11.07.2022

## **Components:**

## Levamisole hydrochloride:

|| Remarks : No data available

## Cobalt disodium ethylenediaminetetraacetate:

|                    |   |   |
|--------------------|---|---|
| Routes of exposure | : | inhalation (dust/mist/fume)   |
| Species            | : | Humans  |
| Result             | : | positive  |
| Remarks            | : | Based on data from similar materials  |
| Assessment         | : | Probability or evidence of low to moderate respiratory sensitization rate in humans |

## **Benzyl alcohol:**

|                    |   |  |
|--------------------|---|--|
| Test Type          | : | Human repeat insult patch test (HRIPT)                                       |
| Routes of exposure | : | Skin contact   |
| Species            | : | Humans   |
| Result             | : | positive   |
| Assessment         | : | Probability or evidence of low to moderate skin sensitization rate in humans |

### Polyethylene glycol stearate:

Test Type : Open epicutaneous test  
Routes of exposure : Skin contact  
Species : Guinea pig  
Result : negative

**abamectin (combination of avermectin B1a and avermectin B1b) (ISO):**

Test Type : Maximization Test  
Routes of exposure : Skin contact  
Result : Not a skin sensitizer.

## Germ cell mutagenicity

Suspected of causing genetic defects.

## Components:

## Levamisole hydrochloride

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: negative

## Cobalt disodium ethylenediaminetetraacetate:

**Abamectin / Levamisole Hydrochloride /  
Oxfendazole / Cobalt Disodium EDTA / Sodium  
Selenate Formulation**

|                |                              |                               |   |
|----------------|------------------------------|-------------------------------|---|
| Version<br>3.0 | Revision Date:<br>14.04.2025 | SDS Number:<br>10812602-00011 | Date of last issue: 24.03.2025<br>Date of first issue: 11.07.2022 |
|----------------|------------------------------|-------------------------------|---|

---

|                                     |   |
|-------------------------------------|---|
| Genotoxicity in vitro               | : Test Type: Bacterial reverse mutation assay (AMES)<br>Method: OECD Test Guideline 471<br>Result: negative<br>Remarks: Based on data from similar materials  |
|                                     | Test Type: In vitro mammalian cell gene mutation test<br>Method: OECD Test Guideline 476<br>Result: positive<br>Remarks: Based on data from similar materials   |
|                                     | Test Type: Chromosome aberration test in vitro<br>Method: OECD Test Guideline 473<br>Result: positive<br>Remarks: Based on data from similar materials  |
| Genotoxicity in vivo                | : Test Type: Micronucleus test<br>Species: Mouse<br>Application Route: Intraperitoneal injection<br>Result: positive<br>Remarks: Based on data from similar materials   |
|                                     | Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)<br>Species: Mouse<br>Application Route: Ingestion<br>Result: positive<br>Remarks: Based on data from similar materials |
|                                     | Test Type: Rodent dominant lethal test (germ cell) (in vivo)<br>Species: Mouse<br>Application Route: Ingestion<br>Result: positive<br>Remarks: Based on data from similar materials                                   |
| Germ cell mutagenicity - Assessment | : Positive result(s) from in vivo mammalian somatic cell mutagenicity tests.<br>Remarks: Based on data from similar materials   |
| <b>oxfendazole:</b>                 |   |
| Genotoxicity in vitro               | : Test Type: Bacterial reverse mutation assay (AMES)<br>Result: negative  |
| Genotoxicity in vivo                | : Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)<br>Species: Mouse<br>Application Route: Oral<br>Result: positive   |
| <b>Benzyl alcohol:</b>              |   |
| Genotoxicity in vitro               | : Test Type: Bacterial reverse mutation assay (AMES)<br>Result: negative  |

**Abamectin / Levamisole Hydrochloride /  
Oxfendazole / Cobalt Disodium EDTA / Sodium  
Selenate Formulation**

Version 3.0      Revision Date: 14.04.2025      SDS Number: 10812602-00011      Date of last issue: 24.03.2025  
Date of first issue: 11.07.2022

---

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Intraperitoneal injection  
Result: negative

**Citric acid:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: in vitro micronucleus test  
Result: positive

Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)  
Species: Rat  
Application Route: Ingestion  
Result: negative

**Polyethylene glycol stearate:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

**Sodium selenate:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative  
Remarks: Based on data from similar materials

**abamectin (combination of avermectin B1a and avermectin B1b) (ISO):**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Test system: Chinese hamster lung cells  
Result: negative

Test Type: Alkaline elution assay  
Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)  
Species: Mouse  
Application Route: Intraperitoneal injection

**Abamectin / Levamisole Hydrochloride /  
Oxfendazole / Cobalt Disodium EDTA / Sodium  
Selenate Formulation**Version  
3.0Revision Date:  
14.04.2025SDS Number:  
10812602-00011Date of last issue: 24.03.2025  
Date of first issue: 11.07.2022

Result: negative

**Carcinogenicity**

Suspected of causing cancer.

**Components:****Levamisole hydrochloride:**

|                   |   |  |
|-------------------|---|--|
| Species           | : | Mouse  |
| Application Route | : | Oral   |
| Exposure time     | : | 2 Years                                      |
| NOAEL             | : | 80 mg/kg body weight                         |
| Remarks           | : | No significant adverse effects were reported |

|                   |   |  |
|-------------------|---|--|
| Species           | : | Rat  |
| Application Route | : | Oral   |
| Exposure time     | : | 2 Years                                      |
| NOAEL             | : | 40 mg/kg body weight                         |
| Remarks           | : | No significant adverse effects were reported |

**Cobalt disodium ethylenediaminetetraacetate:**

|                   |   |                                      |
|-------------------|---|--------------------------------------|
| Species           | : | Rat                                  |
| Application Route | : | inhalation (dust/mist/fume)          |
| Exposure time     | : | 105 weeks                            |
| Result            | : | positive                             |
| Remarks           | : | Based on data from similar materials |

|                   |   |                                      |
|-------------------|---|--------------------------------------|
| Species           | : | Mouse                                |
| Application Route | : | inhalation (dust/mist/fume)          |
| Exposure time     | : | 105 weeks                            |
| Result            | : | positive                             |
| Remarks           | : | Based on data from similar materials |

|                              |   |   |
|------------------------------|---|---|
| Carcinogenicity - Assessment | : | Limited evidence of carcinogenicity in animal studies |
|                              |   | Remarks: Based on data from similar materials         |

**oxfendazole:**

|                   |   |                     |
|-------------------|---|---------------------|
| Species           | : | Rat                 |
| Application Route | : | Oral                |
| Exposure time     | : | 1 Years             |
| Symptoms          | : | No adverse effects. |
| Target Organs     | : | Liver               |

|                   |   |                     |
|-------------------|---|---------------------|
| Species           | : | Rat                 |
| Application Route | : | Oral                |
| Exposure time     | : | 2 Years             |
| Symptoms          | : | No adverse effects. |
| Target Organs     | : | Liver               |

**Abamectin / Levamisole Hydrochloride /  
Oxfendazole / Cobalt Disodium EDTA / Sodium  
Selenate Formulation**

Version 3.0      Revision Date: 14.04.2025      SDS Number: 10812602-00011      Date of last issue: 24.03.2025  
Date of first issue: 11.07.2022

---

**Benzyl alcohol:**

|                   |   |                         |
|-------------------|---|-------------------------|
| Species           | : | Mouse                   |
| Application Route | : | Ingestion               |
| Exposure time     | : | 103 weeks               |
| Method            | : | OECD Test Guideline 451 |
| Result            | : | negative                |

**abamectin (combination of avermectin B1a and avermectin B1b) (ISO):**

|                   |   |           |
|-------------------|---|-----------|
| Species           | : | Rat       |
| Application Route | : | Oral      |
| Exposure time     | : | 105 weeks |
| Result            | : | negative  |

|                   |   |          |
|-------------------|---|----------|
| Species           | : | Mouse    |
| Application Route | : | Oral     |
| Exposure time     | : | 93 weeks |
| Result            | : | negative |

**Reproductive toxicity**

May damage fertility. May damage the unborn child.

**Components:****Levamisole hydrochloride:**

|                                    |   |   |
|------------------------------------|---|---|
| Effects on fertility               | : | Test Type: Three-generation reproduction toxicity study<br>Species: Rat<br>Application Route: Oral<br>Result: No significant adverse effects were reported        |
| Effects on fetal development       | : | Test Type: Embryo-fetal development<br>Species: Rat<br>Application Route: Oral<br>Developmental Toxicity: NOAEL: 20 mg/kg body weight<br>Result: Fetotoxicity.    |
|                                    |   | Test Type: Embryo-fetal development<br>Species: Rabbit<br>Application Route: Oral<br>Developmental Toxicity: LOAEL: 40 mg/kg body weight<br>Result: Fetotoxicity. |
| Reproductive toxicity - Assessment | : | Some evidence of adverse effects on development, based on animal experiments.   |

**Cobalt disodium ethylenediaminetetraacetate:**

|                      |   |   |
|----------------------|---|---|
| Effects on fertility | : | Test Type: Fertility/early embryonic development<br>Species: Rat<br>Application Route: Ingestion<br>Result: positive<br>Remarks: Based on data from similar materials |
|----------------------|---|---|

**Abamectin / Levamisole Hydrochloride /  
Oxfendazole / Cobalt Disodium EDTA / Sodium  
Selenate Formulation**Version  
3.0Revision Date:  
14.04.2025SDS Number:  
10812602-00011Date of last issue: 24.03.2025  
Date of first issue: 11.07.2022

Test Type: Fertility/early embryonic development  
Species: Mouse  
Application Route: Ingestion  
Result: positive  
Remarks: Based on data from similar materials

Test Type: Fertility/early embryonic development  
Species: Mouse  
Application Route: inhalation (dust/mist/fume)  
Result: positive  
Remarks: Based on data from similar materials

Test Type: Fertility/early embryonic development  
Species: Rat  
Application Route: inhalation (dust/mist/fume)  
Result: positive  
Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 414  
Result: negative  
Remarks: Based on data from similar materials

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, based on animal experiments.  
Remarks: Based on data from similar materials

**oxfendazole:**

Effects on fertility : Test Type: Fertility/early embryonic development  
Species: Rat, male  
Application Route: Oral  
Fertility: NOAEL: 17 mg/kg body weight  
Target Organs: Testes  
Result: Effects on fertility.

Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Oral  
Fertility: NOAEL: 0.9 mg/kg body weight  
Target Organs: Liver  
Result: No effects on fertility.

Test Type: Fertility  
Species: Mouse  
Application Route: Oral  
Duration of Single Treatment: 1 Months  
Fertility: NOAEL: 750 mg/kg body weight  
Target Organs: Testes

**Abamectin / Levamisole Hydrochloride /  
Oxfendazole / Cobalt Disodium EDTA / Sodium  
Selenate Formulation**Version  
3.0Revision Date:  
14.04.2025SDS Number:  
10812602-00011Date of last issue: 24.03.2025  
Date of first issue: 11.07.2022

Result: Effects on fertility.

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Oral  
Developmental Toxicity: NOAEL: 10 mg/kg body weight  
Result: positive, Fetal effects.

Test Type: Embryo-fetal development  
Species: Rat  
Developmental Toxicity: NOAEL: 10 mg/kg body weight  
Result: positive, Embryo-fetal toxicity.

Test Type: Embryo-fetal development  
Species: Mouse  
Application Route: Oral  
Developmental Toxicity: NOAEL: 108 mg/kg body weight  
Result: positive, Embryo-fetal toxicity., Fetal abnormalities.

Test Type: Embryo-fetal development  
Species: Rabbit  
Application Route: Oral  
Developmental Toxicity: NOAEL: 0.625 mg/kg body weight

Reproductive toxicity - Assessment : Clear evidence of adverse effects on sexual function and fertility, based on animal experiments., Clear evidence of adverse effects on development, based on animal experiments.

**Benzyl alcohol:**

Effects on fertility : Test Type: Fertility/early embryonic development  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Mouse  
Application Route: Ingestion  
Result: negative

**Citric acid:**

Effects on fetal development : Test Type: One-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative

**Sodium selenate:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat

**Abamectin / Levamisole Hydrochloride /  
Oxfendazole / Cobalt Disodium EDTA / Sodium  
Selenate Formulation**Version  
3.0Revision Date:  
14.04.2025SDS Number:  
10812602-00011Date of last issue: 24.03.2025  
Date of first issue: 11.07.2022

|  |   |  |
|--|---|--|
|  |   | Application Route: Ingestion<br>Result: negative<br>Remarks: Based on data from similar materials  |
| Effects on fetal development   | : | Test Type: Embryo-fetal development<br>Species: Mouse<br>Application Route: Ingestion<br>Result: negative<br>Remarks: Based on data from similar materials   |
| <b>abamectin (combination of avermectin B1a and avermectin B1b) (ISO):</b> |   |  |
| Effects on fertility   | : | Test Type: Fertility<br>Species: Rat, male<br>Application Route: Oral<br>Result: Effects on fertility.   |
|  |   | Test Type: Two-generation reproduction toxicity study<br>Species: Rat<br>Application Route: Oral<br>Early Embryonic Development: NOAEL: 0.12 mg/kg body weight<br>Result: Fetotoxicity.  |
| Effects on fetal development   | : | Test Type: Embryo-fetal development<br>Species: Mouse<br>Application Route: Oral<br>General Toxicity Maternal: NOAEL: 0.05 mg/kg body weight<br>Developmental Toxicity: NOAEL: 0.2 mg/kg body weight<br>Result: Cleft palate<br>Remarks: Adverse developmental effects were observed |
|  |   | Test Type: Embryo-fetal development<br>Species: Rabbit<br>Application Route: Oral<br>Developmental Toxicity: LOAEL: 2 mg/kg body weight<br>Result: Cleft palate, Teratogenic effects., Reduced embryonic survival<br>Remarks: Adverse developmental effects were observed            |
|  |   | Test Type: Development<br>Species: Rat<br>Application Route: Oral<br>Developmental Toxicity: LOAEL: 1.6 mg/kg body weight<br>Result: Teratogenic effects.  |
| Reproductive toxicity - Assessment   | : | Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal experiments.   |

**Abamectin / Levamisole Hydrochloride /  
Oxfendazole / Cobalt Disodium EDTA / Sodium  
Selenate Formulation**

Version      Revision Date:      SDS Number:      Date of last issue: 24.03.2025  
3.0            14.04.2025            10812602-00011      Date of first issue: 11.07.2022

---

**STOT-single exposure**

Not classified based on available information.

**Components:****Citric acid:**

|| Assessment : May cause respiratory irritation.

**STOT-repeated exposure**

Causes damage to organs (Respiratory Tract, Thyroid, Heart, Blood) through prolonged or repeated exposure.

May cause damage to organs (Liver, Testis) through prolonged or repeated exposure.

May cause damage to organs (Blood, Testis) through prolonged or repeated exposure if swallowed.

**Components:****Levamisole hydrochloride:**

|| Target Organs : Blood, Testis  
|| Assessment : May cause damage to organs through prolonged or repeated exposure.

**Cobalt disodium ethylenediaminetetraacetate:**

|| Routes of exposure : inhalation (dust/mist/fume)  
|| Target Organs : Respiratory Tract  
|| Assessment : Shown to produce significant health effects in animals at concentrations of 0.02 mg/l/6h/d or less.  
|| Remarks : Based on data from similar materials

|| Routes of exposure : Ingestion  
|| Target Organs : Thyroid, Heart, Blood  
|| Assessment : Shown to produce significant health effects in animals at concentrations of >10 to 100 mg/kg bw.  
|| Remarks : Based on data from similar materials

**oxfendazole:**

|| Routes of exposure : Oral  
|| Target Organs : Liver, Testis  
|| Assessment : May cause damage to organs through prolonged or repeated exposure.

**Sodium selenate:**

|| Routes of exposure : Ingestion  
|| Assessment : Shown to produce significant health effects in animals at concentrations of 10 mg/kg bw or less.

**abamectin (combination of avermectin B1a and avermectin B1b) (ISO):**

|| Routes of exposure : Ingestion  
|| Target Organs : Central nervous system

**Abamectin / Levamisole Hydrochloride /  
Oxfendazole / Cobalt Disodium EDTA / Sodium  
Selenate Formulation**

Version      Revision Date:      SDS Number:      Date of last issue: 24.03.2025  
3.0            14.04.2025            10812602-00011      Date of first issue: 11.07.2022

---

Assessment : Causes damage to organs through prolonged or repeated exposure.

**Repeated dose toxicity****Components:****Levamisole hydrochloride:**

Species : Rat  
NOAEL : 2.5 mg/kg  
Application Route : Oral  
Exposure time : 18 Months  
Target Organs : Testis

Species : Dog  
LOAEL : 20 mg/kg  
Application Route : Oral  
Exposure time : 18 Months  
Target Organs : Blood

Species : Dog  
LOAEL : 40 mg/kg  
Application Route : Oral  
Exposure time : 3 Months

**Cobalt disodium ethylenediaminetetraacetate:**

Species : Rat  
LOAEL : > 10 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days  
Remarks : Based on data from similar materials

Species : Rat  
LOAEL : < 0.01 mg/l  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 13 Weeks  
Method : OECD Test Guideline 413  
Remarks : Based on data from similar materials

Species : Mouse  
LOAEL : < 0.01 mg/l  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 13 Weeks  
Method : OECD Test Guideline 413  
Remarks : Based on data from similar materials

**oxfendazole:**

Species : Rat  
NOAEL : 11 mg/kg  
Application Route : Oral

**Abamectin / Levamisole Hydrochloride /  
Oxfendazole / Cobalt Disodium EDTA / Sodium  
Selenate Formulation**

Version      Revision Date:      SDS Number:      Date of last issue: 24.03.2025  
3.0            14.04.2025            10812602-00011      Date of first issue: 11.07.2022

---

|                        |   |  |
|------------------------|---|--|
| Exposure time          | : | 2 Weeks                                      |
| Target Organs          | : | Blood, Liver, Testis                         |
| Species                | : | Rat  |
| NOAEL                  | : | 3.8 mg/kg                                    |
| Application Route      | : | Oral   |
| Exposure time          | : | 3 Months                                     |
| Target Organs          | : | Liver, Testis                                |
| Species                | : | Mouse  |
| NOAEL                  | : | 750 mg/kg                                    |
| Application Route      | : | Oral   |
| Exposure time          | : | 1 Months                                     |
| Target Organs          | : | Liver  |
| Species                | : | Mouse  |
| NOAEL                  | : | 37.5 mg/kg                                   |
| Application Route      | : | Oral   |
| Exposure time          | : | 3 Months                                     |
| Target Organs          | : | Liver  |
| Species                | : | Dog  |
| NOAEL                  | : | 6 mg/kg                                      |
| Application Route      | : | Oral   |
| Exposure time          | : | 1 Months                                     |
| Remarks                | : | No significant adverse effects were reported |
| Species                | : | Dog  |
| NOAEL                  | : | 11 mg/kg                                     |
| Application Route      | : | Oral   |
| Exposure time          | : | 2 Weeks                                      |
| Target Organs          | : | Lymph nodes, thymus gland                    |
| Species                | : | Dog  |
| NOAEL                  | : | 13.5 mg/kg                                   |
| Application Route      | : | Oral   |
| Exposure time          | : | 12 Months                                    |
| Target Organs          | : | Liver  |
| <b>Benzyl alcohol:</b> |   |  |
| Species                | : | Rat  |
| NOAEL                  | : | 1.072 mg/l                                   |
| Application Route      | : | inhalation (dust/mist/fume)                  |
| Exposure time          | : | 28 Days                                      |
| Method                 | : | OECD Test Guideline 412                      |
| <b>Citric acid:</b>    |   |  |
| Species                | : | Rat  |
| NOAEL                  | : | 4,000 mg/kg                                  |
| LOAEL                  | : | 8,000 mg/kg                                  |
| Application Route      | : | Ingestion                                    |

# SAFETY DATA SHEET



## Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version 3.0      Revision Date: 14.04.2025      SDS Number: 10812602-00011      Date of last issue: 24.03.2025  
Date of first issue: 11.07.2022

||| Exposure time : 10 Days

### Sodium selenate:

||| Species : Rat  
NOAEL : 0.4 mg/kg  
Application Route : Ingestion  
Exposure time : 13 Weeks

### abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

||| Species : Rat  
NOAEL : 1.5 mg/kg  
Application Route : Oral  
Exposure time : 24 Months  
Target Organs : Central nervous system  
Symptoms : Tremors, ataxia

||| Species : Mouse  
NOAEL : 4.0 mg/kg  
Application Route : Oral  
Exposure time : 24 Months  
Target Organs : Central nervous system  
Symptoms : Tremors, ataxia

||| Species : Dog  
NOAEL : 0.25 mg/kg  
LOAEL : 0.5 mg/kg  
Application Route : Oral  
Exposure time : 53 Weeks  
Target Organs : Central nervous system  
Symptoms : Tremors, weight loss  
Remarks : mortality observed

||| Species : Monkey  
NOAEL : 1.0 mg/kg  
Application Route : Oral  
Exposure time : 14 Weeks  
Target Organs : Central nervous system

### Aspiration toxicity

Not classified based on available information.

### Experience with human exposure

#### Components:

##### Levamisole hydrochloride:

||| Ingestion : Symptoms: Nausea, Vomiting, Headache, Dizziness, hypotension

##### Cobalt disodium ethylenediaminetetraacetate:

||| Inhalation : Target Organs: Respiratory system

**Abamectin / Levamisole Hydrochloride /  
Oxfendazole / Cobalt Disodium EDTA / Sodium  
Selenate Formulation**

Version 3.0      Revision Date: 14.04.2025      SDS Number: 10812602-00011      Date of last issue: 24.03.2025  
Date of first issue: 11.07.2022

---

||| Ingestion      Remarks: Based on data from similar materials  
: Target Organs: Blood  
Remarks: Based on data from similar materials  
Target Organs: Heart  
Target Organs: Thyroid

**abamectin (combination of avermectin B1a and avermectin B1b) (ISO):**

||| Ingestion      : Symptoms: May cause, Tremors, Diarrhea, central nervous system effects, Salivation, tearing

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****Levamisole hydrochloride:**

||| Toxicity to fish      : LC50 (Oryzias latipes (Japanese medaka)): 37.3 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

||| Toxicity to daphnia and other aquatic invertebrates      : EC50 (Daphnia magna (Water flea)): 64 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

**Cobalt disodium ethylenediaminetetraacetate:**

||| Toxicity to daphnia and other aquatic invertebrates      : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
Remarks: Based on data from similar materials

||| Toxicity to algae/aquatic plants      : ErC50 (Raphidocelis subcapitata (freshwater green alga)): > 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

||| Toxicity to fish (Chronic toxicity)      : EC10 (Danio rerio (zebra fish)): > 1 mg/l  
Exposure time: 34 d  
Remarks: Based on data from similar materials

||| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)      : EC10 (Hyalicella azteca (Amphipod)): > 0.01 - 0.1 mg/l  
Exposure time: 28 d  
Method: OECD Test Guideline 211  
Remarks: Based on data from similar materials

**oxfendazole:**

||| Toxicity to fish      : LC50 (Lepomis macrochirus (Bluegill sunfish)): > 2.7 mg/l  
Exposure time: 96 h

LC50 (Oncorhynchus mykiss (rainbow trout)): > 2.5 mg/l

**Abamectin / Levamisole Hydrochloride /  
Oxfendazole / Cobalt Disodium EDTA / Sodium  
Selenate Formulation**

Version 3.0      Revision Date: 14.04.2025      SDS Number: 10812602-00011      Date of last issue: 24.03.2025  
Date of first issue: 11.07.2022

---

Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.059 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 4 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): > 4 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.023 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

**Benzyl alcohol:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 460 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 230 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 770 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 310 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 51 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

**Citric acid:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1,535 mg/l  
Exposure time: 24 h

**Polyethylene glycol stearate:**

**Abamectin / Levamisole Hydrochloride /  
Oxfendazole / Cobalt Disodium EDTA / Sodium  
Selenate Formulation**

Version 3.0      Revision Date: 14.04.2025      SDS Number: 10812602-00011      Date of last issue: 24.03.2025  
Date of first issue: 11.07.2022

---

|                            |   |  |
|----------------------------|---|--|
| Toxicity to fish           | : | LC50 (Leuciscus idus (Golden orfe)): > 10,000 mg/l<br>Exposure time: 96 h<br>Method: DIN 38412 |
| Toxicity to microorganisms | : | EC10 (Bacteria): > 10,000 mg/l<br>Exposure time: 16 h  |

**Sodium selenate:**

|  |   |   |
|--|---|---|
| Toxicity to fish   | : | LC50 (Pimephales promelas (fathead minnow)): > 1 - 10 mg/l<br>Exposure time: 96 h<br>Remarks: Based on data from similar materials                                      |
| Toxicity to daphnia and other aquatic invertebrates                    | : | EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l<br>Exposure time: 48 h<br>Remarks: Based on data from similar materials  |
| Toxicity to algae/aquatic plants                                       | : | ErC50 (Chlamydomonas reinhardtii (green algae)): 245 µg/l<br>Exposure time: 96 h<br><br>NOEC (Chlamydomonas reinhardtii (green algae)): 197 µg/l<br>Exposure time: 96 h |
| Toxicity to fish (Chronic toxicity)                                    | : | NOEC (Lepomis macrochirus (Bluegill sunfish)): > 0.01 - 0.1 mg/l<br>Exposure time: 258 d<br>Remarks: Based on data from similar materials                               |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | NOEC: > 0.1 - 1 mg/l<br>Exposure time: 28 d<br>Remarks: Based on data from similar materials  |
| Toxicity to microorganisms   | : | EC10 (activated sludge): 590 mg/l<br>Exposure time: 3 h<br>Method: OECD Test Guideline 209  |

**abamectin (combination of avermectin B1a and avermectin B1b) (ISO):**

|                  |   |  |
|------------------|---|--|
| Toxicity to fish | : | LC50 (Oncorhynchus mykiss (rainbow trout)): 3.2 µg/l<br>Exposure time: 96 h<br><br>LC50 (Lepomis macrochirus (Bluegill sunfish)): 9.6 µg/l<br>Exposure time: 96 h<br><br>LC50 (Ictalurus punctatus (channel catfish)): 24 µg/l<br>Exposure time: 96 h<br><br>LC50 (Cyprinus carpio (Carp)): 42 µg/l<br>Exposure time: 96 h<br><br>LC50 (Cyprinodon variegatus (sheepshead minnow)): 15 µg/l<br>Exposure time: 96 h |
|------------------|---|--|

**Abamectin / Levamisole Hydrochloride /  
Oxfendazole / Cobalt Disodium EDTA / Sodium  
Selenate Formulation**

Version 3.0      Revision Date: 14.04.2025      SDS Number: 10812602-00011      Date of last issue: 24.03.2025  
Date of first issue: 11.07.2022

---

|  |   |   |
|--|---|---|
| Toxicity to daphnia and other aquatic invertebrates                    | : | EC50 (Americamysis): 0.022 µg/l<br>Exposure time: 96 h                                |
|  |   | EC50 (Daphnia magna (Water flea)): 0.34 µg/l<br>Exposure time: 48 h                   |
| Toxicity to algae/aquatic plants                                       | : | EC50 (Pseudokirchneriella subcapitata (green algae)): 100 mg/l<br>Exposure time: 72 h |
| Toxicity to fish (Chronic toxicity)                                    | : | NOEC (Pimephales promelas (fathead minnow)): 0.52 µg/l<br>Exposure time: 32 d         |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | NOEC (Daphnia magna (Water flea)): 0.03 µg/l<br>Exposure time: 21 d                   |
|  |   | NOEC (Mysidopsis bahia (opossum shrimp)): 0.0035 µg/l<br>Exposure time: 28 d          |
| Toxicity to microorganisms   | : | EC50: > 1,000 mg/l<br>Exposure time: 3 h<br>Test Type: Respiration inhibition         |

**Persistence and degradability****Components:****oxfendazole:**

|                    |   |                        |
|--------------------|---|------------------------|
| Stability in water | : | Hydrolysis: < 5 %(4 d) |
|--------------------|---|------------------------|

**Benzyl alcohol:**

|                  |   |  |
|------------------|---|--|
| Biodegradability | : | Result: Readily biodegradable.<br>Biodegradation: 92 - 96 %<br>Exposure time: 14 d |
|------------------|---|--|

**Citric acid:**

|                  |   |   |
|------------------|---|---|
| Biodegradability | : | Result: Readily biodegradable.<br>Biodegradation: 97 %<br>Exposure time: 28 d<br>Method: OECD Test Guideline 301B |
|------------------|---|---|

**Polyethylene glycol stearate:**

|                  |   |   |
|------------------|---|---|
| Biodegradability | : | Result: Readily biodegradable.<br>Biodegradation: > 70 %<br>Exposure time: 10 d<br>Method: OECD Test Guideline 302B |
|------------------|---|---|

**abamectin (combination of avermectin B1a and avermectin B1b) (ISO):**

|                    |   |                          |
|--------------------|---|--------------------------|
| Stability in water | : | Hydrolysis: 50 %(< 12 h) |
|--------------------|---|--------------------------|

# SAFETY DATA SHEET



## Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version 3.0      Revision Date: 14.04.2025      SDS Number: 10812602-00011      Date of last issue: 24.03.2025  
Date of first issue: 11.07.2022

---

II

### Bioaccumulative potential

#### Components:

##### **Cobalt disodium ethylenediaminetetraacetate:**

Partition coefficient: n-octanol/water : log Pow: -3.86  
Remarks: Calculation

##### **oxfendazole:**

Partition coefficient: n-octanol/water : log Pow: 1.95

##### **Benzyl alcohol:**

Partition coefficient: n-octanol/water : log Pow: 1.05

##### **Citric acid:**

Partition coefficient: n-octanol/water : log Pow: -1.72

##### **abamectin (combination of avermectin B1a and avermectin B1b) (ISO):**

Bioaccumulation : Bioconcentration factor (BCF): 52

Partition coefficient: n-octanol/water : log Pow: 4

### **Mobility in soil**

#### Components:

##### **oxfendazole:**

Distribution among environmental compartments : log Koc: 3.2

##### **abamectin (combination of avermectin B1a and avermectin B1b) (ISO):**

Distribution among environmental compartments : log Koc: > 3.6

### **Other adverse effects**

No data available

---

## SECTION 13. DISPOSAL CONSIDERATIONS

#### **Disposal methods**

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

# SAFETY DATA SHEET



## Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version 3.0      Revision Date: 14.04.2025      SDS Number: 10812602-00011      Date of last issue: 24.03.2025  
Date of first issue: 11.07.2022

### SECTION 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(abamectin (combination of avermectin B1a and avermectin B1b) (ISO), oxfendazole)  
Class : 9  
Packing group : III  
Labels : 9  
Environmentally hazardous : yes

##### IATA-DGR

UN/ID No. : UN 3082  
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.  
(abamectin (combination of avermectin B1a and avermectin B1b) (ISO), oxfendazole)  
Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 964  
Packing instruction (passenger aircraft) : 964  
Environmentally hazardous : yes

##### IMDG-Code

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(abamectin (combination of avermectin B1a and avermectin B1b) (ISO), oxfendazole)  
Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### Domestic regulation

##### NOM-002-SCT

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(abamectin (combination of avermectin B1a and avermectin B1b) (ISO), oxfendazole)  
Class : 9

# SAFETY DATA SHEET



## Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version      Revision Date:      SDS Number:      Date of last issue: 24.03.2025  
3.0            14.04.2025            10812602-00011      Date of first issue: 11.07.2022

---

Packing group      :      III  
Labels              :      9

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## SECTION 15. REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

Federal Law for the control of chemical precursors,      :      Hydrochloric acid  
essential chemical products and machinery for  
producing capsules, tablets and pills.

### The ingredients of this product are reported in the following inventories:

AICS              :      not determined  
DSL              :      not determined  
IECSC              :      not determined

---

## SECTION 16. OTHER INFORMATION

Revision Date      :      14.04.2025  
Date format        :      dd.mm.yyyy

### Full text of other abbreviations

ACGIH              :      USA. ACGIH Threshold Limit Values (TLV)  
NOM-010-STPS-2014      :      Mexico. Norm NOM-010-STPS-2014 on Chemicals Polluting  
the Work Environment - Identification, Assessment and Con-  
trol - Appendix 1 Occupational Exposure Limits  
ACGIH / TWA        :      8-hour, time-weighted average  
NOM-010-STPS-2014 / VLE-      :      Time weighted average limit value  
PPT

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemi-

# SAFETY DATA SHEET



## Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

---

|                |                              |                               |   |
|----------------|------------------------------|-------------------------------|---|
| Version<br>3.0 | Revision Date:<br>14.04.2025 | SDS Number:<br>10812602-00011 | Date of last issue: 24.03.2025<br>Date of first issue: 11.07.2022 |
|----------------|------------------------------|-------------------------------|---|

---

cal Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information is considered as correct, but not exhaustive, and will be used only as a guide, which is based in the current knowledge of the substance or mixture, and is applicable to proper safety precautions for the product.

MX / Z8