

**Ethion Formulation**

|         |                |                |                                 |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number:    | Date of last issue: 04.12.2024  |
| 5.0     | 14.04.2025     | 10597648-00010 | Date of first issue: 28.01.2022 |

---

**SECTION 1. IDENTIFICATION**

Product identifier : Ethion Formulation

**Manufacturer or supplier's details**

Company : MSD

Address : Rua Coronel Bento Soares, 530  
Cruzeiro - Sao Paulo - Brazil CEP 12730-340

Telephone : 908-740-4000

Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

**Recommended use of the chemical and restrictions on use**

Recommended use : Pharmaceutical

Restrictions on use : Not applicable

---

**SECTION 2. HAZARDS IDENTIFICATION****GHS Classification in accordance with ABNT NBR 14725 Standard**

Acute toxicity (Oral) : Category 2

Acute toxicity (Inhalation) : Category 3

Acute toxicity (Dermal) : Category 2

Skin irritation : Category 3

Serious eye damage : Category 1

Specific target organ toxicity - : Category 1 (Central nervous system)  
single exposure

Specific target organ toxicity - : Category 1 (Central nervous system)  
repeated exposure

Short-term (acute) aquatic : Category 1  
hazard

Long-term (chronic) aquatic : Category 1  
hazard

**GHS label elements in accordance with ABNT NBR 14725 Standard**

## Ethion Formulation

Version 5.0      Revision Date: 14.04.2025      SDS Number: 10597648-00010      Date of last issue: 04.12.2024  
 Date of first issue: 28.01.2022

Hazard pictograms

:



Signal Word

: Danger

Hazard Statements

: H300 + H310 Fatal if swallowed or in contact with skin.  
 H316 Causes mild skin irritation.  
 H318 Causes serious eye damage.  
 H331 Toxic if inhaled.  
 H370 Causes damage to organs (Central nervous system).  
 H372 Causes damage to organs (Central nervous system) through prolonged or repeated exposure.  
 H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements

: **Prevention:**  
 P270 Do not eat, drink or smoke when using this product.  
 P271 Use only outdoors or in a well-ventilated area.  
 P273 Avoid release to the environment.  
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**  
 P301 + P310 + P330 IF SWALLOWED: Immediately call a POISON CENTER/ doctor. Rinse mouth.  
 P302 + P352 + P310 IF ON SKIN: Wash with plenty of water. Immediately call a POISON CENTER/ doctor.  
 P304 + P340 + P311 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor.  
 P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.  
 P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor.  
 P332 + P313 If skin irritation occurs: Get medical advice/ attention.  
 P391 Collect spillage.

**Storage:**  
 P405 Store locked up.

## Other hazards which do not result in classification

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

## Components

| Chemical name | CAS-No.  | Classification       | Concentration (% w/w) |
|---------------|----------|----------------------|-----------------------|
| Ethion        | 563-12-2 | Acute Tox. (Oral), 2 | >= 70 -< 90           |

## Ethion Formulation

Version 5.0      Revision Date: 14.04.2025      SDS Number: 10597648-00010      Date of last issue: 04.12.2024  
 Date of first issue: 28.01.2022

|                                              |            |                                                                                                                                                                                                    |                |
|----------------------------------------------|------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
|                                              |            | Acute Tox. (Inhalation), 2<br>Acute Tox. (Dermal), 2<br>Skin Irrit., 3<br>STOT SE, (Central nervous system) , 1<br>STOT RE, (Central nervous system) , 1<br>Aquatic Acute, 1<br>Aquatic Chronic, 1 |                |
| Alcohols, C11-14-iso-, C13-rich, ethoxylated | 78330-21-9 | Acute Tox. (Oral), 5<br>Eye Dam., 1<br>Aquatic Acute, 2<br>Aquatic Chronic, 3                                                                                                                      | $\geq 3 - < 5$ |

## SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
If not breathing, give artificial respiration.  
If breathing is difficult, give oxygen.  
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.  
Get medical attention immediately.  
Wash clothing before reuse.  
Destroy contaminated shoes.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Get medical attention immediately.
- If swallowed : If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel.  
Call a physician or poison control center immediately.  
Rinse mouth thoroughly with water.  
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : Fatal if swallowed or in contact with skin.  
Causes mild skin irritation.  
Causes serious eye damage.  
Toxic if inhaled.  
Causes damage to organs.  
Causes damage to organs through prolonged or repeated exposure.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

## Ethion Formulation

|         |                |                |                                 |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number:    | Date of last issue: 04.12.2024  |
| 5.0     | 14.04.2025     | 10597648-00010 | Date of first issue: 28.01.2022 |

---

**SECTION 5. FIRE-FIGHTING MEASURES**

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : None known.
- Specific hazards during fire fighting : Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides  
Sulfur oxides  
Oxides of phosphorus
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.
- Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

---

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

- Personal precautions, protective equipment and emergency procedures : Evacuate personnel to safe areas.  
Only trained personnel should re-enter the area.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g., by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material.  
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

**Ethion Formulation**

|         |                |                |                                 |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number:    | Date of last issue: 04.12.2024  |
| 5.0     | 14.04.2025     | 10597648-00010 | Date of first issue: 28.01.2022 |

Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

**SECTION 7. HANDLING AND STORAGE**

- |                             |   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|-----------------------------|---|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Technical measures          | : | See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Local/Total ventilation     | : | If sufficient ventilation is unavailable, use with local exhaust ventilation.                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Advice on safe handling     | : | Do not get on skin or clothing.<br>Do not breathe mist or vapors.<br>Do not swallow.<br>Do not get in eyes.<br>Wash skin thoroughly after handling.<br>Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment<br>Keep container tightly closed.<br>Do not eat, drink or smoke when using this product.<br>Take care to prevent spills, waste and minimize release to the environment.                                          |
| Hygiene measures            | : | If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.<br>When using do not eat, drink or smoke.<br>Wash contaminated clothing before re-use.<br>The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls. |
| Conditions for safe storage | : | Keep in properly labeled containers.<br>Store locked up.<br>Keep tightly closed.<br>Keep in a cool, well-ventilated place.<br>Store in accordance with the particular national regulations.                                                                                                                                                                                                                                                                                                              |
| Materials to avoid          | : | Do not store with the following product types:<br>Strong oxidizing agents<br>Self-reactive substances and mixtures<br>Organic peroxides<br>Flammable liquids<br>Flammable solids<br>Pyrophoric liquids<br>Pyrophoric solids<br>Self-heating substances and mixtures<br>Substances and mixtures which in contact with water emit flammable gases<br>Explosives<br>Gases                                                                                                                                   |

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Ingredients with workplace control parameters**

## Ethion Formulation

Version 5.0      Revision Date: 14.04.2025      SDS Number: 10597648-00010      Date of last issue: 04.12.2024  
 Date of first issue: 28.01.2022

| Components | CAS-No.                   | Value type<br>(Form of exposure)      | Control parameters / Permissible concentration | Basis    |
|------------|---------------------------|---------------------------------------|------------------------------------------------|----------|
| Ethion     | 563-12-2                  | TWA                                   | 4 µg/m <sup>3</sup> (OEB 4)                    | Internal |
|            | Further information: Skin |                                       |                                                |          |
|            |                           | Wipe limit                            | 40 µg/100 cm <sup>2</sup>                      | Internal |
|            |                           | TWA<br>(Inhalable fraction and vapor) | 0,05 mg/m <sup>3</sup>                         | ACGIH    |

**Engineering measures** : The information below is intended for larger pilot/commercial-scale operations and manufacturing. For smaller scale, clinical, or pharmacy settings, site-specific internal risk assessment practices should be conducted to determine appropriate exposure control measures. The health hazard risks of handling this material are dependent on multiple factors, including but not limited to physical form and quantity handled. If applicable, use process enclosures, local exhaust ventilation (e.g., Biosafety Cabinet, Ventilated Balance Enclosures), or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels as low as reasonably achievable. All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Essentially no open handling permitted. Use closed processing systems or containment technologies. If handled in a laboratory, use a properly designed biosafety cabinet, fume hood, or other containment device if the potential exists for aerosolization. If this potential does not exist, handle over lined trays or benchtops.

**Personal protective equipment**

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Organic vapor Type

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.

## Ethion Formulation

|         |                |                |                                 |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number:    | Date of last issue: 04.12.2024  |
| 5.0     | 14.04.2025     | 10597648-00010 | Date of first issue: 28.01.2022 |

Use appropriate degowning techniques to remove potentially contaminated clothing.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

|                                                  |                     |
|--------------------------------------------------|---------------------|
| Physical state                                   | : liquid            |
| Color                                            | : No data available |
| Odor                                             | : No data available |
| Odor Threshold                                   | : No data available |
| pH                                               | : No data available |
| Melting point/freezing point                     | : No data available |
| Initial boiling point and boiling range          | : No data available |
| Flash point                                      | : No data available |
| Evaporation rate                                 | : No data available |
| Flammability (solid, gas)                        | : Not applicable    |
| Flammability (liquids)                           | : Not applicable    |
| Upper explosion limit / Upper flammability limit | : No data available |
| Lower explosion limit / Lower flammability limit | : No data available |
| Vapor pressure                                   | : No data available |
| Relative vapor density                           | : No data available |
| Relative density                                 | : No data available |
| Density                                          | : No data available |
| Solubility(ies)                                  |                     |
| Water solubility                                 | : No data available |
| Partition coefficient: n-octanol/water           | : Not applicable    |
| Autoignition temperature                         | : No data available |
| Decomposition temperature                        | : No data available |
| Viscosity                                        |                     |
| Viscosity, kinematic                             | : No data available |
| Explosive properties                             | : Not explosive     |

**Ethion Formulation**

|         |                |                |                                 |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number:    | Date of last issue: 04.12.2024  |
| 5.0     | 14.04.2025     | 10597648-00010 | Date of first issue: 28.01.2022 |

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics  
Particle size : Not applicable

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Can react with strong oxidizing agents.

Conditions to avoid : None known.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

**SECTION 11. TOXICOLOGICAL INFORMATION**

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

**Acute toxicity**

Fatal if swallowed or in contact with skin.  
Toxic if inhaled.

**Product:**

Acute oral toxicity : Acute toxicity estimate: 14,87 mg/kg  
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: 0,515 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: 70,95 mg/kg  
Method: Calculation method

**Components:****Ethion:**

Acute oral toxicity : LD50 (Rat): 13 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0,450 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): 62 mg/kg

## Ethion Formulation

|         |                |                |                                 |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number:    | Date of last issue: 04.12.2024  |
| 5.0     | 14.04.2025     | 10597648-00010 | Date of first issue: 28.01.2022 |

||

**Alcohols, C11-14-iso-, C13-rich, ethoxylated:**

|| Acute oral toxicity : LD50 (Rat): &gt; 2.000 - 3.340 mg/kg

|| Acute dermal toxicity : LD50 (Rabbit): &gt; 2.000 mg/kg

**Skin corrosion/irritation**

Causes mild skin irritation.

**Components:****Ethion:**|| Species : Rabbit  
|| Result : Mild skin irritation**Serious eye damage/eye irritation**

Causes serious eye damage.

**Components:****Ethion:**

|| Result : No eye irritation

**Alcohols, C11-14-iso-, C13-rich, ethoxylated:**

|| Result : Irreversible effects on the eye

**Respiratory or skin sensitization****Skin sensitization**

Not classified based on available information.

**Respiratory sensitization**

Not classified based on available information.

**Components:****Ethion:**|| Routes of exposure : Skin contact  
|| Species : Guinea pig  
|| Result : negative**Germ cell mutagenicity**

Not classified based on available information.

**Components:****Ethion:**|| Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negativeTest Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)  
Result: negative

## Ethion Formulation

|         |                |                |                                 |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number:    | Date of last issue: 04.12.2024  |
| 5.0     | 14.04.2025     | 10597648-00010 | Date of first issue: 28.01.2022 |

|                                     |   |                                                                                            |
|-------------------------------------|---|--------------------------------------------------------------------------------------------|
|                                     |   | Test Type: In vitro sister chromatid exchange assay in mammalian cells<br>Result: negative |
|                                     |   | Test Type: in vitro micronucleus test<br>Result: positive                                  |
| Genotoxicity in vivo                | : | Test Type: Chromosomal aberration<br>Species: Rat<br>Result: negative                      |
|                                     |   | Test Type: In vivo micronucleus test<br>Species: Mouse<br>Result: positive                 |
| Germ cell mutagenicity - Assessment | : | Weight of evidence does not support classification as a germ cell mutagen.                 |

**Carcinogenicity**

Not classified based on available information.

**Components:****Ethion:**

|                   |   |           |
|-------------------|---|-----------|
| Species           | : | Rat       |
| Application Route | : | Ingestion |
| Exposure time     | : | 18 Months |
| Result            | : | negative  |

|                   |   |           |
|-------------------|---|-----------|
| Species           | : | Mouse     |
| Application Route | : | Ingestion |
| Exposure time     | : | 24 Months |
| Result            | : | negative  |

**Reproductive toxicity**

Not classified based on available information.

**Components:****Ethion:**

|                              |   |                                                                                                                             |
|------------------------------|---|-----------------------------------------------------------------------------------------------------------------------------|
| Effects on fertility         | : | Test Type: Three-generation reproduction toxicity study<br>Species: Rat<br>Application Route: Ingestion<br>Result: negative |
| Effects on fetal development | : | Test Type: Embryo-fetal development<br>Species: Rat<br>Application Route: Ingestion<br>Result: negative                     |

**STOT-single exposure**

Causes damage to organs (Central nervous system).

**Ethion Formulation**

|         |                |                |                                 |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number:    | Date of last issue: 04.12.2024  |
| 5.0     | 14.04.2025     | 10597648-00010 | Date of first issue: 28.01.2022 |

---

**Components:****Ethion:**

|| Assessment : Causes damage to organs.

**STOT-repeated exposure**

Causes damage to organs (Central nervous system) through prolonged or repeated exposure.

**Components:****Ethion:**

|| Target Organs : Central nervous system  
|| Assessment : Causes damage to organs through prolonged or repeated exposure.

**Repeated dose toxicity****Components:****Ethion:**

|| Species : Dog  
|| NOAEL : 0,05 mg/kg  
|| Application Route : Ingestion  
|| Exposure time : 90 Days

**Aspiration toxicity**

Not classified based on available information.

**Experience with human exposure****Components:****Ethion:**

|| Ingestion : Symptoms: Blurred vision, Dizziness, Headache

---

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****Ethion:**

|| Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0,18 mg/l  
Exposure time: 96 h  
|| Toxicity to daphnia and other : EC50: 0,056 - 7,7 µg/l  
aquatic invertebrates Exposure time: 48 h  
|| M-Factor (Acute aquatic tox- : 10.000  
icity)  
|| M-Factor (Chronic aquatic : 10.000  
toxicity)

**Alcohols, C11-14-iso-, C13-rich, ethoxylated:**

## Ethion Formulation

|         |                |                |                                 |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number:    | Date of last issue: 04.12.2024  |
| 5.0     | 14.04.2025     | 10597648-00010 | Date of first issue: 28.01.2022 |

|                                                                        |                                                                                                                                       |
|------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|
| Toxicity to fish                                                       | : LC50 : > 1 - 10 mg/l<br>Exposure time: 96 h                                                                                         |
| Toxicity to daphnia and other aquatic invertebrates                    | : EC50 (Daphnia sp. (Water flea)): > 1 - 10 mg/l<br>Exposure time: 48 h                                                               |
| Toxicity to algae/aquatic plants                                       | : EC50: > 1 - 10 mg/l<br>Exposure time: 72 h                                                                                          |
| Toxicity to fish (Chronic toxicity)                                    | : NOEC (Pimephales promelas (fathead minnow)): > 0,1 - 1 mg/l<br>Exposure time: 30 d<br>Remarks: Based on data from similar materials |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : NOEC (Daphnia magna (Water flea)): > 0,1 - 1 mg/l<br>Exposure time: 21 d<br>Remarks: Based on data from similar materials           |

**Persistence and degradability****Components:****Ethion:**

|                  |                                  |
|------------------|----------------------------------|
| Biodegradability | : Result: not rapidly degradable |
|------------------|----------------------------------|

**Alcohols, C11-14-iso-, C13-rich, ethoxylated:**

|                  |                                  |
|------------------|----------------------------------|
| Biodegradability | : Result: Readily biodegradable. |
|------------------|----------------------------------|

**Bioaccumulative potential****Components:****Ethion:**

|                                        |                 |
|----------------------------------------|-----------------|
| Partition coefficient: n-octanol/water | : log Pow: 5,07 |
|----------------------------------------|-----------------|

**Mobility in soil**

No data available

**Other adverse effects**

No data available

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

|                        |                                                                                                                                                               |
|------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Waste from residues    | : Do not dispose of waste into sewer.<br>Dispose of in accordance with local regulations.                                                                     |
| Contaminated packaging | : Empty containers should be taken to an approved waste handling site for recycling or disposal.<br>If not otherwise specified: Dispose of as unused product. |

## Ethion Formulation

|         |                |                |                                 |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number:    | Date of last issue: 04.12.2024  |
| 5.0     | 14.04.2025     | 10597648-00010 | Date of first issue: 28.01.2022 |

**SECTION 14. TRANSPORT INFORMATION****International Regulations****UNRTDG**

|                           |                                             |
|---------------------------|---------------------------------------------|
| UN number                 | : UN 2810                                   |
| Proper shipping name      | : TOXIC LIQUID, ORGANIC, N.O.S.<br>(Ethion) |
| Class                     | : 6.1                                       |
| Packing group             | : II                                        |
| Labels                    | : 6.1                                       |
| Environmentally hazardous | : no                                        |

**IATA-DGR**

|                                          |                                             |
|------------------------------------------|---------------------------------------------|
| UN/ID No.                                | : UN 2810                                   |
| Proper shipping name                     | : Toxic liquid, organic, n.o.s.<br>(Ethion) |
| Class                                    | : 6.1                                       |
| Packing group                            | : II                                        |
| Labels                                   | : Toxic                                     |
| Packing instruction (cargo aircraft)     | : 662                                       |
| Packing instruction (passenger aircraft) | : 654                                       |

**IMDG-Code**

|                      |                                             |
|----------------------|---------------------------------------------|
| UN number            | : UN 2810                                   |
| Proper shipping name | : TOXIC LIQUID, ORGANIC, N.O.S.<br>(Ethion) |
| Class                | : 6.1                                       |
| Packing group        | : II                                        |
| Labels               | : 6.1                                       |
| EmS Code             | : F-A, S-A                                  |
| Marine pollutant     | : yes                                       |

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**Domestic regulation****ANTT**

|                              |                                             |
|------------------------------|---------------------------------------------|
| UN number                    | : UN 2810                                   |
| Proper shipping name         | : TOXIC LIQUID, ORGANIC, N.O.S.<br>(Ethion) |
| Class                        | : 6.1                                       |
| Packing group                | : II                                        |
| Labels                       | : 6.1                                       |
| Hazard Identification Number | : 60                                        |

**Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## Ethion Formulation

|         |                |                |                                 |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number:    | Date of last issue: 04.12.2024  |
| 5.0     | 14.04.2025     | 10597648-00010 | Date of first issue: 28.01.2022 |

**SECTION 15. REGULATORY INFORMATION****Safety, health and environmental regulations/legislation specific for the substance or mixture**

National List of Carcinogenic Agents for Humans - (LINACH) : Not applicable

Brazil. List of chemicals controlled by the Federal Police : Not applicable

**The ingredients of this product are reported in the following inventories:**

AICS : not determined

DSL : not determined

IECSC : not determined

**SECTION 16. OTHER INFORMATION**

Revision Date : 14.04.2025  
Date format : dd.mm.yyyy

**Further information**

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

**Full text of other abbreviations**

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships;

## Ethion Formulation

|         |                |                |                                 |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number:    | Date of last issue: 04.12.2024  |
| 5.0     | 14.04.2025     | 10597648-00010 | Date of first issue: 28.01.2022 |

---

n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

BR / Z8