

# SAFETY DATA SHEET



## Metamizol Injection Formulation

Version  
7.0

Revision Date:  
2025/04/14

SDS Number:  
10558923-00014

Date of last issue: 2024/09/28  
Date of first issue: 2022/01/14

---

### 1. PRODUCT AND COMPANY IDENTIFICATION

Chemical product name : Metamizol Injection Formulation

#### Supplier's company name, address and phone number

Company name of supplier : MSD

Address : 1-13-12, Kudan-kita, Chiyoda-ku, Tokyo, Japan

Telephone : 03-6272-1099

E-mail address : EHSDATASTEWARD@msd.com

Emergency telephone number : +1-908-423-6000

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

---

### 2. HAZARDS IDENTIFICATION

#### GHS classification of chemical product

Skin sensitisation : Category 1

Reproductive toxicity : Category 2

Specific target organ toxicity - repeated exposure (Oral) : Category 1 (Blood)

Short-term (acute) aquatic hazard : Category 3

Long-term (chronic) aquatic hazard : Category 2

#### GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H317 May cause an allergic skin reaction.  
H361 Suspected of damaging fertility or the unborn child.  
H372 Causes damage to organs (Blood) through prolonged or repeated exposure if swallowed.

# SAFETY DATA SHEET



## Metamizol Injection Formulation

Version 7.0	Revision Date: 2025/04/14	SDS Number: 10558923-00014	Date of last issue: 2024/09/28 Date of first issue: 2022/01/14
----------------	------------------------------	-------------------------------	---

H402 Harmful to aquatic life.  
H411 Toxic to aquatic life with long lasting effects.

### Precautionary statements

#### **Prevention:**

P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P260 Do not breathe mist or vapours.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

#### **Response:**

P302 + P352 IF ON SKIN: Wash with plenty of water.  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P362 + P364 Take off contaminated clothing and wash it before reuse.  
P391 Collect spillage.

#### **Storage:**

P405 Store locked up.

#### **Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards which do not result in classification

Important symptoms and outlines of the emergency assumed : Dust contact with the eyes can lead to mechanical irritation. Contact with dust can cause mechanical irritation or drying of the skin. May form explosive dust-air mixture during processing, handling or other means.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)	ENCS No.
Metamizol	68-89-3	>= 40 - < 50	-
Benzyl alcohol	100-51-6	>= 1 - < 10	3-1011

# SAFETY DATA SHEET



## Metamizol Injection Formulation

Version  
7.0

Revision Date:  
2025/04/14

SDS Number:  
10558923-00014

Date of last issue: 2024/09/28  
Date of first issue: 2022/01/14

### 4. FIRST AID MEASURES

General advice	: In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	: If inhaled, remove to fresh air. Get medical attention.
In case of skin contact	: In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	: If in eyes, rinse well with water. Get medical attention if irritation develops and persists.
If swallowed	: If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	: Contact with dust can cause mechanical irritation or drying of the skin. Dust contact with the eyes can lead to mechanical irritation. May cause an allergic skin reaction. Suspected of damaging fertility or the unborn child. Causes damage to organs through prolonged or repeated exposure if swallowed.
Protection of first-aiders	: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	: Treat symptomatically and supportively.

### 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Water spray Alcohol-resistant foam Carbon dioxide (CO <sub>2</sub> ) Dry chemical
Unsuitable extinguishing media	: None known.
Specific hazards during fire-fighting	: Exposure to combustion products may be a hazard to health.
Hazardous combustion products	: Carbon oxides
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so.

# SAFETY DATA SHEET



## Metamizol Injection Formulation

Version  
7.0

Revision Date:  
2025/04/14

SDS Number:  
10558923-00014

Date of last issue: 2024/09/28  
Date of first issue: 2022/01/14

---

Evacuate area.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

## 7. HANDLING AND STORAGE

### Handling

Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not get on skin or clothing. Do not breathe mist or vapours. Do not swallow. Avoid contact with eyes.

# SAFETY DATA SHEET



## Metamizol Injection Formulation

Version 7.0	Revision Date: 2025/04/14	SDS Number: 10558923-00014	Date of last issue: 2024/09/28 Date of first issue: 2022/01/14
----------------	------------------------------	-------------------------------	---

Avoidance of contact Hygiene measures	<p>Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition. Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to the environment.</p> <p>: Oxidizing agents : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.</p>
<b>Storage</b>	
Conditions for safe storage	<p>: Keep in properly labelled containers. Store locked up. Store in accordance with the particular national regulations.</p>
Materials to avoid	<p>: Do not store with the following product types: Strong oxidizing agents</p>
Packaging material	<p>: Unsuitable material: None known.</p>

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Threshold limit value and permissible exposure limits for each component in the work environment

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Concentra- tion standard / Permissible con- centration	Basis
Metamizol	68-89-3	TWA	3 mg/m <sup>3</sup> (OEB 1)	Internal
Benzyl alcohol	100-51-6	OEL-C	25 mg/m <sup>3</sup>	JP OEL JSOH
	Further information: Skin sensitizing agent; Group 2 substances which probably induce allergic reactions in humans.			

Engineering measures	<p>: Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-</p>
----------------------	--

# SAFETY DATA SHEET



## Metamizol Injection Formulation

Version  
7.0

Revision Date:  
2025/04/14

SDS Number:  
10558923-00014

Date of last issue: 2024/09/28  
Date of first issue: 2022/01/14

---

less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Laboratory operations do not require special containment.

### Personal protective equipment

Respiratory protection	: If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Filter type	: Combined particulates and organic vapour type
Hand protection	
Material	: Chemical-resistant gloves
Remarks	
Eye protection	: Impermeable protective gloves : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	: Work uniform or laboratory coat.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	: liquid
Colour	: colourless
Odour	: No data available
Odour Threshold	: No data available
Melting point/freezing point	: No data available
Boiling point, initial boiling point and boiling range	: No data available
Flammability (solid, gas)	: May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	: Not applicable
Lower explosion limit and upper explosion limit / flammability limit	
Upper explosion limit / Up- per flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Flash point	: No data available

# SAFETY DATA SHEET



## Metamizol Injection Formulation

Version 7.0      Revision Date: 2025/04/14      SDS Number: 10558923-00014      Date of last issue: 2024/09/28  
Date of first issue: 2022/01/14

---

Decomposition temperature	:	No data available
pH	:	No data available
Evaporation rate	:	No data available
Auto-ignition temperature	:	No data available
Viscosity	:	No data available
Viscosity, kinematic	:	No data available
Solubility(ies)	:	No data available
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Vapour pressure	:	No data available
Density and / or relative density	:	No data available
Relative density	:	No data available
Density	:	No data available
Relative vapour density	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics	:	
Particle size	:	Not applicable

---

## 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

**Metamizol Injection Formulation**Version  
7.0Revision Date:  
2025/04/14SDS Number:  
10558923-00014Date of last issue: 2024/09/28  
Date of first issue: 2022/01/14

---

**11. TOXICOLOGICAL INFORMATION**

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

**Acute toxicity**

Not classified based on available information.

**Product:**

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg  
Method: Calculation method

**Components:****Metamizol:**

Acute oral toxicity : LD50 Oral (Rat): 3,000 mg/kg  
Target Organs: Central nervous system  
  
LD50 Oral (Rabbit): 2,150 mg/kg  
Target Organs: Central nervous system  
  
LD50 Oral (Guinea pig): 1,000 mg/kg  
Target Organs: Central nervous system

**Benzyl alcohol:**

Acute oral toxicity : LD50 (Rat): 1,200 mg/kg  
  
Acute inhalation toxicity : LC50 (Rat): > 5.4 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: The substance or mixture has no acute inhalation toxicity

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****Benzyl alcohol:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

**Serious eye damage/eye irritation**

Not classified based on available information.

**Metamizol Injection Formulation**Version  
7.0Revision Date:  
2025/04/14SDS Number:  
10558923-00014Date of last issue: 2024/09/28  
Date of first issue: 2022/01/14**Components:****Benzyl alcohol:**

Species	:	Rabbit
Result	:	Irritation to eyes, reversing within 21 days
Method	:	OECD Test Guideline 405

**Respiratory or skin sensitisation****Skin sensitisation**

May cause an allergic skin reaction.

**Respiratory sensitisation**

Not classified based on available information.

**Components:****Benzyl alcohol:**

Test Type	:	Human repeat insult patch test (HRIPT)
Exposure routes	:	Skin contact
Species	:	Humans
Result	:	positive
Assessment	:	Probability or evidence of low to moderate skin sensitisation rate in humans

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****Metamizol:**

Genotoxicity in vitro	:	Test Type: Ames test Result: negative
		Test Type: Mutagenicity (in vitro mammalian cytogenetic test) Test system: Chinese hamster lung cells Result: negative
Genotoxicity in vivo	:	Test Type: Micronucleus test Species: Mouse Result: negative

**Benzyl alcohol:**

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection

**Metamizol Injection Formulation**Version  
7.0Revision Date:  
2025/04/14SDS Number:  
10558923-00014Date of last issue: 2024/09/28  
Date of first issue: 2022/01/14

Result: negative

**Carcinogenicity**

Not classified based on available information.

**Components:****Metamizol:**

Species	:	Mouse, male
Application Route	:	oral (feed)
Exposure time	:	2 Years
	:	375 mg/kg bw/day
Result	:	negative
Species	:	Mouse, female
Application Route	:	oral (feed)
Exposure time	:	2 Years
	:	442 mg/kg bw/day
Result	:	negative
Species	:	Rat, male
Application Route	:	oral (drinking water)
Exposure time	:	2 Years
	:	150 mg/kg bw/day
Result	:	negative
Species	:	Rat, female
Application Route	:	oral (drinking water)
Exposure time	:	2 Years
	:	193 mg/kg bw/day
Result	:	negative

**Benzyl alcohol:**

Species	:	Mouse
Application Route	:	Ingestion
Exposure time	:	103 weeks
Method	:	OECD Test Guideline 451
Result	:	negative

**Reproductive toxicity**

Suspected of damaging fertility or the unborn child.

**Components:****Metamizol:**

Effects on fertility	:	Test Type: Fertility/early embryonic development Species: Rat Application Route: Oral Early Embryonic Development: NOAEL: 100 mg/kg body weight Result: Fetotoxicity, Maternal toxicity observed., May cause
----------------------	---	--

## Metamizol Injection Formulation

Version  
7.0

Revision Date:  
2025/04/14

SDS Number:  
10558923-00014

Date of last issue: 2024/09/28  
Date of first issue: 2022/01/14

adverse reproductive effects.

Test Type: Fertility/early embryonic development  
Species: Rat  
Application Route: Oral  
Early Embryonic Development: NOAEL: 400 mg/kg body weight  
Result: Fetotoxicity, Increased resorptions.

Test Type: Fertility/early embryonic development  
Species: Rabbit  
Application Route: Oral  
Early Embryonic Development: NOAEL: 25 mg/kg body weight  
Result: Fetotoxicity, Increased resorptions.

Effects on foetal development : Test Type: Two-generation study  
Species: Rat  
Application Route: Oral  
Developmental Toxicity: NOAEL: 250 mg/kg body weight  
Result: Maternal toxicity observed., Reduced maternal body weight gain, Reduced maternal food consumption, Reduced number of viable fetuses

Reproductive toxicity - Assessment : Suspected of damaging fertility. Suspected of damaging the unborn child.

### Benzyl alcohol:

Effects on fertility : Test Type: Fertility/early embryonic development  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Mouse  
Application Route: Ingestion  
Result: negative

### STOT - single exposure

Not classified based on available information.

### STOT - repeated exposure

Causes damage to organs (Blood) through prolonged or repeated exposure if swallowed.

### Components:

#### **Metamizol:**

Exposure routes : Oral  
Target Organs : Blood  
Assessment : Causes damage to organs through prolonged or repeated exposure.

# SAFETY DATA SHEET



## Metamizol Injection Formulation

Version  
7.0

Revision Date:  
2025/04/14

SDS Number:  
10558923-00014

Date of last issue: 2024/09/28  
Date of first issue: 2022/01/14

### Repeated dose toxicity

#### Components:

##### **Metamizol:**

Species	:	Rat
NOAEL	:	50 mg/kg
Application Route	:	Subcutaneous
Exposure time	:	28 d
Target Organs	:	Blood
Symptoms	:	blood effects

Species	:	Rat
NOAEL	:	150 mg/kg
Application Route	:	Intravenous
Exposure time	:	28 d
Target Organs	:	Blood
Symptoms	:	blood effects

Species	:	Rat
NOAEL	:	300 mg/kg
Application Route	:	Oral
Exposure time	:	26 Weeks
Target Organs	:	Blood
Symptoms	:	blood effects

Species	:	Dog
NOAEL	:	150 mg/kg
Application Route	:	Subcutaneous
Exposure time	:	28 d
Target Organs	:	Blood
Symptoms	:	blood effects

Species	:	Dog
NOAEL	:	50 mg/kg
Application Route	:	Intravenous
Exposure time	:	28 d
Target Organs	:	Blood, Gastrointestinal tract
Symptoms	:	blood effects, Salivation, Vomiting

Species	:	Dog
NOAEL	:	100 mg/kg
Application Route	:	Oral
Exposure time	:	26 Weeks
Target Organs	:	Blood, Liver, Kidney, spleen
Symptoms	:	blood effects

##### **Benzyl alcohol:**

Species	:	Rat
NOAEL	:	1.072 mg/l

**Metamizol Injection Formulation**Version  
7.0Revision Date:  
2025/04/14SDS Number:  
10558923-00014Date of last issue: 2024/09/28  
Date of first issue: 2022/01/14

Application Route	:	inhalation (dust/mist/fume)
Exposure time	:	28 Days
Method	:	OECD Test Guideline 412

**Aspiration toxicity**

Not classified based on available information.

**Experience with human exposure****Components:****Metamizol:**

Ingestion	:	Target Organs: Blood Symptoms: blood effects, Bloody urine, Diarrhoea, Nausea, Rash, hypotension
-----------	---	---

---

**12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****Metamizol:**

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 47 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Raphidocelis subcapitata (freshwater green alga)): > 50.8 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	EC10 (Daphnia magna (Water flea)): 0.725 mg/l Exposure time: 21 d Method: OECD Test Guideline 211

**Benzyl alcohol:**

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 460 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 230 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): 770 mg/l

**Metamizol Injection Formulation**Version  
7.0Revision Date:  
2025/04/14SDS Number:  
10558923-00014Date of last issue: 2024/09/28  
Date of first issue: 2022/01/14

Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 310 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 51 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

**Persistence and degradability****Components:****Metamizol:**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 18 - 23 %

**Benzyl alcohol:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 92 - 96 %  
Exposure time: 14 d

**Bioaccumulative potential****Components:****Benzyl alcohol:**

Partition coefficient: n-octanol/water : log Pow: 1.05

**Mobility in soil**

No data available

**Hazardous to the ozone layer**

Not applicable

**Other adverse effects**

No data available

---

**13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues : Dispose of in accordance with local regulations.  
Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

# SAFETY DATA SHEET



## Metamizol Injection Formulation

Version 7.0      Revision Date: 2025/04/14      SDS Number: 10558923-00014      Date of last issue: 2024/09/28  
Date of first issue: 2022/01/14

---

### 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Metamizol)  
Class : 9  
Packing group : III  
Labels : 9  
Environmentally hazardous : yes

##### IATA-DGR

UN/ID No. : UN 3082  
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.  
(Metamizol)  
Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 964  
Packing instruction (passenger aircraft) : 964  
Environmentally hazardous : yes

##### IMDG-Code

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Metamizol)  
Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### National Regulations

Refer to section 15 for specific national regulation.

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

ERG Code : 171

# SAFETY DATA SHEET



## Metamizol Injection Formulation

Version  
7.0

Revision Date:  
2025/04/14

SDS Number:  
10558923-00014

Date of last issue: 2024/09/28  
Date of first issue: 2022/01/14

### 15. REGULATORY INFORMATION

#### Related Regulations

##### Fire Service Law

Not applicable to dangerous materials / designated flammables.

##### Chemical Substance Control Law

Not applicable for Specified Chemical Substance, Monitoring Chemical Substance and Priority Assessment Chemical Substance.

##### Industrial Safety and Health Law

###### Harmful Substances Prohibited from Manufacture

Not applicable

###### Harmful Substances Required Permission for Manufacture

Not applicable

###### Substances Prevented From Impairment of Health

Not applicable

###### Circular concerning Information on Chemicals having Mutagenicity - Annex 2: Information on Existing Chemicals having Mutagenicity

Not applicable

###### Circular concerning Information on Chemicals having Mutagenicity - Annex 1: Information on Notified Substances having Mutagenicity

Not applicable

###### Substances Subject to be Notified Names

Law Article 57-2 (Ministerial Order Article 34-2 Appended Table 2)

Chemical name	Concentration (%)	Remarks
Benzyl alcohol	>=1 - <10	-

###### Substances Subject to be Indicated Names

Law Article 57 (Ministerial Order Article 30 Appended Table 2)

Chemical name	Remarks
benzyl alcohol	-

###### Skin and Eye Damage Substances (ISHL MO Art. 594-2)

Chemical name
benzyl alcohol

###### Carcinogenic Substances (Article 577-2 of the Occupational Health and Safety Regulations)

Not applicable

###### Ordinance on Prevention of Hazards Due to Specified Chemical Substances

Not applicable

###### Ordinance on Prevention of Lead Poisoning

Not applicable

**Metamizol Injection Formulation**Version  
7.0Revision Date:  
2025/04/14SDS Number:  
10558923-00014Date of last issue: 2024/09/28  
Date of first issue: 2022/01/14**Ordinance on Prevention of Tetraalkyl Lead Poisoning**

Not applicable

**Ordinance on Prevention of Organic Solvent Poisoning**

Not applicable

**Enforcement Order of the Industrial Safety and Health Law - Attached table 1 (Dangerous Substances)**

Not applicable

**Poisonous and Deleterious Substances Control Law**

Not applicable

**Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof**

Not applicable

**High Pressure Gas Safety Act**

Not applicable

**Explosive Control Law**

Not applicable

**Vessel Safety Law**

Miscellaneous dangerous substances and articles (Article 2 and 3 of rules on shipping and storage of dangerous goods and its Attached Table 1)

**Aviation Law**

Miscellaneous dangerous substances and articles (Article 194 of The Enforcement Rules of Aviation Law and its Attached Table 1)

**Marine Pollution and Sea Disaster Prevention etc Law**

Bulk transportation : Noxious liquid substance(Category Z)

Pack transportation : Classified as marine pollutant

**Narcotics and Psychotropics Control Act**

Narcotic or Psychotropic Raw Material (Export / Import Permission)

Not applicable

Specific Narcotic or Psychotropic Raw Material (Export / Import permission)

Not applicable

**Waste Disposal and Public Cleansing Law**

Industrial waste

**The components of this product are reported in the following inventories:**

AICS : not determined

DSL : not determined

IECSC : not determined

**Metamizol Injection Formulation**Version  
7.0Revision Date:  
2025/04/14SDS Number:  
10558923-00014Date of last issue: 2024/09/28  
Date of first issue: 2022/01/14

---

**16. OTHER INFORMATION**

In this SDS, if the concentration of substances subject to notification under the Industrial Safety and Health Law is indicated as a range, it includes cases where it is a trade secret.

**Further information**

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

**Full text of other abbreviations**

JP OEL JSOH : Japan. The Japan Society for Occupational Health. Recommendation of Occupational Exposure Limits

JP OEL JSOH / OEL-C : Occupational Exposure Limit-Ceiling

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECL - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

# SAFETY DATA SHEET



## Metamizol Injection Formulation

Version  
7.0

Revision Date:  
2025/04/14

SDS Number:  
10558923-00014

Date of last issue: 2024/09/28  
Date of first issue: 2022/01/14

---

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

JP / EN