

SAFETY DATA SHEET



Amitraz (50%) Solid Formulation

Version 6.0 Revision Date: 14.04.2025 SDS Number: 10650652-00007 Date of last issue: 27.11.2023
Date of first issue: 09.04.2022

Section 1: Identification

Product name : Amitraz (50%) Solid Formulation
Other means of identification : COOPERS AMITIK CATTLE DIP AND SPRAY (41044)

Manufacturer or supplier's details

Company : MSD
Address : 33 Whakatiki Street - Private Bag 908
Upper Hutt - New Zealand
Telephone : 0800 800 543
Emergency telephone number : 0800 764 766 (0800 POISON) 0800 243 622 (0800 CHEMCALL)
E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product
Restrictions on use : Not applicable

Section 2: Hazard identification

GHS Classification

Acute toxicity (Oral) : Category 4
Serious eye damage/eye irritation : Category 1
Skin sensitisation : Category 1
Germ cell mutagenicity : Category 2
Carcinogenicity : Category 1
Specific target organ toxicity - repeated exposure : Category 2
Hazardous to the aquatic environment - acute hazard : Category 1
Hazardous to the aquatic environment - chronic hazard : Category 1

SAFETY DATA SHEET



Amitraz (50%) Solid Formulation

Version 6.0	Revision Date: 14.04.2025	SDS Number: 10650652-00007	Date of last issue: 27.11.2023 Date of first issue: 09.04.2022
----------------	------------------------------	-------------------------------	---

GHS label elements

Hazard pictograms



Signal word

: Danger

Hazard statements

- : H302 Harmful if swallowed.
- : H317 May cause an allergic skin reaction.
- : H318 Causes serious eye damage.
- : H341 Suspected of causing genetic defects.
- : H350 May cause cancer.
- : H373 May cause damage to organs through prolonged or repeated exposure.
- : H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

Prevention:

- P201 Obtain special instructions before use.
- P202 Do not handle until all safety precautions have been read and understood.
- P261 Avoid breathing dust.
- P264 Wash skin thoroughly after handling.
- P270 Do not eat, drink or smoke when using this product.
- P272 Contaminated work clothing should not be allowed out of the workplace.
- P273 Avoid release to the environment.
- P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

- P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
- P302 + P352 IF ON SKIN: Wash with plenty of water.
- P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
- P308 + P313 IF exposed or concerned: Get medical advice/ attention.
- P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
- P391 Collect spillage.

Storage:

- P405 Store locked up.

Disposal:

- P501 Dispose of contents/ container to an approved waste disposal plant.

SAFETY DATA SHEET



Amitraz (50%) Solid Formulation

Version
6.0

Revision Date:
14.04.2025

SDS Number:
10650652-00007

Date of last issue: 27.11.2023
Date of first issue: 09.04.2022

Other hazards which do not result in classification

May form explosive dust-air mixture during processing, handling or other means.

Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
amitraz (ISO)	33089-61-1	>= 50 -< 70
Calcium carbonate	471-34-1	>= 30 -< 50
Nonylphenol, ethoxylated	9016-45-9	>= 1 -< 2.5
Paraformaldehyde	30525-89-4	>= 1 -< 3

Section 4: First-aid measures

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
If easy to do, remove contact lens, if worn.
Get medical attention immediately.

If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water.
Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed : Harmful if swallowed.
May cause an allergic skin reaction.
Causes serious eye damage.
Suspected of causing genetic defects.
May cause cancer.
May cause damage to organs through prolonged or repeated exposure.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

Section 5: Fire-fighting measures

Suitable extinguishing media : Water spray
Alcohol-resistant foam

SAFETY DATA SHEET



Amitraz (50%) Solid Formulation

Version 6.0 Revision Date: 14.04.2025 SDS Number: 10650652-00007 Date of last issue: 27.11.2023
Date of first issue: 09.04.2022

Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : None known.

Specific hazards during fire-fighting : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.
Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides
Sulphur oxides
Metal oxides

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

Hazchem Code : 2Z

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding

SAFETY DATA SHEET



Amitraz (50%) Solid Formulation

Version 6.0 Revision Date: 14.04.2025 SDS Number: 10650652-00007 Date of last issue: 27.11.2023
Date of first issue: 09.04.2022

certain local or national requirements.

Section 7: Handling and storage

Technical measures	: Static electricity may accumulate and ignite suspended dust causing an explosion. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
Local/Total ventilation	: If sufficient ventilation is unavailable, use with local exhaust ventilation.
Advice on safe handling	: Do not get on skin or clothing. Do not breathe dust. Do not swallow. Do not get in eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Keep container tightly closed. Keep away from water. Protect from moisture. Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition. Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to the environment.
Hygiene measures	: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.
Conditions for safe storage	: Keep in properly labelled containers. Store locked up. Keep tightly closed. Store in accordance with the particular national regulations.
Materials to avoid	: Do not store with the following product types: Strong oxidizing agents

Section 8: Exposure controls/personal protection

Components with workplace control parameters

SAFETY DATA SHEET



Amitraz (50%) Solid Formulation

Version 6.0 Revision Date: 14.04.2025 SDS Number: 10650652-00007 Date of last issue: 27.11.2023
Date of first issue: 09.04.2022

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
amitraz (ISO)	33089-61-1	TWA	10 µg/m ³ (OEB 3)	Internal
		Wipe limit	1250 µg/100 cm ²	Internal
Calcium carbonate	471-34-1	WES-TWA	10 mg/m ³ (Calcium carbonate)	NZ OEL

Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Formaldehyde	50-00-0	WES-STEL	0.6 ppm	NZ OEL
	Further information: Skin sensitisier, Known or presumed human carcinogen			
		TWA	0.1 ppm	ACGIH
		STEL	0.3 ppm	ACGIH

Engineering measures : All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices). Minimize open handling.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and inorganic gas/vapour type
Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.
Eye protection : Wear safety glasses with side shields or goggles.
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.
Use appropriate degowning techniques to remove potentially contaminated clothing.

Section 9: Physical and chemical properties

SAFETY DATA SHEET



Amitraz (50%) Solid Formulation

Version 6.0 Revision Date: 14.04.2025 SDS Number: 10650652-00007 Date of last issue: 27.11.2023
Date of first issue: 09.04.2022

Appearance	:	powder
Colour	:	white grey
Odour	:	No data available
Odour Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	Not applicable
Relative vapour density	:	Not applicable
Relative density	:	No data available
Density	:	No data available
Solubility(ies)		
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	Not applicable

SAFETY DATA SHEET



Amitraz (50%) Solid Formulation

Version 6.0 Revision Date: 14.04.2025 SDS Number: 10650652-00007 Date of last issue: 27.11.2023
Date of first issue: 09.04.2022

Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics	:	
Particle size	:	No data available

Section 10: Stability and reactivity

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents. Hazardous decomposition products will be formed upon contact with water or humid air.
Conditions to avoid	:	Exposure to moisture Heat, flames and sparks. Avoid dust formation.
Incompatible materials	:	Oxidizing agents Water

Hazardous decomposition products

Contact with water or humid air : Formaldehyde

Section 11: Toxicological information

Exposure routes	:	Inhalation Skin contact Ingestion Eye contact
-----------------	---	--

Acute toxicity

Harmful if swallowed.

Product:

Acute oral toxicity	:	Acute toxicity estimate: 946.17 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Acute toxicity estimate: > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method

SAFETY DATA SHEET



Amitraz (50%) Solid Formulation

Version 6.0 Revision Date: 14.04.2025 SDS Number: 10650652-00007 Date of last issue: 27.11.2023
Date of first issue: 09.04.2022

Components:

amitraz (ISO):

Acute oral toxicity	:	LD50 (Rat): > 400 mg/kg
		LD50 (Mouse): > 1,085 mg/kg
		LD50 (Guinea pig): > 400 mg/kg
Acute inhalation toxicity	:	Remarks: No data available
Acute dermal toxicity	:	LD50 (Rat): > 1,600 mg/kg

Calcium carbonate:

Acute oral toxicity	:	LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 420 Assessment: The substance or mixture has no acute oral toxicity
Acute inhalation toxicity	:	LC50 (Rat): > 3 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	:	LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity

Nonylphenol, ethoxylated:

Acute oral toxicity	:	LD50 (Rat): 500 - 2,000 mg/kg
---------------------	---	-------------------------------

Paraformaldehyde:

Acute oral toxicity	:	LD50 (Rat, male): 592 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): 1.07 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 (Rat): > 10,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

amitraz (ISO):

Species	:	Rabbit
---------	---	--------

SAFETY DATA SHEET



Amitraz (50%) Solid Formulation

Version 6.0 Revision Date: 14.04.2025 SDS Number: 10650652-00007 Date of last issue: 27.11.2023
Date of first issue: 09.04.2022

||Result : No skin irritation

Calcium carbonate:

||Species : Rabbit
||Method : OECD Test Guideline 404
||Result : No skin irritation

Nonylphenol, ethoxylated:

||Species : Rabbit
||Method : OECD Test Guideline 404
||Result : No skin irritation

Paraformaldehyde:

||Species : Rabbit
||Result : Skin irritation

Serious eye damage/eye irritation

Causes serious eye damage.

Components:

amitraz (ISO):

||Species : Rabbit
||Result : No eye irritation

Calcium carbonate:

||Species : Rabbit
||Result : No eye irritation
||Method : OECD Test Guideline 405

Nonylphenol, ethoxylated:

||Species : Rabbit
||Result : Irreversible effects on the eye
||Method : OECD Test Guideline 405

Paraformaldehyde:

||Species : Rabbit
||Result : Irreversible effects on the eye

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

SAFETY DATA SHEET



Amitraz (50%) Solid Formulation

Version 6.0 Revision Date: 14.04.2025 SDS Number: 10650652-00007 Date of last issue: 27.11.2023
Date of first issue: 09.04.2022

Components:

amitraz (ISO):

Test Type	:	Maximisation Test
Exposure routes	:	Dermal
Species	:	Guinea pig
Result	:	Not a skin sensitizer.

Calcium carbonate:

Test Type	:	Local lymph node assay (LLNA)
Exposure routes	:	Skin contact
Species	:	Mouse
Method	:	OECD Test Guideline 429
Result	:	negative

Nonylphenol, ethoxylated:

Test Type	:	Maximisation Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Result	:	negative
Remarks	:	Based on data from similar materials

Paraformaldehyde:

Test Type	:	Local lymph node assay (LLNA)
Exposure routes	:	Skin contact
Species	:	Mouse
Result	:	positive
Remarks	:	Based on data from similar materials
Assessment	:	Probability or evidence of high skin sensitisation rate in humans

Chronic toxicity

Germ cell mutagenicity

Suspected of causing genetic defects.

Components:

amitraz (ISO):

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
	:	Test Type: In vitro mammalian cell gene mutation test Result: negative
	:	Test Type: Chromosome aberration test in vitro Result: negative
	:	Test Type: DNA damage and repair, unscheduled DNA syn-

Amitraz (50%) Solid Formulation

Version 6.0 Revision Date: 14.04.2025 SDS Number: 10650652-00007 Date of last issue: 27.11.2023
Date of first issue: 09.04.2022

thesis in mammalian cells (in vitro)
Result: negative

Calcium carbonate:

Genotoxicity in vitro

: Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative

Nonylphenol, ethoxylated:

Genotoxicity in vitro

: Test Type: Bacterial reverse mutation assay (AMES)
Result: negative
Remarks: Based on data from similar materials

Paraformaldehyde:

Genotoxicity in vitro

: Test Type: Bacterial reverse mutation assay (AMES)
Result: positive
Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test
Result: positive
Remarks: Based on data from similar materials

Test Type: in vitro micronucleus test
Result: positive
Remarks: Based on data from similar materials

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)
Result: positive
Remarks: Based on data from similar materials

Test Type: In vitro sister chromatid exchange assay in mammalian cells
Result: positive
Remarks: Based on data from similar materials

Genotoxicity in vivo

: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Rat
Application Route: inhalation (vapour)
Result: positive
Remarks: Based on data from similar materials

SAFETY DATA SHEET



Amitraz (50%) Solid Formulation

Version 6.0 Revision Date: 14.04.2025 SDS Number: 10650652-00007 Date of last issue: 27.11.2023
Date of first issue: 09.04.2022

Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)

Species: Rat

Application Route: Ingestion

Result: positive

Remarks: Based on data from similar materials

Germ cell mutagenicity - Assessment : Positive result(s) from in vivo mammalian somatic cell mutagenicity tests.

Carcinogenicity

May cause cancer.

Components:

amitraz (ISO):

Species : Rat
Application Route : Oral
Exposure time : 2 Years
NOAEL : > 10.18 mg/kg body weight
Result : negative

Species : Mouse
Exposure time : 2 Years
LOAEL : 2.3 mg/kg body weight
Result : positive
Target Organs : Liver, Stomach

Paraformaldehyde:

Species : Rat
Application Route : Ingestion
Exposure time : 105 weeks
Result : negative

Species : Rat
Application Route : Inhalation
Exposure time : 28 Months
Result : positive
Remarks : Based on data from similar materials

Carcinogenicity - Assessment : Sufficient evidence of carcinogenicity in animal experiments

Reproductive toxicity

Not classified based on available information.

Components:

amitraz (ISO):

Effects on fertility : Test Type: Three-generation reproduction toxicity study
Species: Rat

SAFETY DATA SHEET



Amitraz (50%) Solid Formulation

Version 6.0 Revision Date: 14.04.2025 SDS Number: 10650652-00007 Date of last issue: 27.11.2023
Date of first issue: 09.04.2022

		Application Route: Oral Fertility: NOAEL: > 4.8 mg/kg body weight Result: No significant adverse effects were reported
Effects on foetal development	:	Test Type: Embryo-foetal development Species: Rat Application Route: Oral Developmental Toxicity: NOAEL: 3 mg/kg body weight Remarks: No significant adverse effects were reported
		Test Type: Embryo-foetal development Species: Rabbit Application Route: Oral Developmental Toxicity: NOAEL: 5 mg/kg body weight Result: Effects on foetal development

Calcium carbonate:

Effects on fertility	:	Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test Species: Rat Application Route: Ingestion Method: OECD Test Guideline 422 Result: negative
Effects on foetal development	:	Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Method: OECD Test Guideline 414 Result: negative

STOT - single exposure

Not classified based on available information.

Components:

Paraformaldehyde:

Assessment	:	May cause respiratory irritation.
------------	---	-----------------------------------

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Components:

amitraz (ISO):

Target Organs	:	Liver, Central nervous system
Assessment	:	May cause damage to organs through prolonged or repeated exposure.

Paraformaldehyde:

Assessment	:	May cause damage to organs through prolonged or repeated
------------	---	--

SAFETY DATA SHEET



Amitraz (50%) Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 27.11.2023
6.0 14.04.2025 10650652-00007 Date of first issue: 09.04.2022

||| Remarks : exposure.
: Based on national or regional regulation.

Repeated dose toxicity

Components:

amitraz (ISO):

Species	:	Mouse
NOAEL	:	3 mg/kg
Application Route	:	Oral
Exposure time	:	90 Days
Target Organs	:	Liver
Species	:	Dog
NOAEL	:	0.25 mg/kg
Application Route	:	Oral
Exposure time	:	90 Days
Target Organs	:	Central nervous system, Liver

Calcium carbonate:

Species	:	Rat
NOAEL	:	> 1,000 mg/kg
Application Route	:	Ingestion
Exposure time	:	28 Days
Method	:	OECD Test Guideline 422

Paraformaldehyde:

Species : Rat, male
NOAEL : 15 mg/kg
Application Route : Ingestion
Exposure time : 105 Weeks
Remarks : Based on data from similar materials

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

amitraz (ISO):

Ingestion : Target Organs: Central nervous system

SAFETY DATA SHEET



Amitraz (50%) Solid Formulation

Version 6.0 Revision Date: 14.04.2025 SDS Number: 10650652-00007 Date of last issue: 27.11.2023
Date of first issue: 09.04.2022

Section 12: Ecological information

Ecotoxicity

Components:

amitraz (ISO):

Toxicity to fish	:	LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.45 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0.035 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	NOEC (Pseudokirchneriella subcapitata (green algae)): 0.04 mg/l Exposure time: 91 h
M-Factor (Acute aquatic toxicity)	:	10
Toxicity to fish (Chronic toxicity)	:	NOEC (Pimephales promelas (fathead minnow)): 0.00148 mg/l Exposure time: 32 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 0.0011 mg/l Exposure time: 21 d
M-Factor (Chronic aquatic toxicity)	:	10

Calcium carbonate:

Toxicity to fish	:	LL50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EL50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	NOELR (Pseudokirchneriella subcapitata (green algae)): 50 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201
		EL50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201

SAFETY DATA SHEET



Amitraz (50%) Solid Formulation

Version 6.0 Revision Date: 14.04.2025 SDS Number: 10650652-00007 Date of last issue: 27.11.2023
Date of first issue: 09.04.2022

Toxicity to microorganisms : NOEC: 1,000 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

EC50: > 1,000 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

Nonylphenol, ethoxylated:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 0.1 - 1 mg/l
Exposure time: 96 h
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Ceriodaphnia dubia (water flea)): > 0.1 - 1 mg/l
Exposure time: 48 h
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : ErC50 (Selenastrum capricornutum (green algae)): > 1 - 10 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

EC10 (Selenastrum capricornutum (green algae)): > 1 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

M-Factor (Acute aquatic toxicity) : 1

Toxicity to fish (Chronic toxicity) : NOEC (Oryzias latipes (Japanese medaka)): > 0.1 - 1 mg/l
Exposure time: 100 d
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Mysidopsis bahia (opossum shrimp)): > 0.001 - 0.01 mg/l
Exposure time: 28 d
Remarks: Based on data from similar materials

M-Factor (Chronic aquatic toxicity) : 10

Paraformaldehyde:

Toxicity to fish : LC50 : > 1 mg/l
Exposure time: 96 h
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia pulex (Water flea)): > 1 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
Remarks: Based on data from similar materials

SAFETY DATA SHEET



Amitraz (50%) Solid Formulation

Version 6.0 Revision Date: 14.04.2025 SDS Number: 10650652-00007 Date of last issue: 27.11.2023
Date of first issue: 09.04.2022

Toxicity to algae/aquatic plants	:	ErC50 (Desmodesmus subspicatus (green algae)): > 1 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
Toxicity to fish (Chronic toxicity)	:	NOEC (Oryzias latipes (Orange-red killifish)): > 1 mg/l Exposure time: 28 d Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): > 1 mg/l Exposure time: 21 d Method: OECD Test Guideline 211 Remarks: Based on data from similar materials
Toxicity to microorganisms	:	EC50: > 10 mg/l Exposure time: 3 h Method: OECD Test Guideline 209 Remarks: Based on data from similar materials

Persistence and degradability

Components:

Nonylphenol, ethoxylated:

Biodegradability	:	Result: Not readily biodegradable. Remarks: Based on data from similar materials
------------------	---	---

Paraformaldehyde:

Biodegradability	:	Result: Readily biodegradable. Remarks: Based on data from similar materials
------------------	---	---

Bioaccumulative potential

Components:

amitraz (ISO):

Bioaccumulation	:	Species: Lepomis macrochirus (Bluegill sunfish) Bioconcentration factor (BCF): 1,333
-----------------	---	---

Partition coefficient: n-octanol/water	:	log Pow: 5.5
--	---	--------------

Nonylphenol, ethoxylated:

Partition coefficient: n-octanol/water	:	log Pow: 4.48
--	---	---------------

Paraformaldehyde:

Partition coefficient: n-octanol/water	:	log Pow: -1.40 Remarks: Calculation
--	---	--

SAFETY DATA SHEET



Amitraz (50%) Solid Formulation

Version 6.0 Revision Date: 14.04.2025 SDS Number: 10650652-00007 Date of last issue: 27.11.2023
Date of first issue: 09.04.2022

Mobility in soil

Components:

amitraz (ISO):

Distribution among environmental compartments : log Koc: 3.3

Other adverse effects

No data available

Section 13: Disposal considerations

Disposal methods

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

Section 14: Transport information

International Regulations

UNRTDG

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(amitraz (ISO), Nonylphenol, ethoxylated)
Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3077
Proper shipping name : Environmentally hazardous substance, solid, n.o.s.
(amitraz (ISO), Nonylphenol, ethoxylated)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 956
Packing instruction (passenger aircraft) : 956
Environmentally hazardous : yes

IMDG-Code

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(amitraz (ISO), Nonylphenol, ethoxylated)
Class : 9

SAFETY DATA SHEET



Amitraz (50%) Solid Formulation

Version 6.0 Revision Date: 14.04.2025 SDS Number: 10650652-00007 Date of last issue: 27.11.2023
Date of first issue: 09.04.2022

Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

NZS 5433

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(amitraz (ISO), Nonylphenol, ethoxylated)
Class : 9
Packing group : III
Labels : 9
Hazchem Code : 2Z
Marine pollutant : no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

HSNO Approval Number

HSR100759 Veterinary Medicines Non dispersive Open System Application Group Standard

Tolerable Exposure Limits (TEL)

Not applicable

Environmental Exposure Limits (EEL)

Not applicable

HSW Controls

Certified handler certificate not required.

Tracking hazardous substance not required.

Refer to the Health and Safety at Work (Hazardous Substances) Regulations 2017, for further information.

The components of this product are reported in the following inventories:

AICS : not determined
DSL : not determined
IECSC : not determined

Amitraz (50%) Solid Formulation

Version 6.0 Revision Date: 14.04.2025 SDS Number: 10650652-00007 Date of last issue: 27.11.2023
Date of first issue: 09.04.2022

Section 16: Other information

Revision Date : 14.04.2025

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
NZ OEL	: New Zealand. Workplace Exposure Standards for Atmospheric Contaminants
ACGIH / TWA	: 8-hour, time-weighted average
ACGIH / STEL	: Short-term exposure limit
NZ OEL / WES-TWA	: Workplace Exposure Standard - Time Weighted average
NZ OEL / WES-STEL	: Workplace Exposure Standard - Short-Term Exposure Limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recom-

SAFETY DATA SHEET



Amitraz (50%) Solid Formulation

Version
6.0

Revision Date:
14.04.2025

SDS Number:
10650652-00007

Date of last issue: 27.11.2023
Date of first issue: 09.04.2022

Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

NZ / EN