

SAFETY DATA SHEET



Deltamethrin (1.47%) Formulation

Version
5.0

Revision Date:
2025/04/14

SDS Number:
10863808-00009

Date of last issue: 2024/09/28
Date of first issue: 2022/10/11

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Deltamethrin (1.47%) Formulation
Product code : Butox pour-on aqueous
Other means of identification : Blaze (A008214)
COOPERS EASY-DOSE POUR-ON CATTLE LICE AND FLY
TREATMENT (54096)

Manufacturer or supplier's details

Company : MSD
Address : 126 E. Lincoln Avenue
Rahway, New Jersey U.S.A. 07065
Telephone : +1-908-740-4000
Emergency telephone number : +1-908-423-6000
E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product
Restrictions on use : Not applicable

2. HAZARDS IDENTIFICATION

GHS Classification

Skin sensitisation : Category 1
Carcinogenicity : Category 1B
Specific target organ toxicity - repeated exposure (Oral) : Category 2 (Central nervous system, Immune system)
Specific target organ toxicity - repeated exposure (Inhalation) : Category 2 (Central nervous system)
Short-term (acute) aquatic hazard : Category 1
Long-term (chronic) aquatic hazard : Category 1

SAFETY DATA SHEET



Deltamethrin (1.47%) Formulation

Version
5.0

Revision Date:
2025/04/14

SDS Number:
10863808-00009

Date of last issue: 2024/09/28
Date of first issue: 2022/10/11

GHS label elements

Hazard pictograms



Signal word

: Danger

Hazard statements

: H317 May cause an allergic skin reaction.
H350 May cause cancer.
H373 May cause damage to organs (Central nervous system, Immune system) through prolonged or repeated exposure if swallowed.
H373 May cause damage to organs (Central nervous system) through prolonged or repeated exposure if inhaled.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

: **Prevention:**

P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P260 Do not breathe mist or vapours.
P272 Contaminated work clothing should not be allowed out of the workplace.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.
P391 Collect spillage.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

SAFETY DATA SHEET



Deltamethrin (1.47%) Formulation

Version 5.0	Revision Date: 2025/04/14	SDS Number: 10863808-00009	Date of last issue: 2024/09/28 Date of first issue: 2022/10/11
----------------	------------------------------	-------------------------------	---

Components

Chemical name	CAS-No.	Concentration (% w/w)
Deltamethrin (ISO)	52918-63-5	>= 1 -< 2.5
Nonylphenol, ethoxylated	9016-45-9	>= 0.025 -< 0.25
Formaldehyde	50-00-0	>= 0.1 -< 1

4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.

In case of eye contact : Flush eyes with water as a precaution.
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and delayed : This product contains a pyrethroid.
Pyrethroid poisoning should not be confused with carbamate or organophosphate poisoning.
May cause an allergic skin reaction.
May cause cancer.
May cause damage to organs through prolonged or repeated exposure if swallowed.
May cause damage to organs through prolonged or repeated exposure if inhaled.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : None known.

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

SAFETY DATA SHEET



Deltamethrin (1.47%) Formulation

Version 5.0	Revision Date: 2025/04/14	SDS Number: 10863808-00009	Date of last issue: 2024/09/28 Date of first issue: 2022/10/11
-------------	---------------------------	----------------------------	---

Hazardous combustion products	: Carbon oxides Nitrogen oxides (NOx) Bromine compounds
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	: Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	: Soak up with inert absorbent material. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

7. HANDLING AND STORAGE

Technical measures	: See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	: If sufficient ventilation is unavailable, use with local exhaust ventilation.
Advice on safe handling	: Do not get on skin or clothing. Do not breathe mist or vapours.

SAFETY DATA SHEET



Deltamethrin (1.47%) Formulation

Version 5.0	Revision Date: 2025/04/14	SDS Number: 10863808-00009	Date of last issue: 2024/09/28 Date of first issue: 2022/10/11
----------------	------------------------------	-------------------------------	---

	<p>Do not swallow. Avoid contact with eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Keep container tightly closed. Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to the environment.</p> <p>Conditions for safe storage : Keep in properly labelled containers. Store locked up. Keep tightly closed. Store in accordance with the particular national regulations.</p> <p>Materials to avoid : Do not store with the following product types: Strong oxidizing agents</p>
--	--

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis	
deltamethrin (ISO)	52918-63-5	TWA	15 µg/m ³ (OEB 3)	Internal	
		Further information: DSEN, Skin			
Formaldehyde	50-00-0	Wipe limit	100 µg/100 cm ²	Internal	
		Do not store with the following product types: Strong oxidizing agents			
		TWA	0.3 ppm	ID OEL	
		Further information: Dermal Sensitization, Respiratory Sensitization, Suspected human carcinogen			
		STEL	0.1 ppm	ACGIH	
			0.3 ppm	ACGIH	

Engineering measures	<p>: Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., dripless quick connections). All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices). Minimize open handling.</p>
----------------------	---

Personal protective equipment

Respiratory protection	<p>: If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.</p>
Filter type Hand protection	<p>: Combined particulates and organic vapour type</p>

SAFETY DATA SHEET



Deltamethrin (1.47%) Formulation

Version 5.0 Revision Date: 2025/04/14 SDS Number: 10863808-00009 Date of last issue: 2024/09/28
Date of first issue: 2022/10/11

Material	: Chemical-resistant gloves
Remarks	: Consider double gloving.
Eye protection	: Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	: Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.
Hygiene measures	: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid, suspension
Colour	: white
Odour	: No data available
Odour Threshold	: No data available
pH	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: No data available
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Flammability (liquids)	: No data available

SAFETY DATA SHEET



Deltamethrin (1.47%) Formulation

Version 5.0 Revision Date: 2025/04/14 SDS Number: 10863808-00009 Date of last issue: 2024/09/28
Date of first issue: 2022/10/11

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : No data available

Solubility(ies)
Water solubility : No data available

Partition coefficient: n-octanol/water : Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity
Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics
Particle size : Not applicable

10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Can react with strong oxidizing agents.

Conditions to avoid : None known.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of : Inhalation

SAFETY DATA SHEET



Deltamethrin (1.47%) Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/09/28
5.0 2025/04/14 10863808-00009 Date of first issue: 2022/10/11

exposure	Skin contact Ingestion Eye contact
----------	--

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	:	Acute toxicity estimate: > 2,000 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Acute toxicity estimate: > 20 mg/l Exposure time: 4 h Test atmosphere: vapour Method: Calculation method
Acute dermal toxicity	:	Acute toxicity estimate: > 2,000 mg/kg Method: Calculation method

Components:

deltamethrin (ISO):

Acute oral toxicity	: LD50 (Rat): 66.7 mg/kg LD50 (Rat): 9 - 139 mg/kg LD50 (Mouse): 19 - 34 mg/kg
Acute inhalation toxicity	: LC50 (Rat): 0.8 mg/l Exposure time: 2 h Test atmosphere: dust/mist
Acute dermal toxicity	: LD50 (Rabbit): 2,000 mg/kg LD50 (Rat): > 800 mg/kg
Acute toxicity (other routes of administration)	: LD50 (Rat): 2.5 mg/kg Application Route: Intravenous LD50 (Mouse): 10 mg/kg Application Route: Intraperitoneal

Nonylphenol, ethoxylated:

Acute oral toxicity : LD₅₀ (Rat): 500 - 2 000 mg/kg

Formaldehyde:

Acute oral toxicity	: Acute toxicity estimate: 100 mg/kg Method: Expert judgement Remarks: Based on national or regional regulation.
Acute inhalation toxicity	: Acute toxicity estimate (Rat): 100 ppm

SAFETY DATA SHEET



Deltamethrin (1.47%) Formulation

Version 5.0 Revision Date: 2025/04/14 SDS Number: 10863808-00009 Date of last issue: 2024/09/28
Date of first issue: 2022/10/11

	Exposure time: 4 h Test atmosphere: gas Method: Expert judgement
Acute dermal toxicity	: LD50 (Rabbit): 270 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

deltamethrin (ISO):

Species	:	Rabbit
Result	:	No skin irritation

Nonylphenol, ethoxylated:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

Formaldehyde:

Result	:	Corrosive after 3 minutes to 1 hour of exposure
Remarks	:	Based on national or regional regulation.

Serious eye damage/eye irritation

Not classified based on available information.

Components:

deltamethrin (ISO):

Species	:	Rabbit
Result	:	Moderate eye irritation

Nonylphenol, ethoxylated:

Species	:	Rabbit
Result	:	Irreversible effects on the eye
Method	:	OECD Test Guideline 405

Formaldehyde:

Result	:	Irreversible effects on the eye
Remarks	:	Based on skin corrosivity.

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

SAFETY DATA SHEET



Deltamethrin (1.47%) Formulation

Version
5.0

Revision Date:
2025/04/14

SDS Number:
10863808-00009

Date of last issue: 2024/09/28
Date of first issue: 2022/10/11

Respiratory sensitisation

Not classified based on available information.

Components:

deltamethrin (ISO):

Test Type	:	Maximisation Test
Exposure routes	:	Dermal
Species	:	Guinea pig
Result	:	negative
Test Type	:	Human repeat insult patch test (HRIPT)
Exposure routes	:	Dermal
Species	:	Humans
Result	:	positive

Nonylphenol, ethoxylated:

Test Type	:	Maximisation Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Result	:	negative
Remarks	:	Based on data from similar materials

Formaldehyde:

Test Type	:	Human repeat insult patch test (HRIPT)
Exposure routes	:	Skin contact
Species	:	Humans
Result	:	positive
Assessment	:	Probability or evidence of high skin sensitisation rate in humans

Germ cell mutagenicity

Not classified based on available information.

Components:

deltamethrin (ISO):

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
	:	Test Type: DNA Repair Test system: Escherichia coli Result: negative
	:	Test Type: Chromosomal aberration Test system: Chinese hamster ovary cells Result: negative
	:	Test Type: In vitro mammalian cell gene mutation test Test system: Chinese hamster lung cells

SAFETY DATA SHEET



Deltamethrin (1.47%) Formulation

Version
5.0

Revision Date:
2025/04/14

SDS Number:
10863808-00009

Date of last issue: 2024/09/28
Date of first issue: 2022/10/11

Concentration: LOAEL: 20 mg/kg
Result: positive

Genotoxicity in vivo	: Test Type: Micronucleus test Species: Mouse Application Route: Oral Result: negative
	Test Type: dominant lethal test Species: Mouse Application Route: Oral Result: negative
	Test Type: sister chromatid exchange assay Species: Mouse Cell type: Bone marrow Application Route: Oral Result: negative

Nonylphenol, ethoxylated:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative Remarks: Based on data from similar materials
-----------------------	---

Formaldehyde:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: positive
	Test Type: In vitro mammalian cell gene mutation test Result: positive
	Test Type: Chromosome aberration test in vitro Result: positive
Genotoxicity in vivo	: Test Type: In vivo mammalian alkaline comet assay Species: Mouse Application Route: Inhalation Result: positive
Germ cell mutagenicity - Assessment	: Positive result(s) from in vivo mammalian somatic cell mutagenicity tests.

Carcinogenicity

May cause cancer.

Components:

deltamethrin (ISO):

Species	: Mouse, male and female
Application Route	: oral (feed)
Exposure time	: 104 weeks

SAFETY DATA SHEET



Deltamethrin (1.47%) Formulation

Version 5.0 Revision Date: 2025/04/14 SDS Number: 10863808-00009 Date of last issue: 2024/09/28
Date of first issue: 2022/10/11

NOAEL	:	8 mg/kg body weight
LOAEL	:	4 mg/kg body weight
Result	:	positive
Target Organs	:	Lymph nodes
Species	:	Rat, male and female
Application Route	:	oral (feed)
Exposure time	:	2 Years
Result	:	negative
Species	:	Dog, male and female
Application Route	:	oral (feed)
Exposure time	:	2 Years
NOAEL	:	1 mg/kg body weight
Result	:	negative

Formaldehyde:

Species	:	Rat
Application Route	:	inhalation (gas)
Exposure time	:	28 Months
Result	:	positive
Carcinogenicity - Assessment	:	Sufficient evidence of carcinogenicity in animal experiments

Reproductive toxicity

Not classified based on available information.

Components:

deltamethrin (ISO):

Effects on fertility	:	Test Type: Three-generation reproduction toxicity study Species: Rat Application Route: oral (feed) Early Embryonic Development: NOAEL: 50 mg/kg body weight Symptoms: No effects on fertility, Embryo-foetal toxicity Remarks: Significant toxicity observed in testing
	:	Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Oral Early Embryonic Development: LOAEL: 84 - 149 mg/kg body weight Symptoms: No effects on fertility, Embryo-foetal toxicity
	:	Test Type: Fertility Species: Rat, male Application Route: Oral Fertility: LOAEL: 1 mg/kg body weight Symptoms: Effects on fertility Target Organs: Testes

Deltamethrin (1.47%) FormulationVersion
5.0Revision Date:
2025/04/14SDS Number:
10863808-00009Date of last issue: 2024/09/28
Date of first issue: 2022/10/11

Effects on foetal development

: Test Type: Development
Species: Mouse
Application Route: oral (gavage)
Developmental Toxicity: LOAEL: 1 mg/kg body weight
Result: Skeletal malformations
Remarks: Maternal toxicity observed.

Test Type: Development
Species: Rat, female
Developmental Toxicity: NOAEL: 10 mg/kg body weight
Symptoms: No effects on foetal development

Test Type: Development
Species: Rabbit, female
Application Route: oral (gavage)
Developmental Toxicity: NOAEL: 16 mg/kg body weight
Symptoms: No effects on foetal development

Reproductive toxicity - Assessment

: Some evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments.

Formaldehyde:

Effects on foetal development

: Test Type: Embryo-foetal development
Species: Rat
Application Route: inhalation (gas)
Result: negative

STOT - single exposure

Not classified based on available information.

Components:**deltamethrin (ISO):**

Assessment

: May cause respiratory irritation.

Formaldehyde:

Assessment

: May cause respiratory irritation.

STOT - repeated exposure

May cause damage to organs (Central nervous system, Immune system) through prolonged or repeated exposure if swallowed.

May cause damage to organs (Central nervous system) through prolonged or repeated exposure if inhaled.

Components:**deltamethrin (ISO):**

Exposure routes

: Ingestion

Target Organs

: Central nervous system, Immune system

Deltamethrin (1.47%) FormulationVersion
5.0Revision Date:
2025/04/14SDS Number:
10863808-00009Date of last issue: 2024/09/28
Date of first issue: 2022/10/11**Assessment**
: Causes damage to organs through prolonged or repeated exposure.**Exposure routes**
Target Organs
Assessment
: inhalation (dust/mist/fume)
: Central nervous system
: Causes damage to organs through prolonged or repeated exposure.**Repeated dose toxicity****Components:****deltamethrin (ISO):**

Species	:	Rat, male and female
NOAEL	:	1 mg/kg
LOAEL	:	2.5 mg/kg
Application Route	:	Oral
Exposure time	:	13 Weeks
Target Organs	:	Nervous system
Symptoms	:	hyperexcitability

Species	:	Rat
LOAEL	:	3 mg/m ³
Application Route	:	inhalation (dust/mist/fume)
Exposure time	:	2 wk / 5 d/wk / 6 h/d
Symptoms	:	Local irritation, respiratory tract irritation

Species	:	Dog
NOAEL	:	0.1 mg/kg
LOAEL	:	1 mg/kg
Application Route	:	Oral
Exposure time	:	13 Weeks
Target Organs	:	Nervous system
Symptoms	:	Dilatation of the pupil, Vomiting, Tremors, Diarrhoea, Salivation

Species	:	Rat
NOAEL	:	14 mg/kg
LOAEL	:	54 mg/kg
Application Route	:	Oral
Exposure time	:	91 d
Target Organs	:	Nervous system

Species	:	Mouse
LOAEL	:	6 mg/kg
Application Route	:	Oral
Exposure time	:	12 Weeks
Target Organs	:	Immune system
Symptoms	:	immune system effects

SAFETY DATA SHEET



Deltamethrin (1.47%) Formulation

Version 5.0 Revision Date: 2025/04/14 SDS Number: 10863808-00009 Date of last issue: 2024/09/28
Date of first issue: 2022/10/11

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

deltamethrin (ISO):

Inhalation	:	Symptoms: respiratory tract irritation, Dizziness, Sweating, Headache, Nausea, Vomiting, anorexia, Fatigue, tingling, Palpitation, Blurred vision, muscle twitching
Skin contact	:	Symptoms: Skin irritation, Erythema, pruritis, Headache, Nausea, Vomiting, Dizziness, tingling, Sweating, muscle twitching, Blurred vision, Fatigue, anorexia, Allergic reactions
Ingestion	:	Symptoms: muscle pain, Small pupils

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

deltamethrin (ISO):

Toxicity to fish	:	LC50 (Cyprinodon variegatus (sheepshead minnow)): 0.00048 mg/l Exposure time: 96 h
		LC50 (Oncorhynchus mykiss (rainbow trout)): 0.00039 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Mysidopsis bahia (opossum shrimp)): 0.0037 µg/l Exposure time: 48 h
		EC50 (Daphnia magna (Water flea)): 0.0035 mg/l Exposure time: 48 h
		LC50 (Gammarus fasciatus (freshwater shrimp)): 0.0003 µg/l Exposure time: 96 h
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): > 9.1 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: No toxicity at the limit of solubility
M-Factor (Acute aquatic toxicity)	:	1,000,000
Toxicity to fish (Chronic toxicity)	:	NOEC (Pimephales promelas (fathead minnow)): 0.000022 mg/l Exposure time: 36 d
		NOEC (Pimephales promelas (fathead minnow)): 0.000017 mg/l

SAFETY DATA SHEET



Deltamethrin (1.47%) Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/09/28
5.0 2025/04/14 10863808-00009 Date of first issue: 2022/10/11

	Exposure time: 260 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 0.0041 µg/l Exposure time: 21 d
M-Factor (Chronic aquatic toxicity)	: 1,000,000
Nonylphenol, ethoxylated:	
Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): > 0.1 - 1 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Ceriodaphnia dubia (water flea)): > 0.1 - 1 mg/l Exposure time: 48 h Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	: ErC50 (Selenastrum capricornutum (green algae)): > 1 - 10 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
	: EC10 (Selenastrum capricornutum (green algae)): > 1 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
M-Factor (Acute aquatic toxicity)	: 1
Toxicity to fish (Chronic toxicity)	: NOEC (Oryzias latipes (Japanese medaka)): > 0.1 - 1 mg/l Exposure time: 100 d Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Mysidopsis bahia (opossum shrimp)): > 0.001 - 0.01 mg/l Exposure time: 28 d Remarks: Based on data from similar materials
M-Factor (Chronic aquatic toxicity)	: 10
Formaldehyde:	
Toxicity to fish	: LC50 (Morone saxatilis (striped bass)): 6.7 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia pulex (Water flea)): 5.8 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: ErC50 (Desmodesmus subspicatus (green algae)): 4.89 mg/l Exposure time: 72 h Method: OECD Test Guideline 201

Deltamethrin (1.47%) Formulation

Version 5.0 Revision Date: 2025/04/14 SDS Number: 10863808-00009 Date of last issue: 2024/09/28
Date of first issue: 2022/10/11

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 1.04 mg/l Exposure time: 21 d Method: OECD Test Guideline 211
Toxicity to microorganisms	:	EC50 (activated sludge): 19 mg/l Exposure time: 3 h Method: OECD Test Guideline 209

Persistence and degradability**Components:****deltamethrin (ISO):**

Stability in water	:	Hydrolysis: 0 %(30 d)
--------------------	---	-----------------------

Nonylphenol, ethoxylated:

Biodegradability	:	Result: Not readily biodegradable. Remarks: Based on data from similar materials
------------------	---	---

Formaldehyde:

Biodegradability	:	Result: Readily biodegradable. Biodegradation: 99 % Exposure time: 28 d Method: OECD Test Guideline 301A
------------------	---	---

Bioaccumulative potential**Components:****deltamethrin (ISO):**

Bioaccumulation	:	Species: Lepomis macrochirus (Bluegill sunfish) Bioconcentration factor (BCF): 1,800
-----------------	---	---

Partition coefficient: n-octanol/water	:	log Pow: 4.6
--	---	--------------

Nonylphenol, ethoxylated:

Partition coefficient: n-octanol/water	:	log Pow: 4.48
--	---	---------------

Formaldehyde:

Partition coefficient: n-octanol/water	:	log Pow: 0.35 Remarks: Calculation
--	---	---------------------------------------

Mobility in soil**Components:****deltamethrin (ISO):**

Distribution among environ-	:	log Koc: 7.2
-----------------------------	---	--------------

SAFETY DATA SHEET



Deltamethrin (1.47%) Formulation

Version 5.0 Revision Date: 2025/04/14 SDS Number: 10863808-00009 Date of last issue: 2024/09/28
Date of first issue: 2022/10/11

||mental compartments

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
||
Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(deltamethrin (ISO), Nonylphenol, ethoxylated)
||
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 964
Packing instruction (passenger aircraft) : 964
Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(deltamethrin (ISO), Nonylphenol, ethoxylated)
||
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

SAFETY DATA SHEET



Deltamethrin (1.47%) Formulation

Version
5.0

Revision Date:
2025/04/14

SDS Number:
10863808-00009

Date of last issue: 2024/09/28
Date of first issue: 2022/10/11

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Minister of Industry Regulation No. 23/M-IND/PER/4/2013 concerning the Revision of Minister of Industry Regulation No. 87/M-IND/PER/9/2009 concerning Globally Harmonized System of Classification and Labelling of Chemicals.

Regulation of the Minister of Health No. 472 of 1996 on the Safeguarding of Substances Hazardous to Health

Hazardous substances that must be registered : Formaldehyde

Government Regulation No. 74 of 2001 on the Management of Hazardous and Toxic Substances

Hazardous substances approved for use : Formaldehyde

Prohibited substances : Not applicable

Restricted substances : Not applicable

Regulation of the Ministry of Trade No. 7 of 2022 on Distribution and Control of Hazardous Materials

Type of hazardous materials subject to distribution and control, Annex I : Formaldehyde

Type of hazardous materials subject to distribution and control, Annex II : Not applicable

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

16. OTHER INFORMATION

Revision Date : 2025/04/14

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

SAFETY DATA SHEET



Deltamethrin (1.47%) Formulation

Version
5.0

Revision Date:
2025/04/14

SDS Number:
10863808-00009

Date of last issue: 2024/09/28
Date of first issue: 2022/10/11

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
ID OEL : Indonesia. Occupational Exposure Limits

ACGIH / TWA : 8-hour, time-weighted average
ACGIH / STEL : Short-term exposure limit
ID OEL / PSD : Short term exposure limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECL - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their

SAFETY DATA SHEET



Deltamethrin (1.47%) Formulation

Version
5.0

Revision Date:
2025/04/14

SDS Number:
10863808-00009

Date of last issue: 2024/09/28
Date of first issue: 2022/10/11

intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

ID / EN