

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Deltamethrin (1.47%) Formulation

Version 8.0 Revision Date: 17.06.2025 SDS Number: 10863972-00011 Date of last issue: 14.04.2025
Date of first issue: 11.10.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Deltamethrin (1.47%) Formulation
Product code : Butox pour-on aqueous
Other means of identification : Blaze (A008214)
COOPERS EASY-DOSE POUR-ON CATTLE LICE AND FLY
TREATMENT (54096)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Veterinary product
Recommended restrictions on use : Not applicable

1.3 Details of the supplier of the safety data sheet

Company : MSD
Drynam Road
K67 P263 Dublin, Ireland
Telephone : +1-908-740-4000
E-mail address of person responsible for the SDS : EHSDATASTEWARD@msd.com

1.4 Emergency telephone number

+1-908-423-6000

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Carcinogenicity, Category 1B	H350: May cause cancer.
Specific target organ toxicity - repeated exposure, Category 2	H373: May cause damage to organs through prolonged or repeated exposure.
Short-term (acute) aquatic hazard, Category 1	H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard, Category 1	H410: Very toxic to aquatic life with long lasting effects.
Endocrine disruptor for environment, Category 1	EUH430: May cause endocrine disruption in the environment

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Deltamethrin (1.47%) Formulation

Version
8.0

Revision Date:
17.06.2025

SDS Number:
10863972-00011

Date of last issue: 14.04.2025
Date of first issue: 11.10.2022

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word :

Danger

Hazard statements :

H317 May cause an allergic skin reaction.
H350 May cause cancer.
H373 May cause damage to organs through prolonged or repeated exposure.
H410 Very toxic to aquatic life with long lasting effects.
EUH430 May cause endocrine disruption in the environment

Precautionary statements :

Prevention:

P201 Obtain special instructions before use.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P391 Collect spillage.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Hazardous components which must be listed on the label:

deltamethrin (ISO)
Formaldehyde
1,2-Benzisothiazol-3(2H)-one

Additional Labelling

Restricted to professional users.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: This substance/mixture contains components considered to have endocrine disrupting properties for environment, according to REACH Article 57(f), Commission Regulation (EU) 2018/605 or Commission Delegated Regulation (EU) 2017/2100.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Deltamethrin (1.47%) Formulation

Version
8.0

Revision Date:
17.06.2025

SDS Number:
10863972-00011

Date of last issue: 14.04.2025
Date of first issue: 11.10.2022

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
deltamethrin (ISO)	52918-63-5 258-256-6 607-319-00-X	Acute Tox. 3; H301 Acute Tox. 3; H331 Eye Irrit. 2; H319 Skin Sens. 1A; H317 Repr. 2; H361fd STOT SE 3; H335 STOT RE 1; H372 (Central nervous system, Immune system) STOT RE 1; H372 (Central nervous system) Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1,000,000 M-Factor (Chronic aquatic toxicity): 1,000,000	>= 1 - < 2.5
Nonylphenol, ethoxylated	9016-45-9	Acute Tox. 4; H302 Eye Dam. 1; H318 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 ED ENV 1; EUH430 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 10	>= 0.1 - < 0.25

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Deltamethrin (1.47%) Formulation

Version 8.0 Revision Date: 17.06.2025 SDS Number: 10863972-00011 Date of last issue: 14.04.2025
Date of first issue: 11.10.2022

Formaldehyde	50-00-0 200-001-8 605-001-00-5 01-2119488953-20	Flam. Gas 1B; H221 Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 3; H311 Skin Corr. 1B; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Muta. 2; H341 Carc. 1B; H350 STOT SE 3; H335 specific concentration limit Skin Corr. 1B; H314 >= 25 % Skin Irrit. 2; H315 5 - < 25 % Eye Irrit. 2; H319 5 - < 25 % STOT SE 3; H335 >= 5 % Acute toxicity estimate Acute oral toxicity: 100 mg/kg Acute inhalation toxicity (gas): 100 ppm Acute dermal toxicity: 270 mg/kg	>= 0.1 - < 1
1,2-Benzisothiazol-3(2H)-one	2634-33-5 220-120-9 613-088-00-6	Acute Tox. 4; H302 Acute Tox. 2; H330 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1 specific concentration limit Skin Sens. 1A; H317 >= 0.036 %	>= 0.0025 - < 0.025

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Deltamethrin (1.47%) Formulation

Version
8.0

Revision Date:
17.06.2025

SDS Number:
10863972-00011

Date of last issue: 14.04.2025
Date of first issue: 11.10.2022

		Acute toxicity estimate Acute oral toxicity: 450 mg/kg Acute inhalation toxicity (dust/mist): 0.21 mg/l	
--	--	--	--

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

If inhaled : If inhaled, remove to fresh air.
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.

In case of eye contact : Flush eyes with water as a precaution.
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water.

4.2 Most important symptoms and effects, both acute and delayed

Risks : This product contains a pyrethroid.
Pyrethroid poisoning should not be confused with carbamate or organophosphate poisoning.

May cause an allergic skin reaction.
May cause cancer.
May cause damage to organs through prolonged or repeated exposure.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Deltamethrin (1.47%) Formulation

Version 8.0 Revision Date: 17.06.2025 SDS Number: 10863972-00011 Date of last issue: 14.04.2025
Date of first issue: 11.10.2022

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides
Nitrogen oxides (NO_x)
Bromine compounds

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g. by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Deltamethrin (1.47%) Formulation

Version
8.0

Revision Date:
17.06.2025

SDS Number:
10863972-00011

Date of last issue: 14.04.2025
Date of first issue: 11.10.2022

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Do not get on skin or clothing.
Do not breathe mist or vapours.
Do not swallow.
Avoid contact with eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Keep container tightly closed.
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep in properly labelled containers. Store locked up. Keep tightly closed. Store in accordance with the particular national

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Deltamethrin (1.47%) Formulation

Version
8.0

Revision Date:
17.06.2025

SDS Number:
10863972-00011

Date of last issue: 14.04.2025
Date of first issue: 11.10.2022

regulations.

Advice on common storage : Do not store with the following product types:
Strong oxidizing agents
Self-reactive substances and mixtures
Organic peroxides
Explosives
Gases

7.3 Specific end use(s)

Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
deltamethrin (ISO)	52918-63-5	TWA	15 µg/m ³ (OEB 3)	Internal
	Further information: DSEN, Skin			
Formaldehyde	50-00-0	Wipe limit	100 µg/100 cm ²	Internal
	Further information: Dermal sensitisation, Carcinogens or mutagens			
		STEL	0.3 ppm 0.37 mg/m ³	2004/37/EC
	Further information: Dermal sensitisation, Carcinogens or mutagens			
		OELV - 8 hrs (TWA)	0.3 ppm 0.37 mg/m ³	IE OEL
	Further information: Chemical agents which following exposure may cause sensitisation of the respiratory tract and lead to asthma, rhinitis or extrinsic allergic alveolitis, Carc 1B - Substances presumed to have carcinogenic potential for humans			
		OELV - 15 min (STEL)	0.6 ppm 0.738 mg/m ³	IE OEL
	Further information: Chemical agents which following exposure may cause sensitisation of the respiratory tract and lead to asthma, rhinitis or extrinsic allergic alveolitis, Carc 1B - Substances presumed to have carcinogenic potential for humans			

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006

Substance name	End Use	Exposure routes	Potential health effects	Value
Formaldehyde	Workers	Inhalation	Long-term systemic effects	9 mg/m ³
	Workers	Inhalation	Long-term local effects	0.375 mg/m ³
	Workers	Inhalation	Acute local effects	0.75 mg/m ³

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Deltamethrin (1.47%) Formulation

Version
8.0

Revision Date:
17.06.2025

SDS Number:
10863972-00011

Date of last issue: 14.04.2025
Date of first issue: 11.10.2022

	Workers	Skin contact	Long-term systemic effects	240 mg/kg bw/day
	Workers	Skin contact	Long-term local effects	0.037 mg/cm ²
	Consumers	Inhalation	Long-term systemic effects	3.2 mg/m ³
	Consumers	Inhalation	Long-term local effects	0.1 mg/m ³
	Consumers	Skin contact	Long-term systemic effects	102 mg/kg bw/day
	Consumers	Skin contact	Long-term local effects	0.012 mg/cm ²
	Consumers	Ingestion	Long-term systemic effects	4.1 mg/kg bw/day
1,2-Benzisothiazol-3(2H)-one	Workers	Inhalation	Long-term systemic effects	6.81 mg/m ³
	Workers	Skin contact	Long-term systemic effects	0.966 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	1.2 mg/m ³
	Consumers	Skin contact	Long-term systemic effects	0.345 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006

Substance name	Environmental Compartment	Value
Formaldehyde	Fresh water	0.44 mg/l
	Freshwater - intermittent	4.44 mg/l
	Marine water	0.44 mg/l
	Sewage treatment plant	0.19 mg/l
	Fresh water sediment	2.3 mg/kg dry weight (d.w.)
	Marine sediment	2.3 mg/kg dry weight (d.w.)
	Soil	0.2 mg/kg dry weight (d.w.)
1,2-Benzisothiazol-3(2H)-one	Fresh water	11 µg/l
	Intermittent use/release	0.403 µg/l
	Marine water	1.1 µg/l
	Intermittent use/release	0.0403 µg/l
	Sewage treatment plant	1.03 mg/l
	Fresh water sediment	0.0499 mg/kg dry weight (d.w.)
	Marine sediment	0.00499 mg/kg dry weight (d.w.)
	Soil	3 mg/kg dry weight (d.w.)

8.2 Exposure controls

Engineering measures

Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Deltamethrin (1.47%) Formulation

Version
8.0

Revision Date:
17.06.2025

SDS Number:
10863972-00011

Date of last issue: 14.04.2025
Date of first issue: 11.10.2022

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).
Minimize open handling.

Personal protective equipment

Eye/face protection	: Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Hand protection	
Material	: Chemical-resistant gloves
Remarks	: Consider double gloving.
Skin and body protection	: Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.
Respiratory protection	: If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection. Filter should conform to I.S. EN 14387
Filter type	: Combined particulates and organic vapour type (A-P)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	: liquid, suspension
Colour	: white
Odour	: No data available
Odour Threshold	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flammability (solid, gas)	: Not applicable
Flammability (liquids)	: No data available
Upper explosion limit / Upper flammability limit	: No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Deltamethrin (1.47%) Formulation

Version 8.0 Revision Date: 17.06.2025 SDS Number: 10863972-00011 Date of last issue: 14.04.2025
Date of first issue: 11.10.2022

Lower explosion limit / Lower flammability limit : No data available

Flash point : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

pH : No data available

Viscosity
Viscosity, kinematic : No data available

Solubility(ies)
Water solubility : No data available

Partition coefficient: n-octanol/water : Not applicable

Vapour pressure : No data available

Relative density : No data available

Density : No data available

Relative vapour density : No data available

Particle characteristics
Particle size : Not applicable

9.2 Other information

Explosives : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Evaporation rate : No data available

Molecular weight : No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Deltamethrin (1.47%) Formulation

Version 8.0	Revision Date: 17.06.2025	SDS Number: 10863972-00011	Date of last issue: 14.04.2025 Date of first issue: 11.10.2022
----------------	------------------------------	-------------------------------	---

10.3 Possibility of hazardous reactions

Hazardous reactions : Can react with strong oxidizing agents.

10.4 Conditions to avoid

Conditions to avoid : None known.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 20 mg/l
Exposure time: 4 h
Test atmosphere: vapour
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 2,000 mg/kg
Method: Calculation method

Components:

deltamethrin (ISO):

Acute oral toxicity : LD50 (Rat): 66.7 mg/kg
LD50 (Rat): 9 - 139 mg/kg
LD50 (Mouse): 19 - 34 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0.8 mg/l
Exposure time: 2 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): 2,000 mg/kg

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Deltamethrin (1.47%) Formulation

Version 8.0	Revision Date: 17.06.2025	SDS Number: 10863972-00011	Date of last issue: 14.04.2025 Date of first issue: 11.10.2022
----------------	------------------------------	-------------------------------	---

LD50 (Rat): > 800 mg/kg

Acute toxicity (other routes of administration) : LD50 (Rat): 2.5 mg/kg
Application Route: Intravenous

LD50 (Mouse): 10 mg/kg
Application Route: Intraperitoneal

Nonylphenol, ethoxylated:

Acute oral toxicity : LD50 (Rat): 500 - 2,000 mg/kg

Formaldehyde:

Acute oral toxicity : Acute toxicity estimate: 100 mg/kg
Method: Expert judgement
Remarks: Based on national or regional regulation.

Acute inhalation toxicity : Acute toxicity estimate (Rat): 100 ppm
Exposure time: 4 h
Test atmosphere: gas
Method: Expert judgement

Acute dermal toxicity : LD50 (Rabbit): 270 mg/kg

1,2-Benzisothiazol-3(2H)-one:

Acute oral toxicity : LD50 (Rat, male): 450 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat, male): 0.21 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Not classified based on available information.

Components:

deltamethrin (ISO):

Species : Rabbit
Result : No skin irritation

Nonylphenol, ethoxylated:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Deltamethrin (1.47%) Formulation

Version 8.0 Revision Date: 17.06.2025 SDS Number: 10863972-00011 Date of last issue: 14.04.2025
Date of first issue: 11.10.2022

Formaldehyde:

Result : Corrosive after 3 minutes to 1 hour of exposure
Remarks : Based on national or regional regulation.

1,2-Benzisothiazol-3(2H)-one:

Result : Skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

deltamethrin (ISO):

Species : Rabbit
Result : Moderate eye irritation

Nonylphenol, ethoxylated:

Species : Rabbit
Method : OECD Test Guideline 405
Result : Irreversible effects on the eye

Formaldehyde:

Result : Irreversible effects on the eye
Remarks : Based on skin corrosivity.

1,2-Benzisothiazol-3(2H)-one:

Species : Rabbit
Result : Irreversible effects on the eye

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Components:

deltamethrin (ISO):

Test Type : Maximisation Test
Exposure routes : Dermal
Species : Guinea pig
Result : negative

Test Type : Human repeat insult patch test (HRIPT)
Exposure routes : Dermal
Species : Humans

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Deltamethrin (1.47%) Formulation

Version 8.0	Revision Date: 17.06.2025	SDS Number: 10863972-00011	Date of last issue: 14.04.2025 Date of first issue: 11.10.2022
----------------	------------------------------	-------------------------------	---

Result : positive

Nonylphenol, ethoxylated:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Result : negative
Remarks : Based on data from similar materials

Formaldehyde:

Test Type : Human repeat insult patch test (HRIPT)
Exposure routes : Skin contact
Species : Humans
Result : positive

Assessment : Probability or evidence of high skin sensitisation rate in humans

1,2-Benzisothiazol-3(2H)-one:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : positive

Assessment : Probability or evidence of high skin sensitisation rate in humans

Germ cell mutagenicity

Not classified based on available information.

Components:

deltamethrin (ISO):

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: DNA Repair
Test system: Escherichia coli
Result: negative

Test Type: Chromosomal aberration
Test system: Chinese hamster ovary cells
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Test system: Chinese hamster lung cells
Concentration: LOAEL: 20 mg/kg
Result: positive

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Deltamethrin (1.47%) Formulation

Version 8.0	Revision Date: 17.06.2025	SDS Number: 10863972-00011	Date of last issue: 14.04.2025 Date of first issue: 11.10.2022
----------------	------------------------------	-------------------------------	---

Genotoxicity in vivo	: Test Type: Micronucleus test Species: Mouse Application Route: Oral Result: negative
	: Test Type: dominant lethal test Species: Mouse Application Route: Oral Result: negative
	: Test Type: sister chromatid exchange assay Species: Mouse Cell type: Bone marrow Application Route: Oral Result: negative
Nonylphenol, ethoxylated:	
Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative Remarks: Based on data from similar materials
Formaldehyde:	
Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: positive
	: Test Type: In vitro mammalian cell gene mutation test Result: positive
	: Test Type: Chromosome aberration test in vitro Result: positive
Genotoxicity in vivo	: Test Type: In vivo mammalian alkaline comet assay Species: Mouse Application Route: Inhalation Result: positive
Germ cell mutagenicity- Assessment	: Positive result(s) from in vivo mammalian somatic cell mutagenicity tests.
1,2-Benzisothiazol-3(2H)-one:	
Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative
	: Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: negative
	: Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: positive

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Deltamethrin (1.47%) Formulation

Version 8.0 Revision Date: 17.06.2025 SDS Number: 10863972-00011 Date of last issue: 14.04.2025
Date of first issue: 11.10.2022

Genotoxicity in vivo : Test Type: Unscheduled DNA synthesis (UDS) test with mammalian liver cells in vivo
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 486
Result: negative

Carcinogenicity

May cause cancer.

Components:

deltamethrin (ISO):

Species	:	Mouse, male and female
Application Route	:	oral (feed)
Exposure time	:	104 weeks
NOAEL	:	8 mg/kg body weight
LOAEL	:	4 mg/kg body weight
Result	:	positive
Target Organs	:	Lymph nodes
Species	:	Rat, male and female
Application Route	:	oral (feed)
Exposure time	:	2 Years
Result	:	negative
Species	:	Dog, male and female
Application Route	:	oral (feed)
Exposure time	:	2 Years
NOAEL	:	1 mg/kg body weight
Result	:	negative

Formaldehyde:

Species	:	Rat
Application Route	:	inhalation (gas)
Exposure time	:	28 Months
Result	:	positive

Carcinogenicity - Assessment : Sufficient evidence of carcinogenicity in animal experiments

Reproductive toxicity

Not classified based on available information.

Components:

deltamethrin (ISO):

Effects on fertility	:	Test Type: Three-generation reproduction toxicity study Species: Rat Application Route: oral (feed) Early Embryonic Development: NOAEL: 50 mg/kg body weight
----------------------	---	---

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Deltamethrin (1.47%) Formulation

Version
8.0

Revision Date:
17.06.2025

SDS Number:
10863972-00011

Date of last issue: 14.04.2025
Date of first issue: 11.10.2022

Symptoms: No effects on fertility, Embryo-foetal toxicity
Remarks: Significant toxicity observed in testing

Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Oral
Early Embryonic Development: LOAEL: 84 - 149 mg/kg body weight
Symptoms: No effects on fertility, Embryo-foetal toxicity

Test Type: Fertility
Species: Rat, male
Application Route: Oral
Fertility: LOAEL: 1 mg/kg body weight
Symptoms: Effects on fertility
Target Organs: Testes

Effects on foetal development : Test Type: Development
Species: Mouse
Application Route: oral (gavage)
Developmental Toxicity: LOAEL: 1 mg/kg body weight
Result: Skeletal malformations
Remarks: Maternal toxicity observed.

Test Type: Development
Species: Rat, female
Developmental Toxicity: NOAEL: 10 mg/kg body weight
Symptoms: No effects on foetal development

Test Type: Development
Species: Rabbit, female
Application Route: oral (gavage)
Developmental Toxicity: NOAEL: 16 mg/kg body weight
Symptoms: No effects on foetal development

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments.

Formaldehyde:

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: inhalation (gas)
Result: negative

1,2-Benzisothiazol-3(2H)-one:

Effects on fertility : Test Type: Fertility/early embryonic development
Species: Rat
Application Route: Ingestion
Method: OPPTS 870.3800
Result: negative

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Deltamethrin (1.47%) Formulation

Version
8.0

Revision Date:
17.06.2025

SDS Number:
10863972-00011

Date of last issue: 14.04.2025
Date of first issue: 11.10.2022

STOT - single exposure

Not classified based on available information.

Components:

deltamethrin (ISO):

Assessment : May cause respiratory irritation.

Formaldehyde:

Assessment : May cause respiratory irritation.

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Components:

deltamethrin (ISO):

Exposure routes : Ingestion
Target Organs : Central nervous system, Immune system
Assessment : Causes damage to organs through prolonged or repeated exposure.

Exposure routes : inhalation (dust/mist/fume)
Target Organs : Central nervous system
Assessment : Causes damage to organs through prolonged or repeated exposure.

1,2-Benzisothiazol-3(2H)-one:

Assessment : No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.

Repeated dose toxicity

Components:

deltamethrin (ISO):

Species : Rat, male and female
NOAEL : 1 mg/kg
LOAEL : 2.5 mg/kg
Application Route : Oral
Exposure time : 13 Weeks
Target Organs : Nervous system
Symptoms : hyperexcitability

Species : Rat
LOAEL : 3 mg/m³
Application Route : inhalation (dust/mist/fume)
Exposure time : 2 wk / 5 d/wk / 6 h/d
Symptoms : Local irritation, respiratory tract irritation

Species : Dog

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Deltamethrin (1.47%) Formulation

Version 8.0	Revision Date: 17.06.2025	SDS Number: 10863972-00011	Date of last issue: 14.04.2025 Date of first issue: 11.10.2022
----------------	------------------------------	-------------------------------	---

NOAEL	:	0.1 mg/kg
LOAEL	:	1 mg/kg
Application Route	:	Oral
Exposure time	:	13 Weeks
Target Organs	:	Nervous system
Symptoms	:	Dilatation of the pupil, Vomiting, Tremors, Diarrhoea, Salivation
Species	:	Rat
NOAEL	:	14 mg/kg
LOAEL	:	54 mg/kg
Application Route	:	Oral
Exposure time	:	91 d
Target Organs	:	Nervous system
Species	:	Mouse
LOAEL	:	6 mg/kg
Application Route	:	Oral
Exposure time	:	12 Weeks
Target Organs	:	Immune system
Symptoms	:	immune system effects

1,2-Benzisothiazol-3(2H)-one:

Species	:	Dog
NOAEL	:	5 mg/kg
LOAEL	:	20 mg/kg
Application Route	:	Ingestion
Exposure time	:	90 Days
Method	:	Directive 67/548/EEC, Annex, B.27

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Not classified based on available information.

Product:

Assessment	:	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
------------	---	---

Experience with human exposure

Components:

deltamethrin (ISO):

Inhalation	:	Symptoms: respiratory tract irritation, Dizziness, Sweating, Headache, Nausea, Vomiting, anorexia, Fatigue, tingling,
------------	---	---

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Deltamethrin (1.47%) Formulation

Version 8.0 Revision Date: 17.06.2025 SDS Number: 10863972-00011 Date of last issue: 14.04.2025 Date of first issue: 11.10.2022

Skin contact	: Palpitation, Blurred vision, muscle twitching Symptoms: Skin irritation, Erythema, pruritis, Headache, Nausea, Vomiting, Dizziness, tingling, Sweating, muscle twitching, Blurred vision, Fatigue, anorexia, Allergic reactions
Ingestion	: Symptoms: muscle pain, Small pupils

SECTION 12: Ecological information

12.1 Toxicity

Components:

deltamethrin (ISO):

Toxicity to fish	: LC50 (Cyprinodon variegatus (sheepshead minnow)): 0.00048 mg/l Exposure time: 96 h LC50 (Oncorhynchus mykiss (rainbow trout)): 0.00039 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Mysidopsis bahia (opossum shrimp)): 0.0037 µg/l Exposure time: 48 h EC50 (Daphnia magna (Water flea)): 0.0035 mg/l Exposure time: 48 h LC50 (Gammarus fasciatus (freshwater shrimp)): 0.0003 µg/l Exposure time: 96 h
Toxicity to algae/aquatic plants	: EC50 (Pseudokirchneriella subcapitata (green algae)): > 9.1 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: No toxicity at the limit of solubility
M-Factor (Acute aquatic toxicity)	: 1,000,000
Toxicity to fish (Chronic toxicity)	: NOEC: 0.000022 mg/l Exposure time: 36 d Species: Pimephales promelas (fathead minnow) NOEC: 0.000017 mg/l Exposure time: 260 d Species: Pimephales promelas (fathead minnow)
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC: 0.0041 µg/l Exposure time: 21 d Species: Daphnia magna (Water flea)
M-Factor (Chronic aquatic toxicity)	: 1,000,000

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Deltamethrin (1.47%) Formulation

Version 8.0 Revision Date: 17.06.2025 SDS Number: 10863972-00011 Date of last issue: 14.04.2025
Date of first issue: 11.10.2022

Nonylphenol, ethoxylated:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 0.1 - 1 mg/l
Exposure time: 96 h
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Ceriodaphnia dubia (water flea)): > 0.1 - 1 mg/l
Exposure time: 48 h
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : ErC50 (Selenastrum capricornutum (green algae)): > 1 - 10 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

EC10 (Selenastrum capricornutum (green algae)): > 1 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

M-Factor (Acute aquatic toxicity) : 1

Toxicity to fish (Chronic toxicity) : NOEC: > 0.1 - 1 mg/l
Exposure time: 100 d
Species: Oryzias latipes (Japanese medaka)
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: > 0.001 - 0.01 mg/l
Exposure time: 28 d
Species: Mysidopsis bahia (opossum shrimp)
Remarks: Based on data from similar materials

M-Factor (Chronic aquatic toxicity) : 10

Formaldehyde:

Toxicity to fish : LC50 (Morone saxatilis (striped bass)): 6.7 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia pulex (Water flea)): 5.8 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): 4.89 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50 (activated sludge): 19 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 1.04 mg/l
Exposure time: 21 d

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Deltamethrin (1.47%) Formulation

Version 8.0	Revision Date: 17.06.2025	SDS Number: 10863972-00011	Date of last issue: 14.04.2025 Date of first issue: 11.10.2022
----------------	------------------------------	-------------------------------	---

ic toxicity) Species: Daphnia magna (Water flea)
Method: OECD Test Guideline 211

1,2-Benzisothiazol-3(2H)-one:

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 0.74 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 2.24 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: ErC50 (Pseudokirchneriella subcapitata (green algae)): 0.1087 mg/l Exposure time: 24 h
	EC10 (Pseudokirchneriella subcapitata (green algae)): 0.0268 mg/l Exposure time: 24 h
M-Factor (Acute aquatic toxicity)	: 1
Toxicity to microorganisms	: NOEC : 10.3 mg/l Exposure time: 3 h Method: OECD Test Guideline 209
Toxicity to fish (Chronic toxicity)	: NOEC: 0.28 mg/l Exposure time: 33 d Species: Pimephales promelas (fathead minnow) Method: OECD Test Guideline 210
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC: 0.91 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211
M-Factor (Chronic aquatic toxicity)	: 1

12.2 Persistence and degradability

Components:

deltamethrin (ISO):

Stability in water : Hydrolysis: 0 %(30 d)

Nonylphenol, ethoxylated:

Biodegradability : Result: Not readily biodegradable.
Remarks: Based on data from similar materials

Formaldehyde:

Biodegradability : Result: Readily biodegradable.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Deltamethrin (1.47%) Formulation

Version 8.0	Revision Date: 17.06.2025	SDS Number: 10863972-00011	Date of last issue: 14.04.2025 Date of first issue: 11.10.2022
----------------	------------------------------	-------------------------------	---

Biodegradation: 99 %
Exposure time: 28 d
Method: OECD Test Guideline 301A

12.3 Bioaccumulative potential

Components:

deltamethrin (ISO):

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): 1,800

Partition coefficient: n-octanol/water : log Pow: 4.6

Nonylphenol, ethoxylated:

Partition coefficient: n-octanol/water : log Pow: 4.48

Formaldehyde:

Partition coefficient: n-octanol/water : log Pow: 0.35
Remarks: Calculation

1,2-Benzisothiazol-3(2H)-one:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): 6.62

Partition coefficient: n-octanol/water : log Pow: 0.7

12.4 Mobility in soil

Components:

deltamethrin (ISO):

Distribution among environmental compartments : log Koc: 7.2

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : This substance/mixture contains components considered to have endocrine disrupting properties for environment, according to REACH Article 57(f), Commission Regulation (EU) 2018/605 or Commission Delegated Regulation (EU)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Deltamethrin (1.47%) Formulation

Version
8.0

Revision Date:
17.06.2025

SDS Number:
10863972-00011

Date of last issue: 14.04.2025
Date of first issue: 11.10.2022

2017/2100.

Components:

Nonylphenol, ethoxylated:

Assessment : The substance is considered to have endocrine disrupting properties according to REACH Article 57(f) for the environment.

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations.
According to the European Waste Catalogue, Waste Codes are not product specific, but application specific.
Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.
Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number or ID number

ADN : UN 3082
ADR : UN 3082
RID : UN 3082
IMDG : UN 3082
IATA : UN 3082

14.2 UN proper shipping name

ADN : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(deltamethrin (ISO), Nonylphenol, ethoxylated)

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(deltamethrin (ISO), Nonylphenol, ethoxylated)

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(deltamethrin (ISO), Nonylphenol, ethoxylated)

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Deltamethrin (1.47%) Formulation

Version 8.0 Revision Date: 17.06.2025 SDS Number: 10863972-00011 Date of last issue: 14.04.2025 Date of first issue: 11.10.2022

(deltamethrin (ISO), Nonylphenol, ethoxylated)

IATA : Environmentally hazardous substance, liquid, n.o.s.
(deltamethrin (ISO), Nonylphenol, ethoxylated)

14.3 Transport hazard class(es)

	Class	Subsidiary risks
ADN	: 9	
ADR	: 9	
RID	: 9	
IMDG	: 9	
IATA	: 9	

14.4 Packing group

ADN

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

ADR

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

RID

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

IMDG

Packing group : III
Labels : 9
EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo aircraft) : 964
Packing instruction (LQ) : Y964
Packing group : III
Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passenger aircraft) : 964
Packing instruction (LQ) : Y964
Packing group : III
Labels : Miscellaneous

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Deltamethrin (1.47%) Formulation

Version 8.0	Revision Date: 17.06.2025	SDS Number: 10863972-00011	Date of last issue: 14.04.2025 Date of first issue: 11.10.2022
----------------	------------------------------	-------------------------------	---

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

: Conditions of restriction for the following entries should be considered:
Number on list 3

Number on list 28: Formaldehyde

Number on list 46a: Nonylphenol, ethoxylated

Number on list 46b: Nonylphenol, ethoxylated

Number on list 72: Formaldehyde

Number on list 75: If you intend to use this product as tattoo ink, please contact your vendor.

Number on list 77: Formaldehyde

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Deltamethrin (1.47%) Formulation

Version
8.0

Revision Date:
17.06.2025

SDS Number:
10863972-00011

Date of last issue: 14.04.2025
Date of first issue: 11.10.2022

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).
Regulation (EU) No 2024/590 on substances that deplete the ozone layer
Regulation (EU) 2019/1021 on persistent organic pollutants (recast)
Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals
REACH - List of substances subject to authorisation (Annex XIV)
Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Substance(s) or mixture(s) are listed here according to their appearance in the regulation, irrespective of their use/purpose or the conditions of the restriction. Please refer to the conditions in corresponding Regulation to determine whether an entry is applicable to the placing on the market or not.

- : Nonylphenol, ethoxylated
- : Not applicable
- : Not applicable
- : Nonylphenol, ethoxylated
- : Nonylphenol, ethoxylated

E1

ENVIRONMENTAL
HAZARDS

Quantity 1
100 t

Quantity 2
200 t

Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.
Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

The components of this product are reported in the following inventories:

AICS : not determined
DSL : not determined
IECSC : not determined

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Other information : Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Full text of H-Statements

EUH430 : May cause endocrine disruption in the environment

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Deltamethrin (1.47%) Formulation

Version 8.0 Revision Date: 17.06.2025 SDS Number: 10863972-00011 Date of last issue: 14.04.2025
Date of first issue: 11.10.2022

H221	:	Flammable gas.
H301	:	Toxic if swallowed.
H302	:	Harmful if swallowed.
H311	:	Toxic in contact with skin.
H314	:	Causes severe skin burns and eye damage.
H315	:	Causes skin irritation.
H317	:	May cause an allergic skin reaction.
H318	:	Causes serious eye damage.
H319	:	Causes serious eye irritation.
H330	:	Fatal if inhaled.
H331	:	Toxic if inhaled.
H335	:	May cause respiratory irritation.
H341	:	Suspected of causing genetic defects.
H350	:	May cause cancer.
H361fd	:	Suspected of damaging fertility. Suspected of damaging the unborn child.
H372	:	Causes damage to organs through prolonged or repeated exposure if inhaled.
H372	:	Causes damage to organs through prolonged or repeated exposure if swallowed.
H400	:	Very toxic to aquatic life.
H410	:	Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox.	:	Acute toxicity
Aquatic Acute	:	Short-term (acute) aquatic hazard
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Carc.	:	Carcinogenicity
ED ENV	:	Endocrine disruptor for environment
Eye Dam.	:	Serious eye damage
Eye Irrit.	:	Eye irritation
Flam. Gas	:	Flammable gases
Muta.	:	Germ cell mutagenicity
Repr.	:	Reproductive toxicity
Skin Corr.	:	Skin corrosion
Skin Irrit.	:	Skin irritation
Skin Sens.	:	Skin sensitisation
STOT RE	:	Specific target organ toxicity - repeated exposure
STOT SE	:	Specific target organ toxicity - single exposure
2004/37/EC	:	Europe. Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens, mutagens or reprotoxic substances at work - Annex III
IE OEL	:	Ireland. List of Chemical Agents and Carcinogens with Occupational Exposure Limit Values - Code of Practice, Schedule 1 and 2
2004/37/EC / STEL	:	Short term exposure limit
2004/37/EC / TWA	:	Long term exposure limit
IE OEL / OELV - 8 hrs (TWA)	:	Occupational exposure limit value (8-hour reference period)
IE OEL / OELV - 15 min (STEL)	:	Occupational exposure limit value (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Deltamethrin (1.47%) Formulation

Version
8.0

Revision Date:
17.06.2025

SDS Number:
10863972-00011

Date of last issue: 14.04.2025
Date of first issue: 11.10.2022

Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECL - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Classification of the mixture:

Skin Sens. 1	H317
Carc. 1B	H350
STOT RE 2	H373
Aquatic Acute 1	H400
Aquatic Chronic 1	H410
ED ENV 1	EUH430

Classification procedure:

Calculation method

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS mate-

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Deltamethrin (1.47%) Formulation

Version
8.0

Revision Date:
17.06.2025

SDS Number:
10863972-00011

Date of last issue: 14.04.2025
Date of first issue: 11.10.2022

rial is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

IE / EN