

SAFETY DATA SHEET



Benzylpenicillin / Dihydrostreptomycin Sulphate Formulation

Version
3.0

Revision Date:
14.04.2025

SDS Number:
10811342-00008

Date of last issue: 12.02.2025
Date of first issue: 08.07.2022

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Benzylpenicillin / Dihydrostreptomycin Sulphate Formulation

Manufacturer or supplier's details

Company name of supplier : MSD
Address : 126 E. Lincoln Avenue
Rahway, New Jersey U.S.A. 07065
Telephone : 908-740-4000
Emergency telephone : 1-908-423-6000
E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product
Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Respiratory sensitization : Category 1
Skin sensitization : Category 1
Reproductive toxicity : Category 2
Specific target organ toxicity - repeated exposure (Oral) : Category 1 (ear, Kidney, inner ear)

GHS label elements

Hazard pictograms : (A red diamond shape containing a black silhouette of a person with a starburst effect on the chest, indicating a severe hazard to the skin and specific target organs.)

Signal Word : Danger

Hazard Statements : H317 May cause an allergic skin reaction.
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H361d Suspected of damaging the unborn child.
H372 Causes damage to organs (ear, Kidney, inner ear) through prolonged or repeated exposure if swallowed.

Precautionary Statements : **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P260 Do not breathe mist or vapors.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.

Benzylpenicillin / Dihydrostreptomycin Sulphate Formulation

| | | | |
|----------------|------------------------------|-------------------------------|---|
| Version 3.0 | Revision Date: 14.04.2025 | SDS Number: 10811342-00008 | Date of last issue: 12.02.2025 Date of first issue: 08.07.2022 |
|----------------|------------------------------|-------------------------------|---|

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P284 Wear respiratory protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER or doctor/ physician.

P362 + P364 Take off contaminated clothing and wash it before reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

| Chemical name | CAS-No. | Concentration (% w/w) |
|---------------------------------|-----------|-----------------------|
| Dihydrostreptomycin sulphate | 5490-27-7 | >= 20 -< 30 |
| Benzylpenicillin | 61-33-6 | >= 20 -< 30 |
| Sodium hydroxymethanesulphonate | 149-44-0 | >= 0.1 -< 1 |

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
If not breathing, give artificial respiration.
If breathing is difficult, give oxygen.
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.

SAFETY DATA SHEET



Benzylpenicillin / Dihydrostreptomycin Sulphate Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 10811342-00008 Date of last issue: 12.02.2025
Date of first issue: 08.07.2022

| | |
|---|---|
| In case of eye contact | Wash clothing before reuse. Thoroughly clean shoes before reuse. : Flush eyes with water as a precaution. Get medical attention if irritation develops and persists. |
| If swallowed | : If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water. |
| Most important symptoms and effects, both acute and delayed | : Excessive exposure may aggravate preexisting asthma and other respiratory disorders (e.g. emphysema, bronchitis, reactive airways dysfunction syndrome). May cause an allergic skin reaction. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Suspected of damaging the unborn child. Causes damage to organs through prolonged or repeated exposure if swallowed. |
| Protection of first-aiders | : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8). |
| Notes to physician | : Treat symptomatically and supportively. |

SECTION 5. FIRE-FIGHTING MEASURES

| | |
|--|---|
| Suitable extinguishing media | : Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical |
| Unsuitable extinguishing media | : None known. |
| Specific hazards during fire fighting | : Exposure to combustion products may be a hazard to health. |
| Hazardous combustion products | : Carbon oxides Metal oxides |
| Specific extinguishing methods | : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area. |
| Special protective equipment for fire-fighters | : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. |

SECTION 6. ACCIDENTAL RELEASE MEASURES

| | |
|---|--|
| Personal precautions, protective equipment and emergency procedures | : Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8). |
|---|--|

Benzylpenicillin / Dihydrostreptomycin Sulphate Formulation

| | | | |
|----------------|------------------------------|-------------------------------|---|
| Version 3.0 | Revision Date: 14.04.2025 | SDS Number: 10811342-00008 | Date of last issue: 12.02.2025 Date of first issue: 08.07.2022 |
|----------------|------------------------------|-------------------------------|---|

| | |
|---|---|
| Environmental precautions | : Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g., by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained. |
| Methods and materials for containment and cleaning up | : Soak up with inert absorbent material. For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements. |

SECTION 7. HANDLING AND STORAGE

| | |
|-------------------------|---|
| Technical measures | : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section. |
| Local/Total ventilation | : Use only with adequate ventilation. |
| Advice on safe handling | : Do not get on skin or clothing. Do not breathe mist or vapors. Do not swallow. Avoid contact with eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Keep container tightly closed. Already sensitized individuals, and those susceptible to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respiratory irritants or sensitizers. Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to the environment. |
| Hygiene measures | : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, |

Benzylpenicillin / Dihydrostreptomycin Sulphate Formulation

| | | | |
|----------------|------------------------------|-------------------------------|---|
| Version 3.0 | Revision Date: 14.04.2025 | SDS Number: 10811342-00008 | Date of last issue: 12.02.2025 Date of first issue: 08.07.2022 |
|----------------|------------------------------|-------------------------------|---|

| | |
|-----------------------------|--|
| Conditions for safe storage | : Keep in properly labeled containers. Keep tightly closed. Store in accordance with the particular national regulations. |
| Materials to avoid | : Do not store with the following product types: Strong oxidizing agents Self-reactive substances and mixtures Organic peroxides Explosives Gases |

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

| Components | CAS-No. | Value type (Form of exposure) | Control parameters / Permissible concentration | Basis |
|---------------------------------|-----------|-------------------------------------|---|----------|
| Dihydrostreptomycin sulphate | 5490-27-7 | TWA | 4 mg/m3 (OEB 1) | |
| Further information: OTO | | | | |
| Benzylpenicillin | 61-33-6 | TWA | 600 µg/m3 (OEB 2) | Internal |
| Further information: RSEN, DSEN | | | | |
| | | Wipe limit | 100 µg/100 cm2 | Internal |

| | |
|----------------------|---|
| Engineering measures | : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections). All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Laboratory operations do not require special containment. |
|----------------------|---|

Personal protective equipment

| | |
|--------------------------|--|
| Respiratory protection | : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection. |
| Filter type | : Particulates type |
| Hand protection | |
| Material | : Chemical-resistant gloves |
| Eye protection | : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols. |
| Skin and body protection | : Work uniform or laboratory coat. |

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Benzylpenicillin / Dihydrostreptomycin Sulphate Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 10811342-00008 Date of last issue: 12.02.2025
Date of first issue: 08.07.2022

| | | |
|--|---|--|
| Appearance | : | suspension |
| Color | : | off-white, white |
| Odor | : | No data available |
| Odor Threshold | : | No data available |
| pH | : | 5.0 - 7.2 |
| Melting point/freezing point | : | No data available |
| Initial boiling point and boiling range | : | No data available |
| Flash point | : | No data available |
| Evaporation rate | : | No data available |
| Flammability (solid, gas) | : | Not applicable |
| Flammability (liquids) | : | No data available |
| Upper explosion limit / Upper flammability limit | : | No data available |
| Lower explosion limit / Lower flammability limit | : | No data available |
| Vapor pressure | : | No data available |
| Relative vapor density | : | No data available |
| Relative density | : | No data available |
| Density | : | 1.14 - 1.18 g/cm ³ |
| Solubility(ies) | | |
| Water solubility | : | No data available |
| Partition coefficient: n-octanol/water | : | Not applicable |
| Autoignition temperature | : | No data available |
| Decomposition temperature | : | No data available |
| Viscosity | | |
| Viscosity, kinematic | : | No data available |
| Explosive properties | : | Not explosive |
| Oxidizing properties | : | The substance or mixture is not classified as oxidizing. |

SAFETY DATA SHEET



Benzylpenicillin / Dihydrostreptomycin Sulphate Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 10811342-00008 Date of last issue: 12.02.2025
Date of first issue: 08.07.2022

Molecular weight : No data available

Particle characteristics

Particle size : No data available

Particle Size Distribution

: D50 = 15 µm

D90 = 30 µm

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Can react with strong oxidizing agents.

Conditions to avoid : None known.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation

Skin contact

Ingestion

Eye contact

Acute toxicity

Not classified based on available information.

Components:

Dihydrostreptomycin sulphate:

Acute oral toxicity : LD50 (Rat): 9,000 - 25,000 mg/kg

LD50 Oral (Mouse): 30,000 mg/kg

Benzylpenicillin:

Acute oral toxicity : LD50 (Rat): 8,000 mg/kg

LD50 (Mouse): > 5,000 mg/kg

Acute toxicity (other routes of administration) : LD50 (Mouse): 3,500 mg/kg
Application Route: Intraperitoneal

LD50 (Mouse): 329 mg/kg

Application Route: Intravenous

Sodium hydroxymethanesulphinate:

Benzylpenicillin / Dihydrostreptomycin Sulphate Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 10811342-00008 Date of last issue: 12.02.2025
Date of first issue: 08.07.2022

| | | |
|-----------------------|---|---|
| Acute oral toxicity | : | LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 423 Assessment: The substance or mixture has no acute oral toxicity |
| Acute dermal toxicity | : | LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity |

Skin corrosion/irritation

Not classified based on available information.

Components:**Sodium hydroxymethanesulphinate:**

| | | |
|---------|---|--------------------|
| Species | : | Rat |
| Result | : | No skin irritation |

Serious eye damage/eye irritation

Not classified based on available information.

Components:**Sodium hydroxymethanesulphinate:**

| | | |
|---------|---|-------------------------|
| Species | : | Rabbit |
| Result | : | No eye irritation |
| Method | : | OECD Test Guideline 405 |

Respiratory or skin sensitization**Skin sensitization**

May cause an allergic skin reaction.

Respiratory sensitization

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Components:**Benzylpenicillin:**

| | | |
|--------------------|---|--------------------------------------|
| Test Type | : | Local lymph node assay (LLNA) |
| Routes of exposure | : | Dermal |
| Species | : | Mouse |
| Result | : | Weak sensitizer |
| Test Type | : | Maximization Test |
| Routes of exposure | : | Dermal |
| Species | : | Guinea pig |
| Result | : | positive |
| Remarks | : | Based on data from similar materials |
| Result | : | Strong sensitizer |
| Remarks | : | Based on human experience. |

Benzylpenicillin / Dihydrostreptomycin Sulphate FormulationVersion
3.0Revision Date:
14.04.2025SDS Number:
10811342-00008Date of last issue: 12.02.2025
Date of first issue: 08.07.2022**Sodium hydroxymethanesulphinate:**

| | | |
|--------------------|---|-------------------------|
| Test Type | : | Maximization Test |
| Routes of exposure | : | Skin contact |
| Species | : | Guinea pig |
| Method | : | OECD Test Guideline 406 |
| Result | : | negative |

Germ cell mutagenicity

Not classified based on available information.

Components:**Dihydrostreptomycin sulphate:**

| | | |
|-----------------------|---|--|
| Genotoxicity in vitro | : | Test Type: Chromosome aberration test in vitro Test system: Human lymphocytes Result: negative |
|-----------------------|---|--|

Benzylpenicillin:

| | | |
|-------------------------------------|---|--|
| Germ cell mutagenicity - Assessment | : | Weight of evidence does not support classification as a germ cell mutagen. |
|-------------------------------------|---|--|

Sodium hydroxymethanesulphinate:

| | | |
|-------------------------------------|---|---|
| Genotoxicity in vitro | : | Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative |
| | | Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: positive |
| Genotoxicity in vivo | : | Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Method: OECD Test Guideline 474 Result: positive |
| Germ cell mutagenicity - Assessment | : | Positive result(s) from in vivo mammalian somatic cell mutagenicity tests. |

Carcinogenicity

Not classified based on available information.

Components:**Dihydrostreptomycin sulphate:**

| | | |
|-------------------|---|---------------------|
| Species | : | Rat |
| Application Route | : | Oral |
| Exposure time | : | 2 Years |
| NOAEL | : | 5 mg/kg body weight |

Benzylpenicillin / Dihydrostreptomycin Sulphate Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 10811342-00008 Date of last issue: 12.02.2025
Date of first issue: 08.07.2022

||Result : negative

Reproductive toxicity

Suspected of damaging the unborn child.

Components:**Dihydrostreptomycin sulphate:**

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rabbit
Application Route: Oral
Developmental Toxicity: NOAEL: 5 mg/kg body weight

Test Type: Embryo-fetal development
Species: Guinea pig
Application Route: Intramuscular
General Toxicity Maternal: LOAEL: 100 - 200 mg/kg body weight
Developmental Toxicity: NOAEL: 10 mg/kg body weight
Result: Maternal toxicity observed., Embryotoxic effects and adverse effects on the offspring were detected.

Benzylpenicillin:

Effects on fertility : Test Type: Fertility
Species: Mouse
Result: No effects on fertility.

Test Type: Fertility
Species: Rat
Result: No effects on fertility.

Test Type: Fertility
Species: Rabbit
Result: No effects on fertility.

Effects on fetal development : Test Type: Development
Species: Mouse
Result: No effects on fetal development.

Test Type: Development
Species: Rat
Result: No effects on fetal development.

Test Type: Development
Species: Rabbit
Result: No effects on fetal development.

Sodium hydroxymethanesulphinate:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test
Species: Rat
Application Route: Ingestion

Benzylpenicillin / Dihydrostreptomycin Sulphate FormulationVersion
3.0Revision Date:
14.04.2025SDS Number:
10811342-00008Date of last issue: 12.02.2025
Date of first issue: 08.07.2022

Method: OECD Test Guideline 422
Result: negative

| | |
|------------------------------------|--|
| Effects on fetal development | : Test Type: Embryo-fetal development Species: Rat Application Route: Ingestion Method: OECD Test Guideline 414 Result: positive |
| Reproductive toxicity - Assessment | : Some evidence of adverse effects on development, based on animal experiments. |

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Causes damage to organs (ear, Kidney, inner ear) through prolonged or repeated exposure if swallowed.

Components:**Dihydrostreptomycin sulphate:**

| | |
|------------|---|
| Assessment | : Causes damage to organs through prolonged or repeated exposure. |
|------------|---|

Repeated dose toxicity**Components:****Dihydrostreptomycin sulphate:**

| | |
|-------------------|----------------|
| Species | : Guinea pig |
| LOAEL | : 40 mg/kg |
| Application Route | : Oral |
| Exposure time | : 90 d |
| Target Organs | : ear |
| Symptoms | : hearing loss |

| | |
|-------------------|---|
| Species | : Cat |
| LOAEL | : 100 mg/kg |
| Application Route | : Oral |
| Exposure time | : 60 d |
| Target Organs | : ear |
| Symptoms | : ataxia, hearing loss, Reduced body weight |

| | |
|-------------------|---|
| Species | : Cat |
| LOAEL | : 300 mg/kg |
| Application Route | : Oral |
| Exposure time | : 21 d |
| Target Organs | : ear |
| Symptoms | : ataxia, hearing loss, Reduced body weight |

Benzylpenicillin / Dihydrostreptomycin Sulphate FormulationVersion
3.0Revision Date:
14.04.2025SDS Number:
10811342-00008Date of last issue: 12.02.2025
Date of first issue: 08.07.2022**Sodium hydroxymethanesulphinate:**

| | | |
|-------------------|---|-------------------------|
| Species | : | Rat |
| NOAEL | : | 600 mg/kg |
| Application Route | : | Ingestion |
| Exposure time | : | 13 Weeks |
| Method | : | OECD Test Guideline 408 |

Aspiration toxicity

Not classified based on available information.

Experience with human exposure**Components:****Dihydrostreptomycin sulphate:**

| | | |
|---------------------|---|---|
| General Information | : | Symptoms: Erythema, hearing loss, Nausea, Rash, Vomiting, Headache, hypotension |
|---------------------|---|---|

Benzylpenicillin:

| | | |
|------------|---|---|
| Inhalation | : | Symptoms: Allergic reactions, Abdominal pain, bronchospasm, skin rash |
|------------|---|---|

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****Benzylpenicillin:**

| | | |
|------------------|---|--|
| Toxicity to fish | : | LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 hrs Method: OECD Test Guideline 203 |
|------------------|---|--|

| | | |
|---|---|---|
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): 3.6 mg/l Exposure time: 48 hrs Method: OECD Test Guideline 202 |
|---|---|---|

| | | |
|----------------------------------|---|---|
| Toxicity to algae/aquatic plants | : | EC50 (Raphidocelis subcapitata (freshwater green alga)): > 100 mg/l Exposure time: 72 hrs Method: OECD Test Guideline 201 |
|----------------------------------|---|---|

| |
|--|
| NOEC (Raphidocelis subcapitata (freshwater green alga)): 50 mg/l Exposure time: 72 hrs Method: OECD Test Guideline 201 |
|--|

| |
|--|
| EC50 (blue-green algae): 0.74 mg/l Exposure time: 72 hrs Method: OECD Test Guideline 201 |
|--|

| |
|---|
| NOEC (blue-green algae): 0.14 mg/l Exposure time: 72 hrs |
|---|

Benzylpenicillin / Dihydrostreptomycin Sulphate Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 10811342-00008 Date of last issue: 12.02.2025
Date of first issue: 08.07.2022

Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50: > 500 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

NOEC: 5 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

Sodium hydroxymethanesulphinate:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 10,000 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): 370 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Desmodesmus subspicatus (green algae)): 10 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOEC (Danio rerio (zebra fish)): 13.5 mg/l
Exposure time: 35 d
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10 (Daphnia magna (Water flea)): 8 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211

Toxicity to microorganisms : NOEC: 10 mg/l
Exposure time: 4 h

Persistence and degradability**Components:****Benzylpenicillin:**

Biodegradability : Result: Readily biodegradable.
Biodegradation: 70.10 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

Sodium hydroxymethanesulphinate:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 77 %

SAFETY DATA SHEET



Benzylpenicillin / Dihydrostreptomycin Sulphate Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 10811342-00008 Date of last issue: 12.02.2025
Date of first issue: 08.07.2022

Exposure time: 28 d
Method: OECD Test Guideline 301B

Bioaccumulative potential

Components:

Sodium hydroxymethanesulphinate:

Partition coefficient: n-octanol/water : log Pow: < 0.3

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

NOM-002-SCT

Not regulated as a dangerous good

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

SAFETY DATA SHEET



Benzylpenicillin / Dihydrostreptomycin Sulphate Formulation

| | | | |
|----------------|------------------------------|-------------------------------|---|
| Version 3.0 | Revision Date: 14.04.2025 | SDS Number: 10811342-00008 | Date of last issue: 12.02.2025 Date of first issue: 08.07.2022 |
|----------------|------------------------------|-------------------------------|---|

Federal Law for the control of chemical precursors, essential chemical products and machinery for producing capsules, tablets and pills. : Not applicable

The ingredients of this product are reported in the following inventories:

| | |
|-------|------------------|
| AICS | : not determined |
| DSL | : not determined |
| IECSC | : not determined |

SECTION 16. OTHER INFORMATION

| | |
|---------------|--------------|
| Revision Date | : 14.04.2025 |
| Date format | : dd.mm.yyyy |

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECL - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to : Internal technical data, data from raw material SDSs, OECD

SAFETY DATA SHEET



Benzylpenicillin / Dihydrostreptomycin Sulphate Formulation

Version
3.0

Revision Date:
14.04.2025

SDS Number:
10811342-00008

Date of last issue: 12.02.2025
Date of first issue: 08.07.2022

compile the Material Safety
Data Sheet

eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information is considered as correct, but not exhaustive, and will be used only as a guide, which is based in the current knowledge of the substance or mixture, and is applicable to proper safety precautions for the product.

MX / Z8