

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Diazinon (23.06%) Liquid Formulation

Version  
5.0

Revision Date:  
2025/04/14

SDS Number:  
10814468-00010

Date of last issue: 2024/09/28  
Date of first issue: 2022/07/22

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Diazinon (23.06%) Liquid Formulation  
Other means of identification : COOPERS DIAZINON SHEEP BLOWFLY DRESSING AND CATTLE, GOAT AND PIG SPRAY (62353)

#### Manufacturer or supplier's details

Company : MSD  
Address : No. 485 Jing Tai Road  
Pu Tuo District - Shanghai - China 200331  
Telephone : +1-908-740-4000  
Emergency telephone number : 86-571-87268110  
E-mail address : EHSDATASTEWARD@msd.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product  
Restrictions on use : Not applicable

### 2. HAZARDS IDENTIFICATION

#### Emergency Overview

Appearance : liquid  
Colour : clear, yellow  
Odour : characteristic

Harmful if swallowed. May be fatal if swallowed and enters airways. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. May cause drowsiness or dizziness. Suspected of causing genetic defects. May cause cancer. Suspected of damaging fertility or the unborn child. Causes damage to organs. May cause damage to organs through prolonged or repeated exposure. Very toxic to aquatic life with long lasting effects.

#### GHS Classification

Acute toxicity (Oral) : Category 4  
Skin corrosion/irritation : Category 2  
Serious eye damage/eye irritation : Category 1  
Skin sensitisation : Category 1

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Diazinon (23.06%) Liquid Formulation

Version  
5.0

Revision Date:  
2025/04/14

SDS Number:  
10814468-00010

Date of last issue: 2024/09/28  
Date of first issue: 2022/07/22

Germ cell mutagenicity	:	Category 2
Carcinogenicity	:	Category 1B
Reproductive toxicity	:	Category 2
Specific target organ toxicity - single exposure	:	Category 1
Specific target organ toxicity - single exposure	:	Category 3
Specific target organ toxicity - repeated exposure	:	Category 2
Aspiration hazard	:	Category 1
Short-term (acute) aquatic hazard	:	Category 1
Long-term (chronic) aquatic hazard	:	Category 1

### GHS label elements

Hazard pictograms	:				
Signal word	:	Danger			
Hazard statements	:	H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H336 May cause drowsiness or dizziness. H341 Suspected of causing genetic defects. H350 May cause cancer. H361 Suspected of damaging fertility or the unborn child. H370 Causes damage to organs. H373 May cause damage to organs through prolonged or repeated exposure. H410 Very toxic to aquatic life with long lasting effects.			
Precautionary statements	:	<b>Prevention:</b> P203 Obtain, read and follow all safety instructions before use. P260 Do not breathe mist or vapours. P264 Wash skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area.			

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Diazinon (23.06%) Liquid Formulation

Version  
5.0

Revision Date:  
2025/04/14

SDS Number:  
10814468-00010

Date of last issue: 2024/09/28  
Date of first issue: 2022/07/22

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

### Response:

P301 + P316 + P330 IF SWALLOWED: Get emergency medical help immediately. Rinse mouth.

P302 + P352 IF ON SKIN: Wash with plenty of water.

P304 + P340 + P319 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical help if you feel unwell.

P305 + P354 + P338 + P317 IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical help.

P308 + P316 IF exposed or concerned: Get emergency medical help immediately.

P331 Do NOT induce vomiting.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P333 + P317 If skin irritation or rash occurs: Get medical help.

P362 + P364 Take off contaminated clothing and wash it before reuse.

P391 Collect spillage.

### Storage:

P405 Store locked up.

### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### Physical and chemical hazards

Not classified based on available information.

### Health hazards

Harmful if swallowed. Causes skin irritation. Causes serious eye damage. May cause an allergic skin reaction. Suspected of causing genetic defects. May cause cancer. Suspected of damaging fertility or the unborn child. Causes damage to organs. May cause drowsiness or dizziness. May cause damage to organs through prolonged or repeated exposure. May be fatal if swallowed and enters airways.

### Environmental hazards

Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

### Other hazards which do not result in classification

Repeated exposure may cause skin dryness or cracking.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Diazinon (23.06%) Liquid Formulation

Version  
5.0

Revision Date:  
2025/04/14

SDS Number:  
10814468-00010

Date of last issue: 2024/09/28  
Date of first issue: 2022/07/22

### Components

Chemical name	CAS-No.	Concentration (% w/w)
Hydrocarbons, C10, aromatics, <1% naphthalene	64742-94-5	>= 50 -< 70
Diazinon	333-41-5	>= 20 -< 25
Calcium dodecylbenzenesulphonate	26264-06-2	>= 3 -< 10
Nonylphenol, ethoxylated	9016-45-9	>= 3 -< 10
7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate	2386-87-0	>= 2.5 -< 10

### 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Get medical attention immediately.
- If swallowed : If swallowed, DO NOT induce vomiting.  
If vomiting occurs have person lean forward.  
Call a physician or poison control centre immediately.  
Rinse mouth thoroughly with water.  
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : Prolonged or repeated contact may dry skin and cause irritation.  
Harmful if swallowed.  
May be fatal if swallowed and enters airways.  
Causes skin irritation.  
May cause an allergic skin reaction.  
Causes serious eye damage.  
May cause drowsiness or dizziness.  
Suspected of causing genetic defects.  
May cause cancer.  
Suspected of damaging fertility or the unborn child.  
Causes damage to organs.  
May cause damage to organs through prolonged or repeated exposure.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Diazinon (23.06%) Liquid Formulation

Version  
5.0

Revision Date:  
2025/04/14

SDS Number:  
10814468-00010

Date of last issue: 2024/09/28  
Date of first issue: 2022/07/22

---

### 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : None known.
- Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides  
Nitrogen oxides (NO<sub>x</sub>)  
Sulphur oxides  
Oxides of phosphorus  
Metal oxides  
Sulphur compounds
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

---

### 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g. by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material.  
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absor-

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Diazinon (23.06%) Liquid Formulation

Version  
5.0

Revision Date:  
2025/04/14

SDS Number:  
10814468-00010

Date of last issue: 2024/09/28  
Date of first issue: 2022/07/22

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

## 7. HANDLING AND STORAGE

### Handling

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
- Advice on safe handling : Do not get on skin or clothing.  
Do not breathe mist or vapours.  
Do not swallow.  
Do not get in eyes.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Keep container tightly closed.  
Do not eat, drink or smoke when using this product.  
Take care to prevent spills, waste and minimize release to the environment.
- Avoidance of contact : Oxidizing agents

### Storage

- Conditions for safe storage : Keep in properly labelled containers.  
Store locked up.  
Keep tightly closed.  
Keep in a cool, well-ventilated place.  
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents
- Packaging material : Unsuitable material: None known.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Hydrocarbons, C10, aromatics, <1% naphthalene	64742-94-5	TWA (Inhal- able particu- late matter)	5 mg/m <sup>3</sup>	ACGIH

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Diazinon (23.06%) Liquid Formulation

Version 5.0 Revision Date: 2025/04/14 SDS Number: 10814468-00010 Date of last issue: 2024/09/28 Date of first issue: 2022/07/22

Diazinon	333-41-5	TWA (Inhalable fraction and vapor)	0.01 mg/m <sup>3</sup>	ACGIH
----------	----------	------------------------------------	------------------------	-------

### Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
Diazinon	333-41-5	Acetylcholinesterase activity	In red blood cells	End of shift	70 % of an individual's baseline	ACGIH BEI
		Butyrylcholinesterase activity	In serum or plasma	End of shift	60 % of an individual's baseline	ACGIH BEI

### Engineering measures

- Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., dripless quick connections). All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices). Minimize open handling.

### Personal protective equipment

Respiratory protection	: If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Filter type	: Combined particulates and organic vapour type
Eye/face protection	: Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	: Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.
Hand protection	
Material	: Chemical-resistant gloves
Remarks	: Consider double gloving.
Hygiene measures	: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the work-

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Diazinon (23.06%) Liquid Formulation

Version  
5.0

Revision Date:  
2025/04/14

SDS Number:  
10814468-00010

Date of last issue: 2024/09/28  
Date of first issue: 2022/07/22

---

ing place.

When using do not eat, drink or smoke.

Contaminated work clothing should not be allowed out of the workplace.

Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

---

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	clear, yellow
Odour	:	characteristic
Odour Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies)		
Water solubility	:	No data available

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Diazinon (23.06%) Liquid Formulation

Version  
5.0

Revision Date:  
2025/04/14

SDS Number:  
10814468-00010

Date of last issue: 2024/09/28  
Date of first issue: 2022/07/22

---

Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics		
Particle size	:	Not applicable

---

## 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

---

## 11. TOXICOLOGICAL INFORMATION

Exposure routes	:	Inhalation Skin contact Ingestion Eye contact
-----------------	---	--

### Acute toxicity

Harmful if swallowed.

#### Product:

Acute oral toxicity	:	Acute toxicity estimate: 1,808 mg/kg Method: Calculation method
Acute dermal toxicity	:	Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Diazinon (23.06%) Liquid Formulation

Version  
5.0

Revision Date:  
2025/04/14

SDS Number:  
10814468-00010

Date of last issue: 2024/09/28  
Date of first issue: 2022/07/22

### Components:

#### Hydrocarbons, C10, aromatics, <1% naphthalene:

Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 420 Remarks: Based on data from similar materials
Acute inhalation toxicity	: LC50 (Rat): > 4.778 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Remarks: Based on data from similar materials
Acute dermal toxicity	: LD50 (Rabbit): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity Remarks: Based on data from similar materials

#### Diazinon:

Acute oral toxicity	: LD50 (Rat): 1,139 mg/kg
Acute inhalation toxicity	: LC50 (Rat): > 5.437 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	: LD50 (Rabbit): > 2,020 mg/kg

#### Calcium dodecylbenzenesulphonate:

Acute oral toxicity	: LD50 (Rat): > 500 - 2,000 mg/kg Method: OECD Test Guideline 401 Remarks: Based on data from similar materials
Acute dermal toxicity	: LD50 (Rabbit): > 2,000 mg/kg Method: OECD Test Guideline 402 Remarks: Based on data from similar materials

#### Nonylphenol, ethoxylated:

Acute oral toxicity	: LD50 (Rat): 500 - 2,000 mg/kg
---------------------	---------------------------------

#### 7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Acute oral toxicity	: LD50 (Rat, male): > 2,959 - 5,000 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	: LC50 (Rat): >= 5.19 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 436

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Diazinon (23.06%) Liquid Formulation

Version  
5.0

Revision Date:  
2025/04/14

SDS Number:  
10814468-00010

Date of last issue: 2024/09/28  
Date of first issue: 2022/07/22



Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

### Skin corrosion/irritation

Causes skin irritation.

### Components:

#### Hydrocarbons, C10, aromatics, <1% naphthalene:

Assessment : Repeated exposure may cause skin dryness or cracking.

### Diazinon:

Species : Rabbit  
Result : Mild skin irritation

### Calcium dodecylbenzenesulphonate:

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Skin irritation  
Remarks : Based on data from similar materials

### Nonylphenol, ethoxylated:

Result : Skin irritation  
Remarks : Based on national or regional regulation.

### 7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

### Serious eye damage/eye irritation

Causes serious eye damage.

### Components:

#### Hydrocarbons, C10, aromatics, <1% naphthalene:

Species : Rabbit  
Result : No eye irritation  
Remarks : Based on data from similar materials

### Calcium dodecylbenzenesulphonate:

Species : Rabbit

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Diazinon (23.06%) Liquid Formulation

Version 5.0      Revision Date: 2025/04/14      SDS Number: 10814468-00010      Date of last issue: 2024/09/28  
Date of first issue: 2022/07/22

---

Result	:	Irreversible effects on the eye
Method	:	OECD Test Guideline 405
Remarks	:	Based on data from similar materials

### Nonylphenol, ethoxylated:

Species	:	Rabbit
Result	:	Irreversible effects on the eye
Method	:	OECD Test Guideline 405

### 7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Species	:	Rabbit
Result	:	No eye irritation
Method	:	OECD Test Guideline 405

### Respiratory or skin sensitisation

#### Skin sensitisation

May cause an allergic skin reaction.

#### Respiratory sensitisation

Not classified based on available information.

### Components:

#### Hydrocarbons, C10, aromatics, <1% naphthalene:

Test Type	:	Maximisation Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Result	:	negative
Remarks	:	Based on data from similar materials

#### Diazinon:

Test Type	:	Buehler Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Result	:	negative

#### Calcium dodecylbenzenesulphonate:

Test Type	:	Maximisation Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	negative
Remarks	:	Based on data from similar materials

#### Nonylphenol, ethoxylated:

Test Type	:	Maximisation Test
Exposure routes	:	Skin contact

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Diazinon (23.06%) Liquid Formulation

Version 5.0      Revision Date: 2025/04/14      SDS Number: 10814468-00010      Date of last issue: 2024/09/28  
Date of first issue: 2022/07/22

Species	:	Guinea pig
Result	:	negative
Remarks	:	Based on data from similar materials

### 7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Test Type	:	Maximisation Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Result	:	positive
Assessment	:	Probability or evidence of skin sensitisation in humans

### Germ cell mutagenicity

Suspected of causing genetic defects.

### Components:

#### Hydrocarbons, C10, aromatics, <1% naphthalene:

Genotoxicity in vitro	:	Test Type: In vitro sister chromatid exchange assay in mammalian cells Result: negative Remarks: Based on data from similar materials
Genotoxicity in vivo	:	Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis) Species: Rat Application Route: inhalation (vapour) Result: negative Remarks: Based on data from similar materials

### **Diazinon:**

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative  Test Type: In vitro mammalian cell gene mutation test Result: negative
	:	Test Type: Chromosome aberration test in vitro Result: negative
Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Rat Application Route: Intraperitoneal injection Result: positive
Germ cell mutagenicity - Assessment	:	Positive result(s) from in vivo mammalian somatic cell mutagenicity tests.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Diazinon (23.06%) Liquid Formulation

Version  
5.0

Revision Date:  
2025/04/14

SDS Number:  
10814468-00010

Date of last issue: 2024/09/28  
Date of first issue: 2022/07/22

### Calcium dodecylbenzenesulphonate:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative Remarks: Based on data from similar materials
	Test Type: In vitro mammalian cell gene mutation test Result: negative Remarks: Based on data from similar materials
	Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: negative Remarks: Based on data from similar materials
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Ingestion Result: negative Remarks: Based on data from similar materials

### Nonylphenol, ethoxylated:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative Remarks: Based on data from similar materials
-----------------------	---

### 7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: positive
	Test Type: In vitro mammalian cell gene mutation test Result: positive
	Test Type: In vitro sister chromatid exchange assay in mammalian cells Result: positive
	Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro) Result: positive
Genotoxicity in vivo	: Test Type: Unscheduled DNA synthesis (UDS) test with mammalian liver cells in vivo Species: Rat Application Route: Ingestion Method: OECD Test Guideline 486 Result: negative

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Diazinon (23.06%) Liquid Formulation

Version  
5.0

Revision Date:  
2025/04/14

SDS Number:  
10814468-00010

Date of last issue: 2024/09/28  
Date of first issue: 2022/07/22



Test Type: Micronucleus test  
Species: Mouse  
Application Route: Intraperitoneal injection  
Result: negative

Test Type: Transgenic rodent somatic cell gene mutation assay  
Species: Mouse  
Application Route: Ingestion  
Method: OECD Test Guideline 488  
Result: positive

Germ cell mutagenicity - Assessment : Positive result(s) from in vivo mammalian somatic cell mutagenicity tests.

### Carcinogenicity

May cause cancer.

### Components:

#### Diazinon:

Species : Rat  
Application Route : Ingestion  
Exposure time : 104 weeks  
Result : negative

Carcinogenicity - Assessment : Sufficient evidence of carcinogenicity in animal experiments

#### 7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Species : Mouse  
Application Route : Skin contact  
Exposure time : 29 Months  
Result : negative

### Reproductive toxicity

Suspected of damaging fertility or the unborn child.

### Components:

#### Hydrocarbons, C10, aromatics, <1% naphthalene:

Effects on fertility : Test Type: Three-generation reproduction toxicity study  
Species: Rat  
Application Route: inhalation (vapour)  
Result: negative  
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Diazinon (23.06%) Liquid Formulation

Version  
5.0

Revision Date:  
2025/04/14

SDS Number:  
10814468-00010

Date of last issue: 2024/09/28  
Date of first issue: 2022/07/22

Remarks: Based on data from similar materials

### Diazinon:

- |                               |  |
|-------------------------------|--|
| Effects on fertility          | : Test Type: Three-generation study<br>Species: Rat<br>Application Route: Ingestion<br>Result: negative    |
| Effects on foetal development | : Test Type: Embryo-foetal development<br>Species: Rat<br>Application Route: Ingestion<br>Result: negative |

### Calcium dodecylbenzenesulphonate:

- |                               |  |
|-------------------------------|--|
| Effects on fertility          | : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test<br>Species: Rat<br>Application Route: Ingestion<br>Method: OECD Test Guideline 422<br>Result: negative<br>Remarks: Based on data from similar materials |
| Effects on foetal development | : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test<br>Species: Rat<br>Application Route: Ingestion<br>Method: OECD Test Guideline 422<br>Result: negative<br>Remarks: Based on data from similar materials |

### Nonylphenol, ethoxylated:

- |                                    |  |
|------------------------------------|--|
| Reproductive toxicity - Assessment | : Some evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments. |
|------------------------------------|--|

### 7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

- |                               |   |
|-------------------------------|---|
| Effects on foetal development | : Test Type: Embryo-foetal development<br>Species: Rat<br>Application Route: Ingestion<br>Method: OECD Test Guideline 414<br>Result: negative |
|-------------------------------|---|

### STOT - single exposure

May cause drowsiness or dizziness.  
Causes damage to organs.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Diazinon (23.06%) Liquid Formulation

Version 5.0      Revision Date: 2025/04/14      SDS Number: 10814468-00010      Date of last issue: 2024/09/28  
Date of first issue: 2022/07/22

---

### Components:

#### **Hydrocarbons, C10, aromatics, <1% naphthalene:**

Assessment	: May cause drowsiness or dizziness.
Remarks	: Based on data from similar materials

#### **Diazinon:**

Exposure routes	: Ingestion
Target Organs	: Nervous system
Assessment	: Shown to produce significant health effects in animals at concentrations of 300 mg/kg bw or less.

#### **STOT - repeated exposure**

May cause damage to organs through prolonged or repeated exposure.

### Components:

#### **Diazinon:**

Exposure routes	: Ingestion
Target Organs	: Nervous system
Assessment	: Shown to produce significant health effects in animals at concentrations of >10 to 100 mg/kg bw.

#### **Calcium dodecylbenzenesulphonate:**

Assessment	: No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.
------------	--

#### **Nonylphenol, ethoxylated:**

Assessment	: May cause damage to organs through prolonged or repeated exposure.
Remarks	: Based on national or regional regulation.

#### **7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:**

Exposure routes	: Ingestion
Target Organs	: nasal cavity
Assessment	: Shown to produce significant health effects in animals at concentrations of >10 to 100 mg/kg bw.

#### **Repeated dose toxicity**

### Components:

#### **Hydrocarbons, C10, aromatics, <1% naphthalene:**

Species	: Rat
NOAEL	: 300 mg/kg
Application Route	: Ingestion
Exposure time	: 13 Weeks
Remarks	: Based on data from similar materials

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Diazinon (23.06%) Liquid Formulation

Version  
5.0

Revision Date:  
2025/04/14

SDS Number:  
10814468-00010

Date of last issue: 2024/09/28  
Date of first issue: 2022/07/22

### Diazinon:

Species	:	Rat
NOAEL	:	0.3 mg/kg
LOAEL	:	15 mg/kg
Application Route	:	Ingestion
Exposure time	:	90 Days
Species	:	Rat
NOAEL	:	0.1 mg/l
LOAEL	:	0.75 mg/l
Application Route	:	inhalation (dust/mist/fume)
Exposure time	:	28 Days

### Calcium dodecylbenzenesulphonate:

Species	:	Rat
LOAEL	:	> 200 mg/kg
Application Route	:	Ingestion
Exposure time	:	6 - 7 Weeks
Method	:	OECD Test Guideline 422
Remarks	:	Based on data from similar materials
Species	:	Rabbit
NOAEL	:	> 100 mg/kg
Application Route	:	Skin contact
Exposure time	:	28 Days
Method	:	OECD Test Guideline 410
Remarks	:	Based on data from similar materials

### 7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Species	:	Rat
NOAEL	:	5 mg/kg
LOAEL	:	50 mg/kg
Application Route	:	Ingestion
Exposure time	:	90 Days
Method	:	OECD Test Guideline 408

### Aspiration toxicity

May be fatal if swallowed and enters airways.

### Components:

#### Hydrocarbons, C10, aromatics, <1% naphthalene:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Diazinon (23.06%) Liquid Formulation

Version  
5.0

Revision Date:  
2025/04/14

SDS Number:  
10814468-00010

Date of last issue: 2024/09/28  
Date of first issue: 2022/07/22

### Experience with human exposure

#### Components:

##### **Diazinon:**

||| Inhalation : Symptoms: carcinogenic effects

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

##### **Hydrocarbons, C10, aromatics, <1% naphthalene:**

Toxicity to fish : LL50 (Oncorhynchus mykiss (rainbow trout)): 2 - 5 mg/l  
Exposure time: 96 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 203  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): 3 - 10 mg/l  
Exposure time: 48 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 202  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : EL50 (Pseudokirchneriella subcapitata (green algae)): > 1 - 3 mg/l  
Exposure time: 72 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

##### **Diazinon:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.09 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Ceriodaphnia dubia (water flea)): 0.000164 mg/l  
Exposure time: 48 h

M-Factor (Acute aquatic toxicity) : 1,000

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.092 mg/l  
Exposure time: 34 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.00017 mg/l  
Exposure time: 21 d

M-Factor (Chronic aquatic toxicity) : 100

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Diazinon (23.06%) Liquid Formulation

Version  
5.0

Revision Date:  
2025/04/14

SDS Number:  
10814468-00010

Date of last issue: 2024/09/28  
Date of first issue: 2022/07/22

### Calcium dodecylbenzenesulphonate:

Toxicity to fish	: LC50 (Leuciscus idus (Golden orfe)): > 1 - 10 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l Exposure time: 48 h Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	: ErC50 (Pseudokirchneriella subcapitata (green algae)): > 10 - 100 mg/l Exposure time: 72 h Remarks: Based on data from similar materials
	: NOEC (Pseudokirchneriella subcapitata (green algae)): > 0.1 - 1 mg/l Exposure time: 72 h Remarks: Based on data from similar materials
Toxicity to fish (Chronic toxicity)	: NOEC (Pimephales promelas (fathead minnow)): > 0.1 - 1 mg/l Exposure time: 28 d Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): > 1 mg/l Exposure time: 21 d Remarks: Based on data from similar materials
Toxicity to microorganisms	: EC50 (activated sludge): > 100 mg/l Exposure time: 3 h Method: OECD Test Guideline 209 Remarks: Based on data from similar materials

### Nonylphenol, ethoxylated:

Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): > 0.1 - 1 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Ceriodaphnia dubia (water flea)): > 0.1 - 1 mg/l Exposure time: 48 h Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	: ErC50 (Selenastrum capricornutum (green algae)): > 1 - 10 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
	: EC10 (Selenastrum capricornutum (green algae)): > 1 mg/l Exposure time: 72 h

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Diazinon (23.06%) Liquid Formulation

Version  
5.0

Revision Date:  
2025/04/14

SDS Number:  
10814468-00010

Date of last issue: 2024/09/28  
Date of first issue: 2022/07/22

Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

M-Factor (Acute aquatic toxicity)	:	1
Toxicity to fish (Chronic toxicity)	:	NOEC (Oryzias latipes (Japanese medaka)): > 0.1 - 1 mg/l Exposure time: 100 d Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Mysidopsis bahia (opossum shrimp)): > 0.001 - 0.01 mg/l Exposure time: 28 d Remarks: Based on data from similar materials
M-Factor (Chronic aquatic toxicity)	:	10

### 7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 24 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 40 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	ErC50 (Raphidocelis subcapitata (freshwater green alga)): > 110 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
		NOEC (Raphidocelis subcapitata (freshwater green alga)): 30 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to microorganisms	:	EC10 (activated sludge): 409 mg/l Exposure time: 3 h Method: OECD Test Guideline 209

### Persistence and degradability

#### Components:

##### Hydrocarbons, C10, aromatics, <1% naphthalene:

Biodegradability	:	Result: Not readily biodegradable. Biodegradation: 49.56 % Exposure time: 28 d Method: OECD Test Guideline 301F
------------------	---	--

##### Calcium dodecylbenzenesulphonate:

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Diazinon (23.06%) Liquid Formulation

Version  
5.0

Revision Date:  
2025/04/14

SDS Number:  
10814468-00010

Date of last issue: 2024/09/28  
Date of first issue: 2022/07/22

### Biodegradability

: Result: Readily biodegradable.  
Remarks: Based on data from similar materials

### Nonylphenol, ethoxylated:

#### Biodegradability

: Result: Not readily biodegradable.  
Remarks: Based on data from similar materials

### 7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

#### Biodegradability

: Result: Not readily biodegradable.  
Biodegradation: 71 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B

### Bioaccumulative potential

### Components:

#### Diazinon:

##### Bioaccumulation

: Species: Cyprinus carpio (Carp)  
Bioconcentration factor (BCF): 46.9

##### Partition coefficient: n-octanol/water

: log Pow: 3.69

#### Calcium dodecylbenzenesulphonate:

##### Bioaccumulation

: Bioconcentration factor (BCF): < 500  
Remarks: Based on data from similar materials

##### Partition coefficient: n-octanol/water

: log Pow: 4.77  
Remarks: Calculation

#### Nonylphenol, ethoxylated:

##### Partition coefficient: n-octanol/water

: log Pow: 4.48

### 7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

##### Partition coefficient: n-octanol/water

: log Pow: 1.34  
Method: OECD Test Guideline 107

### Mobility in soil

No data available

### Other adverse effects

No data available

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Diazinon (23.06%) Liquid Formulation

Version  
5.0

Revision Date:  
2025/04/14

SDS Number:  
10814468-00010

Date of last issue: 2024/09/28  
Date of first issue: 2022/07/22

---

### 13. DISPOSAL CONSIDERATIONS

#### Disposal methods

- Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.
- Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

### 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

- UN number : UN 3082
- Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Diazinon)
- Class : 9
- Packing group : III
- Labels : 9
- Environmentally hazardous : yes

##### IATA-DGR

- UN/ID No. : UN 3082
- Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.  
(Diazinon)
- Class : 9
- Packing group : III
- Labels : Miscellaneous
- Packing instruction (cargo aircraft) : 964
- Packing instruction (passenger aircraft) : 964
- Environmentally hazardous : yes

##### IMDG-Code

- UN number : UN 3082
- Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Diazinon)
- Class : 9
- Packing group : III
- Labels : 9
- EmS Code : F-A, S-F
- Marine pollutant : yes

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### National Regulations

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Diazinon (23.06%) Liquid Formulation

Version  
5.0

Revision Date:  
2025/04/14

SDS Number:  
10814468-00010

Date of last issue: 2024/09/28  
Date of first issue: 2022/07/22

---

### GB 6944/12268

UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Diazinon)
Class	:	9
Packing group	:	III
Labels	:	9
Marine pollutant	:	no

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## 15. REGULATORY INFORMATION

### National regulatory information

#### Law on the Prevention and Control of Occupational Diseases

#### Regulations on Safety Management of Hazardous Chemicals

Catalogue of Hazardous Chemicals	:	This product is not listed in the catalogue of hazardous chemicals, but it meets the definition of hazardous chemicals and its principles of determination.
----------------------------------	---	---

Identification of Major Hazard Installations for Hazardous Chemicals (GB 18218)	:	Not listed
---	---	------------

Hazardous Chemicals for Priority Management under SAWS	:	Not listed
--	---	------------

Catalogue of Specially Controlled Hazardous Chemicals	:	Not listed
---	---	------------

List of Explosive Precursors	:	Not listed
------------------------------	---	------------

#### Regulations on Labour Protection in Workplaces where Toxic Substances are Used

Catalogue of Highly Toxic Chemicals	:	Not listed
-------------------------------------	---	------------

#### Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

China Severely Restricted Toxic Chemicals for Import and Export	:	Not listed
---	---	------------

#### Regulation on the Administration of Precursor Chemicals

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Diazinon (23.06%) Liquid Formulation

Version 5.0      Revision Date: 2025/04/14      SDS Number: 10814468-00010      Date of last issue: 2024/09/28  
Date of first issue: 2022/07/22

---

Catalogue and Classification of Precursor Chemicals : Not listed

### Yangtze River Protection Law

This product does not contain any dangerous chemicals prohibited for inland river transport.

### Regulations of Ozone Depleting Substances Management

List of Controlled Ozone Depleting Substances Import and Export : Not listed  
List of Controlled Ozone Depleting Substances : Not listed

### Environmental Protection Law

List of Priority Controlled Chemicals : Listed  
List of Key Controlled New Pollutants : Not listed

### The components of this product are reported in the following inventories:

AICS : not determined  
DSL : not determined  
IECSC : not determined

---

## 16. OTHER INFORMATION

Revision Date : 2025/04/14

### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
ACGIH BEI : ACGIH - Biological Exposure Indices (BEI)  
ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized Sys-

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Diazinon (23.06%) Liquid Formulation

Version 5.0	Revision Date: 2025/04/14	SDS Number: 10814468-00010	Date of last issue: 2024/09/28 Date of first issue: 2022/07/22
----------------	------------------------------	-------------------------------	---

tem; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CN / EN