

SAFETY DATA SHEET



Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 10813900-00007 Date of last issue: 24.03.2025
Date of first issue: 12.07.2022

SECTION 1. IDENTIFICATION

Product identifier : Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Other means of identification : Converge (A010119)

Manufacturer or supplier's details

Company : MSD

Address : Rua Coronel Bento Soares, 530
Cruzeiro - Sao Paulo - Brazil CEP 12730-340

Telephone : 908-740-4000

Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification in accordance with ABNT NBR 14725 Standard

Acute toxicity (Oral) : Category 4

Acute toxicity (Inhalation) : Category 5

Respiratory sensitization : Category 1

Skin sensitization : Category 1

Germ cell mutagenicity : Category 2

Carcinogenicity : Category 2

Reproductive toxicity : Category 2

Specific target organ toxicity - repeated exposure : Category 2 (Respiratory Tract, Thyroid, Heart, Blood)

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

SAFETY DATA SHEET



Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version
3.0

Revision Date:
14.04.2025

SDS Number:
10813900-00007

Date of last issue: 24.03.2025
Date of first issue: 12.07.2022

GHS label elements in accordance with ABNT NBR 14725 Standard

Hazard pictograms



Signal Word

: Danger

Hazard Statements

: H302 Harmful if swallowed.
H317 May cause an allergic skin reaction.
H333 May be harmful if inhaled.
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H341 Suspected of causing genetic defects.
H351 Suspected of causing cancer.
H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.
H373 May cause damage to organs (Respiratory Tract, Thyroid, Heart, Blood) through prolonged or repeated exposure.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements

: **Prevention:**

P201 Obtain special instructions before use.
P270 Do not eat, drink or smoke when using this product.
P272 Contaminated work clothing should not be allowed out of the workplace.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
P302 + P352 IF ON SKIN: Wash with plenty of water.
P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER/ doctor.
P391 Collect spillage.

Storage:

P405 Store locked up.

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

SAFETY DATA SHEET



Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 10813900-00007 Date of last issue: 24.03.2025
Date of first issue: 12.07.2022

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Classification	Concentration (% w/w)
Levamisole hydrochloride	16595-80-5	Acute Tox. (Oral), 3 Repr., 2 STOT RE, (Oral)(Blood, Testis) , 2 Aquatic Acute, 3 Aquatic Chronic, 3	>= 5 -< 10
Cobalt disodium ethylenediaminetetraacetate	15137-09-4	Resp. Sens., 1B Muta., 2 Carc., 2 Repr., 2 STOT RE, (Respiratory Tract, Thyroid, Heart, Blood) , 1 Aquatic Chronic, 1	>= 3 -< 5
Benzyl alcohol	100-51-6	Acute Tox. (Oral), 4 Eye Irrit., 2A Skin Sens., 1B	>= 1 -< 5
Citric acid	77-92-9	Eye Irrit., 2A STOT SE, 3	>= 1 -< 5
Sodium selenate	13410-01-0	Acute Tox. (Oral), 2 Acute Tox. (Inhalation), 2 Skin Irrit., 2 STOT RE, 1 Aquatic Acute, 1 Aquatic Chronic, 1	>= 0,1 -< 0,25
abamectin (combination of avermectin B1a and avermectin B1b) (ISO)	71751-41-2	Acute Tox. (Oral), 2 Acute Tox. (Inhalation), 1 Acute Tox. (Dermal), 3 Repr., 2 STOT RE, (Oral)(Central nervous system) , 1 Aquatic Acute, 1 Aquatic Chronic, 1	>= 0,1 -< 0,25

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical

SAFETY DATA SHEET



Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 10813900-00007 Date of last issue: 24.03.2025
Date of first issue: 12.07.2022

If inhaled : advice.
If inhaled, remove to fresh air.
If not breathing, give artificial respiration.
If breathing is difficult, give oxygen.
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.

In case of eye contact : Flush eyes with water as a precaution.
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water.
Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed : Excessive exposure may aggravate preexisting asthma and other respiratory disorders (e.g. emphysema, bronchitis, reactive airways dysfunction syndrome).
Harmful if swallowed.
May cause an allergic skin reaction.
May be harmful if inhaled.
May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Suspected of causing genetic defects.
Suspected of causing cancer.
Suspected of damaging fertility. Suspected of damaging the unborn child.
May cause damage to organs through prolonged or repeated exposure.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : None known.

Specific hazards during fire fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides
Oxides of phosphorus
Cobalt compounds
Nitrogen oxides (NO_x)
Metal oxides

Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 10813900-00007 Date of last issue: 24.03.2025
Date of first issue: 12.07.2022

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g., by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not get on skin or clothing.
Do not breathe mist or vapors.
Do not swallow.
Avoid contact with eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure

SAFETY DATA SHEET



Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version 3.0 Revision Date: 14.04.2025

SDS Number:
10813900-00007

Date of last issue: 24.03.2025
Date of first issue: 12.07.2022

Hygiene measures

- assessment
- Keep container tightly closed.
- Already sensitized individuals, and those susceptible to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respiratory irritants or sensitizers.
- Do not eat, drink or smoke when using this product.
- Take care to prevent spills, waste and minimize release to the environment.
- If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
- When using do not eat, drink or smoke.
- Contaminated work clothing should not be allowed out of the workplace.
- Wash contaminated clothing before re-use.
- The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.
- Keep in properly labeled containers.
- Store locked up.
- Keep tightly closed.
- Store in accordance with the particular national regulations.
- Do not store with the following product types:
 - Strong oxidizing agents
 - Self-reactive substances and mixtures
 - Organic peroxides
 - Explosives
 - Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Levamisole hydrochloride	16595-80-5	TWA	20 µg/m ³ (OEB 3)	Internal
Further information: Skin				
		Wipe limit	200 µg/100 cm ²	Internal
Sodium selenate	13410-01-0	TWA	20 µg/m ³ (OEB 3)	Internal
		Wipe limit	200 µg/100 cm ²	Internal
		TWA	0,2 mg/m ³ (selenium)	ACGIH
abamectin (combination of avermectin B1a and avermectin B1b) (ISO)	71751-41-2	TWA	15 µg/m ³ (OEB 3)	Internal
		Wipe limit	150 µg/100 cm ²	Internal

Engineering measures

: Use appropriate engineering controls and manufacturing

Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate FormulationVersion
3.0Revision Date:
14.04.2025SDS Number:
10813900-00007Date of last issue: 24.03.2025
Date of first issue: 12.07.2022

technologies to control airborne concentrations (e.g., drip-less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).

Minimize open handling.

Personal protective equipment

Respiratory protection	: If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Filter type	
Hand protection	: Combined particulates and organic vapor type
Material	: Chemical-resistant gloves
Remarks	: Consider double gloving.
Eye protection	: Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	: Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	: suspension
Color	: No data available
Odor	: No data available
Odor Threshold	: No data available
pH	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: No data available
Evaporation rate	: No data available

Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version 3.0	Revision Date: 14.04.2025	SDS Number: 10813900-00007	Date of last issue: 24.03.2025 Date of first issue: 12.07.2022
----------------	------------------------------	-------------------------------	---

Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies)		
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics		
Particle size	:	Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

SAFETY DATA SHEET



Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version Revision Date: SDS Number: Date of last issue: 24.03.2025
3.0 14.04.2025 10813900-00007 Date of first issue: 12.07.2022

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Harmful if swallowed.
May be harmful if inhaled.

Product:

Acute oral toxicity	: Acute toxicity estimate: 935,59 mg/kg Method: Calculation method
Acute inhalation toxicity	: Acute toxicity estimate: 7,42 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method
Acute dermal toxicity	: Acute toxicity estimate: > 5.000 mg/kg Method: Calculation method

Components:

Levamisole hydrochloride:

Acute oral toxicity	:	LD50 (Rat): 180 mg/kg
		LD50 (Mouse): 223 mg/kg
		LD50 (Rabbit): 458 mg/kg
Acute inhalation toxicity	:	Remarks: No data available
Acute dermal toxicity	:	Remarks: No data available

Cobalt disodium ethylenediaminetetraacetate:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg
Remarks: Based on data from similar materials

Benzyl alcohol-

Acute oral toxicity	: LD50 (Rat): 1.200 mg/kg
Acute inhalation toxicity	: LC50 (Rat): > 5,4 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhalation toxicity

Citric acid:

Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version Revision Date: SDS Number: Date of last issue: 24.03.2025
3.0 14.04.2025 10813900-00007 Date of first issue: 12.07.2022

Acute oral toxicity	: LD50 (Mouse): 5.400 mg/kg
Acute dermal toxicity	: LD50 (Rat): > 2.000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity

Sodium selenate:

Acute oral toxicity	: LD50 (Rat): > 5 - 50 mg/kg Remarks: Based on data from similar materials
Acute inhalation toxicity	: LC50 (Rat): > 0,052 - 0,51 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Acute oral toxicity	: LD50 (Rat): 24 mg/kg LD50 (Mouse): 10 mg/kg LDLo (Monkey): 24 mg/kg Symptoms: Dilatation of the pupils
Acute inhalation toxicity	: LC50 (Rat): 0,023 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	: LD50 (Rat): 330 mg/kg LD50 (Rabbit): 2.000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

Levamisole hydrochloride:

Remarks : No data available

Cobalt disodium ethylenediaminetetraacetate:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation
Remarks	:	Based on data from similar materials

Benzyl alcohol:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate FormulationVersion
3.0Revision Date:
14.04.2025SDS Number:
10813900-00007Date of last issue: 24.03.2025
Date of first issue: 12.07.2022**Citric acid:**

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

Sodium selenate:

Species	:	reconstructed human epidermis (RhE)
Method	:	OECD Test Guideline 431
Species	:	reconstructed human epidermis (RhE)
Method	:	OECD Test Guideline 439
Result	:	Skin irritation

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Species	:	Rabbit
Result	:	No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:**Levamisole hydrochloride:**

Remarks	:	No data available
---------	---	-------------------

Cobalt disodium ethylenediaminetetraacetate:

Species	:	Rabbit
Result	:	No eye irritation
Remarks	:	Based on data from similar materials

Benzyl alcohol:

Species	:	Rabbit
Result	:	Irritation to eyes, reversing within 21 days
Method	:	OECD Test Guideline 405

Citric acid:

Species	:	Rabbit
Result	:	Irritation to eyes, reversing within 21 days
Method	:	OECD Test Guideline 405

Sodium selenate:

Species	:	Bovine cornea
Method	:	OECD Test Guideline 437
Result	:	No eye irritation

Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 10813900-00007 Date of last issue: 24.03.2025
Date of first issue: 12.07.2022

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Species	:	Rabbit
Result	:	Mild eye irritation

Respiratory or skin sensitization**Skin sensitization**

May cause an allergic skin reaction.

Respiratory sensitization

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Components:**Levamisole hydrochloride:**

Remarks	:	No data available
---------	---	-------------------

Cobalt disodium ethylenediaminetetraacetate:

Routes of exposure	:	inhalation (dust/mist/fume)
Species	:	Humans
Result	:	positive
Remarks	:	Based on data from similar materials
Assessment	:	Probability or evidence of low to moderate respiratory sensitization rate in humans

Benzyl alcohol:

Test Type	:	Human repeat insult patch test (HRIPT)
Routes of exposure	:	Skin contact
Species	:	Humans
Result	:	positive
Assessment	:	Probability or evidence of low to moderate skin sensitization rate in humans

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Test Type	:	Maximization Test
Routes of exposure	:	Skin contact
Result	:	Not a skin sensitizer.

Germ cell mutagenicity

Suspected of causing genetic defects.

Components:**Levamisole hydrochloride:**

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
		Test Type: Chromosome aberration test in vitro

Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version
3.0

Revision Date:
14.04.2025

SDS Number:
10813900-00007

Date of last issue: 24.03.2025
Date of first issue: 12.07.2022

Result: negative

Cobalt disodium ethylenediaminetetraacetate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative
Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: positive
Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: positive
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Application Route: Intraperitoneal injection
Result: positive
Remarks: Based on data from similar materials

Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)
Species: Mouse
Application Route: Ingestion
Result: positive
Remarks: Based on data from similar materials

Test Type: Rodent dominant lethal test (germ cell) (in vivo)
Species: Mouse
Application Route: Ingestion
Result: positive
Remarks: Based on data from similar materials

Germ cell mutagenicity - Assessment : Positive result(s) from in vivo mammalian somatic cell mutagenicity tests.
Remarks: Based on data from similar materials

Benzyl alcohol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Intraperitoneal injection
Result: negative

Citric acid:

SAFETY DATA SHEET



Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version Revision Date: SDS Number: Date of last issue: 24.03.2025
3.0 14.04.2025 10813900-00007 Date of first issue: 12.07.2022

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
	Test Type: in vitro micronucleus test Result: positive
	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
Genotoxicity in vivo	: Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis) Species: Rat Application Route: Ingestion Result: negative
Sodium selenate:	
Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative Remarks: Based on data from similar materials

Sodium selenate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative
Remarks: Based on data from similar materials

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
	Test Type: In vitro mammalian cell gene mutation test Test system: Chinese hamster lung cells Result: negative
	Test Type: Alkaline elution assay Result: negative
Genotoxicity in vivo	: Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis) Species: Mouse Application Route: Intraperitoneal injection Result: negative

Carcinogenicity

Suspected of causing cancer.

Components:

Levamisole hydrochloride:

Species	: Mouse
Application Route	: Oral
Exposure time	: 2 Years
NOAEL	: 80 mg/kg body weight
Remarks	: No significant adverse effects were reported
Species	: Rat

Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 10813900-00007 Date of last issue: 24.03.2025
Date of first issue: 12.07.2022

Application Route	:	Oral
Exposure time	:	2 Years
NOAEL	:	40 mg/kg body weight
Remarks	:	No significant adverse effects were reported

Cobalt disodium ethylenediaminetetraacetate:

Species	:	Rat
Application Route	:	inhalation (dust/mist/fume)
Exposure time	:	105 weeks
Result	:	positive
Remarks	:	Based on data from similar materials

Species	:	Mouse
Application Route	:	inhalation (dust/mist/fume)
Exposure time	:	105 weeks
Result	:	positive
Remarks	:	Based on data from similar materials

Carcinogenicity - Assessment	:	Limited evidence of carcinogenicity in animal studies
		Remarks: Based on data from similar materials

Benzyl alcohol:

Species	:	Mouse
Application Route	:	Ingestion
Exposure time	:	103 weeks
Method	:	OECD Test Guideline 451
Result	:	negative

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Species	:	Rat
Application Route	:	Oral
Exposure time	:	105 weeks
Result	:	negative

Species	:	Mouse
Application Route	:	Oral
Exposure time	:	93 weeks
Result	:	negative

Reproductive toxicity

Suspected of damaging fertility. Suspected of damaging the unborn child.

Components:**Levamisole hydrochloride:**

Effects on fertility	:	Test Type: Three-generation reproduction toxicity study Species: Rat Application Route: Oral Result: No significant adverse effects were reported
Effects on fetal development	:	Test Type: Embryo-fetal development

Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version
3.0

Revision Date:
14.04.2025

SDS Number:
10813900-00007

Date of last issue: 24.03.2025
Date of first issue: 12.07.2022

Species: Rat
Application Route: Oral
Developmental Toxicity: NOAEL: 20 mg/kg body weight
Result: Fetotoxicity.

Test Type: Embryo-fetal development
Species: Rabbit
Application Route: Oral
Developmental Toxicity: LOAEL: 40 mg/kg body weight
Result: Fetotoxicity.

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

Cobalt disodium ethylenediaminetetraacetate:

Effects on fertility : Test Type: Fertility/early embryonic development
Species: Rat
Application Route: Ingestion
Result: positive
Remarks: Based on data from similar materials

Test Type: Fertility/early embryonic development
Species: Mouse
Application Route: Ingestion
Result: positive
Remarks: Based on data from similar materials

Test Type: Fertility/early embryonic development
Species: Mouse
Application Route: inhalation (dust/mist/fume)
Result: positive
Remarks: Based on data from similar materials

Test Type: Fertility/early embryonic development
Species: Rat
Application Route: inhalation (dust/mist/fume)
Result: positive
Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 414
Result: negative
Remarks: Based on data from similar materials

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, based on animal experiments.
Remarks: Based on data from similar materials

Benzyl alcohol:

Effects on fertility : Test Type: Fertility/early embryonic development

Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version
3.0

Revision Date:
14.04.2025

SDS Number:
10813900-00007

Date of last issue: 24.03.2025
Date of first issue: 12.07.2022

Species: Rat
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development
Species: Mouse
Application Route: Ingestion
Result: negative

Citric acid:

Effects on fetal development : Test Type: One-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Result: negative

Sodium selenate:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development
Species: Mouse
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Effects on fertility : Test Type: Fertility
Species: Rat, male
Application Route: Oral
Result: Effects on fertility.

Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Oral
Early Embryonic Development: NOAEL: 0,12 mg/kg body weight
Result: Fetotoxicity.

Effects on fetal development : Test Type: Embryo-fetal development
Species: Mouse
Application Route: Oral
General Toxicity Maternal: NOAEL: 0,05 mg/kg body weight
Developmental Toxicity: NOAEL: 0,2 mg/kg body weight
Result: Cleft palate
Remarks: Adverse developmental effects were observed

Test Type: Embryo-fetal development

Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate FormulationVersion
3.0Revision Date:
14.04.2025SDS Number:
10813900-00007Date of last issue: 24.03.2025
Date of first issue: 12.07.2022

Species: Rabbit
Application Route: Oral
Developmental Toxicity: LOAEL: 2 mg/kg body weight
Result: Cleft palate, Teratogenic effects., Reduced embryonic survival
Remarks: Adverse developmental effects were observed

Test Type: Development
Species: Rat
Application Route: Oral
Developmental Toxicity: LOAEL: 1,6 mg/kg body weight
Result: Teratogenic effects.

Reproductive toxicity - Assessment

: Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal experiments.

STOT-single exposure

Not classified based on available information.

Components:**Citric acid:**

Assessment : May cause respiratory irritation.

STOT-repeated exposure

May cause damage to organs (Respiratory Tract, Thyroid, Heart, Blood) through prolonged or repeated exposure.

Components:**Levamisole hydrochloride:**

Target Organs : Blood, Testis
Assessment : May cause damage to organs through prolonged or repeated exposure.

Cobalt disodium ethylenediaminetetraacetate:

Routes of exposure : inhalation (dust/mist/fume)
Target Organs : Respiratory Tract
Assessment : Shown to produce significant health effects in animals at concentrations of 0.02 mg/l/6h/d or less.
Remarks : Based on data from similar materials

Routes of exposure : Ingestion
Target Organs : Thyroid, Heart, Blood
Assessment : Shown to produce significant health effects in animals at concentrations of >10 to 100 mg/kg bw.
Remarks : Based on data from similar materials

Sodium selenate:

Routes of exposure : Ingestion

SAFETY DATA SHEET



Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version Revision Date: SDS Number: Date of last issue: 24.03.2025
3.0 14.04.2025 10813900-00007 Date of first issue: 12.07.2022

Assessment : Shown to produce significant health effects in animals at concentrations of 10 mg/kg bw or less.

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Routes of exposure	: Ingestion
Target Organs	: Central nervous system
Assessment	: Causes damage to organs through prolonged or repeated exposure.

Repeated dose toxicity

Components:

Levamisole hydrochloride:

Species	:	Rat
NOAEL	:	2,5 mg/kg
Application Route	:	Oral
Exposure time	:	18 Months
Target Organs	:	Testis

Species	:	Dog
LOAEL	:	20 mg/kg
Application Route	:	Oral
Exposure time	:	18 Months
Target Organs	:	Blood

Species	:	Dog
LOAEL	:	40 mg/kg
Application Route	:	Oral
Exposure time	:	3 Months

Cobalt disodium ethylenediaminetetraacetate:

Species	:	Rat
LOAEL	:	> 10 mg/kg
Application Route	:	Ingestion
Exposure time	:	90 Days
Remarks	:	Based on data from similar materials

Species	: Rat
LOAEL	: < 0,01 mg/l
Application Route	: inhalation (dust/mist/fume)
Exposure time	: 13 Weeks
Method	: OECD Test Guideline 413
Remarks	: Based on data from similar materials

Species	:	Mouse
LOAEL	:	< 0,01 mg/l
Application Route	:	inhalation (dust/mist/fume)
Exposure time	:	13 Weeks
Method	:	OECD Test Guideline 413
Remarks	:	Based on data from similar materials

Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate FormulationVersion
3.0Revision Date:
14.04.2025SDS Number:
10813900-00007Date of last issue: 24.03.2025
Date of first issue: 12.07.2022**Benzyl alcohol:**

Species	:	Rat
NOAEL	:	1,072 mg/l
Application Route	:	inhalation (dust/mist/fume)
Exposure time	:	28 Days
Method	:	OECD Test Guideline 412

Citric acid:

Species	:	Rat
NOAEL	:	4.000 mg/kg
LOAEL	:	8.000 mg/kg
Application Route	:	Ingestion
Exposure time	:	10 Days

Sodium selenate:

Species	:	Rat
NOAEL	:	0,4 mg/kg
Application Route	:	Ingestion
Exposure time	:	13 Weeks

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Species	:	Rat
NOAEL	:	1,5 mg/kg
Application Route	:	Oral
Exposure time	:	24 Months
Target Organs	:	Central nervous system
Symptoms	:	Tremors, ataxia

Species	:	Mouse
NOAEL	:	4,0 mg/kg
Application Route	:	Oral
Exposure time	:	24 Months
Target Organs	:	Central nervous system
Symptoms	:	Tremors, ataxia

Species	:	Dog
NOAEL	:	0,25 mg/kg
LOAEL	:	0,5 mg/kg
Application Route	:	Oral
Exposure time	:	53 Weeks
Target Organs	:	Central nervous system
Symptoms	:	Tremors, weight loss
Remarks	:	mortality observed

Species	:	Monkey
NOAEL	:	1,0 mg/kg
Application Route	:	Oral
Exposure time	:	14 Weeks
Target Organs	:	Central nervous system

Abamectin / Levamisole Hydrochloride / Co-balt EDTA / Sodium Selenate Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 10813900-00007 Date of last issue: 24.03.2025
Date of first issue: 12.07.2022

Aspiration toxicity

Not classified based on available information.

Experience with human exposure**Components:****Levamisole hydrochloride:**

||| Ingestion : Symptoms: Nausea, Vomiting, Headache, Dizziness, hypotension

Cobalt disodium ethylenediaminetetraacetate:

||| Inhalation : Target Organs: Respiratory system
Remarks: Based on data from similar materials

||| Ingestion : Target Organs: Blood
Remarks: Based on data from similar materials
Target Organs: Heart
Target Organs: Thyroid

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

||| Ingestion : Symptoms: May cause, Tremors, Diarrhea, central nervous system effects, Salivation, tearing

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****Levamisole hydrochloride:**

||| Toxicity to fish : LC50 (Oryzias latipes (Japanese medaka)): 37,3 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

||| Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 64 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Cobalt disodium ethylenediaminetetraacetate:

||| Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
Remarks: Based on data from similar materials

||| Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): > 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

||| Toxicity to fish (Chronic toxicity) : EC10 (Danio rerio (zebra fish)): > 1 mg/l
Exposure time: 34 d
Remarks: Based on data from similar materials

SAFETY DATA SHEET



Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version Revision Date: SDS Number: Date of last issue: 24.03.2025
3.0 14.04.2025 10813900-00007 Date of first issue: 12.07.2022

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	EC10 (Hyalaea azteca (Amphipod)): > 0,01 - 0,1 mg/l Exposure time: 28 d Method: OECD Test Guideline 211 Remarks: Based on data from similar materials
M-Factor (Chronic aquatic toxicity)	1

Benzyl alcohol:

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 460 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 230 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): 770 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
		NOEC (Pseudokirchneriella subcapitata (green algae)): 310 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 51 mg/l Exposure time: 21 d Method: OECD Test Guideline 211

Citric acid:

Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 1.535 mg/l Exposure time: 24 h

Sodium selenate:

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): > 1 - 10 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l Exposure time: 48 h Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	:	ErC50 (Chlamydomonas reinhardtii (green algae)): 245 µg/l Exposure time: 96 h NOEC (Chlamydomonas reinhardtii (green algae)): 197 µg/l Exposure time: 96 h

SAFETY DATA SHEET



Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version Revision Date: SDS Number: Date of last issue: 24.03.2025
3.0 14.04.2025 10813900-00007 Date of first issue: 12.07.2022

M-Factor (Acute aquatic toxicity)	:	1
Toxicity to fish (Chronic toxicity)	:	NOEC (Lepomis macrochirus (Bluegill sunfish)): > 0,01 - 0,1 mg/l Exposure time: 258 d Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: > 0,1 - 1 mg/l Exposure time: 28 d Remarks: Based on data from similar materials
M-Factor (Chronic aquatic toxicity)	:	1
Toxicity to microorganisms	:	EC10 (activated sludge): 590 mg/l Exposure time: 3 h Method: OECD Test Guideline 209

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Toxicity to fish	:	LC50 (<i>Oncorhynchus mykiss</i> (rainbow trout)): 3,2 µg/l Exposure time: 96 h
		LC50 (<i>Lepomis macrochirus</i> (Bluegill sunfish)): 9,6 µg/l Exposure time: 96 h
		LC50 (<i>Ictalurus punctatus</i> (channel catfish)): 24 µg/l Exposure time: 96 h
		LC50 (<i>Cyprinus carpio</i> (Carp)): 42 µg/l Exposure time: 96 h
		LC50 (<i>Cyprinodon variegatus</i> (sheepshead minnow)): 15 µg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (<i>Americanysis</i>): 0,022 µg/l Exposure time: 96 h
		EC50 (<i>Daphnia magna</i> (Water flea)): 0,34 µg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (<i>Pseudokirchneriella subcapitata</i> (green algae)): 100 mg/l Exposure time: 72 h
M-Factor (Acute aquatic toxicity)	:	10.000
Toxicity to fish (Chronic toxicity)	:	NOEC (<i>Pimephales promelas</i> (fathead minnow)): 0,52 µg/l Exposure time: 32 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (<i>Daphnia magna</i> (Water flea)): 0,03 µg/l Exposure time: 21 d
		NOEC (<i>Mysidopsis bahia</i> (opossum shrimp)): 0,0035 µg/l Exposure time: 28 d

Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version Revision Date: SDS Number: Date of last issue: 24.03.2025
3.0 14.04.2025 10813900-00007 Date of first issue: 12.07.2022

M-Factor (Chronic aquatic toxicity) : 10.000
Toxicity to microorganisms : EC50: > 1.000 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition

Persistence and degradability

Components:

Benzyl alcohol:	
Biodegradability	: Result: Readily biodegradable. Biodegradation: 92 - 96 % Exposure time: 14 d

Citric acid:

Biodegradability	: Result: Readily biodegradable. Biodegradation: 97 % Exposure time: 28 d Method: OECD Test Guideline 301B
------------------	---

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Stability in water : Hydrolysis: 50 %(< 12 h)

Bioaccumulative potential

Components:

Cobalt disodium ethylenediaminetetraacetate:
Partition coefficient: n-octanol/water : log Pow: -3,86
Dissociation

Random sketches

Partition coefficient: n-octanol/water : log Pow: 1,05

Citric acid

Partition coefficient: n-octanol/water : log Pow: -1,72

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Bioaccumulation: Bioconcentration factor (BCF): 52

Partition coefficient: n-octanol/water : log Pow: 4

Mobility in soil

Components:

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 10813900-00007 Date of last issue: 24.03.2025
Date of first issue: 12.07.2022

||| Distribution among environmental compartments : log Koc: > 3,6

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(abamectin (combination of avermectin B1a and avermectin B1b) (ISO), Cobalt disodium ethylenediaminetetraacetate)
Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(abamectin (combination of avermectin B1a and avermectin B1b) (ISO), Cobalt disodium ethylenediaminetetraacetate)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 964
Packing instruction (passenger aircraft) : 964
Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(abamectin (combination of avermectin B1a and avermectin B1b) (ISO), Cobalt disodium ethylenediaminetetraacetate)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F

SAFETY DATA SHEET



Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 10813900-00007 Date of last issue: 24.03.2025 Date of first issue: 12.07.2022

Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

ANTT

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(abamectin (combination of avermectin B1a and avermectin B1b) (ISO), Cobalt disodium ethylenediaminetetraacetate)
Class : 9
Packing group : III
Labels : 9
Hazard Identification Number : 90

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

National List of Carcinogenic Agents for Humans - (LINACH)

Group 2B: Possibly carcinogenic to humans
Cobalt disodium ethylenediaminetetraacetate : 15137-09-4

Brazil. List of chemicals controlled by the Federal Police : Not applicable

The ingredients of this product are reported in the following inventories:

AICS : not determined
DSL : not determined
IECSC : not determined

SECTION 16. OTHER INFORMATION

Revision Date : 14.04.2025
Date format : dd.mm.yyyy

Further information

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

SAFETY DATA SHEET



Abamectin / Levamisole Hydrochloride / Co-balt EDTA / Sodium Selenate Formulation

Version 3.0	Revision Date: 14.04.2025	SDS Number: 10813900-00007	Date of last issue: 24.03.2025 Date of first issue: 12.07.2022
----------------	------------------------------	-------------------------------	---

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

BR / Z8