

Levamisole / Oxfendazole Selenised Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
5.0	14.04.2025	10822944-00009	Date of first issue: 28.07.2022

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Levamisole / Oxfendazole Selenised Formulation

Other means of identification : Scanda Selenised (A007368)

Manufacturer or supplier's details

Company : MSD

Address : Briahnager - Off Pune Nagar Road
Wagholi - Pune - India 412 207

Telephone : +1-908-740-4000

Emergency telephone number : +1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

2. HAZARDS IDENTIFICATION

Manufacture, Storage and Import of Hazardous Chemicals Rules 1989

Classification

Not classified as hazardous according to criteria laid down in Part I of Schedule-1.

GHS Classification

Acute toxicity (Oral) : Category 4

Reproductive toxicity : Category 1B

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 2

GHS label elements

Hazard pictograms :



Signal word : Danger

Levamisole / Oxfendazole Selenised Formula- tion

Version 5.0 Revision Date: 14.04.2025 SDS Number: 10822944-00009 Date of last issue: 28.09.2024
Date of first issue: 28.07.2022

Hazard statements : H302 Harmful if swallowed.
H360FD May damage fertility. May damage the unborn child.
H400 Very toxic to aquatic life.
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**
P203 Obtain, read and follow all safety instructions before use.
P264 Wash hands thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protec-
tion/ face protection.

Response:
P301 + P317 + P330 IF SWALLOWED: Get medical help.
Rinse mouth.
P318 IF exposed or concerned, get medical advice.
P391 Collect spillage.

Storage:
P405 Store locked up.

Disposal:
P501 Dispose of contents/ container to an approved waste
disposal plant.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
levamisole hydrochloride	16595-80-5	$\geq 5 - < 10$
oxfendazole	53716-50-0	$\geq 2.5 - < 5$
Polyethylene glycol stearate	9004-99-3	$\geq 1 - < 5$
Citric acid	77-92-9	$\geq 1 - < 5$
Cobalt disodium ethylenediaminetetraacetate	15137-09-4	$\geq 0.25 - < 1$
Sodium selenate	13410-01-0	$\geq 0.1 - < 0.25$

4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical ad-
vice immediately.
When symptoms persist or in all cases of doubt seek medical
advice.

If inhaled : If inhaled, remove to fresh air.
Get medical attention.

Levamisole / Oxfendazole Selenised Formula- tion

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
5.0	14.04.2025	10822944-00009	Date of first issue: 28.07.2022

In case of skin contact	:	In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	:	Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and delayed	:	Harmful if swallowed. May damage fertility. May damage the unborn child.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire-fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
---	---	--

Levamisole / Oxfendazole Selenised Formula- tion

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
5.0	14.04.2025	10822944-00009	Date of first issue: 28.07.2022

- Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g. by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material.
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
- Advice on safe handling : Do not get on skin or clothing.
Do not breathe mist or vapours.
Do not swallow.
Avoid contact with eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Keep container tightly closed.
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labelled containers.
Store locked up.
Keep tightly closed.
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:
Strong oxidizing agents

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Levamisole / Oxfendazole Selenised Formula- tion

Version 5.0 Revision Date: 14.04.2025 SDS Number: 10822944-00009 Date of last issue: 28.09.2024
Date of first issue: 28.07.2022

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
levamisole hydrochloride	16595-80-5	TWA	20 µg/m3 (OEB 3)	Internal
	Further information: Skin			
		Wipe limit	200 µg/100 cm ²	Internal
oxfendazole	53716-50-0	TWA	40 µg/m3 (OEB 3)	Internal
		Wipe limit	400 µg/100 cm ²	Internal
Polyethylene glycol stearate	9004-99-3	TWA (Inhalable particulate matter)	10 mg/m3	ACGIH
		TWA (Respirable particulate matter)	3 mg/m3	ACGIH
Sodium selenate	13410-01-0	TWA	20 µg/m3 (OEB 3)	Internal
		Wipe limit	200 µg/100 cm ²	Internal
		TWA	0.2 mg/m3 (selenium)	ACGIH

Engineering measures : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).
Minimize open handling.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.

Levamisole / Oxfendazole Selenised Formula- tion

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
5.0	14.04.2025	10822944-00009	Date of first issue: 28.07.2022

Hygiene measures : Use appropriate degowning techniques to remove potentially contaminated clothing.
: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: suspension
Colour	: No data available
Odour	: No data available
Odour Threshold	: No data available
pH	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: No data available
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Flammability (liquids)	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Relative density	: No data available
Density	: No data available
Solubility(ies)	

SAFETY DATA SHEET

according to the Globally Harmonized System



Levamisole / Oxfendazole Selenised Formula-tion

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
5.0	14.04.2025	10822944-00009	Date of first issue: 28.07.2022

Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics	:	
Particle size	:	Not applicable

10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure	:	Inhalation Skin contact Ingestion Eye contact
--	---	--

Acute toxicity

Harmful if swallowed.

Product:

Acute oral toxicity	:	Acute toxicity estimate: 1,082 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Acute toxicity estimate: > 10 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method

Levamisole / Oxfendazole Selenised Formula- tion

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
5.0	14.04.2025	10822944-00009	Date of first issue: 28.07.2022

Components:

levamisole hydrochloride:

Acute oral toxicity	:	LD50 (Rat): 180 mg/kg
		LD50 (Mouse): 223 mg/kg
		LD50 (Rabbit): 458 mg/kg
Acute inhalation toxicity	:	Remarks: No data available
Acute dermal toxicity	:	Remarks: No data available

oxfendazole:

Acute oral toxicity	:	LD50 (Rat): > 6,000 mg/kg
		LD50 (Dog): 1,600 mg/kg
		LD50 (sheep): 250 mg/kg

Polyethylene glycol stearate:

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg
---------------------	---	---------------------------

Citric acid:

Acute oral toxicity	:	LD50 (Mouse): 5,400 mg/kg
Acute dermal toxicity	:	LD50 (Rat): > 2,000 mg/kg
		Method: OECD Test Guideline 402
		Assessment: The substance or mixture has no acute dermal toxicity

Cobalt disodium ethylenediaminetetraacetate:

Acute oral toxicity	:	LD50 (Rat): > 2,000 mg/kg
		Remarks: Based on data from similar materials

Sodium selenate:

Acute oral toxicity	:	LD50 (Rat): > 5 - 50 mg/kg
		Remarks: Based on data from similar materials
Acute inhalation toxicity	:	LC50 (Rat): > 0.052 - 0.51 mg/l
		Exposure time: 4 h
		Test atmosphere: dust/mist
		Method: OECD Test Guideline 403

Skin corrosion/irritation

Not classified based on available information.

Levamisole / Oxfendazole Selenised Formula- tion

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
5.0	14.04.2025	10822944-00009	Date of first issue: 28.07.2022

Components:

levamisole hydrochloride:

||Remarks : No data available

oxfendazole:

||Species : Rabbit
||Result : No skin irritation

Polyethylene glycol stearate:

||Species : Rabbit
||Method : Draize Test
||Result : No skin irritation

Citric acid:

||Species : Rabbit
||Method : OECD Test Guideline 404
||Result : No skin irritation

Cobalt disodium ethylenediaminetetraacetate:

||Species : Rabbit
||Method : OECD Test Guideline 404
||Result : No skin irritation
||Remarks : Based on data from similar materials

Sodium selenate:

||Species : reconstructed human epidermis (RhE)
||Method : OECD Test Guideline 431

||Species : reconstructed human epidermis (RhE)
||Method : OECD Test Guideline 439

||Result : Skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

levamisole hydrochloride:

||Remarks : No data available

oxfendazole:

||Species : Rabbit
||Result : No eye irritation

Polyethylene glycol stearate:

SAFETY DATA SHEET

according to the Globally Harmonized System



Levamisole / Oxfendazole Selenised Formula-tion

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
5.0	14.04.2025	10822944-00009	Date of first issue: 28.07.2022

Species	: Rabbit
Method	: Draize Test
Result	: No eye irritation

Citric acid:

Species	: Rabbit
Method	: OECD Test Guideline 405
Result	: Irritation to eyes, reversing within 21 days

Cobalt disodium ethylenediaminetetraacetate:

Species	: Rabbit
Result	: No eye irritation
Remarks	: Based on data from similar materials

Sodium selenate:

Species	: Bovine cornea
Method	: OECD Test Guideline 437
Result	: No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

levamisole hydrochloride:

Remarks	: No data available
---------	---------------------

Polyethylene glycol stearate:

Test Type	: Open epicutaneous test
Exposure routes	: Skin contact
Species	: Guinea pig
Result	: negative

Cobalt disodium ethylenediaminetetraacetate:

Exposure routes	: inhalation (dust/mist/fume)
Species	: Humans
Result	: positive
Remarks	: Based on data from similar materials

Assessment	: Probability or evidence of low to moderate respiratory sensitisation rate in humans
------------	---

Levamisole / Oxfendazole Selenised Formula- tion

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
5.0	14.04.2025	10822944-00009	Date of first issue: 28.07.2022

Germ cell mutagenicity

Not classified based on available information.

Components:

levamisole hydrochloride:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES)
	Result: negative
	Test Type: Chromosome aberration test in vitro
	Result: negative

oxfendazole:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES)
	Result: negative
Genotoxicity in vivo	: Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)
	Species: Mouse
	Application Route: Oral
	Result: positive

Polyethylene glycol stearate:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES)
	Result: negative

Citric acid:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES)
	Result: negative
	Test Type: in vitro micronucleus test
	Result: positive
	Test Type: Bacterial reverse mutation assay (AMES)
	Result: negative
Genotoxicity in vivo	: Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)
	Species: Rat
	Application Route: Ingestion
	Result: negative

Cobalt disodium ethylenediaminetetraacetate:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES)
	Method: OECD Test Guideline 471
	Result: negative
	Remarks: Based on data from similar materials
	Test Type: In vitro mammalian cell gene mutation test
	Method: OECD Test Guideline 476

Levamisole / Oxfendazole Selenised Formula- tion

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
5.0	14.04.2025	10822944-00009	Date of first issue: 28.07.2022

		Result: positive Remarks: Based on data from similar materials
		Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: positive Remarks: Based on data from similar materials
Genotoxicity in vivo	:	Test Type: Micronucleus test Species: Mouse Application Route: Intraperitoneal injection Result: positive Remarks: Based on data from similar materials
		Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis) Species: Mouse Application Route: Ingestion Result: positive Remarks: Based on data from similar materials
		Test Type: Rodent dominant lethal test (germ cell) (in vivo) Species: Mouse Application Route: Ingestion Result: positive Remarks: Based on data from similar materials
Germ cell mutagenicity - Assessment	:	Positive result(s) from in vivo mammalian somatic cell muta- genicity tests. Remarks: Based on data from similar materials

Sodium selenate:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative Remarks: Based on data from similar materials
-----------------------	---	--

Carcinogenicity

Not classified based on available information.

Components:

levamisole hydrochloride:

Species	:	Mouse
Application Route	:	Oral
Exposure time	:	2 Years
NOAEL	:	80 mg/kg body weight
Remarks	:	No significant adverse effects were reported

Species	:	Rat
---------	---	-----

SAFETY DATA SHEET

according to the Globally Harmonized System



Levamisole / Oxfendazole Selenised Formula-tion

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
5.0	14.04.2025	10822944-00009	Date of first issue: 28.07.2022

Application Route	: Oral
Exposure time	: 2 Years
NOAEL	: 40 mg/kg body weight
Remarks	: No significant adverse effects were reported

oxfendazole:

Species	: Rat
Application Route	: Oral
Exposure time	: 1 Years
Symptoms	: No adverse effects
Target Organs	: Liver

Species	: Rat
Application Route	: Oral
Exposure time	: 2 Years
Symptoms	: No adverse effects
Target Organs	: Liver

Cobalt disodium ethylenediaminetetraacetate:

Species	: Rat
Application Route	: inhalation (dust/mist/fume)
Exposure time	: 105 weeks
Result	: positive
Remarks	: Based on data from similar materials

Species	: Mouse
Application Route	: inhalation (dust/mist/fume)
Exposure time	: 105 weeks
Result	: positive
Remarks	: Based on data from similar materials

Carcinogenicity - Assessment	: Limited evidence of carcinogenicity in animal studies Remarks: Based on data from similar materials
------------------------------	--

Reproductive toxicity

May damage fertility. May damage the unborn child.

Components:

levamisole hydrochloride:

Effects on fertility	: Test Type: Three-generation reproduction toxicity study Species: Rat Application Route: Oral Result: No significant adverse effects were reported
Effects on foetal development	: Test Type: Embryo-foetal development Species: Rat Application Route: Oral

Levamisole / Oxfendazole Selenised Formula- tion

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
5.0	14.04.2025	10822944-00009	Date of first issue: 28.07.2022

	Developmental Toxicity: NOAEL: 20 mg/kg body weight Result: Fetotoxicity
	Test Type: Embryo-foetal development Species: Rabbit Application Route: Oral Developmental Toxicity: LOAEL: 40 mg/kg body weight Result: Fetotoxicity
Reproductive toxicity - Assessment	: Some evidence of adverse effects on development, based on animal experiments.

oxfendazole:

Effects on fertility	: Test Type: Fertility/early embryonic development Species: Rat, male Application Route: Oral Fertility: NOAEL: 17 mg/kg body weight Target Organs: Testes Result: Effects on fertility
	Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Oral Fertility: NOAEL: 0.9 mg/kg body weight Target Organs: Liver Result: No effects on fertility
	Test Type: Fertility Species: Mouse Application Route: Oral Duration of Single Treatment: 1 Months Fertility: NOAEL: 750 mg/kg body weight Target Organs: Testes Result: Effects on fertility
Effects on foetal development	: Test Type: Embryo-foetal development Species: Rat Application Route: Oral Developmental Toxicity: NOAEL: 10 mg/kg body weight Result: positive, Fetal effects
	Test Type: Embryo-foetal development Species: Rat Developmental Toxicity: NOAEL: 10 mg/kg body weight Result: positive, Embryo-foetal toxicity
	Test Type: Embryo-foetal development Species: Mouse Application Route: Oral Developmental Toxicity: NOAEL: 108 mg/kg body weight Result: positive, Embryo-foetal toxicity, foetal abnormalities

Levamisole / Oxfendazole Selenised Formula- tion

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
5.0	14.04.2025	10822944-00009	Date of first issue: 28.07.2022

	Test Type: Embryo-foetal development Species: Rabbit Application Route: Oral Developmental Toxicity: NOAEL: 0.625 mg/kg body weight
Reproductive toxicity - Assessment	: Clear evidence of adverse effects on sexual function and fertility, based on animal experiments., Clear evidence of adverse effects on development, based on animal experiments.

Citric acid:

Effects on foetal development	: Test Type: One-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative
-------------------------------	---

Cobalt disodium ethylenediaminetetraacetate:

Effects on fertility	: Test Type: Fertility/early embryonic development Species: Rat Application Route: Ingestion Result: positive Remarks: Based on data from similar materials
----------------------	---

Test Type: Fertility/early embryonic development
Species: Mouse
Application Route: Ingestion
Result: positive
Remarks: Based on data from similar materials

Test Type: Fertility/early embryonic development
Species: Mouse
Application Route: inhalation (dust/mist/fume)
Result: positive
Remarks: Based on data from similar materials

Test Type: Fertility/early embryonic development
Species: Rat
Application Route: inhalation (dust/mist/fume)
Result: positive
Remarks: Based on data from similar materials

Effects on foetal development	: Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Method: OECD Test Guideline 414 Result: negative Remarks: Based on data from similar materials
-------------------------------	--

Reproductive toxicity - Assessment	: Some evidence of adverse effects on sexual function and fertility, based on animal experiments. Remarks: Based on data from similar materials
------------------------------------	--

Levamisole / Oxfendazole Selenised Formula- tion

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
5.0	14.04.2025	10822944-00009	Date of first issue: 28.07.2022

Sodium selenate:

Effects on fertility	: Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative Remarks: Based on data from similar materials
Effects on foetal development	: Test Type: Embryo-foetal development Species: Mouse Application Route: Ingestion Result: negative Remarks: Based on data from similar materials

STOT - single exposure

Not classified based on available information.

Components:

Citric acid:

Assessment	: May cause respiratory irritation.
------------	-------------------------------------

STOT - repeated exposure

Not classified based on available information.

Components:

levamisole hydrochloride:

Target Organs	: Blood, Testis
Assessment	: May cause damage to organs through prolonged or repeated exposure.

oxfendazole:

Exposure routes	: Oral
Target Organs	: Liver, Testis
Assessment	: May cause damage to organs through prolonged or repeated exposure.

Cobalt disodium ethylenediaminetetraacetate:

Exposure routes	: inhalation (dust/mist/fume)
Target Organs	: Respiratory Tract
Assessment	: Shown to produce significant health effects in animals at concentrations of 0.02 mg/l/6h/d or less.
Remarks	: Based on data from similar materials
Exposure routes	: Ingestion
Target Organs	: Thyroid, Heart, Blood
Assessment	: Shown to produce significant health effects in animals at concentrations of >10 to 100 mg/kg bw.
Remarks	: Based on data from similar materials

Levamisole / Oxfendazole Selenised Formula- tion

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
5.0	14.04.2025	10822944-00009	Date of first issue: 28.07.2022

Sodium selenate:

Exposure routes	: Ingestion
Assessment	: Shown to produce significant health effects in animals at concentrations of 10 mg/kg bw or less.

Repeated dose toxicity

Components:

levamisole hydrochloride:

Species	: Rat
NOAEL	: 2.5 mg/kg
Application Route	: Oral
Exposure time	: 18 Months
Target Organs	: Testis

Species	: Dog
LOAEL	: 20 mg/kg
Application Route	: Oral
Exposure time	: 18 Months
Target Organs	: Blood

Species	: Dog
LOAEL	: 40 mg/kg
Application Route	: Oral
Exposure time	: 3 Months

oxfendazole:

Species	: Rat
NOAEL	: 11 mg/kg
Application Route	: Oral
Exposure time	: 2 Weeks
Target Organs	: Blood, Liver, Testis

Species	: Rat
NOAEL	: 3.8 mg/kg
Application Route	: Oral
Exposure time	: 3 Months
Target Organs	: Liver, Testis

Species	: Mouse
NOAEL	: 750 mg/kg
Application Route	: Oral
Exposure time	: 1 Months
Target Organs	: Liver

Species	: Mouse
NOAEL	: 37.5 mg/kg
Application Route	: Oral
Exposure time	: 3 Months
Target Organs	: Liver

SAFETY DATA SHEET

according to the Globally Harmonized System



Levamisole / Oxfendazole Selenised Formula-tion

Version 5.0 Revision Date: 14.04.2025 SDS Number: 10822944-00009 Date of last issue: 28.09.2024
Date of first issue: 28.07.2022

Species : Dog
NOAEL : 6 mg/kg
Application Route : Oral
Exposure time : 1 Months
Remarks : No significant adverse effects were reported

Species : Dog
NOAEL : 11 mg/kg
Application Route : Oral
Exposure time : 2 Weeks
Target Organs : Lymph nodes, thymus gland

Species : Dog
NOAEL : 13.5 mg/kg
Application Route : Oral
Exposure time : 12 Months
Target Organs : Liver

Citric acid:

Species : Rat
NOAEL : 4,000 mg/kg
LOAEL : 8,000 mg/kg
Application Route : Ingestion
Exposure time : 10 Days

Cobalt disodium ethylenediaminetetraacetate:

Species : Rat
LOAEL : > 10 mg/kg
Application Route : Ingestion
Exposure time : 90 Days
Remarks : Based on data from similar materials

Species : Rat
LOAEL : < 0.01 mg/l
Application Route : inhalation (dust/mist/fume)
Exposure time : 13 Weeks
Method : OECD Test Guideline 413
Remarks : Based on data from similar materials

Species : Mouse
LOAEL : < 0.01 mg/l
Application Route : inhalation (dust/mist/fume)
Exposure time : 13 Weeks
Method : OECD Test Guideline 413
Remarks : Based on data from similar materials

Sodium selenate:

Species : Rat
NOAEL : 0.4 mg/kg
Application Route : Ingestion
Exposure time : 13 Weeks

Levamisole / Oxfendazole Selenised Formula- tion

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
5.0	14.04.2025	10822944-00009	Date of first issue: 28.07.2022

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

levamisole hydrochloride:

Ingestion : Symptoms: Nausea, Vomiting, Headache, Dizziness, hypotension

Cobalt disodium ethylenediaminetetraacetate:

Inhalation : Target Organs: Respiratory system
Remarks: Based on data from similar materials

Ingestion : Target Organs: Blood
Remarks: Based on data from similar materials
Target Organs: Heart
Target Organs: Thyroid

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

levamisole hydrochloride:

Toxicity to fish : LC50 (Oryzias latipes (Japanese medaka)): 37.3 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 64 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

oxfendazole:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): > 2.7 mg/l
Exposure time: 96 h

LC50 (Oncorhynchus mykiss (rainbow trout)): > 2.5 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.059 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 4 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): > 4

Levamisole / Oxfendazole Selenised Formula- tion

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
5.0	14.04.2025	10822944-00009	Date of first issue: 28.07.2022

	mg/l
	Exposure time: 72 h
	Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity)	: 10
-----------------------------------	------

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC: 0.023 mg/l
	Exposure time: 21 d
	Species: Daphnia magna (Water flea)
	Method: OECD Test Guideline 211

M-Factor (Chronic aquatic toxicity)	: 1
-------------------------------------	-----

Polyethylene glycol stearate:

Toxicity to fish	: LC50 (Leuciscus idus (Golden orfe)): > 10,000 mg/l
	Exposure time: 96 h
	Method: DIN 38412

Toxicity to microorganisms	: EC10 (Bacteria): > 10,000 mg/l
	Exposure time: 16 h

Citric acid:

Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l
	Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 1,535 mg/l
	Exposure time: 24 h

Cobalt disodium ethylenediaminetetraacetate:

Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 100 mg/l
	Exposure time: 48 h
	Method: OECD Test Guideline 202
	Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants	: ErC50 (Raphidocelis subcapitata (freshwater green alga)): > 100 mg/l
	Exposure time: 72 h
	Method: OECD Test Guideline 201
	Remarks: Based on data from similar materials

Toxicity to fish (Chronic toxicity)	: EC10: > 1 mg/l
	Exposure time: 34 d
	Species: Danio rerio (zebra fish)
	Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: EC10: > 0.01 - 0.1 mg/l
	Exposure time: 28 d
	Species: Hyalella azteca (Amphipod)
	Method: OECD Test Guideline 211

SAFETY DATA SHEET

according to the Globally Harmonized System



Levamisole / Oxfendazole Selenised Formula- tion

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
5.0	14.04.2025	10822944-00009	Date of first issue: 28.07.2022

Remarks: Based on data from similar materials

M-Factor (Chronic aquatic toxicity) : 1

Sodium selenate:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 1 - 10 mg/l
Exposure time: 96 h
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l
Exposure time: 48 h
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : ErC50 (Chlamydomonas reinhardtii (green algae)): 245 µg/l
Exposure time: 96 h

NOEC (Chlamydomonas reinhardtii (green algae)): 197 µg/l
Exposure time: 96 h

M-Factor (Acute aquatic toxicity) : 1

Toxicity to microorganisms : EC10 (activated sludge): 590 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

Toxicity to fish (Chronic toxicity) : NOEC: > 0.01 - 0.1 mg/l
Exposure time: 258 d
Species: Lepomis macrochirus (Bluegill sunfish)
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: > 0.1 - 1 mg/l
Exposure time: 28 d
Remarks: Based on data from similar materials

M-Factor (Chronic aquatic toxicity) : 1

Persistence and degradability

Components:

oxfendazole:

Stability in water : Hydrolysis: < 5 %(4 d)

Polyethylene glycol stearate:

Biodegradability : Result: Readily biodegradable.
Biodegradation: > 70 %
Exposure time: 10 d
Method: OECD Test Guideline 302B

Levamisole / Oxfendazole Selenised Formula- tion

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
5.0	14.04.2025	10822944-00009	Date of first issue: 28.07.2022

||

Citric acid:

|| Biodegradability : Result: Readily biodegradable.
|| Biodegradation: 97 %
|| Exposure time: 28 d
|| Method: OECD Test Guideline 301B

Bioaccumulative potential

Components:

oxfendazole:

|| Partition coefficient: n- : log Pow: 1.95
|| octanol/water

Citric acid:

|| Partition coefficient: n- : log Pow: -1.72
|| octanol/water

Cobalt disodium ethylenediaminetetraacetate:

|| Partition coefficient: n- : log Pow: -3.86
|| octanol/water Remarks: Calculation

Mobility in soil

Components:

oxfendazole:

|| Distribution among environ- : log Koc: 3.2
|| mental compartments

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues	: Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	: Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Levamisole / Oxfendazole Selenised Formula- tion

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
5.0	14.04.2025	10822944-00009	Date of first issue: 28.07.2022

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(oxfendazole, Cobalt disodium ethylenediaminetetraacetate)
Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(oxfendazole, Cobalt disodium ethylenediaminetetraacetate)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 964
Packing instruction (passenger aircraft) : 964
Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(oxfendazole, Cobalt disodium ethylenediaminetetraacetate)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

The components of this product are reported in the following inventories:

AICS : not determined
DSL : not determined
IECSC : not determined

Levamisole / Oxfendazole Selenised Formula- tion

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
5.0	14.04.2025	10822944-00009	Date of first issue: 28.07.2022

16. OTHER INFORMATION

Revision Date : 14.04.2025

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be

SAFETY DATA SHEET

according to the Globally Harmonized System



Levamisole / Oxfendazole Selenised Formula- tion

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
5.0	14.04.2025	10822944-00009	Date of first issue: 28.07.2022

considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

IN / EN