

SAFETY DATA SHEET



Cypermethrin Liquid Formulation

Version
3.0

Revision Date:
14.04.2025

SDS Number:
10849846-00010

Date of last issue: 28.09.2024
Date of first issue: 12.09.2022

SECTION 1. IDENTIFICATION

Product identifier : Cypermethrin Liquid Formulation
Other means of identification : VANQUISH LONG WOOL SPRAY-ON LICE TREATMENT AND BLOWFLY STRIKE PREVENTIVE FOR LONG WOOLLED SHEEP AND UNSHORN LAMBS (38354)
Vanquish (A005997)

Manufacturer or supplier's details

Company : MSD
Address : Rua Coronel Bento Soares, 530
Cruzeiro - Sao Paulo - Brazil CEP 12730-340
Telephone : 908-740-4000
Emergency telephone : 1-908-423-6000
E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product
Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification in accordance with ABNT NBR 14725 Standard

Skin sensitization : Category 1
Carcinogenicity : Category 1B
Reproductive toxicity : Category 2
Short-term (acute) aquatic hazard : Category 1
Long-term (chronic) aquatic hazard : Category 1

GHS label elements in accordance with ABNT NBR 14725 Standard

Hazard pictograms :

Signal Word : Danger

SAFETY DATA SHEET



Cypermethrin Liquid Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 10849846-00010 Date of last issue: 28.09.2024 Date of first issue: 12.09.2022

Hazard Statements	: H317 May cause an allergic skin reaction. H350 May cause cancer. H361f Suspected of damaging fertility. H410 Very toxic to aquatic life with long lasting effects.
Precautionary Statements	: Prevention: P201 Obtain special instructions before use. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. Response: P302 + P352 IF ON SKIN: Wash with plenty of water. P308 + P313 IF exposed or concerned: Get medical advice/ attention. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P391 Collect spillage. Storage: P405 Store locked up.

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Classification	Concentration (% w/w)
Cypermethrin	52315-07-8	Acute Tox. (Oral), 4 Acute Tox. (Dermal), 5 Repr., 2 STOT SE, (Nervous system), 2 Aquatic Acute, 1 Aquatic Chronic, 1	>= 5 -< 10
Oxirane, 2-methyl-, polymer with oxirane, mono(nonylphenyl) ether	37251-69-7	Aquatic Acute, 1 Aquatic Chronic, 1	>= 1 -< 2,5
Polyoxyethylene Nonylphenyl Ether, Branched, Phosphate	68412-53-3	Acute Tox. (Oral), 5 Skin Irrit., 2 Eye Dam., 1 Aquatic Acute, 1 Aquatic Chronic, 1	>= 0,25 -< 1
Formaldehyde	50-00-0	Flam. Gas, 1B Acute Tox. (Oral), 3 Acute Tox. (Inhalation), 2	>= 0,1 -< 0,25

SAFETY DATA SHEET



Cypermethrin Liquid Formulation

Version
3.0

Revision Date:
14.04.2025

SDS Number:
10849846-00010

Date of last issue: 28.09.2024
Date of first issue: 12.09.2022

		Acute Tox. (Dermal), 3 Skin Corr., 1B Eye Dam., 1 Skin Sens., 1A Muta., 2 Carc., 1B STOT SE, 3 Aquatic Acute, 2	
--	--	--	--

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.

In case of eye contact : Flush eyes with water as a precaution.
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water.
Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed : May cause an allergic skin reaction.
May cause cancer.
Suspected of damaging fertility.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : None known.

Specific hazards during fire fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides
Nitrogen oxides (NO_x)

SAFETY DATA SHEET



Cypermethrin Liquid Formulation

Version 3.0	Revision Date: 14.04.2025	SDS Number: 10849846-00010	Date of last issue: 28.09.2024 Date of first issue: 12.09.2022
----------------	------------------------------	-------------------------------	---

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g., by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Do not get on skin or clothing.
Do not breathe mist or vapors.
Do not swallow.
Avoid contact with eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment

SAFETY DATA SHEET



Cypermethrin Liquid Formulation

Version 3.0 Revision Date: 14.04.2025

SDS Number: 10849846-00010

Date of last issue: 28.09.2024
Date of first issue: 12.09.2022

	<p>Keep container tightly closed. Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to the environment.</p>
Hygiene measures	<p>: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.</p>
Conditions for safe storage	<p>: Keep in properly labeled containers. Store locked up. Keep tightly closed. Store in accordance with the particular national regulations.</p>
Materials to avoid	<p>: Do not store with the following product types: Strong oxidizing agents Self-reactive substances and mixtures Organic peroxides Explosives Gases</p>

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis	
Cypermethrin	52315-07-8	TWA	50 µg/m ³ (OEB 3)	Internal	
		Further information: DSEN, Skin			
Formaldehyde	50-00-0	Wipe limit	100 µg/100 cm ²	Internal	
		CEIL	1,6 ppm 2,3 mg/m ³	BR OEL	
		Further information: Degree of harmfulness: maximum			
		TWA	0,1 ppm	ACGIH	
		STEL	0,3 ppm	ACGIH	

Engineering measures

: Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
Laboratory operations do not require special containment.

Personal protective equipment

Respiratory protection

: If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the

SAFETY DATA SHEET



Cypermethrin Liquid Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 10849846-00010 Date of last issue: 28.09.2024
Date of first issue: 12.09.2022

Filter type	recommended guidelines, use respiratory protection.
Hand protection	Combined particulates and organic vapor type
Material	Chemical-resistant gloves
Eye protection	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	Work uniform or laboratory coat.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	:	suspension
Color	:	pink
		red
Odor	:	No data available
Odor Threshold	:	No data available
pH	:	3,0 - 6,0
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	1,02
Density	:	No data available
Solubility(ies)	:	

SAFETY DATA SHEET



Cypermethrin Liquid Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 10849846-00010 Date of last issue: 28.09.2024
Date of first issue: 12.09.2022

Water solubility	: soluble
Partition coefficient: n-octanol/water	: Not applicable
Autoignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	
Viscosity, kinematic	: No data available
Explosive properties	: Not explosive
Oxidizing properties	: The substance or mixture is not classified as oxidizing.
Molecular weight	: No data available
Particle characteristics	
Particle size	: Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Can react with strong oxidizing agents.
Conditions to avoid	: None known.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure	: Inhalation Skin contact Ingestion Eye contact
--	--

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	: Acute toxicity estimate: > 5.000 mg/kg Method: Calculation method
Acute inhalation toxicity	: Acute toxicity estimate: > 30000 ppm Exposure time: 4 h Test atmosphere: gas Method: Calculation method
Acute dermal toxicity	: Acute toxicity estimate: > 5.000 mg/kg Method: Calculation method

Cypermethrin Liquid FormulationVersion
3.0Revision Date:
14.04.2025SDS Number:
10849846-00010Date of last issue: 28.09.2024
Date of first issue: 12.09.2022**Components:****Cypermethrin:**

Acute oral toxicity	:	LD50 (Rat, female): 367 mg/kg
		LD50 (Rat, male): 891 mg/kg
Acute dermal toxicity	:	LD50 (Rat): > 4.800 mg/kg
		LD50 (Rabbit): > 2.400 mg/kg

Oxirane, 2-methyl-, polymer with oxirane, mono(nonylphenyl) ether:

Acute oral toxicity	:	LD50 (Rat): > 4.000 mg/kg
Acute dermal toxicity	:	LD50 (Rat): > 5.000 mg/kg

Polyoxyethylene Nonylphenyl Ether, Branched, Phosphate:

Acute oral toxicity	:	LD50 (Rat): 4.450 mg/kg
		Method: OECD Test Guideline 401

Formaldehyde:

Acute oral toxicity	:	Acute toxicity estimate: 100 mg/kg
		Method: Expert judgment
		Remarks: Based on national or regional regulation.
Acute inhalation toxicity	:	Acute toxicity estimate (Rat): 100 ppm
		Exposure time: 4 h
		Test atmosphere: gas
		Method: Expert judgment
Acute dermal toxicity	:	LD50 (Rabbit): 270 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:**Cypermethrin:**

Species	:	Rabbit
Method	:	Draize Test
Result	:	No skin irritation

Polyoxyethylene Nonylphenyl Ether, Branched, Phosphate:

Species	:	Rabbit
Result	:	Skin irritation

Formaldehyde:

Result	:	Corrosive after 3 minutes to 1 hour of exposure
Remarks	:	Based on national or regional regulation.

Cypermethrin Liquid FormulationVersion
3.0Revision Date:
14.04.2025SDS Number:
10849846-00010Date of last issue: 28.09.2024
Date of first issue: 12.09.2022**Serious eye damage/eye irritation**

Not classified based on available information.

Components:**Cypermethrin:**

Species	:	Rabbit
Result	:	No eye irritation
Method	:	Draize Test

Polyoxyethylene Nonylphenyl Ether, Branched, Phosphate:

Species	:	Rabbit
Result	:	Irreversible effects on the eye
Method	:	Draize Test

Formaldehyde:

Result	:	Irreversible effects on the eye
Remarks	:	Based on skin corrosivity.

Respiratory or skin sensitization**Skin sensitization**

May cause an allergic skin reaction.

Respiratory sensitization

Not classified based on available information.

Components:**Cypermethrin:**

Test Type	:	Magnusson-Kligman-Test
Species	:	Guinea pig
Assessment	:	Did not cause sensitization on laboratory animals.
Result	:	Not a skin sensitizer.

Polyoxyethylene Nonylphenyl Ether, Branched, Phosphate:

Routes of exposure	:	Skin contact
Species	:	Humans
Result	:	negative

Formaldehyde:

Test Type	:	Human repeat insult patch test (HRIPT)
Routes of exposure	:	Skin contact
Species	:	Humans
Result	:	positive

Assessment	:	Probability or evidence of high skin sensitization rate in humans
------------	---	---

Germ cell mutagenicity

Not classified based on available information.

SAFETY DATA SHEET



Cypermethrin Liquid Formulation

Version
3.0

Revision Date:
14.04.2025

SDS Number:
10849846-00010

Date of last issue: 28.09.2024
Date of first issue: 12.09.2022

Components:

Cypermethrin:

Genotoxicity in vitro	: Test Type: Chromosome aberration test in vitro Test system: Human lymphocytes Result: negative
	Test Type: Microbial mutagenesis assay (Ames test) Result: negative
	Test Type: sister chromatid exchange assay Test system: Human lymphocytes Result: negative
Genotoxicity in vivo	: Test Type: In vivo micronucleus test Species: Rat Application Route: Oral Result: positive
	Test Type: In vivo micronucleus test Species: Rat Application Route: Dermal Result: positive
	Test Type: In vivo micronucleus test Species: Rat Application Route: Intraperitoneal injection Result: negative
Germ cell mutagenicity - Assessment	: Weight of evidence does not support classification as a germ cell mutagen.

Formaldehyde:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: positive
	Test Type: In vitro mammalian cell gene mutation test Result: positive
	Test Type: Chromosome aberration test in vitro Result: positive
Genotoxicity in vivo	: Test Type: In vivo mammalian alkaline comet assay Species: Mouse Application Route: Inhalation Result: positive
Germ cell mutagenicity - Assessment	: Positive result(s) from in vivo mammalian somatic cell mutagenicity tests.

Carcinogenicity

May cause cancer.

SAFETY DATA SHEET



Cypermethrin Liquid Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 10849846-00010 Date of last issue: 28.09.2024 Date of first issue: 12.09.2022

Components:

Formaldehyde:

Species	:	Rat
Application Route	:	inhalation (gas)
Exposure time	:	28 Months
Result	:	positive
Carcinogenicity - Assessment	:	Sufficient evidence of carcinogenicity in animal experiments

Reproductive toxicity

Suspected of damaging fertility.

Components:

Cypermethrin:

Effects on fertility	:	Test Type: Fertility Species: Rat, male Application Route: Oral Fertility: LOAEL: 68 mg/kg body weight Symptoms: Effects on fertility., male reproductive effects, Testicular effects
	:	Test Type: Fertility Species: Rat, male Application Route: Oral Fertility: NOAEL: 6,25 mg/kg body weight Target Organs: male reproductive organs, Testis
Effects on fetal development	:	Test Type: Three-generation reproduction toxicity study Species: Mouse Application Route: Oral General Toxicity Maternal: NOAEL: 5 mg/kg body weight Symptoms: No effects on fetal development., No effect on reproduction capacity., Reduced body weight
	:	Test Type: Reproduction/Developmental toxicity screening test Species: Rabbit Application Route: Oral Teratogenicity: NOAEL: 30 mg/kg body weight Symptoms: No effects on fetal development.
	:	Test Type: Reproduction/Developmental toxicity screening test Species: Rat Application Route: Oral Teratogenicity: NOAEL: 17,5 mg/kg body weight Symptoms: No effects on fetal development.
Reproductive toxicity - Assessment	:	Some evidence of adverse effects on sexual function and fertility, based on animal experiments.

Formaldehyde:

SAFETY DATA SHEET



Cypermethrin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 28.09.2024
3.0 14.04.2025 10849846-00010 Date of first issue: 12.09.2022

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
Application Route: inhalation (gas)
Result: negative

STOT-single exposure

Not classified based on available information

Components:

Cypermethrin:

Target Organs : Nervous system
Assessment : May cause damage to organs.

Formaldehyde:

Assessment : May cause respiratory irritation.

STOT-repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

Cypermethrin:

Species	:	Rat
NOAEL	:	5 mg/kg
Application Route	:	Oral
Exposure time	:	3 Months
Target Organs	:	Central nervous system

Species : Rabbit
NOAEL : 12,5 mg/kg
Application Route : Oral
Exposure time : 3 Months
Target Organs : Central nervous system

Species	:	Dog
NOAEL	:	1 mg/kg
Application Route	:	Oral
Exposure time	:	1 y
Symptoms	:	anxiety, central nervous system effects

Species : Rabbit
NOAEL : 20 mg/kg
Application Route : Dermal
Exposure time : 3 Weeks
Target Organs : male reproductive organs
Symptoms : reduced body weight gain, reduced food consumption

Aspiration toxicity

Aspiration toxicity: Not classified based on available information

Cypermethrin Liquid Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 10849846-00010 Date of last issue: 28.09.2024
Date of first issue: 12.09.2022

Experience with human exposure**Components:****Cypermethrin:**

General Information	: Target Organs: Nervous system Symptoms: muscle weakness, central nervous system effects Remarks: Based on Human Evidence The most common side effects are: Remarks: paraesthesia
---------------------	--

Further information**Components:****Cypermethrin:**

Remarks	: Dermal absorption possible
---------	------------------------------

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****Cypermethrin:**

Toxicity to fish	: EC50 (Oncorhynchus mykiss (rainbow trout)): 0,39 µg/l Exposure time: 96 h EC50 (Cyprinodon variegatus (sheepshead minnow)): 0,95 µg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 0,0036 µg/l Exposure time: 48 h EC50 (Americamysis): 0,00475 µg/l Exposure time: 48 h
M-Factor (Acute aquatic toxicity)	: 100.000
Toxicity to fish (Chronic toxicity)	: NOEC (Pimephales promelas (fathead minnow)): 0,14 µg/l Exposure time: 30 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Mysidopsis bahia (opossum shrimp)): 0,000781 µg/l Exposure time: 28 d
M-Factor (Chronic aquatic toxicity)	: 100.000

Oxirane, 2-methyl-, polymer with oxirane, mono(nonylphenyl) ether:

Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): > 0,1 - 1 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to daphnia and other	: EC50 (Daphnia magna (Water flea)): > 0,1 - 1 mg/l

SAFETY DATA SHEET



Cypermethrin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 28.09.2024
3.0 14.04.2025 10849846-00010 Date of first issue: 12.09.2022

aquatic invertebrates	Exposure time: 48 h Method: ISO 6341 Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	: ErC50 (<i>Raphidocelis subcapitata</i> (freshwater green alga)): > 1 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
	NOEC (<i>Raphidocelis subcapitata</i> (freshwater green alga)): > 1 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
M-Factor (Acute aquatic toxicity)	: 1
Toxicity to fish (Chronic toxicity)	: NOEC (<i>Oryzias latipes</i> (Japanese medaka)): > 0,1 - 1 mg/l Exposure time: 100 d Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (<i>Mysidopsis bahia</i> (opossum shrimp)): > 0,001 - 0,01 mg/l Exposure time: 28 d Remarks: Based on data from similar materials
M-Factor (Chronic aquatic toxicity)	: 10
Toxicity to microorganisms	: EC10 (activated sludge): > 1 mg/l Exposure time: 3 h Method: OECD Test Guideline 209 Remarks: Based on data from similar materials

Polyoxyethylene Nonylphenyl Ether, Branched, Phosphate:

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): > 0,1 - 1 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 0,1 - 1 mg/l Exposure time: 48 h Method: ISO 6341 Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	:	ErC50 (Raphidocelis subcapitata (freshwater green alga)): > 1 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
		NOEC (Raphidocelis subcapitata (freshwater green alga)): > 1 mg/l Exposure time: 72 h Method: OECD Test Guideline 201

SAFETY DATA SHEET



Cypermethrin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 28.09.2024
3.0 14.04.2025 10849846-00010 Date of first issue: 12.09.2022

		Remarks: Based on data from similar materials
M-Factor (Acute aquatic toxicity)	:	1
Toxicity to fish (Chronic toxicity)	:	NOEC (<i>Oryzias latipes</i> (Japanese medaka)): > 0,1 - 1 mg/l Exposure time: 100 d Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (<i>Mysidopsis bahia</i> (opossum shrimp)): > 0,001 - 0,01 mg/l Exposure time: 28 d Remarks: Based on data from similar materials
M-Factor (Chronic aquatic toxicity)	:	10
Toxicity to microorganisms	:	EC10 (activated sludge): > 1 mg/l Exposure time: 3 h Method: OECD Test Guideline 209 Remarks: Based on data from similar materials

Formaldehyde:

Toxicity to fish	:	LC50 (<i>Morone saxatilis</i> (striped bass)): 6,7 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (<i>Daphnia pulex</i> (Water flea)): 5,8 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	ErC50 (<i>Desmodesmus subspicatus</i> (green algae)): 4,89 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (<i>Daphnia magna</i> (Water flea)): 1,04 mg/l Exposure time: 21 d Method: OECD Test Guideline 211
Toxicity to microorganisms	:	EC50 (activated sludge): 19 mg/l Exposure time: 3 h Method: OECD Test Guideline 209

Persistence and degradability

Components:

Cypermethrin:

Stability in water : Degradation half life (DT50): 17 d

Oxirane, 2-methyl-, polymer with oxirane, mono(nonylphenyl) ether:

Biodegradability : Result: Not readily biodegradable.
Remarks: Based on data from similar materials

Polyoxyethylene Nonylphenyl Ether, Branched, Phosphate:

Biodegradability : Result: Not readily biodegradable.

SAFETY DATA SHEET



Cypermethrin Liquid Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 10849846-00010 Date of last issue: 28.09.2024 Date of first issue: 12.09.2022

Remarks: Based on data from similar materials

Formaldehyde:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 99 %
Exposure time: 28 d
Method: OECD Test Guideline 301A

Bioaccumulative potential

Components:

Cypermethrin:

Bioaccumulation : Bioconcentration factor (BCF): 488
Partition coefficient: n-octanol/water : log Pow: 6,6

Oxirane, 2-methyl-, polymer with oxirane, mono(nonylphenyl) ether:

Partition coefficient: n-octanol/water : log Pow: < 4
Remarks: Calculation

Polyoxyethylene Nonylphenyl Ether, Branched, Phosphate:

Partition coefficient: n-octanol/water : log Pow: > 4
Remarks: Expert judgment

Formaldehyde:

Partition coefficient: n-octanol/water : log Pow: 0,35
Remarks: Calculation

Mobility in soil

Components:

Cypermethrin:

Distribution among environmental compartments : log Koc: 5,58
Stability in soil :

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

SAFETY DATA SHEET



Cypermethrin Liquid Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 10849846-00010 Date of last issue: 28.09.2024 Date of first issue: 12.09.2022

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Cypermethrin)
Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(Cypermethrin)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 964
Packing instruction (passenger aircraft) : 964
Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Cypermethrin)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

ANTT

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Cypermethrin)
Class : 9
Packing group : III
Labels : 9
Hazard Identification Number : 90

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data

SAFETY DATA SHEET



Cypermethrin Liquid Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 10849846-00010 Date of last issue: 28.09.2024 Date of first issue: 12.09.2022

Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

National List of Carcinogenic Agents for Humans - (LINACH)

Group 1: Carcinogenic to humans

Formaldehyde

50-00-0

Brazil. List of chemicals controlled by the Federal Police : Not applicable

The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

SECTION 16. OTHER INFORMATION

Revision Date : 14.04.2025
Date format : dd.mm.yyyy

Further information

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
BR OEL : Brazil. NR 15 - Unhealthy activities and operations

ACGIH / TWA : 8-hour, time-weighted average
ACGIH / STEL : Short-term exposure limit
BR OEL / CEIL : Ceiling

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and

SAFETY DATA SHEET



Cypermethrin Liquid Formulation

Version
3.0

Revision Date:
14.04.2025

SDS Number:
10849846-00010

Date of last issue: 28.09.2024
Date of first issue: 12.09.2022

Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

BR / Z8