

SAFETY DATA SHEET



Diazinon (9%) Liquid Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 10842833-00007 Date of last issue: 28.09.2024
Date of first issue: 26.08.2022

SECTION 1. IDENTIFICATION

Product identifier : Diazinon (9%) Liquid Formulation

Other means of identification : Coopers Gold Spray-on Off-Shears Sheep Lice Treatment (86314)

Manufacturer or supplier's details

Company : MSD

Address : Rua Coronel Bento Soares, 530
Cruzeiro - Sao Paulo - Brazil CEP 12730-340

Telephone : 908-740-4000

Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification in accordance with ABNT NBR 14725 Standard

Acute toxicity (Oral) : Category 5

Skin irritation : Category 3

Serious eye damage : Category 1

Skin sensitization : Category 1

Germ cell mutagenicity : Category 2

Carcinogenicity : Category 1B

Reproductive toxicity : Category 1B

Specific target organ toxicity - single exposure : Category 2 (Nervous system)

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

SAFETY DATA SHEET



Diazinon (9%) Liquid Formulation

Version
3.0

Revision Date:
14.04.2025

SDS Number:
10842833-00007

Date of last issue: 28.09.2024
Date of first issue: 26.08.2022

GHS label elements in accordance with ABNT NBR 14725 Standard

Hazard pictograms



Signal Word

: Danger

Hazard Statements

: H303 May be harmful if swallowed.
H316 Causes mild skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H341 Suspected of causing genetic defects.
H350 May cause cancer.
H360Df May damage the unborn child. Suspected of damaging fertility.
H371 May cause damage to organs (Nervous system).
H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements

: **Prevention:**

P201 Obtain special instructions before use.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P272 Contaminated work clothing should not be allowed out of the workplace.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P301 + P312 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell.
P302 + P352 IF ON SKIN: Wash with plenty of water.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P391 Collect spillage.

Storage:

P405 Store locked up.

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

: Mixture

Components

SAFETY DATA SHEET



Diazinon (9%) Liquid Formulation

Version
3.0

Revision Date:
14.04.2025

SDS Number:
10842833-00007

Date of last issue: 28.09.2024
Date of first issue: 26.08.2022

Chemical name	CAS-No.	Classification	Concentration (% w/w)
Dibutyl phthalate	84-74-2	Repr., 1B Aquatic Acute, 1 Aquatic Chronic, 2	>= 50 -< 70
Diazinon	333-41-5	Acute Tox. (Oral), 4 Acute Tox. (Dermal), 5 Skin Irrit., 3 Muta., 2 Carc., 1B STOT SE, (Nervous system), 1 STOT RE, (Nervous system), 2 Aquatic Acute, 1 Aquatic Chronic, 1	>= 5 -< 10
Calcium dodecylbenzenesulphonate	26264-06-2	Acute Tox. (Oral), 4 Skin Irrit., 2 Eye Dam., 1 Aquatic Acute, 2 Aquatic Chronic, 3	>= 5 -< 10
Oxirane, 2-methyl-, polymer with oxirane, mono(nonylphenyl) ether	37251-69-7	Aquatic Acute, 1 Aquatic Chronic, 1	>= 5 -< 10
Alcohols, C12-15, ethoxylated	68131-39-5	Acute Tox. (Oral), 4 Eye Dam., 1 Aquatic Acute, 2 Aquatic Chronic, 3	>= 1 -< 2,5
7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate	2386-87-0	Acute Tox. (Oral), 5 Skin Sens., 1 Muta., 2 STOT RE, (nasal cavity), 2 Aquatic Acute, 3 Aquatic Chronic, 3	>= 1 -< 2,5
4-[(1,5-Dihydro-3-methyl-5-oxo-1-phenyl-4H-pyrazol-4-ylidene)methyl]-2,4-dihydro-5-methyl-2-phenyl-3H-pyrazol-3-one	4702-90-3	Repr., 2 Aquatic Chronic, 4	>= 1 -< 2,5

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with plenty of water.

SAFETY DATA SHEET



Diazinon (9%) Liquid Formulation

Version 3.0	Revision Date: 14.04.2025	SDS Number: 10842833-00007	Date of last issue: 28.09.2024 Date of first issue: 26.08.2022
----------------	------------------------------	-------------------------------	---

In case of eye contact	Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
If swallowed	: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention immediately. : If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and delayed	: May be harmful if swallowed. Causes mild skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Suspected of causing genetic defects. May cause cancer. May damage the unborn child. Suspected of damaging fertility. May cause damage to organs.
Protection of first-aiders	: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	: Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	: Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	: None known.
Specific hazards during fire fighting	: Exposure to combustion products may be a hazard to health.
Hazardous combustion products	: Carbon oxides Nitrogen oxides (NO _x) Sulfur oxides Oxides of phosphorus Metal oxides Sulfur compounds
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

Diazinon (9%) Liquid FormulationVersion
3.0Revision Date:
14.04.2025SDS Number:
10842833-00007Date of last issue: 28.09.2024
Date of first issue: 26.08.2022**SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g., by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material. For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Do not get on skin or clothing. Do not breathe mist or vapors. Do not swallow. Do not get in eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment. Keep container tightly closed. Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to the environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the

SAFETY DATA SHEET



Diazinon (9%) Liquid Formulation

Version
3.0

Revision Date:
14.04.2025

SDS Number:
10842833-00007

Date of last issue: 28.09.2024
Date of first issue: 26.08.2022

workplace.

Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

Conditions for safe storage : Keep in properly labeled containers.
Store locked up.
Keep tightly closed.
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:
Strong oxidizing agents
Self-reactive substances and mixtures
Organic peroxides
Explosives
Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Dibutyl phthalate	84-74-2	TWA	5 mg/m ³	ACGIH
Diazinon	333-41-5	TWA (Inhalable fraction and vapor)	0,01 mg/m ³	ACGIH

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sam- pling time	Permissible concentra- tion	Basis
Diazinon	333-41-5	erythrocyte acetylcholin esterase activity		End of workday	70 % of baseline	BR BEI
		butyl cholinesterase activity	plasma or serum	End of workday	60 % of baseline	BR BEI
		Acetylcholin esterase activity	In red blood cells	End of shift	70 % of an individual's baseline	ACGIH BEI
		Butyrylcholi nesterase activity	In serum or plasma	End of shift	60 % of an individual's baseline	ACGIH BEI

Engineering measures : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

SAFETY DATA SHEET



Diazinon (9%) Liquid Formulation

Version
3.0

Revision Date:
14.04.2025

SDS Number:
10842833-00007

Date of last issue: 28.09.2024
Date of first issue: 26.08.2022

protect products, workers, and the environment. Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices). Minimize open handling.

Personal protective equipment

Respiratory protection	: If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Filter type	
Hand protection	: Combined particulates and organic vapor type
Material	: Chemical-resistant gloves
Remarks	: Consider double gloving.
Eye protection	: Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	: Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	: liquid
Color	: clear, yellow, orange
Odor	: No data available
Odor Threshold	: No data available
pH	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: No data available
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Flammability (liquids)	: No data available

SAFETY DATA SHEET



Diazinon (9%) Liquid Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 10842833-00007 Date of last issue: 28.09.2024
Date of first issue: 26.08.2022

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

Density : No data available

Solubility(ies)
Water solubility : No data available

Partition coefficient: n-octanol/water : Not applicable

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity
Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics
Particle size : Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Can react with strong oxidizing agents.

Conditions to avoid : None known.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation
Skin contact
Ingestion
Eye contact

SAFETY DATA SHEET



Diazinon (9%) Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 28.09.2024
3.0 14.04.2025 10842833-00007 Date of first issue: 26.08.2022

Acute toxicity

May be harmful if swallowed.

Product:

Acute oral toxicity : Acute toxicity estimate: 3.588 mg/kg
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5.000 mg/kg
Method: Calculation method

Components:

Dibutyl phthalate:

Acute oral toxicity : LD50 (Rat): 6.279 mg/kg

Diazinon:

Acute oral toxicity	: LD50 (Rat): 1.139 mg/kg
Acute inhalation toxicity	: LC50 (Rat): > 5,437 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	: LD50 (Rabbit): > 2.020 mg/l

Calcium dodecylbenzenesulphonate:

Acute oral toxicity	: LD50 (Rat): > 500 - 2.000 mg/kg Method: OECD Test Guideline 401 Remarks: Based on data from similar materials
Acute dermal toxicity	: LD50 (Rabbit): > 2.000 mg/kg Method: OECD Test Guideline 402 Remarks: Based on data from similar materials

Oxirane, 2-methyl-, polymer with oxirane, mono(nonylphenyl) ether:

Acute oral toxicity : LD50 (Rat): > 4.000 mg/kg
Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg

Alcohols, C12-15, ethoxylated:

Acute oral toxicity	: LD50 (Rat): 1.700 mg/kg Remarks: Based on data from similar materials
Acute dermal toxicity	: LD50 (Rat): > 2.000 mg/kg Remarks: Based on data from similar materials

7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Acute oral toxicity	: LD50 (Rat, male): > 2.959 - 5.000 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	: LC50 (Rat): >= 5,19 mg/l Exposure time: 4 h

Diazinon (9%) Liquid Formulation

Version
3.0

Revision Date:
14.04.2025

SDS Number:
10842833-00007

Date of last issue: 28.09.2024
Date of first issue: 26.08.2022

		Test atmosphere: dust/mist Method: OECD Test Guideline 436 Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	:	LD50 (Rat): > 2.000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity
4-[(1,5-Dihydro-3-methyl-5-oxo-1-phenyl-4H-pyrazol-4-ylidene)methyl]-2,4-dihydro-5-methyl-2-phenyl-3H-pyrazol-3-one:		
Acute oral toxicity	:	LD50 (Rat): > 5.000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 7,39 mg/l Exposure time: 8 h Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 (Rat): > 2.500 mg/kg Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Causes mild skin irritation.

Components:

Dibutyl phthalate:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

Diazinon:

Species	:	Rabbit
Result	:	Mild skin irritation

Calcium dodecylbenzenesulphonate:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	Skin irritation
Remarks	:	Based on data from similar materials

Alcohols, C12-15, ethoxylated:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation
Remarks	:	Based on data from similar materials

7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Species	:	Rabbit
Method	:	OECD Test Guideline 404

SAFETY DATA SHEET



Diazinon (9%) Liquid Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 10842833-00007 Date of last issue: 28.09.2024 Date of first issue: 26.08.2022

||Result : No skin irritation

4-[(1,5-Dihydro-3-methyl-5-oxo-1-phenyl-4H-pyrazol-4-ylidene)methyl]-2,4-dihydro-5-methyl-2-phenyl-3H-pyrazol-3-one:

||Species : Rabbit
||Result : No skin irritation

Serious eye damage/eye irritation

Causes serious eye damage.

Components:

Dibutyl phthalate:

||Species : Rabbit
||Result : No eye irritation
||Method : OECD Test Guideline 405

Calcium dodecylbenzenesulphonate:

||Species : Rabbit
||Result : Irreversible effects on the eye
||Method : OECD Test Guideline 405
||Remarks : Based on data from similar materials

Alcohols, C12-15, ethoxylated:

||Species : Rabbit
||Result : Irreversible effects on the eye
||Remarks : Based on data from similar materials

7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

||Species : Rabbit
||Result : No eye irritation
||Method : OECD Test Guideline 405

4-[(1,5-Dihydro-3-methyl-5-oxo-1-phenyl-4H-pyrazol-4-ylidene)methyl]-2,4-dihydro-5-methyl-2-phenyl-3H-pyrazol-3-one:

||Species : Rabbit
||Result : No eye irritation

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Not classified based on available information.

Components:

Dibutyl phthalate:

||Test Type : Maximization Test
||Routes of exposure : Skin contact

SAFETY DATA SHEET



Diazinon (9%) Liquid Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 10842833-00007 Date of last issue: 28.09.2024 Date of first issue: 26.08.2022

Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	negative

Diazinon:

Test Type	:	Buehler Test
Routes of exposure	:	Skin contact
Species	:	Guinea pig
Result	:	negative

Calcium dodecylbenzenesulphonate:

Test Type	:	Maximization Test
Routes of exposure	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	negative
Remarks	:	Based on data from similar materials

Alcohols, C12-15, ethoxylated:

Test Type	:	Magnusson-Kligman-Test
Routes of exposure	:	Skin contact
Species	:	Guinea pig
Result	:	negative
Remarks	:	Based on data from similar materials

7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Test Type	:	Maximization Test
Routes of exposure	:	Skin contact
Species	:	Guinea pig
Result	:	positive
Assessment	:	Probability or evidence of skin sensitization in humans

4-[(1,5-Dihydro-3-methyl-5-oxo-1-phenyl-4H-pyrazol-4-ylidene)methyl]-2,4-dihydro-5-methyl-2-phenyl-3H-pyrazol-3-one:

Species	:	Guinea pig
Result	:	negative

Germ cell mutagenicity

Suspected of causing genetic defects.

Components:

Dibutyl phthalate:

Genotoxicity in vitro	:	Test Type: Chromosome aberration test in vitro Result: negative Remarks: Based on data from similar materials
		Test Type: In vitro mammalian cell gene mutation test Result: positive

SAFETY DATA SHEET



Diazinon (9%) Liquid Formulation

Version 3.0	Revision Date: 14.04.2025	SDS Number: 10842833-00007	Date of last issue: 28.09.2024 Date of first issue: 26.08.2022
----------------	------------------------------	-------------------------------	---

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Ingestion
Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Diazinon:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Result: negative

Test Type: Chromosome aberration test in vitro
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Rat
Application Route: Intraperitoneal injection
Result: positive

Germ cell mutagenicity - Assessment : Positive result(s) from in vivo mammalian somatic cell mutagenicity tests.

Calcium dodecylbenzenesulphonate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative
Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test
Result: negative
Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: negative
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

Alcohols, C12-15, ethoxylated:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

SAFETY DATA SHEET



Diazinon (9%) Liquid Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 10842833-00007 Date of last issue: 28.09.2024
Date of first issue: 26.08.2022

Remarks: Based on data from similar materials

7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: positive

Test Type: In vitro mammalian cell gene mutation test
Result: positive

Test Type: In vitro sister chromatid exchange assay in mammalian cells
Result: positive

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)
Result: positive

Genotoxicity in vivo : Test Type: Unscheduled DNA synthesis (UDS) test with mammalian liver cells in vivo
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 486
Result: negative

Test Type: Micronucleus test
Species: Mouse
Application Route: Intraperitoneal injection
Result: negative

Test Type: Transgenic rodent somatic cell gene mutation assay
Species: Mouse
Application Route: Ingestion
Method: OECD Test Guideline 488
Result: positive

Germ cell mutagenicity - Assessment : Positive result(s) from in vivo mammalian somatic cell mutagenicity tests.

Carcinogenicity

May cause cancer.

Components:

Diazinon:

Species : Rat
Application Route : Ingestion
Exposure time : 104 weeks
Result : negative

Carcinogenicity - Assessment : Sufficient evidence of carcinogenicity in animal experiments

Diazinon (9%) Liquid Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 10842833-00007 Date of last issue: 28.09.2024
Date of first issue: 26.08.2022

7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Species	:	Mouse
Application Route	:	Skin contact
Exposure time	:	29 Months
Result	:	negative

Reproductive toxicity

May damage the unborn child. Suspected of damaging fertility.

Components:**Dibutyl phthalate:**

Effects on fertility	:	Test Type: Two-generation study Species: Rat Application Route: Ingestion Result: positive
Effects on fetal development	:	Test Type: Development Species: Rat Application Route: Ingestion Result: positive
Reproductive toxicity - Assessment	:	Clear evidence of adverse effects on development, based on animal experiments., Some evidence of adverse effects on sexual function and fertility, based on animal experiments.

Diazinon:

Effects on fertility	:	Test Type: Three-generation study Species: Rat Application Route: Ingestion Result: negative
Effects on fetal development	:	Test Type: Embryo-fetal development Species: Rat Application Route: Ingestion Result: negative

Calcium dodecylbenzenesulphonate:

Effects on fertility	:	Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test Species: Rat Application Route: Ingestion Method: OECD Test Guideline 422 Result: negative Remarks: Based on data from similar materials
Effects on fetal development	:	Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test Species: Rat Application Route: Ingestion Method: OECD Test Guideline 422 Result: negative Remarks: Based on data from similar materials

Diazinon (9%) Liquid FormulationVersion
3.0Revision Date:
14.04.2025SDS Number:
10842833-00007Date of last issue: 28.09.2024
Date of first issue: 26.08.2022

II

7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 414
Result: negative

4-[(1,5-Dihydro-3-methyl-5-oxo-1-phenyl-4H-pyrazol-4-ylidene)methyl]-2,4-dihydro-5-methyl-2-phenyl-3H-pyrazol-3-one:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 422
Result: positive

Effects on fetal development : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 422
Result: positive

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal experiments.

STOT-single exposure

May cause damage to organs (Nervous system).

Components:**Diazinon:**

Routes of exposure : Ingestion
Target Organs : Nervous system
Assessment : Shown to produce significant health effects in animals at concentrations of 300 mg/kg bw or less.

STOT-repeated exposure

Not classified based on available information.

Components:**Diazinon:**

Routes of exposure : Ingestion
Target Organs : Nervous system
Assessment : Shown to produce significant health effects in animals at concentrations of >10 to 100 mg/kg bw.

SAFETY DATA SHEET



Diazinon (9%) Liquid Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 10842833-00007 Date of last issue: 28.09.2024 Date of first issue: 26.08.2022

Calcium dodecylbenzenesulphonate:

Assessment : No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.

7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Routes of exposure : Ingestion
Target Organs : nasal cavity
Assessment : Shown to produce significant health effects in animals at concentrations of >10 to 100 mg/kg bw.

Repeated dose toxicity

Components:

Dibutyl phthalate:

Species : Rat
NOAEL : 152 mg/kg
LOAEL : 752 mg/kg
Application Route : Ingestion
Exposure time : 90 Days
Method : OECD Test Guideline 408

Species : Rat
NOAEL : 0,51 mg/l
Application Route : inhalation (dust/mist/fume)
Exposure time : 4 Weeks
Method : OECD Test Guideline 412

Diazinon:

Species : Rat
NOAEL : 0,3 mg/kg
LOAEL : 15 mg/kg
Application Route : Ingestion
Exposure time : 90 Days

Species : Rat
NOAEL : 0,1 mg/l
LOAEL : 0,75 mg/l
Application Route : inhalation (dust/mist/fume)
Exposure time : 28 Days

Calcium dodecylbenzenesulphonate:

Species : Rat
LOAEL : > 200 mg/kg
Application Route : Ingestion
Exposure time : 6 - 7 Weeks
Method : OECD Test Guideline 422
Remarks : Based on data from similar materials

Species : Rabbit
NOAEL : > 100 mg/kg

SAFETY DATA SHEET



Diazinon (9%) Liquid Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 10842833-00007 Date of last issue: 28.09.2024 Date of first issue: 26.08.2022

Application Route	:	Skin contact
Exposure time	:	28 Days
Method	:	OECD Test Guideline 410
Remarks	:	Based on data from similar materials

7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Species	:	Rat
NOAEL	:	5 mg/kg
LOAEL	:	50 mg/kg
Application Route	:	Ingestion
Exposure time	:	90 Days
Method	:	OECD Test Guideline 408

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Diazinon:

Inhalation	:	Symptoms: carcinogenic effects
------------	---	--------------------------------

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Dibutyl phthalate:

Toxicity to fish	:	LC50 (Lepomis macrochirus (Bluegill sunfish)): 0,48 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Mysidopsis bahia (opossum shrimp)): 0,5 mg/l Exposure time: 96 h
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): 0,75 mg/l Exposure time: 10 d NOEC (Pseudokirchneriella subcapitata (green algae)): 0,39 mg/l Exposure time: 10 d
M-Factor (Acute aquatic toxicity)	:	1
Toxicity to fish (Chronic toxicity)	:	NOEC (Oncorhynchus mykiss (rainbow trout)): 0,1 mg/l Exposure time: 99 d
Toxicity to microorganisms	:	NOEC (Pseudomonas putida): >= 10 mg/l Exposure time: 30 min Remarks: No toxicity at the limit of solubility.

Diazinon:

SAFETY DATA SHEET



Diazinon (9%) Liquid Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 10842833-00007 Date of last issue: 28.09.2024 Date of first issue: 26.08.2022

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 0,09 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Ceriodaphnia dubia (water flea)): 0,000164 mg/l Exposure time: 48 h
M-Factor (Acute aquatic toxicity)	:	1.000
Toxicity to fish (Chronic toxicity)	:	NOEC (Pimephales promelas (fathead minnow)): 0,092 mg/l Exposure time: 34 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 0,00017 mg/l Exposure time: 21 d
M-Factor (Chronic aquatic toxicity)	:	100

Calcium dodecylbenzenesulphonate:

Toxicity to fish	:	LC50 (Leuciscus idus (Golden orfe)): > 1 - 10 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l Exposure time: 48 h Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	:	ErC50 (Pseudokirchneriella subcapitata (green algae)): > 10 - 100 mg/l Exposure time: 72 h Remarks: Based on data from similar materials
		NOEC (Pseudokirchneriella subcapitata (green algae)): > 0,1 - 1 mg/l Exposure time: 72 h Remarks: Based on data from similar materials
Toxicity to fish (Chronic toxicity)	:	NOEC (Pimephales promelas (fathead minnow)): > 0,1 - 1 mg/l Exposure time: 28 d Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): > 1 mg/l Exposure time: 21 d Remarks: Based on data from similar materials
Toxicity to microorganisms	:	EC50 (activated sludge): > 100 mg/l Exposure time: 3 h Method: OECD Test Guideline 209 Remarks: Based on data from similar materials

Oxirane, 2-methyl-, polymer with oxirane, mono(nonylphenyl) ether:

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): > 0,1 - 1 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
------------------	---	---

SAFETY DATA SHEET



Diazinon (9%) Liquid Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 10842833-00007 Date of last issue: 28.09.2024 Date of first issue: 26.08.2022

Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 0,1 - 1 mg/l Exposure time: 48 h Method: ISO 6341 Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	: ErC50 (Raphidocelis subcapitata (freshwater green alga)): > 1 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
	NOEC (Raphidocelis subcapitata (freshwater green alga)): > 1 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
M-Factor (Acute aquatic toxicity)	: 1
Toxicity to fish (Chronic toxicity)	: NOEC (Oryzias latipes (Japanese medaka)): > 0,1 - 1 mg/l Exposure time: 100 d Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Mysidopsis bahia (opossum shrimp)): > 0,001 - 0,01 mg/l Exposure time: 28 d Remarks: Based on data from similar materials
M-Factor (Chronic aquatic toxicity)	: 10
Toxicity to microorganisms	: EC10 (activated sludge): > 1 mg/l Exposure time: 3 h Method: OECD Test Guideline 209 Remarks: Based on data from similar materials

Alcohols, C12-15, ethoxylated:

Toxicity to fish	: LC50 (Danio rerio (zebra fish)): > 1 - 10 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l Exposure time: 48 h Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	: ErC50 (Pseudokirchneriella subcapitata (green algae)): > 1 - 10 mg/l Exposure time: 72 h Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: EC10 (Daphnia magna (Water flea)): > 0,1 - 1 mg/l Exposure time: 21 d Remarks: Based on data from similar materials

7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

SAFETY DATA SHEET



Diazinon (9%) Liquid Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 10842833-00007 Date of last issue: 28.09.2024 Date of first issue: 26.08.2022

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 24 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 40 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: ErC50 (Raphidocelis subcapitata (freshwater green alga)): > 110 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 NOEC (Raphidocelis subcapitata (freshwater green alga)): 30 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to microorganisms	: EC10 (activated sludge): 409 mg/l Exposure time: 3 h Method: OECD Test Guideline 209
4-[(1,5-Dihydro-3-methyl-5-oxo-1-phenyl-4H-pyrazol-4-ylidene)methyl]-2,4-dihydro-5-methyl-2-phenyl-3H-pyrazol-3-one:	
Toxicity to fish	: LC50 (Danio rerio (zebra fish)): 22,7 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: No toxicity at the limit of solubility.
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 0,407 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: No toxicity at the limit of solubility.
Toxicity to algae/aquatic plants	: EL50 (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: No toxicity at the limit of solubility.
	: EL10 (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: No toxicity at the limit of solubility.
Toxicity to microorganisms	: EC50: > 1.000 mg/l Exposure time: 30 min Method: OECD Test Guideline 209

SAFETY DATA SHEET



Diazinon (9%) Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 28.09.2024
3.0 14.04.2025 10842833-00007 Date of first issue: 26.08.2022

Persistence and degradability

Components:

Dibutyl phthalate:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 81 %
Exposure time: 28 d
Method: CO₂ Evolution Test

Calcium dodecylbenzenesulphonate:

Biodegradability : Result: Readily biodegradable.
Remarks: Based on data from similar materials

Oxirane, 2-methyl-, polymer with oxirane, mono(nonylphenyl) ether:

Biodegradability : Result: Not readily biodegradable.
Remarks: Based on data from similar materials

Alcohols, C12-15, ethoxylated:

Biodegradability : Result: rapidly degradable
Remarks: Based on data from similar materials

7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Biodegradability	: Result: Not readily biodegradable. Biodegradation: 71 % Exposure time: 28 d Method: OECD Test Guideline 301B
------------------	---

4-[(1,5-Dihydro-3-methyl-5-oxo-1-phenyl-4H-pyrazol-4-ylidene)methyl]-2,4-dihydro-5-methyl-2-phenyl-3H-pyrazol-3-one:

Biodegradability	:	Result: Not readily biodegradable. Biodegradation: 0 % Exposure time: 28 d Method: OECD Test Guideline 301F
------------------	---	--

Bioaccumulative potential

Components:

Dibutyl phthalate:

Partition coefficient: n-octanol/water : log Pow: 4,46

Diazinon:

Bioaccumulation : Species: *Cyprinus carpio* (Carp)
Bioconcentration factor (BCF): 46.9

Partition coefficient: n-octanol/water : log Pow: 3,69

Calcium dodecylbenzenesulphonate:

Bioaccumulation : Bioconcentration factor (BCF): < 500

SAFETY DATA SHEET



Diazinon (9%) Liquid Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 10842833-00007 Date of last issue: 28.09.2024 Date of first issue: 26.08.2022

Remarks: Based on data from similar materials

Partition coefficient: n-octanol/water : log Pow: 4,77
Remarks: Calculation

Oxirane, 2-methyl-, polymer with oxirane, mono(nonylphenyl) ether:

Partition coefficient: n-octanol/water : log Pow: < 4
Remarks: Calculation

7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Partition coefficient: n-octanol/water : log Pow: 1,34
Method: OECD Test Guideline 107

4-[(1,5-Dihydro-3-methyl-5-oxo-1-phenyl-4H-pyrazol-4-ylidene)methyl]-2,4-dihydro-5-methyl-2-phenyl-3H-pyrazol-3-one:

Partition coefficient: n-octanol/water : log Pow: 5,02

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Diazinon, Dibutyl phthalate)
Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(Diazinon, Dibutyl phthalate)
Class : 9
Packing group : III

SAFETY DATA SHEET



Diazinon (9%) Liquid Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 10842833-00007 Date of last issue: 28.09.2024 Date of first issue: 26.08.2022

Labels : Miscellaneous
Packing instruction (cargo aircraft) : 964
Packing instruction (passenger aircraft) : 964
Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Diazinon, Dibutyl phthalate)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

ANTT

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Diazinon, Dibutyl phthalate)
Class : 9
Packing group : III
Labels : 9
Hazard Identification Number : 90

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

National List of Carcinogenic Agents for Humans - (LINACH) : Not applicable

Brazil. List of chemicals controlled by the Federal Police : Not applicable

The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

SAFETY DATA SHEET



Diazinon (9%) Liquid Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 10842833-00007 Date of last issue: 28.09.2024 Date of first issue: 26.08.2022

SECTION 16. OTHER INFORMATION

Revision Date : 14.04.2025
Date format : dd.mm.yyyy

Further information

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI : ACGIH - Biological Exposure Indices (BEI)
BR BEI : Brazil. NR7. Parameters for Biological Control of Occupational Exposure to Some Chemical Agents
ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

SAFETY DATA SHEET



Diazinon (9%) Liquid Formulation

Version
3.0

Revision Date:
14.04.2025

SDS Number:
10842833-00007

Date of last issue: 28.09.2024
Date of first issue: 26.08.2022

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

BR / Z8