

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Diazinon (9%) Liquid Formulation

Version 7.0 Revision Date: 17.06.2025 SDS Number: 10843068-00009 Date of last issue: 14.04.2025
Date of first issue: 26.08.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Diazinon (9%) Liquid Formulation
Other means of identification : Coopers Gold Spray-on Off-Shears Sheep Lice Treatment (86314)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Veterinary product
Recommended restrictions on use : Not applicable

1.3 Details of the supplier of the safety data sheet

Company : MSD
Kilsheelan
Clonmel Tipperary, IE
Telephone : 353-51-601000
E-mail address of person responsible for the SDS : EHSDATASTEWARD@msd.com

1.4 Emergency telephone number

+1-908-423-6000

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

| | |
|--------------------------------------------------------------|-----------------------------------------------------------------------|
| Serious eye damage, Category 1 | H318: Causes serious eye damage. |
| Skin sensitisation, Category 1 | H317: May cause an allergic skin reaction. |
| Germ cell mutagenicity, Category 2 | H341: Suspected of causing genetic defects. |
| Carcinogenicity, Category 1B | H350: May cause cancer. |
| Reproductive toxicity, Category 1B | H360Df: May damage the unborn child. Suspected of damaging fertility. |
| Specific target organ toxicity - single exposure, Category 2 | H371: May cause damage to organs. |
| Endocrine disruptor for human health, Category 1 | EUH380: May cause endocrine disruption in humans |
| Short-term (acute) aquatic hazard, Category 1 | H400: Very toxic to aquatic life. |
| Long-term (chronic) aquatic hazard, Cat- | H410: Very toxic to aquatic life with long lasting |

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Diazinon (9%) Liquid Formulation

Version
7.0

Revision Date:
17.06.2025

SDS Number:
10843068-00009

Date of last issue: 14.04.2025
Date of first issue: 26.08.2022

egory 1

Endocrine disruptor for environment,
Category 1

effects.

EUH430: May cause endocrine disruption in the
environment

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word

: Danger

Hazard statements

: H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H341 Suspected of causing genetic defects.
H350 May cause cancer.
H360Df May damage the unborn child. Suspected of damaging
fertility.
H371 May cause damage to organs.
H410 Very toxic to aquatic life with long lasting effects.
EUH380 May cause endocrine disruption in humans
EUH430 May cause endocrine disruption in the envi-
ronment

Precautionary statements

: **Prevention:**

P201 Obtain special instructions before use.
P263 Avoid contact during pregnancy and while nursing.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protec-
tion/ face protection.

Response:

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously
with water for several minutes. Remove contact lenses, if pre-
sent and easy to do. Continue rinsing. Immediately call a
POISON CENTER/ doctor.
P391 Collect spillage.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste
disposal plant.

Hazardous components which must be listed on the label:

Dibutyl phthalate

Calcium dodecylbenzenesulphonate

Diazinon

7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate
Restricted to professional users.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Diazinon (9%) Liquid Formulation

Version
7.0

Revision Date:
17.06.2025

SDS Number:
10843068-00009

Date of last issue: 14.04.2025
Date of first issue: 26.08.2022

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: This substance/mixture contains components considered to have endocrine disrupting properties for environment, according to REACH Article 57(f), Commission Regulation (EU) 2018/605 or Commission Delegated Regulation (EU) 2017/2100.

Toxicological information: This substance/mixture contains components considered to have endocrine disrupting properties affecting human health, according to REACH Article 57(f), Commission Regulation (EU) 2018/605 or Commission Delegated Regulation (EU) 2017/2100.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

| Chemical name | CAS-No. EC-No. Index-No. Registration number | Classification | Concentration (% w/w) |
|-------------------|-------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|
| Dibutyl phthalate | 84-74-2 201-557-4 607-318-00-4 | Repr. 1B; H360Df ED HH 1; EUH380 Aquatic Acute 1; H400 Aquatic Chronic 2; H411 ED ENV 1; EUH430 M-Factor (Acute aquatic toxicity): 1 | >= 50 - < 70 |
| Diazinon | 333-41-5 206-373-8 015-040-00-4 | Acute Tox. 4; H302 Muta. 2; H341 Carc. 1B; H350 STOT SE 1; H370 (Nervous system) STOT RE 2; H373 (Nervous system) Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1.000 M-Factor (Chronic | >= 2,5 - < 10 |

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Diazinon (9%) Liquid Formulation

Version
7.0

Revision Date:
17.06.2025

SDS Number:
10843068-00009

Date of last issue: 14.04.2025
Date of first issue: 26.08.2022

| | | | |
|---------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| | | <p>aquatic toxicity): 100</p> <hr/> <p>Acute toxicity estimate</p> <p>Acute oral toxicity: 1.139 mg/kg</p> | |
| Calcium dodecylbenzenesulphonate | 26264-06-2 247-557-8 | <p>Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Chronic 3; H412</p> <hr/> <p>Acute toxicity estimate</p> <p>Acute oral toxicity: 500 mg/kg</p> | >= 3 - < 10 |
| Oxirane, 2-methyl-, polymer with oxirane, mono(nonylphenyl) ether | 37251-69-7 | <p>Aquatic Acute 1; H400 Aquatic Chronic 1; H410</p> <hr/> <p>M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 10</p> | >= 2,5 - < 10 |
| Alcohols, C12-15, ethoxylated | 68131-39-5 | <p>Acute Tox. 4; H302 Eye Dam. 1; H318 Aquatic Chronic 3; H412</p> <hr/> <p>Acute toxicity estimate</p> <p>Acute oral toxicity: 1.700 mg/kg</p> | >= 1 - < 2,5 |
| 7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7- oxabicyclo[4.1.0]heptane-3- carboxylate | 2386-87-0 219-207-4 607-773-00-9 | <p>Skin Sens. 1; H317 Muta. 2; H341 STOT RE 2; H373 (nasal cavity) Aquatic Chronic 3; H412</p> | >= 1 - < 2,5 |
| 4-[(1,5-Dihydro-3-methyl-5-oxo-1- phenyl-4H-pyrazol-4-ylidene)methyl]- 2,4-dihydro-5-methyl-2-phenyl-3H- pyrazol-3-one | 4702-90-3 225-184-1 | <p>Repr. 2; H361fd Aquatic Chronic 4; H413</p> | >= 1 - < 2,5 |

For explanation of abbreviations see section 16.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Diazinon (9%) Liquid Formulation

| | | | |
|----------------|------------------------------|-------------------------------|-------------------------------------------------------------------|
| Version 7.0 | Revision Date: 17.06.2025 | SDS Number: 10843068-00009 | Date of last issue: 14.04.2025 Date of first issue: 26.08.2022 |
|----------------|------------------------------|-------------------------------|-------------------------------------------------------------------|

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

If inhaled : If inhaled, remove to fresh air.
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
If easy to do, remove contact lens, if worn.
Get medical attention immediately.

If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water.
Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

Risks : May cause an allergic skin reaction.
Causes serious eye damage.
Suspected of causing genetic defects.
May cause cancer.
May damage the unborn child. Suspected of damaging fertility.
May cause damage to organs.
May cause endocrine disruption in humans

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray
Alcohol-resistant foam

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Diazinon (9%) Liquid Formulation

Version
7.0

Revision Date:
17.06.2025

SDS Number:
10843068-00009

Date of last issue: 14.04.2025
Date of first issue: 26.08.2022

Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides
Nitrogen oxides (NO_x)
Sulphur oxides
Oxides of phosphorus
Metal oxides
Sulphur compounds

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g. by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material.
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Diazinon (9%) Liquid Formulation

Version
7.0

Revision Date:
17.06.2025

SDS Number:
10843068-00009

Date of last issue: 14.04.2025
Date of first issue: 26.08.2022

Clean up remaining materials from spill with suitable absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

| | |
|-------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Technical measures | : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section. |
| Local/Total ventilation | : If sufficient ventilation is unavailable, use with local exhaust ventilation. |
| Advice on safe handling | : Do not get on skin or clothing. Do not breathe mist or vapours. Do not swallow. Do not get in eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Keep container tightly closed. Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to the environment. |
| Hygiene measures | : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls. |

7.2 Conditions for safe storage, including any incompatibilities

| | |
|-----------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|
| Requirements for storage areas and containers | : Keep in properly labelled containers. Store locked up. Keep tightly closed. Store in accordance with the particular national regulations. |
| Advice on common storage | : Do not store with the following product types: Strong oxidizing agents Self-reactive substances and mixtures Organic peroxides Explosives |

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Diazinon (9%) Liquid Formulation

Version
7.0

Revision Date:
17.06.2025

SDS Number:
10843068-00009

Date of last issue: 14.04.2025
Date of first issue: 26.08.2022

Gases

7.3 Specific end use(s)

Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

| Components | CAS-No. | Value type (Form of exposure) | Control parameters | Basis |
|-----------------------------------------------------------------------------------------------------------------|----------|-------------------------------|--------------------|---------------------|
| Dibutyl phthalate | 84-74-2 | TWA | 3 mg/m3 | FOR-2011-12-06-1358 |
| Diazinon | 333-41-5 | TWA | 0,01 mg/m3 | FOR-2011-12-06-1358 |
| Further information: Substances considered to be carcinogenic, Chemicals that can be absorbed through the skin. | | | | |
| Further information: Skin | | | | |

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006

| Substance name | End Use | Exposure routes | Potential health effects | Value |
|----------------------------------|-----------|-----------------|----------------------------|-------------------|
| Calcium dodecylbenzenesulphonate | Workers | Inhalation | Long-term systemic effects | 52 mg/m3 |
| | Workers | Inhalation | Acute systemic effects | 52 mg/m3 |
| | Workers | Inhalation | Long-term local effects | 52 mg/m3 |
| | Workers | Inhalation | Acute local effects | 52 mg/m3 |
| | Workers | Skin contact | Long-term systemic effects | 57,2 mg/kg bw/day |
| | Workers | Skin contact | Acute systemic effects | 80 mg/kg bw/day |
| | Workers | Skin contact | Long-term local effects | 1,57 mg/kg bw/day |
| | Workers | Skin contact | Acute local effects | 1,57 mg/kg bw/day |
| | Consumers | Inhalation | Long-term systemic effects | 26 mg/m3 |
| | Consumers | Inhalation | Acute systemic effects | 26 mg/m3 |
| | Consumers | Inhalation | Acute local effects | 26 mg/m3 |
| | Consumers | Inhalation | Long-term local effects | 26 mg/m3 |
| | Consumers | Skin contact | Long-term systemic effects | 28,6 mg/kg bw/day |
| | Consumers | Skin contact | Acute systemic effects | 40 mg/kg bw/day |

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Diazinon (9%) Liquid Formulation

Version
7.0

Revision Date:
17.06.2025

SDS Number:
10843068-00009

Date of last issue: 14.04.2025
Date of first issue: 26.08.2022

| | | | | |
|-----------------------------------------------------------------------------|-----------|--------------|----------------------------|------------------------|
| | Consumers | Skin contact | Acute local effects | 0,787 mg/kg bw/day |
| | Consumers | Skin contact | Long-term local effects | 0,787 mg/kg bw/day |
| | Consumers | Ingestion | Long-term systemic effects | 13 mg/kg bw/day |
| | Consumers | Ingestion | Acute systemic effects | 13 mg/kg bw/day |
| Dibutyl phthalate | Workers | Inhalation | Long-term systemic effects | 0,13 mg/m ³ |
| | Workers | Inhalation | Acute systemic effects | 2,84 mg/m ³ |
| | Workers | Skin contact | Long-term systemic effects | 0,19 mg/kg bw/day |
| | Consumers | Inhalation | Long-term systemic effects | 0,02 mg/m ³ |
| | Consumers | Skin contact | Long-term systemic effects | 0,07 mg/kg bw/day |
| | Consumers | Ingestion | Long-term systemic effects | 0,007 mg/kg bw/day |
| 7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate | Workers | Inhalation | Long-term systemic effects | 0,18 mg/m ³ |
| | Workers | Inhalation | Long-term local effects | 0,18 mg/m ³ |
| | Workers | Skin contact | Long-term systemic effects | 0,05 mg/kg bw/day |

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006

| Substance name | Environmental Compartment | Value |
|----------------------------------|---------------------------|------------------------------|
| Calcium dodecylbenzenesulphonate | Fresh water | 0,28 mg/l |
| | Freshwater - intermittent | 0,654 mg/l |
| | Marine water | 0,458 mg/l |
| | Sewage treatment plant | 50 mg/l |
| | Fresh water sediment | 27,5 mg/kg dry weight (d.w.) |
| | Marine sediment | 2,75 mg/kg dry weight (d.w.) |
| | Air | 10 mg/m ³ |
| | Soil | 25 mg/kg dry weight (d.w.) |
| | Oral | 20 mg/kg food |
| Dibutyl phthalate | Fresh water | 0,01 mg/l |
| | Marine sediment | 0,001 mg/l |
| | Intermittent use/release | 0,0048 mg/l |
| | Sewage treatment plant | 0,22 mg/l |
| | Fresh water sediment | 1,19 mg/kg |

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Diazinon (9%) Liquid Formulation

Version 7.0 Revision Date: 17.06.2025 SDS Number: 10843068-00009 Date of last issue: 14.04.2025 Date of first issue: 26.08.2022

| | | |
|-----------------------------------------------------------------------------|----------------------------|--------------------------------|
| 7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate | Marine sediment | 0,119 mg/kg |
| | Soil | 0,05 mg/kg |
| | Oral (Secondary Poisoning) | 1,33 mg/kg food |
| | Fresh water | 0,024 mg/l |
| | Freshwater - intermittent | 0,24 mg/l |
| | Marine water | 0,0024 mg/l |
| | Sewage treatment plant | 19,5 mg/l |
| | Fresh water sediment | 0,211 mg/kg dry weight (d.w.) |
| | Marine sediment | 0,0211 mg/kg dry weight (d.w.) |
| | Soil | 0,0282 mg/kg dry weight (d.w.) |

8.2 Exposure controls

Engineering measures

Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).

Minimize open handling.

Personal protective equipment

Eye/face protection : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Skin and body protection : Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially contaminated clothing.

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection. Filter should conform to NS EN 14387

Filter type : Combined particulates and organic vapour type (A-P)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Diazinon (9%) Liquid Formulation

| | | | |
|----------------|------------------------------|-------------------------------|-------------------------------------------------------------------|
| Version 7.0 | Revision Date: 17.06.2025 | SDS Number: 10843068-00009 | Date of last issue: 14.04.2025 Date of first issue: 26.08.2022 |
|----------------|------------------------------|-------------------------------|-------------------------------------------------------------------|

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : liquid

Colour : clear, yellow, orange

Odour : No data available

Odour Threshold : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper flammability limit

Lower explosion limit / Lower flammability limit

Flash point : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

pH : No data available

Viscosity

Viscosity, kinematic : No data available

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-octanol/water : Not applicable

Vapour pressure : No data available

Relative density : No data available

Density : No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Diazinon (9%) Liquid Formulation

| | | | |
|----------------|------------------------------|-------------------------------|-------------------------------------------------------------------|
| Version 7.0 | Revision Date: 17.06.2025 | SDS Number: 10843068-00009 | Date of last issue: 14.04.2025 Date of first issue: 26.08.2022 |
|----------------|------------------------------|-------------------------------|-------------------------------------------------------------------|

Relative vapour density : No data available

Particle characteristics
Particle size : Not applicable

9.2 Other information

Explosives : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Evaporation rate : No data available

Molecular weight : No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Can react with strong oxidizing agents.

10.4 Conditions to avoid

Conditions to avoid : None known.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2.000 mg/kg
Method: Calculation method

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Diazinon (9%) Liquid Formulation

Version
7.0

Revision Date:
17.06.2025

SDS Number:
10843068-00009

Date of last issue: 14.04.2025
Date of first issue: 26.08.2022

Components:

Dibutyl phthalate:

Acute oral toxicity : LD50 (Rat): 6.279 mg/kg

Diazinon:

Acute oral toxicity : LD50 (Rat): 1.139 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5,437 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2.020 mg/kg

Calcium dodecylbenzenesulphonate:

Acute oral toxicity : LD50 (Rat): > 500 - 2.000 mg/kg
Method: OECD Test Guideline 401
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg
Method: OECD Test Guideline 402
Remarks: Based on data from similar materials

Oxirane, 2-methyl-, polymer with oxirane, mono(nonylphenyl) ether:

Acute oral toxicity : LD50 (Rat): > 4.000 mg/kg

Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg

Alcohols, C12-15, ethoxylated:

Acute oral toxicity : LD50 (Rat): 1.700 mg/kg
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg
Remarks: Based on data from similar materials

7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Acute oral toxicity : LD50 (Rat, male): > 2.959 - 5.000 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): >= 5,19 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 436
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg
Method: OECD Test Guideline 402

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Diazinon (9%) Liquid Formulation

Version
7.0

Revision Date:
17.06.2025

SDS Number:
10843068-00009

Date of last issue: 14.04.2025
Date of first issue: 26.08.2022

Assessment: The substance or mixture has no acute dermal toxicity

4-[(1,5-Dihydro-3-methyl-5-oxo-1-phenyl-4H-pyrazol-4-ylidene)methyl]-2,4-dihydro-5-methyl-2-phenyl-3H-pyrazol-3-one:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 7,39 mg/l
Exposure time: 8 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): > 2.500 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Not classified based on available information.

Components:

Dibutyl phthalate:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Diazinon:

Species : Rabbit
Result : Mild skin irritation

Calcium dodecylbenzenesulphonate:

Species : Rabbit
Method : OECD Test Guideline 404
Result : Skin irritation
Remarks : Based on data from similar materials

Alcohols, C12-15, ethoxylated:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation
Remarks : Based on data from similar materials

7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

4-[(1,5-Dihydro-3-methyl-5-oxo-1-phenyl-4H-pyrazol-4-ylidene)methyl]-2,4-dihydro-5-methyl-2-phenyl-3H-pyrazol-3-one:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Diazinon (9%) Liquid Formulation

| | | | |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 14.04.2025 |
| 7.0 | 17.06.2025 | 10843068-00009 | Date of first issue: 26.08.2022 |

Species : Rabbit
Result : No skin irritation

Serious eye damage/eye irritation

Causes serious eye damage.

Components:

Dibutyl phthalate:

Species : Rabbit
Method : OECD Test Guideline 405
Result : No eye irritation

Calcium dodecylbenzenesulphonate:

Species : Rabbit
Method : OECD Test Guideline 405
Result : Irreversible effects on the eye
Remarks : Based on data from similar materials

Alcohols, C12-15, ethoxylated:

Species : Rabbit
Result : Irreversible effects on the eye
Remarks : Based on data from similar materials

7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Species : Rabbit
Method : OECD Test Guideline 405
Result : No eye irritation

4-[(1,5-Dihydro-3-methyl-5-oxo-1-phenyl-4H-pyrazol-4-ylidene)methyl]-2,4-dihydro-5-methyl-2-phenyl-3H-pyrazol-3-one:

Species : Rabbit
Result : No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Components:

Dibutyl phthalate:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : negative

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Diazinon (9%) Liquid Formulation

Version 7.0 Revision Date: 17.06.2025 SDS Number: 10843068-00009 Date of last issue: 14.04.2025
Date of first issue: 26.08.2022

Diazinon:

Test Type : Buehler Test
Exposure routes : Skin contact
Species : Guinea pig
Result : negative

Calcium dodecylbenzenesulphonate:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : negative
Remarks : Based on data from similar materials

Alcohols, C12-15, ethoxylated:

Test Type : Magnusson-Kligman-Test
Exposure routes : Skin contact
Species : Guinea pig
Result : negative
Remarks : Based on data from similar materials

7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Result : positive

Assessment : Probability or evidence of skin sensitisation in humans

4-[(1,5-Dihydro-3-methyl-5-oxo-1-phenyl-4H-pyrazol-4-ylidene)methyl]-2,4-dihydro-5-methyl-2-phenyl-3H-pyrazol-3-one:

Species : Guinea pig
Result : negative

Germ cell mutagenicity

Suspected of causing genetic defects.

Components:

Dibutyl phthalate:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro
Result: negative
Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test
Result: positive

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Diazinon (9%) Liquid Formulation

| | | | |
|----------------|------------------------------|-------------------------------|-------------------------------------------------------------------|
| Version 7.0 | Revision Date: 17.06.2025 | SDS Number: 10843068-00009 | Date of last issue: 14.04.2025 Date of first issue: 26.08.2022 |
|----------------|------------------------------|-------------------------------|-------------------------------------------------------------------|

cytogenetic assay)

Species: Mouse

Application Route: Ingestion

Result: negative

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Diazinon:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Result: negative

Test Type: Chromosome aberration test in vitro
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Rat
Application Route: Intraperitoneal injection
Result: positive

Germ cell mutagenicity- Assessment : Positive result(s) from in vivo mammalian somatic cell mutagenicity tests.

Calcium dodecylbenzenesulphonate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative
Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test
Result: negative
Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: negative
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

Alcohols, C12-15, ethoxylated:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Diazinon (9%) Liquid Formulation

Version
7.0

Revision Date:
17.06.2025

SDS Number:
10843068-00009

Date of last issue: 14.04.2025
Date of first issue: 26.08.2022

Result: negative

Remarks: Based on data from similar materials

7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: positive

Test Type: In vitro mammalian cell gene mutation test
Result: positive

Test Type: In vitro sister chromatid exchange assay in mammalian cells
Result: positive

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)
Result: positive

Genotoxicity in vivo : Test Type: Unscheduled DNA synthesis (UDS) test with mammalian liver cells in vivo
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 486
Result: negative

Test Type: Micronucleus test
Species: Mouse
Application Route: Intraperitoneal injection
Result: negative

Test Type: Transgenic rodent somatic cell gene mutation assay
Species: Mouse
Application Route: Ingestion
Method: OECD Test Guideline 488
Result: positive

Germ cell mutagenicity- Assessment : Positive result(s) from in vivo mammalian somatic cell mutagenicity tests.

Carcinogenicity

May cause cancer.

Components:

Diazinon:

Species : Rat
Application Route : Ingestion
Exposure time : 104 weeks
Result : negative

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Diazinon (9%) Liquid Formulation

| | | | |
|----------------|------------------------------|-------------------------------|-------------------------------------------------------------------|
| Version 7.0 | Revision Date: 17.06.2025 | SDS Number: 10843068-00009 | Date of last issue: 14.04.2025 Date of first issue: 26.08.2022 |
|----------------|------------------------------|-------------------------------|-------------------------------------------------------------------|

Carcinogenicity - Assessment : Sufficient evidence of carcinogenicity in animal experiments

7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Species : Mouse
Application Route : Skin contact
Exposure time : 29 Months
Result : negative

Reproductive toxicity

May damage the unborn child. Suspected of damaging fertility.

Components:

Dibutyl phthalate:

Effects on fertility : Test Type: Two-generation study
Species: Rat
Application Route: Ingestion
Result: positive

Effects on foetal development : Test Type: Development
Species: Rat
Application Route: Ingestion
Result: positive

Reproductive toxicity - Assessment : Clear evidence of adverse effects on development, based on animal experiments., Some evidence of adverse effects on sexual function and fertility, based on animal experiments.

Diazinon:

Effects on fertility : Test Type: Three-generation study
Species: Rat
Application Route: Ingestion
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: Ingestion
Result: negative

Calcium dodecylbenzenesulphonate:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 422
Result: negative
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Diazinon (9%) Liquid Formulation

Version
7.0

Revision Date:
17.06.2025

SDS Number:
10843068-00009

Date of last issue: 14.04.2025
Date of first issue: 26.08.2022

Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 422
Result: negative
Remarks: Based on data from similar materials

7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 414
Result: negative

4-[(1,5-Dihydro-3-methyl-5-oxo-1-phenyl-4H-pyrazol-4-ylidene)methyl]-2,4-dihydro-5-methyl-2-phenyl-3H-pyrazol-3-one:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 422
Result: positive

Effects on foetal development : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 422
Result: positive

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal experiments.

STOT - single exposure

May cause damage to organs.

Components:

Diazinon:

Exposure routes : Ingestion
Target Organs : Nervous system
Assessment : Shown to produce significant health effects in animals at concentrations of 300 mg/kg bw or less.

STOT - repeated exposure

Not classified based on available information.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Diazinon (9%) Liquid Formulation

Version
7.0

Revision Date:
17.06.2025

SDS Number:
10843068-00009

Date of last issue: 14.04.2025
Date of first issue: 26.08.2022

Components:

Diazinon:

Exposure routes : Ingestion
Target Organs : Nervous system
Assessment : Shown to produce significant health effects in animals at concentrations of >10 to 100 mg/kg bw.

Calcium dodecylbenzenesulphonate:

Assessment : No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.

7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Exposure routes : Ingestion
Target Organs : nasal cavity
Assessment : Shown to produce significant health effects in animals at concentrations of >10 to 100 mg/kg bw.

Repeated dose toxicity

Components:

Dibutyl phthalate:

Species : Rat
NOAEL : 152 mg/kg
LOAEL : 752 mg/kg
Application Route : Ingestion
Exposure time : 90 Days
Method : OECD Test Guideline 408

Species : Rat
NOAEL : 0,51 mg/l
Application Route : inhalation (dust/mist/fume)
Exposure time : 4 Weeks
Method : OECD Test Guideline 412

Diazinon:

Species : Rat
NOAEL : 0,3 mg/kg
LOAEL : 15 mg/kg
Application Route : Ingestion
Exposure time : 90 Days

Species : Rat
NOAEL : 0,1 mg/l
LOAEL : 0,75 mg/l
Application Route : inhalation (dust/mist/fume)
Exposure time : 28 Days

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Diazinon (9%) Liquid Formulation

Version 7.0 Revision Date: 17.06.2025 SDS Number: 10843068-00009 Date of last issue: 14.04.2025
Date of first issue: 26.08.2022

Calcium dodecylbenzenesulphonate:

| | | |
|-------------------|---|--------------------------------------|
| Species | : | Rat |
| NOAEL | : | > 200 mg/kg |
| Application Route | : | Ingestion |
| Exposure time | : | 6 - 7 Weeks |
| Method | : | OECD Test Guideline 422 |
| Remarks | : | Based on data from similar materials |
| Species | : | Rabbit |
| NOAEL | : | > 100 mg/kg |
| Application Route | : | Skin contact |
| Exposure time | : | 28 Days |
| Method | : | OECD Test Guideline 410 |
| Remarks | : | Based on data from similar materials |

7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

| | | |
|-------------------|---|-------------------------|
| Species | : | Rat |
| NOAEL | : | 5 mg/kg |
| LOAEL | : | 50 mg/kg |
| Application Route | : | Ingestion |
| Exposure time | : | 90 Days |
| Method | : | OECD Test Guideline 408 |

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

May cause endocrine disruption in humans

Product:

| | | |
|------------|---|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Assessment | : | This substance/mixture contains components considered to have endocrine disrupting properties affecting human health, according to REACH Article 57(f), Commission Regulation (EU) 2018/605 or Commission Delegated Regulation (EU) 2017/2100. |
|------------|---|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

Components:

Dibutyl phthalate:

| | | |
|------------|---|------------------------------------------------------------------------------------------------------------------------|
| Assessment | : | The substance is considered to have endocrine disrupting properties according to REACH Article 57(f) for human health. |
|------------|---|------------------------------------------------------------------------------------------------------------------------|

Experience with human exposure

Components:

Diazinon:

| | | |
|------------|---|--------------------------------|
| Inhalation | : | Symptoms: carcinogenic effects |
|------------|---|--------------------------------|

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Diazinon (9%) Liquid Formulation

Version 7.0 Revision Date: 17.06.2025 SDS Number: 10843068-00009 Date of last issue: 14.04.2025 Date of first issue: 26.08.2022

SECTION 12: Ecological information

12.1 Toxicity

Components:

Dibutyl phthalate:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 0,48 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Mysidopsis bahia (opossum shrimp)): 0,5 mg/l
Exposure time: 96 h

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 0,75 mg/l
Exposure time: 10 d

NOEC (Pseudokirchneriella subcapitata (green algae)): 0,39 mg/l
Exposure time: 10 d

M-Factor (Acute aquatic toxicity) : 1

Toxicity to microorganisms : NOEC (Pseudomonas putida): >= 10 mg/l
Exposure time: 30 min
Remarks: No toxicity at the limit of solubility

Toxicity to fish (Chronic toxicity) : NOEC: 0,1 mg/l
Exposure time: 99 d
Species: Oncorhynchus mykiss (rainbow trout)

Diazinon:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0,09 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Ceriodaphnia dubia (water flea)): 0,000164 mg/l
Exposure time: 48 h

M-Factor (Acute aquatic toxicity) : 1.000

Toxicity to fish (Chronic toxicity) : NOEC: 0,092 mg/l
Exposure time: 34 d
Species: Pimephales promelas (fathead minnow)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,00017 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic toxicity) : 100

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Diazinon (9%) Liquid Formulation

Version
7.0

Revision Date:
17.06.2025

SDS Number:
10843068-00009

Date of last issue: 14.04.2025
Date of first issue: 26.08.2022

Calcium dodecylbenzenesulphonate:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 1 - 10 mg/l
Exposure time: 96 h
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l
Exposure time: 48 h
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 10 - 100 mg/l
Exposure time: 72 h
Remarks: Based on data from similar materials

NOEC (Pseudokirchneriella subcapitata (green algae)): > 0,1 - 1 mg/l
Exposure time: 72 h
Remarks: Based on data from similar materials

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209
Remarks: Based on data from similar materials

Toxicity to fish (Chronic toxicity) : NOEC: > 0,1 - 1 mg/l
Exposure time: 28 d
Species: Pimephales promelas (fathead minnow)
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: > 1 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Remarks: Based on data from similar materials

Oxirane, 2-methyl-, polymer with oxirane, mono(nonylphenyl) ether:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 0,1 - 1 mg/l
Exposure time: 96 h
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 0,1 - 1 mg/l
Exposure time: 48 h
Method: ISO 6341
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): > 1 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

NOEC (Raphidocelis subcapitata (freshwater green alga)): > 1 mg/l

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Diazinon (9%) Liquid Formulation

Version
7.0

Revision Date:
17.06.2025

SDS Number:
10843068-00009

Date of last issue: 14.04.2025
Date of first issue: 26.08.2022

Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

M-Factor (Acute aquatic toxicity) : 1

Toxicity to microorganisms : EC10 (activated sludge): > 1 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209
Remarks: Based on data from similar materials

Toxicity to fish (Chronic toxicity) : NOEC: > 0,1 - 1 mg/l
Exposure time: 100 d
Species: Oryzias latipes (Japanese medaka)
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: > 0,001 - 0,01 mg/l
Exposure time: 28 d
Species: Mysidopsis bahia (opossum shrimp)
Remarks: Based on data from similar materials

M-Factor (Chronic aquatic toxicity) : 10

Alcohols, C12-15, ethoxylated:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 1 - 10 mg/l
Exposure time: 96 h
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l
Exposure time: 48 h
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 1 - 10 mg/l
Exposure time: 72 h
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10: > 0,1 - 1 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Remarks: Based on data from similar materials

7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 24 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 40 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Diazinon (9%) Liquid Formulation

| | | | |
|----------------|------------------------------|-------------------------------|-------------------------------------------------------------------|
| Version 7.0 | Revision Date: 17.06.2025 | SDS Number: 10843068-00009 | Date of last issue: 14.04.2025 Date of first issue: 26.08.2022 |
|----------------|------------------------------|-------------------------------|-------------------------------------------------------------------|

| | |
|-----------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Toxicity to algae/aquatic plants | : ErC50 (Raphidocelis subcapitata (freshwater green alga)): > 110 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 |
| | NOEC (Raphidocelis subcapitata (freshwater green alga)): 30 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 |
| Toxicity to microorganisms | : EC10 (activated sludge): 409 mg/l Exposure time: 3 h Method: OECD Test Guideline 209 |
| 4-[(1,5-Dihydro-3-methyl-5-oxo-1-phenyl-4H-pyrazol-4-ylidene)methyl]-2,4-dihydro-5-methyl-2-phenyl-3H-pyrazol-3-one: | |
| Toxicity to fish | : LC50 (Danio rerio (zebra fish)): 22,7 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: No toxicity at the limit of solubility |
| Toxicity to daphnia and other aquatic invertebrates | : EC50 (Daphnia magna (Water flea)): > 0,407 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: No toxicity at the limit of solubility |
| Toxicity to algae/aquatic plants | : EL50 (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: No toxicity at the limit of solubility |
| | EL10 (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: No toxicity at the limit of solubility |
| Toxicity to microorganisms | : EC50 : > 1.000 mg/l Exposure time: 30 min Method: OECD Test Guideline 209 |

12.2 Persistence and degradability

Components:

Dibutyl phthalate:

| | |
|------------------|---------------------------------------------------------------------------------------------------------------------------|
| Biodegradability | : Result: Readily biodegradable. Biodegradation: 81 % Exposure time: 28 d Method: CO ₂ Evolution Test |
|------------------|---------------------------------------------------------------------------------------------------------------------------|

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Diazinon (9%) Liquid Formulation

Version 7.0 Revision Date: 17.06.2025 SDS Number: 10843068-00009 Date of last issue: 14.04.2025
Date of first issue: 26.08.2022

Calcium dodecylbenzenesulphonate:

Biodegradability : Result: Readily biodegradable.
Remarks: Based on data from similar materials

Oxirane, 2-methyl-, polymer with oxirane, mono(nonylphenyl) ether:

Biodegradability : Result: Not readily biodegradable.
Remarks: Based on data from similar materials

Alcohols, C12-15, ethoxylated:

Biodegradability : Result: rapidly degradable
Remarks: Based on data from similar materials

7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 71 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

4-[(1,5-Dihydro-3-methyl-5-oxo-1-phenyl-4H-pyrazol-4-ylidene)methyl]-2,4-dihydro-5-methyl-2-phenyl-3H-pyrazol-3-one:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 0 %
Exposure time: 28 d
Method: OECD Test Guideline 301F

12.3 Bioaccumulative potential

Components:

Dibutyl phthalate:

Partition coefficient: n-octanol/water : log Pow: 4,46

Diazinon:

Bioaccumulation : Species: Cyprinus carpio (Carp)
Bioconcentration factor (BCF): 46,9

Partition coefficient: n-octanol/water : log Pow: 3,69

Calcium dodecylbenzenesulphonate:

Bioaccumulation : Bioconcentration factor (BCF): < 500
Remarks: Based on data from similar materials

Partition coefficient: n-octanol/water : log Pow: 4,77
Remarks: Calculation

Oxirane, 2-methyl-, polymer with oxirane, mono(nonylphenyl) ether:

Partition coefficient: n- : log Pow: < 4

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Diazinon (9%) Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 14.04.2025
7.0 17.06.2025 10843068-00009 Date of first issue: 26.08.2022

7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Partition coefficient: n-octanol/water : log Pow: 1,34
Method: OECD Test Guideline 107

4-[(1,5-Dihydro-3-methyl-5-oxo-1-phenyl-4H-pyrazol-4-ylidene)methyl]-2,4-dihydro-5-methyl-2-phenyl-3H-pyrazol-3-one:

Partition coefficient: n-octanol/water : log Pow: 5,02

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : This substance/mixture contains components considered to have endocrine disrupting properties for environment, according to REACH Article 57(f), Commission Regulation (EU) 2018/605 or Commission Delegated Regulation (EU) 2017/2100.

Components:

Dibutyl phthalate:

Assessment : The substance is considered to have endocrine disrupting properties according to REACH Article 57(f) for the environment.

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Diazinon (9%) Liquid Formulation

| | | | |
|----------------|------------------------------|-------------------------------|-------------------------------------------------------------------|
| Version 7.0 | Revision Date: 17.06.2025 | SDS Number: 10843068-00009 | Date of last issue: 14.04.2025 Date of first issue: 26.08.2022 |
|----------------|------------------------------|-------------------------------|-------------------------------------------------------------------|

Contaminated packaging : Do not dispose of waste into sewer.
Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number or ID number

ADN : UN 3082
ADR : UN 3082
RID : UN 3082
IMDG : UN 3082
IATA : UN 3082

14.2 UN proper shipping name

ADN : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Diazinon, Dibutyl phthalate)
ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Diazinon, Dibutyl phthalate)
RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Diazinon, Dibutyl phthalate)
IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Diazinon, Dibutyl phthalate)
IATA : Environmentally hazardous substance, liquid, n.o.s.
(Diazinon, Dibutyl phthalate)

14.3 Transport hazard class(es)

| | Class | Subsidiary risks |
|-------------|-------|------------------|
| ADN | : 9 | |
| ADR | : 9 | |
| RID | : 9 | |
| IMDG | : 9 | |
| IATA | : 9 | |

14.4 Packing group

ADN
Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Diazinon (9%) Liquid Formulation

| | | | |
|----------------|------------------------------|-------------------------------|-------------------------------------------------------------------|
| Version 7.0 | Revision Date: 17.06.2025 | SDS Number: 10843068-00009 | Date of last issue: 14.04.2025 Date of first issue: 26.08.2022 |
|----------------|------------------------------|-------------------------------|-------------------------------------------------------------------|

ADR

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

RID

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

IMDG

Packing group : III
Labels : 9
EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo aircraft) : 964
Packing instruction (LQ) : Y964
Packing group : III
Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passenger aircraft) : 964
Packing instruction (LQ) : Y964
Packing group : III
Labels : Miscellaneous

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Diazinon (9%) Liquid Formulation

Version 7.0 Revision Date: 17.06.2025 SDS Number: 10843068-00009 Date of last issue: 14.04.2025
Date of first issue: 26.08.2022

working environment.

Note the regulation on organization, leadership and participation, chapter 12 on the work of children and young people.

The components of this product are reported in the following inventories:

AICS : not determined
DSL : not determined
IECSC : not determined

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Other information : Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Full text of H-Statements

EUH380 : May cause endocrine disruption in humans
EUH430 : May cause endocrine disruption in the environment
H302 : Harmful if swallowed.
H315 : Causes skin irritation.
H317 : May cause an allergic skin reaction.
H318 : Causes serious eye damage.
H341 : Suspected of causing genetic defects.
H350 : May cause cancer.
H360Df : May damage the unborn child. Suspected of damaging fertility.
H361fd : Suspected of damaging fertility. Suspected of damaging the unborn child.
H370 : Causes damage to organs.
H373 : May cause damage to organs through prolonged or repeated exposure.
H400 : Very toxic to aquatic life.
H410 : Very toxic to aquatic life with long lasting effects.
H411 : Toxic to aquatic life with long lasting effects.
H412 : Harmful to aquatic life with long lasting effects.
H413 : May cause long lasting harmful effects to aquatic life.

Full text of other abbreviations

Acute Tox. : Acute toxicity
Aquatic Acute : Short-term (acute) aquatic hazard
Aquatic Chronic : Long-term (chronic) aquatic hazard
Carc. : Carcinogenicity
ED ENV : Endocrine disruptor for environment
ED HH : Endocrine disruptor for human health
Eye Dam. : Serious eye damage
Muta. : Germ cell mutagenicity
Repr. : Reproductive toxicity

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Diazinon (9%) Liquid Formulation

| | | | |
|----------------|------------------------------|-------------------------------|-------------------------------------------------------------------|
| Version 7.0 | Revision Date: 17.06.2025 | SDS Number: 10843068-00009 | Date of last issue: 14.04.2025 Date of first issue: 26.08.2022 |
|----------------|------------------------------|-------------------------------|-------------------------------------------------------------------|

| | | |
|-----------------------|---|----------------------------------------------------|
| Skin Irrit. | : | Skin irritation |
| Skin Sens. | : | Skin sensitisation |
| STOT RE | : | Specific target organ toxicity - repeated exposure |
| STOT SE | : | Specific target organ toxicity - single exposure |
| FOR-2011-12-06-1358 | : | Norway. Occupational Exposure limits |
| FOR-2011-12-06-1358 / | : | Long term exposure limit |
| TWA | | |

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Classification of the mixture:

| | |
|--------------|------|
| Eye Dam. 1 | H318 |
| Skin Sens. 1 | H317 |
| Muta. 2 | H341 |
| Carc. 1B | H350 |

Classification procedure:

| |
|--------------------|
| Calculation method |
| Calculation method |
| Calculation method |
| Calculation method |

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Diazinon (9%) Liquid Formulation

| | | | |
|----------------|------------------------------|-------------------------------|-------------------------------------------------------------------|
| Version 7.0 | Revision Date: 17.06.2025 | SDS Number: 10843068-00009 | Date of last issue: 14.04.2025 Date of first issue: 26.08.2022 |
|----------------|------------------------------|-------------------------------|-------------------------------------------------------------------|

| | | |
|-------------------|--------|--------------------|
| Repr. 1B | H360Df | Calculation method |
| STOT SE 2 | H371 | Calculation method |
| ED HH 1 | EUH380 | Calculation method |
| Aquatic Acute 1 | H400 | Calculation method |
| Aquatic Chronic 1 | H410 | Calculation method |
| ED ENV 1 | EUH430 | Calculation method |

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

NO / EN