

**Levamisole (6.5%) / Oxyclozanide (13%) For-
mulation**

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
5.0	14.04.2025	10857712-00009	Date of first issue: 29.09.2022

Section 1: Identification

Product identifier : Levamisole (6.5%) / Oxyclozanide (13%) Formulation

Other means of identification : COOPERS NILZAN LV ORAL DRENCH (36089)

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product
Restrictions on use : Not applicable

Manufacturer or supplier's details

Company : MSD
Address : 50 Tuas West Drive
Singapore - Singapore 638408
Telephone : +1-908-740-4000
Emergency telephone number : 65 6697 2111 (24/7/365)
E-mail address : EHSDATASTEWARD@msd.com

Section 2: Hazard identification**Classification of the substance or mixture**

Serious eye damage/eye irritation : Category 1

Reproductive toxicity : Category 2

Specific target organ toxicity - single exposure (Oral) : Category 2 (Central nervous system)

Specific target organ toxicity - repeated exposure : Category 2 (Brain, Liver)

Long-term (chronic) aquatic hazard : Category 2

GHS Label elements, including precautionary statements

Levamisole (6.5%) / Oxyclozanide (13%) For- mulation

Version 5.0 Revision Date: 14.04.2025 SDS Number: 10857712-00009 Date of last issue: 06.07.2024
Date of first issue: 29.09.2022

- Hazard pictograms : 
- Signal word : Danger
- Hazard statements : H318 Causes serious eye damage.
H361d Suspected of damaging the unborn child.
H371 May cause damage to organs (Central nervous system) if swallowed.
H373 May cause damage to organs (Brain, Liver) through prolonged or repeated exposure.
H411 Toxic to aquatic life with long lasting effects.
- Precautionary statements : **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P260 Do not breathe mist or vapours.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.
- Response:**
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor.
P391 Collect spillage.
- Storage:**
P405 Store locked up.
- Disposal:**
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
---------------	---------	-----------------------

Levamisole (6.5%) / Oxyclozanide (13%) For- mulation

Version 5.0 Revision Date: 14.04.2025 SDS Number: 10857712-00009 Date of last issue: 06.07.2024
Date of first issue: 29.09.2022

oxyclozanide	2277-92-1	>= 10 -< 20
Silicic acid, aluminum salt	1335-30-4	>= 3 -< 10
levamisole hydrochloride	16595-80-5	>= 3 -< 10
Citric acid	77-92-9	>= 1 -< 10

Section 4: First-aid measures

Description of necessary first-aid measures

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
If easy to do, remove contact lens, if worn.
Get medical attention immediately.
- If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water.
Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

- Risks : Causes serious eye damage.
Suspected of damaging the unborn child.
May cause damage to organs if swallowed.
May cause damage to organs through prolonged or repeated exposure.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Indication of any immediate medical attention and special treatment needed

- Treatment : Treat symptomatically and supportively.

Section 5: Fire-fighting measures

Extinguishing media

- Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

**Levamisole (6.5%) / Oxyclozanide (13%) For-
mulation**

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
5.0	14.04.2025	10857712-00009	Date of first issue: 29.09.2022

Unsuitable extinguishing media : None known.

Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides
Chlorine compounds
Nitrogen oxides (NOx)

Special protective actions for fire-fighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

Section 6: Accidental release measures**Personal precautions, protective equipment and emergency procedures**

Personal precautions : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g. by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material.
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

**Levamisole (6.5%) / Oxyclozanide (13%) For-
mulation**

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
5.0	14.04.2025	10857712-00009	Date of first issue: 29.09.2022

mine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding
certain local or national requirements.

Section 7: Handling and storage**Precautions for safe handling**

- | | | |
|-------------------------|---|--|
| Technical measures | : | See Engineering measures under EXPOSURE
CONTROLS/PERSONAL PROTECTION section. |
| Local/Total ventilation | : | Use only with adequate ventilation. |
| Advice on safe handling | : | Do not breathe mist or vapours.
Do not swallow.
Do not get in eyes.
Avoid prolonged or repeated contact with skin.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety
practice, based on the results of the workplace exposure as-
sessment
Keep container tightly closed.
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the
environment. |
| Hygiene measures | : | If exposure to chemical is likely during typical use, provide eye
flushing systems and safety showers close to the working
place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of
engineering controls, proper personal protective equipment,
appropriate degowning and decontamination procedures,
industrial hygiene monitoring, medical surveillance and the
use of administrative controls. |

Conditions for safe storage, including any incompatibilities

- | | | |
|-----------------------------|---|--|
| Conditions for safe storage | : | Keep in properly labelled containers.
Store locked up.
Keep tightly closed.
Store in accordance with the particular national regulations. |
| Materials to avoid | : | Do not store with the following product types:
Strong oxidizing agents |

Section 8: Exposure controls/personal protection**Control parameters****Occupational Exposure Limits**

Components	CAS-No.	Value type	Control parame-	Basis
------------	---------	------------	-----------------	-------

Levamisole (6.5%) / Oxyclozanide (13%) For- mulation

Version 5.0 Revision Date: 14.04.2025 SDS Number: 10857712-00009 Date of last issue: 06.07.2024
Date of first issue: 29.09.2022

		(Form of exposure)	ters / Permissible concentration	
oxyclozanide	2277-92-1	TWA	0.4 mg/m ³ (OEB 2)	Internal
Silicic acid, aluminum salt	1335-30-4	PEL (long term)	2 mg/m ³ (Aluminium)	SG OEL
levamisole hydrochloride	16595-80-5	TWA	20 µg/m ³ (OEB 3)	Internal
	Further information: Skin			
		Wipe limit	200 µg/100 cm ²	Internal

Appropriate engineering control measures : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).
Minimize open handling.

Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection : Wear safety glasses with side shields or goggles.
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin protection : Work uniform or laboratory coat.
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.
Use appropriate degowning techniques to remove potentially contaminated clothing.

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Section 9: Physical and chemical properties

Appearance : suspension

Colour : yellow

Levamisole (6.5%) / Oxyclozanide (13%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
5.0	14.04.2025	10857712-00009	Date of first issue: 29.09.2022

Odour	:	No data available
Odour Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.

**Levamisole (6.5%) / Oxyclozanide (13%) For-
mulation**

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
5.0	14.04.2025	10857712-00009	Date of first issue: 29.09.2022

Molecular weight : No data available

Particle characteristics
Particle size : Not applicable

Section 10: Stability and reactivity

Reactivity : Not classified as a reactivity hazard.
Chemical stability : Stable under normal conditions.
Possibility of hazardous reac- : Can react with strong oxidizing agents.
tions
Conditions to avoid : None known.
Incompatible materials : Oxidizing agents
Hazardous decomposition : No hazardous decomposition products are known.
products

Section 11: Toxicological information

Information on likely routes of : Inhalation
exposure : Skin contact
: Ingestion
: Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg
Method: Calculation method

Components:**oxyclozanide:**

Acute oral toxicity : LD50 (Rat): 3,519 mg/kg
Target Organs: Central nervous system

Acute toxicity (other routes of : LDLo (sheep): 10 mg/kg
administration) : Application Route: Intravenous

Silicic acid, aluminum salt:

Acute oral toxicity : LD50 (Rat, female): > 2,000 mg/kg
Method: OECD Test Guideline 423
Assessment: The substance or mixture has no acute oral tox-
icity

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg
Remarks: Based on data from similar materials

**Levamisole (6.5%) / Oxytoclozanide (13%) For-
mulation**

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
5.0	14.04.2025	10857712-00009	Date of first issue: 29.09.2022

levamisole hydrochloride:

Acute oral toxicity	:	LD50 (Rat): 180 mg/kg
		LD50 (Mouse): 223 mg/kg
		LD50 (Rabbit): 458 mg/kg
Acute inhalation toxicity	:	Remarks: No data available
Acute dermal toxicity	:	Remarks: No data available

Citric acid:

Acute oral toxicity	:	LD50 (Mouse): 5,400 mg/kg
Acute dermal toxicity	:	LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Not classified based on available information.

Components:**oxytoclozanide:**

Remarks	:	Not classified due to lack of data.
---------	---	-------------------------------------

Silicic acid, aluminum salt:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation
Remarks	:	Based on data from similar materials

levamisole hydrochloride:

Remarks	:	No data available
---------	---	-------------------

Citric acid:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

Serious eye damage/eye irritation

Causes serious eye damage.

**Levamisole (6.5%) / Oxyclozanide (13%) For-
mulation**

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
5.0	14.04.2025	10857712-00009	Date of first issue: 29.09.2022

Components:**oxyclozanide:**

Remarks : Not classified due to lack of data.

Silicic acid, aluminum salt:

Species : Chicken eye
Method : Chorioallantoic membrane vascularization assay

Result : Irreversible effects on the eye

levamisole hydrochloride:

Remarks : No data available

Citric acid:

Species : Rabbit
Result : Irritation to eyes, reversing within 21 days
Method : OECD Test Guideline 405

Respiratory or skin sensitisation**Skin sensitisation**

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:**oxyclozanide:**

Exposure routes : Dermal
Remarks : Not classified due to lack of data.

Silicic acid, aluminum salt:

Test Type : Local lymph node assay (LLNA)
Exposure routes : Skin contact
Species : Mouse
Method : OECD Test Guideline 429
Result : negative

levamisole hydrochloride:

Remarks : No data available

Germ cell mutagenicity

Not classified based on available information.

**Levamisole (6.5%) / Oxyclozanide (13%) For-
mulation**

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
5.0	14.04.2025	10857712-00009	Date of first issue: 29.09.2022

Components:**oxyclozanide:**

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative Test Type: Chromosomal aberration Test system: Human lymphocytes Result: positive Test Type: Mouse Lymphoma Result: positive
Genotoxicity in vivo	:	Test Type: Micronucleus test Species: Mouse Application Route: Oral Result: negative Test Type: unscheduled DNA synthesis assay Species: Rat Cell type: Liver cells Application Route: Oral Result: negative
Germ cell mutagenicity - Assessment	:	Weight of evidence does not support classification as a germ cell mutagen.

Silicic acid, aluminum salt:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative Test Type: Chromosome aberration test in vitro Result: negative Remarks: Based on data from similar materials
Genotoxicity in vivo	:	Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis) Species: Rat Application Route: Ingestion Result: negative Remarks: Based on data from similar materials

levamisole hydrochloride:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative Test Type: Chromosome aberration test in vitro Result: negative
-----------------------	---	--

**Levamisole (6.5%) / Oxyclozanide (13%) For-
mulation**

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
5.0	14.04.2025	10857712-00009	Date of first issue: 29.09.2022

Citric acid:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES)
		Result: negative
		Test Type: in vitro micronucleus test
		Result: positive
Genotoxicity in vivo	:	Test Type: Bacterial reverse mutation assay (AMES)
		Result: negative
		Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)
		Species: Rat
		Application Route: Ingestion
		Result: negative

Carcinogenicity

Not classified based on available information.

Components:**oxyclozanide:**

Remarks	:	Not classified due to lack of data.
---------	---	-------------------------------------

Silicic acid, aluminum salt:

Species	:	Rat
Application Route	:	Ingestion
Exposure time	:	104 weeks
Result	:	negative
Remarks	:	Based on data from similar materials

levamisole hydrochloride:

Species	:	Mouse
Application Route	:	Oral
Exposure time	:	2 Years
NOAEL	:	80 mg/kg body weight
Remarks	:	No significant adverse effects were reported

Species	:	Rat
Application Route	:	Oral
Exposure time	:	2 Years
NOAEL	:	40 mg/kg body weight
Remarks	:	No significant adverse effects were reported

Reproductive toxicity

Suspected of damaging the unborn child.

**Levamisole (6.5%) / Oxyclozanide (13%) For-
mulation**

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
5.0	14.04.2025	10857712-00009	Date of first issue: 29.09.2022

Components:**oxyclozanide:**

Effects on fertility	: Test Type: Two-generation reproduction toxicity study Species: Rat, male and female Application Route: Oral General Toxicity - Parent: NOAEL: 25 - 35 mg/kg body weight Symptoms: Reduced body weight, No effects on embryofoetal and postnatal development Result: No effects on fertility Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Oral General Toxicity - Parent: LOAEL: 75 - 100 mg/kg body weight Symptoms: Reduced body weight, No effects on embryofoetal and postnatal development Result: No effects on fertility Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Oral Early Embryonic Development: LOAEL: 75 - 100 mg/kg body weight Result: No fetotoxicity, No teratogenic effects Test Type: One-generation reproduction toxicity study Species: Rat Application Route: Oral General Toxicity - Parent: LOAEL: 80 - 160 mg/kg body weight Result: No fetotoxicity, No teratogenic effects, No effects on fertility
Effects on foetal development	: Test Type: Development Species: Rat Application Route: Oral Developmental Toxicity: NOAEL: 200 mg/kg body weight Result: No fetotoxicity, No teratogenic effects Test Type: Development Species: Rat Application Route: Oral General Toxicity Maternal: LOAEL: 100 mg/kg body weight Result: No fetotoxicity, No teratogenic effects Test Type: Development Species: Rabbit Application Route: Oral Developmental Toxicity: NOAEL: 32 mg/kg body weight

Levamisole (6.5%) / Oxyclozanide (13%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
5.0	14.04.2025	10857712-00009	Date of first issue: 29.09.2022

	Result: Fetotoxicity, Skeletal malformations
Reproductive toxicity - Assessment	: Suspected of damaging the unborn child.

Silicic acid, aluminum salt:

Effects on foetal development	: Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Result: negative Remarks: Based on data from similar materials
-------------------------------	---

levamisole hydrochloride:

Effects on fertility	: Test Type: Three-generation reproduction toxicity study Species: Rat Application Route: Oral Result: No significant adverse effects were reported
Effects on foetal development	: Test Type: Embryo-foetal development Species: Rat Application Route: Oral Developmental Toxicity: NOAEL: 20 mg/kg body weight Result: Fetotoxicity
	Test Type: Embryo-foetal development Species: Rabbit Application Route: Oral Developmental Toxicity: LOAEL: 40 mg/kg body weight Result: Fetotoxicity
Reproductive toxicity - Assessment	: Some evidence of adverse effects on development, based on animal experiments.

Citric acid:

Effects on foetal development	: Test Type: One-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative
-------------------------------	---

STOT - single exposure

May cause damage to organs (Central nervous system) if swallowed.

Components:

oxyclozanide:

Exposure routes	: Oral
Target Organs	: Central nervous system
Assessment	: May cause damage to organs.

**Levamisole (6.5%) / Oxyclozanide (13%) For-
mulation**

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
5.0	14.04.2025	10857712-00009	Date of first issue: 29.09.2022

Citric acid:

|| Assessment : May cause respiratory irritation.

STOT - repeated exposure

May cause damage to organs (Brain, Liver) through prolonged or repeated exposure.

Components:**oxyclozanide:**

|| Target Organs : Brain, Liver
|| Assessment : May cause damage to organs through prolonged or repeated exposure.

levamisole hydrochloride:

|| Target Organs : Blood, Testis
|| Assessment : May cause damage to organs through prolonged or repeated exposure.

Repeated dose toxicity**Components:****oxyclozanide:**

|| Species : Rat
|| NOAEL : 9 mg/kg
|| LOAEL : 44.5 mg/kg
|| Application Route : Oral
|| Exposure time : 3 Months
|| Target Organs : Brain, Liver, spleen, Adrenal gland
|| Symptoms : Liver effects

|| Species : Dog
|| NOAEL : 5 mg/kg
|| LOAEL : 25 mg/kg
|| Application Route : Oral
|| Exposure time : 3 Months
|| Target Organs : Brain, Liver
|| Symptoms : blood effects, alteration in liver enzymes

Silicic acid, aluminum salt:

|| Species : Rat
|| NOAEL : > 100 mg/kg
|| Application Route : Ingestion
|| Exposure time : 104 Weeks
|| Remarks : Based on data from similar materials

levamisole hydrochloride:

|| Species : Rat

**Levamisole (6.5%) / Oxyclozanide (13%) For-
mulation**

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
5.0	14.04.2025	10857712-00009	Date of first issue: 29.09.2022

NOAEL	: 2.5 mg/kg
Application Route	: Oral
Exposure time	: 18 Months
Target Organs	: Testis

Species	: Dog
LOAEL	: 20 mg/kg
Application Route	: Oral
Exposure time	: 18 Months
Target Organs	: Blood

Species	: Dog
LOAEL	: 40 mg/kg
Application Route	: Oral
Exposure time	: 3 Months

Citric acid:

Species	: Rat
NOAEL	: 4,000 mg/kg
LOAEL	: 8,000 mg/kg
Application Route	: Ingestion
Exposure time	: 10 Days

Aspiration toxicity

Not classified based on available information.

Components:**oxyclozanide:**

|| Not applicable

Experience with human exposure**Components:****oxyclozanide:**

Ingestion	: Symptoms: May cause, Gastrointestinal disturbance, Central nervous system depression
-----------	--

levamisole hydrochloride:

Ingestion	: Symptoms: Nausea, Vomiting, Headache, Dizziness, hypotension
-----------	--

Section 12: Ecological information**Toxicity****Components:****oxyclozanide:**

**Levamisole (6.5%) / Oxyclozanide (13%) For-
mulation**

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
5.0	14.04.2025	10857712-00009	Date of first issue: 29.09.2022

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.69 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

M-Factor (Acute aquatic toxicity) : 1

M-Factor (Chronic aquatic toxicity) : 1

Silicic acid, aluminum salt:**Ecotoxicology Assessment**

Chronic aquatic toxicity : No toxicity at the limit of solubility

levamisole hydrochloride:

Toxicity to fish : LC50 (Oryzias latipes (Japanese medaka)): 37.3 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 64 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Citric acid:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1,535 mg/l
Exposure time: 24 h

Persistence and degradability**Components:****oxyclozanide:**

Stability in water : Hydrolysis: 50 % (156 d)
Method: OECD Test Guideline 111

Citric acid:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 97 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

Bioaccumulative potential**Components:****oxyclozanide:**

**Levamisole (6.5%) / Oxyclozanide (13%) For-
mulation**

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
5.0	14.04.2025	10857712-00009	Date of first issue: 29.09.2022

Partition coefficient: n-octanol/water : log Pow: 3.99
pH: 7
Method: OECD Test Guideline 107

Citric acid:

Partition coefficient: n-octanol/water : log Pow: -1.72

Mobility in soil**Components:****oxyclozanide:**

Distribution among environmental compartments : log Koc: 4.83
Method: OECD Test Guideline 106

Other adverse effects

No data available

Section 13: Disposal considerations**Disposal methods**

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

Section 14: Transport information**International Regulations****UNRTDG**

UN number : UN 3082
UN proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(oxyclozanide)

Transport hazard class(es) : 9
Packing group : III
Labels : 9
Environmental hazards : yes

IATA-DGR

UN/ID No. : UN 3082
UN proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(oxyclozanide)

Transport hazard class(es) : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo) : 964

**Levamisole (6.5%) / Oxyclozanide (13%) For-
mulation**

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
5.0	14.04.2025	10857712-00009	Date of first issue: 29.09.2022

aircraft)
Packing instruction (passenger aircraft) : 964
Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (oxyclozanide)
Transport hazard class(es) : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

Section 15: Regulatory information**Safety, health and environmental regulations specific for the product in question**

Workplace Safety and Health Act and Workplace Safety and Health (General Provisions) Regulations: This product is subject to the requirements in the Act/Regulations.

Environmental Protection and Management Act and : Not applicable
Environmental Protection and Management (Hazardous Substances) Regulations

Fire Safety (Petroleum and Flammable Materials) : Not applicable
Regulations

The components of this product are reported in the following inventories:

AICS : not determined
DSL : not determined
IECSC : not determined

Section 16: Other information

Revision Date : 14.04.2025

Further information

Sources of key data used to compile the Safety Data : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

**Levamisole (6.5%) / Oxyclozanide (13%) For-
mulation**

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
5.0	14.04.2025	10857712-00009	Date of first issue: 29.09.2022

Sheet [cy, http://echa.europa.eu/](http://echa.europa.eu/)

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : dd.mm.yyyy

Full text of other abbreviationsSG OEL : Singapore. Workplace Safety and Health (General Provisions)
Regulations - First Schedule Permissible Exposure Limits of
Toxic Substances.

SG OEL / PEL (long term) : Permissible Exposure Level (PEL) Long Term

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text.

**Levamisole (6.5%) / Oxyclozanide (13%) For-
mulation**

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
5.0	14.04.2025	10857712-00009	Date of first issue: 29.09.2022

Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

SG / EN