

# SAFETY DATA SHEET



## Chlorhexidine (0.8%) Liquid Formulation

Version 5.0      Revision Date: 14.04.2025      SDS Number: 10863769-00010      Date of last issue: 06.09.2024  
Date of first issue: 11.10.2022

---

### Section 1: Identification

**Product identifier** : Chlorhexidine (0.8%) Liquid Formulation

**Other means of identification** : Coopers Hibitane Disinfectant (36230)

### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

### Manufacturer or supplier's details

Company : MSD

Address : 50 Tuas West Drive  
Singapore - Singapore 638408

Telephone : +1-908-740-4000

Emergency telephone number : 65 6697 2111 (24/7/365)

E-mail address : EHSDATASTEWARD@msd.com

---

### Section 2: Hazard identification

#### Classification of the substance or mixture

Serious eye damage/eye irritation : Category 1

Skin sensitisation : Category 1

Long-term (chronic) aquatic hazard : Category 1

#### GHS Label elements, including precautionary statements

Hazard pictograms :



Signal word : Danger

Hazard statements : H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.  
H410 Very toxic to aquatic life with long lasting effects.

# SAFETY DATA SHEET



## Chlorhexidine (0.8%) Liquid Formulation

Version  
5.0

Revision Date:  
14.04.2025

SDS Number:  
10863769-00010

Date of last issue: 06.09.2024  
Date of first issue: 11.10.2022

### Precautionary statements

#### **Prevention:**

P261 Avoid breathing mist or vapours.  
P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/ eye protection/ face protection.

#### **Response:**

P302 + P352 IF ON SKIN: Wash with plenty of water.  
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P362 + P364 Take off contaminated clothing and wash it before reuse.

P391 Collect spillage.

#### **Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards which do not result in classification

None known.

## Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

#### **Components**

Chemical name	CAS-No.	Concentration (% w/w)
Nonylphenol, ethoxylated	9016-45-9	>= 3 < 10
Pine oil	8002-09-3	>= 1 < 2.5
Chlorhexidine	55-56-1	>= 0.25 < 1

## Section 4: First-aid measures

#### **Description of necessary first-aid measures**

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.

When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact : In case of contact, immediately flush skin with plenty of water.

Remove contaminated clothing and shoes.

Get medical attention.

Wash clothing before reuse.

Thoroughly clean shoes before reuse.

# SAFETY DATA SHEET



## Chlorhexidine (0.8%) Liquid Formulation

Version 5.0	Revision Date: 14.04.2025	SDS Number: 10863769-00010	Date of last issue: 06.09.2024 Date of first issue: 11.10.2022
----------------	------------------------------	-------------------------------	---

In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.

If easy to do, remove contact lens, if worn. Get medical attention immediately.

If swallowed : If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.

### Most important symptoms and effects, both acute and delayed

Risks : May cause an allergic skin reaction. Causes serious eye damage.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

### Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

---

## Section 5: Fire-fighting measures

### Extinguishing media

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : None known.

### Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides

### Special protective actions for fire-fighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

---

## Section 6: Accidental release measures

### Personal precautions, protective equipment and emergency procedures

# SAFETY DATA SHEET



## Chlorhexidine (0.8%) Liquid Formulation

Version 5.0      Revision Date: 14.04.2025      SDS Number: 10863769-00010      Date of last issue: 06.09.2024  
Date of first issue: 11.10.2022

---

**Personal precautions**

Personal precautions : Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

**Environmental precautions**

Environmental precautions : Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.

**Methods and materials for containment and cleaning up**

Methods for cleaning up : Soak up with inert absorbent material. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

## Section 7: Handling and storage

### Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not get on skin or clothing. Avoid breathing mist or vapours. Do not swallow. Do not get in eyes. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment. Keep container tightly closed. Take care to prevent spills, waste and minimize release to the environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before re-use. The effective operation of a facility should include review of

# SAFETY DATA SHEET



## Chlorhexidine (0.8%) Liquid Formulation

Version 5.0	Revision Date: 14.04.2025	SDS Number: 10863769-00010	Date of last issue: 06.09.2024 Date of first issue: 11.10.2022
----------------	------------------------------	-------------------------------	---

engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

### Conditions for safe storage, including any incompatibilities

Conditions for safe storage : Keep in properly labelled containers.  
Keep tightly closed.  
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents

## Section 8: Exposure controls/personal protection

### Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Chlorhexidine	55-56-1	TWA	40 µg/m <sup>3</sup> (OEB 3)	Internal
	Further information: RSEN, DSEN			
		Wipe limit	100 µg/100 cm <sup>2</sup>	Internal

**Appropriate engineering control measures** : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).  
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).  
Minimize open handling.

#### Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection : Wear safety glasses with side shields or goggles.  
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin protection : Work uniform or laboratory coat.  
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.  
Use appropriate degowning techniques to remove potentially contaminated clothing.

Respiratory protection : No personal respiratory protective equipment normally re-

# SAFETY DATA SHEET



## Chlorhexidine (0.8%) Liquid Formulation

Version 5.0      Revision Date: 14.04.2025      SDS Number: 10863769-00010      Date of last issue: 06.09.2024  
Date of first issue: 11.10.2022

---

quired.

Hand protection

Material : Chemical-resistant gloves  
Remarks : Consider double gloving.

---

### Section 9: Physical and chemical properties

Appearance : liquid  
Colour : clear, Hazy, yellow  
Odour : pine  
Odour Threshold : No data available  
pH : No data available  
Melting point/freezing point : No data available  
Initial boiling point and boiling range : No data available  
Flash point : No data available  
Evaporation rate : No data available  
Flammability (solid, gas) : Not applicable  
Flammability (liquids) : No data available  
Upper explosion limit / Upper flammability limit : No data available  
Lower explosion limit / Lower flammability limit : No data available  
Vapour pressure : No data available  
Relative vapour density : No data available  
Relative density : No data available  
Density : No data available  
Solubility(ies)  
Water solubility : No data available  
Partition coefficient: n-octanol/water : Not applicable  
Auto-ignition temperature : No data available

# SAFETY DATA SHEET



## Chlorhexidine (0.8%) Liquid Formulation

Version 5.0      Revision Date: 14.04.2025      SDS Number: 10863769-00010      Date of last issue: 06.09.2024  
Date of first issue: 11.10.2022

---

Decomposition temperature : No data available

Viscosity  
Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics  
Particle size : No data available

---

### Section 10: Stability and reactivity

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Can react with strong oxidizing agents.

Conditions to avoid : None known.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

---

### Section 11: Toxicological information

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg  
Method: Calculation method

#### Components:

##### **Nonylphenol, ethoxylated:**

Acute oral toxicity : LD50 (Rat): 500 - 2,000 mg/kg

##### **Pine oil:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Remarks: Based on data from similar materials

# SAFETY DATA SHEET



## Chlorhexidine (0.8%) Liquid Formulation

Version 5.0      Revision Date: 14.04.2025      SDS Number: 10863769-00010      Date of last issue: 06.09.2024  
Date of first issue: 11.10.2022

---

### **Chlorhexidine:**

Acute oral toxicity	: LD50 Oral (Mouse): 1,260 mg/kg
	LD50 Oral (Rabbit): 1,100 mg/kg
	LD50 Oral (Rat): 2,000 mg/kg
Acute toxicity (other routes of administration)	: LD50 (Rat): 21 mg/kg Application Route: Intravenous

### **Skin corrosion/irritation**

Not classified based on available information.

### **Components:**

#### **Nonylphenol, ethoxylated:**

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation

#### **Pine oil:**

Species	: Rabbit
Result	: Skin irritation
Remarks	: Based on data from similar materials

### **Serious eye damage/eye irritation**

Causes serious eye damage.

### **Components:**

#### **Nonylphenol, ethoxylated:**

Species	: Rabbit
Result	: Irreversible effects on the eye
Method	: OECD Test Guideline 405

#### **Pine oil:**

Species	: Bovine cornea
Method	: OECD Test Guideline 437
Remarks	: Based on data from similar materials
Result	: No eye irritation

#### **Chlorhexidine:**

Species	: Rabbit
Result	: Mild eye irritation

**Chlorhexidine (0.8%) Liquid Formulation**

Version 5.0      Revision Date: 14.04.2025      SDS Number: 10863769-00010      Date of last issue: 06.09.2024  
Date of first issue: 11.10.2022

---

**Respiratory or skin sensitisation****Skin sensitisation**

May cause an allergic skin reaction.

**Respiratory sensitisation**

Not classified based on available information.

**Components:****Nonylphenol, ethoxylated:**

Test Type	:	Maximisation Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Result	:	negative
Remarks	:	Based on data from similar materials

**Pine oil:**

Assessment	:	Probability or evidence of skin sensitisation in humans
Remarks	:	Based on data from similar materials

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****Nonylphenol, ethoxylated:**

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative Remarks: Based on data from similar materials
-----------------------	---	---

**Pine oil:**

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative Remarks: Based on data from similar materials
-----------------------	---	--

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)  
Method: OPPTS 870.5550  
Result: negative  
Remarks: Based on data from similar materials

Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Method: OPPTS 870.5395 Result: negative Remarks: Based on data from similar materials
----------------------	---	---

# SAFETY DATA SHEET



## Chlorhexidine (0.8%) Liquid Formulation

Version  
5.0

Revision Date:  
14.04.2025

SDS Number:  
10863769-00010

Date of last issue: 06.09.2024  
Date of first issue: 11.10.2022

### Chlorhexidine:

Genotoxicity in vitro

: Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: Chromosomal aberration  
Test system: Chinese hamster ovary cells  
Result: negative

Genotoxicity in vivo

: Test Type: dominant lethal test  
Species: Mouse  
Result: negative

Test Type: Cytogenetic assay  
Species: Hamster  
Result: negative

### Carcinogenicity

Not classified based on available information.

### Components:

#### Chlorhexidine:

Species

: Rat

Application Route

: oral (drinking water)

Exposure time

: 2 Years

Frequency of Treatment

: daily

NOAEL

: 38 mg/kg body weight

Result

: negative

Species

: Rat

Application Route

: oral (drinking water)

Exposure time

: 2 Years

Frequency of Treatment

: daily

NOAEL

: 158 mg/kg body weight

Result

: negative

### Reproductive toxicity

Not classified based on available information.

### Components:

#### Pine oil:

Effects on foetal development

: Test Type: Embryo-foetal development  
Species: Rat

Application Route: Ingestion

Method: OECD Test Guideline 414

Result: negative

Remarks: Based on data from similar materials

#### Chlorhexidine:

Effects on fertility

: Species: Rat

# SAFETY DATA SHEET



## Chlorhexidine (0.8%) Liquid Formulation

Version 5.0      Revision Date: 14.04.2025      SDS Number: 10863769-00010      Date of last issue: 06.09.2024  
Date of first issue: 11.10.2022

---

		Fertility: NOAEL: 100 mg/kg body weight
Effects on foetal development	:	Species: Rat Developmental Toxicity: NOAEL: 300 mg/kg body weight
		Species: Rabbit Developmental Toxicity: NOAEL: 40 mg/kg body weight

### STOT - single exposure

Not classified based on available information.

### STOT - repeated exposure

Not classified based on available information.

### Components:

#### **Chlorhexidine:**

Target Organs	:	Liver
Assessment	:	May cause damage to organs through prolonged or repeated exposure.

### Repeated dose toxicity

### Components:

#### **Pine oil:**

Species	:	Rat
NOAEL	:	> 200 mg/kg
Application Route	:	Skin contact
Exposure time	:	90 Days
Remarks	:	Based on data from similar materials

#### **Chlorhexidine:**

Species	:	Rat
NOAEL	:	158 mg/kg
Application Route	:	Oral
Exposure time	:	2 yr

Species	:	Rabbit
LOAEL	:	250 mg/kg
Application Route	:	Dermal
Exposure time	:	13 Weeks
Target Organs	:	Skin, Liver

### Aspiration toxicity

Not classified based on available information.

# SAFETY DATA SHEET



## Chlorhexidine (0.8%) Liquid Formulation

Version 5.0 Revision Date: 14.04.2025 SDS Number: 10863769-00010 Date of last issue: 06.09.2024 Date of first issue: 11.10.2022

---

### Components:

#### **Pine oil:**

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

### **Experience with human exposure**

### Components:

#### **Chlorhexidine:**

General Information	:	Symptoms: Headache
Inhalation	:	Target Organs: Lungs Symptoms: Asthmatic appearance, bronchospasm, discomfort in the chest, upper respiratory tract infection
Ingestion	:	Target Organs: Gastrointestinal tract Symptoms: Gastrointestinal disturbance, Gastrointestinal tract damage

---

## Section 12: Ecological information

### **Toxicity**

### Components:

#### **Nonylphenol, ethoxylated:**

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): > 0.1 - 1 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Ceriodaphnia dubia (water flea)): > 0.1 - 1 mg/l Exposure time: 48 h Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	:	ErC50 (Selenastrum capricornutum (green algae)): > 1 - 10 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
		EC10 (Selenastrum capricornutum (green algae)): > 1 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
M-Factor (Acute aquatic toxicity)	:	1
Toxicity to fish (Chronic toxicity)	:	NOEC (Oryzias latipes (Japanese medaka)): > 0.1 - 1 mg/l Exposure time: 100 d Remarks: Based on data from similar materials
Toxicity to daphnia and other	:	NOEC (Mysidopsis bahia (opossum shrimp)): > 0.001 - 0.01

# SAFETY DATA SHEET



## Chlorhexidine (0.8%) Liquid Formulation

Version 5.0      Revision Date: 14.04.2025      SDS Number: 10863769-00010      Date of last issue: 06.09.2024  
Date of first issue: 11.10.2022

---

aquatic invertebrates (Chronic toxicity) : mg/l  
Exposure time: 28 d  
Remarks: Based on data from similar materials

M-Factor (Chronic aquatic toxicity) : 10

### Pine oil:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 1 - 10 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l  
Exposure time: 48 h  
Remarks: Based on data from similar materials

### Chlorhexidine:

Toxicity to fish : (Fish): 2.088 mg/l  
Exposure time: 96 h  
Method: ECOSAR (Ecological Structure Activity Relationships)

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.222 mg/l  
Exposure time: 48 h  
Method: ECOSAR (Ecological Structure Activity Relationships)

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 1.124 mg/l  
End point: Growth rate  
Exposure time: 96 hrs  
Method: ECOSAR (Ecological Structure Activity Relationships)

M-Factor (Acute aquatic toxicity) : 1

M-Factor (Chronic aquatic toxicity) : 1

### Persistence and degradability

#### Components:

##### **Nonylphenol, ethoxylated:**

Biodegradability : Result: Not readily biodegradable.  
Remarks: Based on data from similar materials

### Pine oil:

Biodegradability : Result: Readily biodegradable.  
Remarks: Based on data from similar materials

# SAFETY DATA SHEET



## Chlorhexidine (0.8%) Liquid Formulation

Version 5.0      Revision Date: 14.04.2025      SDS Number: 10863769-00010      Date of last issue: 06.09.2024  
Date of first issue: 11.10.2022

---

### **Chlorhexidine:**

Biodegradability : Remarks: Not inherently biodegradable.

### **Bioaccumulative potential**

### **Components:**

#### **Nonylphenol, ethoxylated:**

Partition coefficient: n-octanol/water : log Pow: 4.48

#### **Pine oil:**

Partition coefficient: n-octanol/water : log Pow: > 4  
Remarks: Calculation

#### **Chlorhexidine:**

Partition coefficient: n-octanol/water : log Pow: 4.85

#### **Mobility in soil**

No data available

#### **Other adverse effects**

No data available

---

## Section 13: Disposal considerations

### **Disposal methods**

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

## Section 14: Transport information

### **International Regulations**

#### **UNRTDG**

UN number : UN 3082

UN proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Chlorhexidine, Nonylphenol, ethoxylated)

Transport hazard class(es) : 9

Packing group : III

Labels : 9

Environmental hazards : yes

#### **IATA-DGR**

UN/ID No. : UN 3082

UN proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

# SAFETY DATA SHEET



## Chlorhexidine (0.8%) Liquid Formulation

Version 5.0 Revision Date: 14.04.2025 SDS Number: 10863769-00010 Date of last issue: 06.09.2024 Date of first issue: 11.10.2022

---

Transport hazard class(es) : 9 (Chlorhexidine, Nonylphenol, ethoxylated)

Packing group : III

Labels : Miscellaneous

Packing instruction (cargo aircraft) : 964

Packing instruction (passenger aircraft) : 964

Environmentally hazardous : yes

### IMDG-Code

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Chlorhexidine, Nonylphenol, ethoxylated)

Transport hazard class(es) : 9

Packing group : III

Labels : 9

EmS Code : F-A, S-F

Marine pollutant : yes

### Transport in bulk according to IMO instruments

Not applicable for product as supplied.

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## Section 15: Regulatory information

### Safety, health and environmental regulations specific for the product in question

Workplace Safety and Health Act and Workplace Safety and Health (General Provisions) Regulations: This product is subject to the requirements in the Act/Regulations.

Environmental Protection and Management Act and Environmental Protection and Management (Hazardous Substances) Regulations : Nonylphenol and nonylphenol ethoxylates

Fire Safety (Petroleum and Flammable Materials) Regulations : Not applicable

### The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

---

## Section 16: Other information

Revision Date : 14.04.2025

# SAFETY DATA SHEET



## Chlorhexidine (0.8%) Liquid Formulation

Version 5.0	Revision Date: 14.04.2025	SDS Number: 10863769-00010	Date of last issue: 06.09.2024 Date of first issue: 11.10.2022
----------------	------------------------------	-------------------------------	---

### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : dd.mm.yyyy

### Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their

# SAFETY DATA SHEET



## Chlorhexidine (0.8%) Liquid Formulation

---

Version 5.0	Revision Date: 14.04.2025	SDS Number: 10863769-00010	Date of last issue: 06.09.2024
			Date of first issue: 11.10.2022

---

intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

SG / EN