

Albendazole / Closantel Sodium Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
5.0	14.04.2025	10843090-00016	Date of first issue: 26.08.2022

Section 1: Identification

Product identifier : Albendazole / Closantel Sodium Formulation

Other means of identification : Closal (A005093)

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product
Restrictions on use : Not applicable

Manufacturer or supplier's details

Company : MSD
Address : 50 Tuas West Drive
Singapore - Singapore 638408
Telephone : +1-908-740-4000
Emergency telephone number : 65 6697 2111 (24/7/365)
E-mail address : EHSDATASTEWARD@msd.com



Section 2: Hazard identification**Classification of the substance or mixture**

Skin sensitisation : Category 1

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

GHS Label elements, including precautionary statements

Hazard pictograms :  

Signal word : Warning

Hazard statements : H317 May cause an allergic skin reaction.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**

Albendazole / Closantel Sodium Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
5.0	14.04.2025	10843090-00016	Date of first issue: 26.08.2022

P261 Avoid breathing mist or vapours.
P272 Contaminated work clothing should not be allowed out of the workplace.
P273 Avoid release to the environment.
P280 Wear protective gloves.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.
P391 Collect spillage.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Closantel	57808-65-8	≥ 2.5 -< 10
Albendazole Sulfoxide	54029-12-8	≥ 1 -< 2.5
Octamethylcyclotetrasiloxane	556-67-2	≥ 0.025 -< 0.1

Section 4: First-aid measures**Description of necessary first-aid measures**

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.

In case of eye contact : Flush eyes with water as a precaution.
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water.

Albendazole / Closantel Sodium Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
5.0	14.04.2025	10843090-00016	06.07.2024
			Date of first issue: 26.08.2022

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

Risks : May cause an allergic skin reaction.
Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

Section 5: Fire-fighting measures**Extinguishing media**

Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : None known.

Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides
Nitrogen oxides (NO_x)
Sulphur oxides
Chlorine compounds
Iodine compounds
Metal oxides

Special protective actions for fire-fighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

Section 6: Accidental release measures**Personal precautions, protective equipment and emergency procedures**

Personal precautions : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Albendazole / Closantel Sodium Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
5.0	14.04.2025	10843090-00016	Date of first issue: 26.08.2022

Environmental precautions

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g. by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material.
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

Section 7: Handling and storage**Precautions for safe handling**

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	Use only with adequate ventilation.
Advice on safe handling	:	Do not get on skin or clothing. Do not breathe mist or vapours. Do not swallow. Avoid contact with eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to the environment.
Hygiene measures	:	If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures,

Albendazole / Closantel Sodium Formulation

Version 5.0 Revision Date: 14.04.2025 SDS Number: 10843090-00016 Date of last issue: 06.07.2024
Date of first issue: 26.08.2022

industrial hygiene monitoring, medical surveillance and the use of administrative controls.

Conditions for safe storage, including any incompatibilities

Conditions for safe storage : Keep in properly labelled containers.
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:
Strong oxidizing agents

Section 8: Exposure controls/personal protection**Control parameters****Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Closantel	57808-65-8	TWA	$\geq 10 < 100$ $\mu\text{g}/\text{m}^3$ (OEB 3)	Internal
Albendazole Sulfoxide	54029-12-8	TWA	45 $\mu\text{g}/\text{m}^3$ (OEB 3)	Internal
Further information: DSEN				
		Wipe limit	100 $\mu\text{g}/100 \text{ cm}^2$	Internal

Appropriate engineering control measures : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).
Minimize open handling.

Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection : Wear safety glasses with side shields or goggles.
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin protection : Work uniform or laboratory coat.
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.
Use appropriate degowning techniques to remove potentially contaminated clothing.

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

Albendazole / Closantel Sodium Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
5.0	14.04.2025	10843090-00016	Date of first issue: 26.08.2022

Filter type	:	sure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Hand protection	:	Particulates type
Material	:	Chemical-resistant gloves
Remarks	:	Consider double gloving.

Section 9: Physical and chemical properties

Appearance	:	suspension, Aqueous solution
Colour	:	white, off-white
Odour	:	odourless
Odour Threshold	:	No data available
pH	:	8.5 - 10.5
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	1.035 - 1.051
Density	:	No data available
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable

Albendazole / Closantel Sodium Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
5.0	14.04.2025	10843090-00016	Date of first issue: 26.08.2022

Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, kinematic	:	70 - 300 m ² /s
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics	:	
Particle size	:	< 80 µm

Section 10: Stability and reactivity

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

Section 11: Toxicological information

Information on likely routes of exposure	:	Inhalation Skin contact Ingestion Eye contact
--	---	--

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	:	Acute toxicity estimate: > 2,000 mg/kg Method: Calculation method
---------------------	---	--

Components:**Closantel:**

Acute oral toxicity	:	LD50 (Rat, female): 262 mg/kg
---------------------	---	-------------------------------

Albendazole Sulfoxide:

Acute oral toxicity	:	LD50 (Mouse): 1,500 mg/kg
---------------------	---	---------------------------

Albendazole / Closantel Sodium Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
5.0	14.04.2025	10843090-00016	Date of first issue: 26.08.2022

LD50 (Rat): 2,400 mg/kg

Acute toxicity (other routes of administration) : LD50 (Rat): 265 mg/kg
Application Route: Intravenous

Octamethylcyclotetrasiloxane:

Acute oral toxicity : LD50 (Rat): > 4,800 mg/kg
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50 (Rat): 36 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rat): > 2,375 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Not classified based on available information.

Components:**Albendazole Sulfoxide:**

Species : Rabbit
Result : No skin irritation

Octamethylcyclotetrasiloxane:

Species : Rabbit
Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:**Albendazole Sulfoxide:**

Species : Rabbit
Result : No eye irritation

Octamethylcyclotetrasiloxane:

Species : Rabbit
Result : No eye irritation

Respiratory or skin sensitisation**Skin sensitisation**

May cause an allergic skin reaction.

Albendazole / Closantel Sodium Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
5.0	14.04.2025	10843090-00016	Date of first issue: 26.08.2022

Respiratory sensitisation

Not classified based on available information.

Components:**Albendazole Sulfoxide:**

Test Type	: Maximisation Test
Exposure routes	: Dermal
Assessment	: Probability or evidence of low to moderate skin sensitisation rate in humans
Result	: positive

Test Type	: Maximisation Test
Exposure routes	: Dermal
Result	: Sensitiser

Octamethylcyclotetrasiloxane:

Test Type	: Maximisation Test
Exposure routes	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: negative

Germ cell mutagenicity

Not classified based on available information.

Components:**Closantel:**

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
Genotoxicity in vivo	: Test Type: Rodent dominant lethal test (germ cell) (in vivo) Species: Mouse Application Route: Ingestion Result: negative

Albendazole Sulfoxide:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative Test Type: Chromosomal aberration Test system: Chinese hamster ovary cells Result: negative
Genotoxicity in vivo	: Test Type: Micronucleus test Species: Mouse Cell type: Bone marrow Result: negative

Albendazole / Closantel Sodium Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
5.0	14.04.2025	10843090-00016	Date of first issue: 26.08.2022

Octamethylcyclotetrasiloxane:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES)
	:	Method: OECD Test Guideline 471
	:	Result: negative
	:	Test Type: In vitro mammalian cell gene mutation test
	:	Result: negative
	:	Test Type: Chromosome aberration test in vitro
	:	Result: negative
Genotoxicity in vivo	:	Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)
	:	Species: Rat
	:	Application Route: Inhalation
	:	Result: negative

Carcinogenicity

Not classified based on available information.

Components:**Closantel:**

Species	:	Rat
Application Route	:	Ingestion
Exposure time	:	2 Years
Result	:	negative

Albendazole Sulfoxide:

Species	:	Mouse
Application Route	:	Oral
Exposure time	:	2 Years
NOAEL	:	400 mg/kg body weight
Result	:	negative

Species	:	Rat
Application Route	:	Oral
Exposure time	:	2 Years
NOAEL	:	20 mg/kg body weight
Result	:	negative

Carcinogenicity - Assessment	:	No evidence of carcinogenicity in animal studies.
------------------------------	---	---

Reproductive toxicity

Not classified based on available information.

Components:**Closantel:**

Effects on foetal development	:	Test Type: Three-generation reproduction toxicity study
	:	Species: Rat

Albendazole / Closantel Sodium Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
5.0	14.04.2025	10843090-00016	06.07.2024
			Date of first issue: 26.08.2022

Application Route: Ingestion
Result: negative

Albendazole Sulfoxide:

Effects on fertility	: Test Type: Fertility Species: Rat Application Route: Oral Fertility: NOAEL: 30 mg/kg body weight Result: No effects on fertility
Effects on foetal development	: Test Type: Development Species: Rat Application Route: Oral Developmental Toxicity: LOAEL: 10 mg/kg body weight Result: Embryotoxic effects., Skeletal malformations Test Type: Development Species: Rabbit Application Route: Oral Developmental Toxicity: LOAEL: 30 mg/kg body weight Result: Embryotoxic effects., Skeletal malformations, Maternal toxicity observed. Test Type: Development Species: Rat Application Route: Oral Developmental Toxicity: NOAEL: 5.8 mg/kg body weight Result: Effects on postnatal development Test Type: Development Species: Rat Application Route: Oral Developmental Toxicity: LOAEL: 7 mg/kg body weight Result: Embryotoxic effects and adverse effects on the off-spring were detected.
Reproductive toxicity - Assessment	: Suspected of damaging the unborn child.

Octamethylcyclotetrasiloxane:

Effects on fertility	: Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Inhalation Method: OPPTS 870.3800 Result: positive
Effects on foetal development	: Test Type: Embryo-foetal development Species: Rabbit Application Route: Inhalation Result: negative
Reproductive toxicity - Assessment	: Some evidence of adverse effects on sexual function and

Albendazole / Closantel Sodium Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
5.0	14.04.2025	10843090-00016	Date of first issue: 26.08.2022

Assessment fertility, based on animal experiments.

STOT - single exposure

Not classified based on available information.

Components:**Albendazole Sulfoxide:**

Exposure routes	: Oral
Target Organs	: Gastrointestinal tract, Central nervous system
Assessment	: May cause damage to organs.

STOT - repeated exposure

Not classified based on available information.

Components:**Albendazole Sulfoxide:**

Exposure routes	: Oral
Target Organs	: Gastrointestinal tract, Central nervous system, Immune system, Liver
Assessment	: May cause damage to organs through prolonged or repeated exposure.

Repeated dose toxicity**Components:****Albendazole Sulfoxide:**

Species	: Rat
LOAEL	: 168 mg/kg
Application Route	: Oral
Exposure time	: 4 Weeks
Target Organs	: Gastrointestinal tract, Testis
Symptoms	: Diarrhoea, Vomiting

Species	: Dog
LOAEL	: 48 mg/kg
Application Route	: Oral
Exposure time	: 4 Weeks
Target Organs	: Gastrointestinal tract
Symptoms	: Diarrhoea, Vomiting

Species	: Mouse
LOAEL	: 40 mg/kg
Application Route	: Oral
Exposure time	: 3 Months
Target Organs	: Blood, Liver, Nose
Symptoms	: Hematologic effects, Liver effects

Species	: Rat
---------	-------

Albendazole / Closantel Sodium Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
5.0	14.04.2025	10843090-00016	Date of first issue: 26.08.2022

LOAEL	: >= 30 mg/kg
Application Route	: Oral
Exposure time	: 6 Months
Target Organs	: Blood
Symptoms	: Hematologic effects

Species	: Dog
LOAEL	: 40 mg/kg
Application Route	: Oral
Exposure time	: 6 Months
Target Organs	: Blood, Liver
Symptoms	: Hematologic effects, Liver effects

Species	: Rat
NOAEL	: 7 mg/kg
Application Route	: Oral
Exposure time	: 60 d
Target Organs	: Liver, Testis
Symptoms	: Liver effects, male reproductive effects

Octamethylcyclotetrasiloxane:

Species	: Rat
NOAEL	: 1.82 mg/l
Application Route	: inhalation (vapour)
Exposure time	: 2 yr

Species	: Rabbit
NOAEL	: >= 960 mg/kg
Application Route	: Skin contact
Exposure time	: 3 Weeks

Aspiration toxicity

Not classified based on available information.

Experience with human exposure**Components:****Albendazole Sulfoxide:**

General Information	: Symptoms: Allergic reactions, hair loss, Gastrointestinal disturbance, Headache, Dizziness
Skin contact	: Target Organs: Skin Symptoms: Allergic reactions Remarks: May cause sensitisation by skin contact.
Ingestion	: Target Organs: Gastrointestinal tract Symptoms: Gastrointestinal disturbance, Diarrhoea, Abdominal pain Target Organs: Central nervous system Symptoms: Headache, Dizziness Target Organs: Liver Symptoms: liver function change Target Organs: Immune system

Albendazole / Closantel Sodium Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
5.0	14.04.2025	10843090-00016	06.07.2024
			Date of first issue: 26.08.2022

II

Symptoms: immune system effects

Section 12: Ecological information

Toxicity

Components:**Closantel:**

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 0.01 - 0.1 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: Based on data from similar materials
------------------	---	--

M-Factor (Acute aquatic toxicity)	:	10
-----------------------------------	---	----

M-Factor (Chronic aquatic toxicity)	:	10
-------------------------------------	---	----

Albendazole Sulfoxide:

Toxicity to fish	:	EC50 (Brachydanio rerio (zebrafish)): 0.042 mg/l Exposure time: 144 hrs
------------------	---	--

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0.068 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
---	---	---

Toxicity to algae/aquatic plants	:	EC50 (Raphidocelis subcapitata (freshwater green alga)): 0.024 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
----------------------------------	---	---

M-Factor (Acute aquatic toxicity)	:	10
-----------------------------------	---	----

M-Factor (Chronic aquatic toxicity)	:	10
-------------------------------------	---	----

Octamethylcyclotetrasiloxane:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 0.022 mg/l Exposure time: 96 h Remarks: No toxicity at the limit of solubility
------------------	---	--

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 0.015 mg/l Exposure time: 48 h Remarks: No toxicity at the limit of solubility
---	---	---

Toxicity to algae/aquatic plants	:	ErC50 (Pseudokirchneriella subcapitata (green algae)): > 0.022 mg/l Exposure time: 96 h Remarks: No toxicity at the limit of solubility
----------------------------------	---	---

	:	EC10 (Pseudokirchneriella subcapitata (green algae)): >=
--	---	--

Albendazole / Closantel Sodium Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
5.0	14.04.2025	10843090-00016	06.07.2024
			Date of first issue: 26.08.2022

	0.022 mg/l
	Exposure time: 96 h
	Remarks: No toxicity at the limit of solubility
Toxicity to fish (Chronic toxicity)	: NOEC (Oncorhynchus mykiss (rainbow trout)): 0.0044 mg/l Exposure time: 14 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 0.0079 mg/l Exposure time: 21 d
M-Factor (Chronic aquatic toxicity)	: 10

Persistence and degradability**Components:****Octamethylcyclotetrasiloxane:**

Biodegradability	: Result: Not readily biodegradable. Biodegradation: 3.7 % Exposure time: 29 d Method: OECD Test Guideline 310
------------------	---

Bioaccumulative potential**Components:****Closantel:**

Partition coefficient: n-octanol/water	: log Pow: > 4 Remarks: Expert judgement
--	---

Albendazole Sulfoxide:

Partition coefficient: n-octanol/water	: log Pow: 1.27 pH: 7
--	--------------------------

Octamethylcyclotetrasiloxane:

Bioaccumulation	: Species: Pimephales promelas (fathead minnow) Bioconcentration factor (BCF): 12,400 Method: OPPTS 850.1730
Partition coefficient: n-octanol/water	: log Pow: 6.488 Method: OECD Test Guideline 123

Mobility in soil

No data available

Other adverse effects

No data available

Albendazole / Closantel Sodium Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
5.0	14.04.2025	10843090-00016	Date of first issue: 26.08.2022

Section 13: Disposal considerations**Disposal methods**

Waste from residues	:	Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

Section 14: Transport information**International Regulations****UNRTDG**

UN number	:	UN 3082
UN proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Closantel, Albendazole Sulfoxide)
Transport hazard class(es)	:	9
Packing group	:	III
Labels	:	9
Environmental hazards	:	yes

IATA-DGR

UN/ID No.	:	UN 3082
UN proper shipping name	:	Environmentally hazardous substance, liquid, n.o.s. (Closantel, Albendazole Sulfoxide)
Transport hazard class(es)	:	9
Packing group	:	III
Labels	:	Miscellaneous
Packing instruction (cargo aircraft)	:	964
Packing instruction (passenger aircraft)	:	964
Environmentally hazardous	:	yes

IMDG-Code

UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Closantel, Albendazole Sulfoxide)
Transport hazard class(es)	:	9
Packing group	:	III
Labels	:	9
EmS Code	:	F-A, S-F
Marine pollutant	:	yes

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data

Albendazole / Closantel Sodium Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
5.0	14.04.2025	10843090-00016	06.07.2024
			Date of first issue: 26.08.2022

Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

Section 15: Regulatory information**Safety, health and environmental regulations specific for the product in question**

Workplace Safety and Health Act and Workplace Safety and Health (General Provisions) Regulations: This product is subject to the requirements in the Act/Regulations.

Environmental Protection and Management Act and : Not applicable

Environmental Protection and Management (Hazardous Substances) Regulations

Fire Safety (Petroleum and Flammable Materials) Regulations : Not applicable

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

Section 16: Other information

Revision Date : 14.04.2025

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : dd.mm.yyyy

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Or-

Albendazole / Closantel Sodium Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
5.0	14.04.2025	10843090-00016	Date of first issue: 26.08.2022

ganisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

SG / EN