

# SAFETY DATA SHEET



## Ivermectin (0.50%) Liquid Formulation

Version 4.0      Revision Date: 14.04.2025      SDS Number: 10874505-00007      Date of last issue: 20.02.2024  
Date of first issue: 20.10.2022

---

### SECTION 1. IDENTIFICATION

Product name : Ivermectin (0.50%) Liquid Formulation  
Other means of identification : COOPERS PARAMAX POUR-ON FOR BEEF AND DAIRY CATTLE (50558)

#### Manufacturer or supplier's details

Company : MSD  
Address : Talcahuano 750, 6th floor, Ciudad Autonoma Buenos Aires, Argentina C1013AAP  
Telephone : 908-740-4000  
Emergency telephone : 1-908-423-6000  
E-mail address : EHSDATASTEWARD@msd.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product  
Restrictions on use : Not applicable

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS Classification

Skin corrosion/irritation : Category 3  
Serious eye damage/eye irritation : Category 2A  
Skin sensitization : Category 1  
Germ cell mutagenicity : Category 2  
Specific target organ toxicity - single exposure : Category 3  
Short-term (acute) aquatic hazard : Category 1  
Long-term (chronic) aquatic hazard : Category 1

#### GHS label elements

# SAFETY DATA SHEET



## Ivermectin (0.50%) Liquid Formulation

Version 4.0 Revision Date: 14.04.2025 SDS Number: 10874505-00007 Date of last issue: 20.02.2024 Date of first issue: 20.10.2022



Signal Word :

Warning

Hazard Statements :

- H316 Causes mild skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H336 May cause drowsiness or dizziness.
- H341 Suspected of causing genetic defects.
- H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements :

**Prevention:**

- P201 Obtain special instructions before use.
- P202 Do not handle until all safety precautions have been read and understood.
- P261 Avoid breathing mist or vapors.
- P264 Wash skin thoroughly after handling.
- P271 Use only outdoors or in a well-ventilated area.
- P272 Contaminated work clothing should not be allowed out of the workplace.
- P273 Avoid release to the environment.
- P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**

- P302 + P352 IF ON SKIN: Wash with plenty of water.
- P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
- P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P308 + P313 IF exposed or concerned: Get medical advice/ attention.
- P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
- P337 + P313 If eye irritation persists: Get medical advice/ attention.
- P362 + P364 Take off contaminated clothing and wash it before reuse.
- P391 Collect spillage.

**Storage:**

P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards which do not result in classification**

None known.

**Ivermectin (0.50%) Liquid Formulation**

Version 4.0 Revision Date: 14.04.2025 SDS Number: 10874505-00007 Date of last issue: 20.02.2024  
Date of first issue: 20.10.2022

---

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Components**

| Chemical name   | CAS-No.    | Concentration (% w/w) |
|---|------------|-----------------------|
| Propan-2-ol   | 67-63-0    | >= 70 -< 90           |
| Cetyl octanoate   | 59130-69-7 | >= 10 -< 20           |
| Hexanoic acid, 2-ethyl-, octadecyl ester                                    | 59130-70-0 | >= 10 -< 20           |
| 7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate | 2386-87-0  | >= 1 -< 2,5           |
| Ivermectin  | 70288-86-7 | >= 0,25 -< 1          |

---

**SECTION 4. FIRST AID MEASURES**

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Get medical attention.

If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and delayed : Causes mild skin irritation.  
May cause an allergic skin reaction.  
Causes serious eye irritation.  
May cause drowsiness or dizziness.  
Suspected of causing genetic defects.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

---

**SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : None known.

Specific hazards during fire : Exposure to combustion products may be a hazard to health.

# SAFETY DATA SHEET



## Ivermectin (0.50%) Liquid Formulation

Version 4.0 Revision Date: 14.04.2025 SDS Number: 10874505-00007 Date of last issue: 20.02.2024 Date of first issue: 20.10.2022

---

fighting

Hazardous combustion products : Carbon oxides

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

---

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g., by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.  
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

## SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Do not get on skin or clothing.  
Do not breathe mist or vapors.  
Do not swallow.

---

# SAFETY DATA SHEET



## Ivermectin (0.50%) Liquid Formulation

|                |                              |                               |   |
|----------------|------------------------------|-------------------------------|---|
| Version<br>4.0 | Revision Date:<br>14.04.2025 | SDS Number:<br>10874505-00007 | Date of last issue: 20.02.2024<br>Date of first issue: 20.10.2022 |
|----------------|------------------------------|-------------------------------|---|

|  |   |
|--|---|
|  | <p>Do not get in eyes.<br/>Wash skin thoroughly after handling.<br/>Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment<br/>Take care to prevent spills, waste and minimize release to the environment.</p> <p>Conditions for safe storage : Keep in properly labeled containers.<br/>Store locked up.<br/>Keep in a cool, well-ventilated place.<br/>Store in accordance with the particular national regulations.</p> <p>Materials to avoid : Do not store with the following product types:<br/>Strong oxidizing agents<br/>Gases</p> |
|--|---|

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Ingredients with workplace control parameters

| Components  | CAS-No.    | Value type<br>(Form of<br>exposure) | Control parame-<br>ters / Permissible<br>concentration | Basis                      |
|-------------|------------|-------------------------------------|--|----------------------------|
| Propan-2-ol | 67-63-0    | CMP                                 | 400 ppm  | AR OEL                     |
|             |            | CMP - CPT                           | 500 ppm  | AR OEL                     |
|             |            | TWA                                 | 200 ppm  | ACGIH                      |
|             |            | STEL                                | 400 ppm  | ACGIH                      |
| Ivermectin  | 70288-86-7 | TWA                                 | 30 µg/m <sup>3</sup> (OEB 3)                           | Internal                   |
|             |            | Further information: Skin           |  |                            |
|             |            |                                     | Wipe limit   | 300 µg/100 cm <sup>2</sup> |
|             |            |                                     |  | Internal                   |

### Biological occupational exposure limits

| Components  | CAS-No. | Control<br>parameters | Biological<br>specimen | Sam-<br>pling<br>time                         | Permissible<br>concentra-<br>tion | Basis        |
|-------------|---------|-----------------------|------------------------|---|-----------------------------------|--------------|
| Propan-2-ol | 67-63-0 | Acetone               | Urine                  |   | 2 mg/g<br>creatinine              | AR BEI       |
|             |         | Acetone               | Urine                  | End of<br>shift at<br>end of<br>work-<br>week | 40 mg/l                           | ACGIH<br>BEI |

|                      |  |
|----------------------|--|
| Engineering measures | <p>: Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).<br/>All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.<br/>Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).<br/>Minimize open handling.</p> |
|----------------------|--|

**Ivermectin (0.50%) Liquid Formulation**

Version 4.0 Revision Date: 14.04.2025 SDS Number: 10874505-00007 Date of last issue: 20.02.2024  
Date of first issue: 20.10.2022

---

**Personal protective equipment**

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Organic vapor Type

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.  
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.  
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.  
Use appropriate degowning techniques to remove potentially contaminated clothing.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Contaminated work clothing should not be allowed out of the workplace.  
Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Color : clear

Odor : Straw-colored

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

Flash point : No data available

# SAFETY DATA SHEET



## Ivermectin (0.50%) Liquid Formulation

Version 4.0 Revision Date: 14.04.2025 SDS Number: 10874505-00007 Date of last issue: 20.02.2024  
Date of first issue: 20.10.2022

---

|  |  |
|--|--|
| Evaporation rate                                 | : No data available  |
| Flammability (solid, gas)                        | : Not applicable   |
| Flammability (liquids)                           | : No data available  |
| Upper explosion limit / Upper flammability limit | : No data available  |
| Lower explosion limit / Lower flammability limit | : No data available  |
| Vapor pressure                                   | : No data available  |
| Relative vapor density                           | : No data available  |
| Relative density                                 | : No data available  |
| Density  | : No data available  |
| Solubility(ies)                                  |  |
| Water solubility                                 | : No data available  |
| Partition coefficient: n-octanol/water           | : Not applicable   |
| Autoignition temperature                         | : No data available  |
| Decomposition temperature                        | : No data available  |
| Viscosity  |  |
| Viscosity, kinematic                             | : No data available  |
| Explosive properties                             | : Not explosive  |
| Oxidizing properties                             | : The substance or mixture is not classified as oxidizing. |
| Molecular weight                                 | : No data available  |
| Particle characteristics                         |  |
| Particle size                                    | : Not applicable   |

---

## SECTION 10. STABILITY AND REACTIVITY

|                                    |  |
|------------------------------------|--|
| Reactivity                         | : Not classified as a reactivity hazard.         |
| Chemical stability                 | : Stable under normal conditions.                |
| Possibility of hazardous reactions | : Can react with strong oxidizing agents.        |
| Conditions to avoid                | : None known.                                    |
| Incompatible materials             | : Oxidizing agents                               |
| Hazardous decomposition products   | : No hazardous decomposition products are known. |

**Ivermectin (0.50%) Liquid Formulation**Version  
4.0Revision Date:  
14.04.2025SDS Number:  
10874505-00007Date of last issue: 20.02.2024  
Date of first issue: 20.10.2022**SECTION 11. TOXICOLOGICAL INFORMATION**

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

**Acute toxicity**

Not classified based on available information.

**Product:**

Acute oral toxicity : Acute toxicity estimate: > 5.000 mg/kg  
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5.000 mg/kg  
Method: Calculation method

**Components:****Propan-2-ol:**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 25 mg/l  
Exposure time: 6 h  
Test atmosphere: vapor

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg

**Cetyl octanoate:**

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg  
Method: OECD Test Guideline 401  
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50 (Rat): > 5,7 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 436  
Remarks: Based on data from similar materials

**Hexanoic acid, 2-ethyl-, octadecyl ester:**

Acute oral toxicity : LD50 (Mouse): > 2.000 mg/kg  
Remarks: Based on data from similar materials

**7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:**

Acute oral toxicity : LD50 (Rat, male): > 2.959 - 5.000 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): >= 5,19 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 436

**Ivermectin (0.50%) Liquid Formulation**

Version 4.0 Revision Date: 14.04.2025 SDS Number: 10874505-00007 Date of last issue: 20.02.2024 Date of first issue: 20.10.2022

---

Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

**Ivermectin:**

Acute oral toxicity : LD50 (Rat): 50 mg/kg  
LD50 (Mouse): 25 mg/kg  
LD50 (Monkey): > 24 mg/kg  
Target Organs: Central nervous system  
Symptoms: Vomiting, Dilatation of the pupil  
Remarks: No mortality observed at this dose.

Acute inhalation toxicity : LC50 (Rat): 5,11 mg/l  
Exposure time: 1 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): 406 mg/kg  
LD50 (Rat): > 660 mg/kg

**Skin corrosion/irritation**

Causes mild skin irritation.

**Components:****Propan-2-ol:**

Species : Rabbit  
Result : No skin irritation

**Cetyl octanoate:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Mild skin irritation

**Hexanoic acid, 2-ethyl-, octadecyl ester:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Mild skin irritation  
Remarks : Based on data from similar materials

**7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

## SAFETY DATA SHEET



## **Ivermectin (0.50%) Liquid Formulation**

Version Revision Date: SDS Number: Date of last issue: 20.02.2024  
4.0 14.04.2025 10874505-00007 Date of first issue: 20.10.2022

## Ivermectin:

Species : Rabbit  
Result : No skin irritation

### **Serious eye damage/eye irritation**

Causes serious eye irritation.

## **Components:**

## Propan-2-ol:

Species : Rabbit  
Result : Irritation to eyes, reversing within 21 days

## **Cetyl octanoate:**

Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405

### Hexanoic acid, 2-ethyl-, octadecyl ester:

|         |   |                                      |
|---------|---|--------------------------------------|
| Species | : | Rabbit                               |
| Result  | : | No eye irritation                    |
| Method  | : | OECD Test Guideline 405              |
| Remarks | : | Based on data from similar materials |

## 7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405

## Ivermectin:

Species : Rabbit  
Result : Mild eye irritation

### Respiratory or skin sensitization

## Skin sensitization

May cause an allergic skin reaction.

## Respiratory sensitization

Not classified based on available information

## Components:

## Propan-2-ol:

Test Type : Buehler Test  
Routes of exposure : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : negative

# SAFETY DATA SHEET



## Ivermectin (0.50%) Liquid Formulation

Version 4.0 Revision Date: 14.04.2025 SDS Number: 10874505-00007 Date of last issue: 20.02.2024 Date of first issue: 20.10.2022

### Cetyl octanoate:

|                    |   |  |
|--------------------|---|--|
| Test Type          | : | Human repeat insult patch test (HRIPT) |
| Routes of exposure | : | Skin contact                           |
| Result             | : | negative                               |
| Remarks            | : | Based on data from similar materials   |

### Hexanoic acid, 2-ethyl-, octadecyl ester:

|                    |   |  |
|--------------------|---|--|
| Test Type          | : | Human repeat insult patch test (HRIPT) |
| Routes of exposure | : | Skin contact                           |
| Species            | : | Humans                                 |
| Result             | : | negative                               |
| Remarks            | : | Based on data from similar materials   |

### 7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

|                    |   |                   |
|--------------------|---|-------------------|
| Test Type          | :   | Maximization Test |
| Routes of exposure | :   | Skin contact      |
| Species            | :   | Guinea pig        |
| Result             | :   | positive          |
| Assessment         | Probability or evidence of skin sensitization in humans |                   |

### Ivermectin:

|                    |   |                                    |
|--------------------|---|------------------------------------|
| Routes of exposure | : | Dermal                             |
| Species            | : | Humans                             |
| Result             | : | Does not cause skin sensitization. |

### Germ cell mutagenicity

Suspected of causing genetic defects.

### Components:

#### Propan-2-ol:

|                       |   |  |
|-----------------------|---|--|
| Genotoxicity in vitro | : | Test Type: Bacterial reverse mutation assay (AMES)<br>Result: negative   |
|                       |   | Test Type: In vitro mammalian cell gene mutation test<br>Result: negative  |
| Genotoxicity in vivo  | : | Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)<br>Species: Mouse<br>Application Route: Intraperitoneal injection<br>Result: negative |

#### Cetyl octanoate:

|                       |   |   |
|-----------------------|---|---|
| Genotoxicity in vitro | : | Test Type: Bacterial reverse mutation assay (AMES)<br>Method: OECD Test Guideline 471<br>Result: negative |
|-----------------------|---|---|

#### Hexanoic acid, 2-ethyl-, octadecyl ester:

|                       |   |  |
|-----------------------|---|--|
| Genotoxicity in vitro | : | Test Type: Bacterial reverse mutation assay (AMES) |
|-----------------------|---|--|

## Ivermectin (0.50%) Liquid Formulation

Version  
4.0

Revision Date:  
14.04.2025

SDS Number:  
10874505-00007

Date of last issue: 20.02.2024  
Date of first issue: 20.10.2022

Method: OECD Test Guideline 471

Result: negative

Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476

Result: negative

Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Remarks: Based on data from similar materials

### 7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Genotoxicity in vitro

: Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: positive

Test Type: In vitro mammalian cell gene mutation test  
Result: positive

Test Type: In vitro sister chromatid exchange assay in mammalian cells  
Result: positive

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)  
Result: positive

Genotoxicity in vivo

: Test Type: Unscheduled DNA synthesis (UDS) test with mammalian liver cells in vivo  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 486  
Result: negative

Test Type: Micronucleus test  
Species: Mouse  
Application Route: Intraperitoneal injection  
Result: negative

Test Type: Transgenic rodent somatic cell gene mutation assay  
Species: Mouse  
Application Route: Ingestion  
Method: OECD Test Guideline 488  
Result: positive

Germ cell mutagenicity - Assessment

: Positive result(s) from in vivo mammalian somatic cell mutagenicity tests.

### Ivermectin:

Genotoxicity in vitro

: Test Type: Bacterial reverse mutation assay (AMES)

**Ivermectin (0.50%) Liquid Formulation**Version  
4.0Revision Date:  
14.04.2025SDS Number:  
10874505-00007Date of last issue: 20.02.2024  
Date of first issue: 20.10.2022

Result: negative

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)  
Test system: human diploid fibroblasts  
Result: negative

Test Type: Mouse Lymphoma  
Result: negative

**Carcinogenicity**

Not classified based on available information.

**Components:****Propan-2-ol:**

Species : Rat  
Application Route : inhalation (vapor)  
Exposure time : 104 weeks  
Method : OECD Test Guideline 451  
Result : negative

**7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:**

Species : Mouse  
Application Route : Skin contact  
Exposure time : 29 Months  
Result : negative

**Ivermectin:**

Species : Rat  
Application Route : Oral  
NOAEL : 1,5 mg/kg body weight  
Result : negative  
Remarks : Based on data from similar materials

Species : Mouse  
Application Route : Oral  
NOAEL : 2,0 mg/kg body weight  
Result : negative  
Remarks : Based on data from similar materials

**Reproductive toxicity**

Not classified based on available information.

**Components:****Propan-2-ol:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development

**Ivermectin (0.50%) Liquid Formulation**Version  
4.0Revision Date:  
14.04.2025SDS Number:  
10874505-00007Date of last issue: 20.02.2024  
Date of first issue: 20.10.2022

Species: Rat  
Application Route: Ingestion  
Result: negative

**Hexanoic acid, 2-ethyl-, octadecyl ester:**

Effects on fertility

: Test Type: Fertility/early embryonic development  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

Effects on fetal development

: Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 414  
Result: negative  
Remarks: Based on data from similar materials

**7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:**

Effects on fetal development

: Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 414  
Result: negative

**Ivermectin:**

Effects on fertility

: Test Type: Fertility  
Species: Rat  
Application Route: Oral  
Fertility: NOAEL: 0,6 mg/kg body weight  
Result: Animal testing did not show any effects on fertility.

Effects on fetal development

: Test Type: Development  
Species: Mouse  
Application Route: Oral  
Developmental Toxicity: NOAEL: 0,2 mg/kg body weight  
Result: Teratogenic effects., Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses

Test Type: Development  
Species: Rat  
Application Route: Oral  
Developmental Toxicity: LOAEL: 0,4 mg/kg body weight  
Result: Embryotoxic effects and adverse effects on the offspring were detected.  
Remarks: The mechanism or mode of action may not be relevant in humans.

Test Type: Development  
Species: Rabbit  
Application Route: Oral  
Result: Teratogenic effects., Embryotoxic effects and adverse

**Ivermectin (0.50%) Liquid Formulation**Version  
4.0Revision Date:  
14.04.2025SDS Number:  
10874505-00007Date of last issue: 20.02.2024  
Date of first issue: 20.10.2022

effects on the offspring were detected only at high maternally toxic doses

**STOT-single exposure**

May cause drowsiness or dizziness.

**Components:****Propan-2-ol:**

Assessment : May cause drowsiness or dizziness.

**Ivermectin:**

Target Organs : Central nervous system  
Assessment : Causes damage to organs.

**STOT-repeated exposure**

Not classified based on available information.

**Components:****7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:**

Routes of exposure : Ingestion  
Target Organs : nasal cavity  
Assessment : Shown to produce significant health effects in animals at concentrations of >10 to 100 mg/kg bw.

**Ivermectin:**

Target Organs : Central nervous system  
Assessment : Causes damage to organs through prolonged or repeated exposure.

**Repeated dose toxicity****Components:****Propan-2-ol:**

Species : Rat  
NOAEL : 12,5 mg/l  
Application Route : inhalation (vapor)  
Exposure time : 104 Weeks

**Cetyl octanoate:**

Species : Rat  
NOAEL : 1.000 mg/kg  
Application Route : Ingestion  
Exposure time : 28 Days  
Remarks : Based on data from similar materials

**Hexanoic acid, 2-ethyl-, octadecyl ester:**

Species : Rat  
NOAEL : > 100 mg/kg

# SAFETY DATA SHEET



## Ivermectin (0.50%) Liquid Formulation

Version 4.0 Revision Date: 14.04.2025 SDS Number: 10874505-00007 Date of last issue: 20.02.2024 Date of first issue: 20.10.2022

|                   |   |                                      |
|-------------------|---|--------------------------------------|
| Application Route | : | Ingestion                            |
| Exposure time     | : | 28 Days                              |
| Remarks           | : | Based on data from similar materials |

### 7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

|                   |   |                         |
|-------------------|---|-------------------------|
| Species           | : | Rat                     |
| NOAEL             | : | 5 mg/kg                 |
| LOAEL             | : | 50 mg/kg                |
| Application Route | : | Ingestion               |
| Exposure time     | : | 90 Days                 |
| Method            | : | OECD Test Guideline 408 |

### Ivermectin:

|                   |   |  |
|-------------------|---|--|
| Species           | : | Dog  |
| NOAEL             | : | 0,5 mg/kg  |
| LOAEL             | : | 1 mg/kg  |
| Application Route | : | Oral   |
| Exposure time     | : | 14 Weeks   |
| Target Organs     | : | Central nervous system   |
| Symptoms          | : | Dilatation of the pupil, Tremors, Lack of coordination, anorexia |
| Species           | : | Monkey   |
| NOAEL             | : | 1,2 mg/kg  |
| Application Route | : | Oral   |
| Exposure time     | : | 2 Weeks  |
| Remarks           | : | No significant adverse effects were reported                     |
| Species           | : | Rat  |
| NOAEL             | : | 0,4 mg/kg  |
| LOAEL             | : | 0,8 mg/kg  |
| Application Route | : | Oral   |
| Exposure time     | : | 3 Months   |
| Target Organs     | : | spleen, Bone marrow, Kidney                                      |

### Aspiration toxicity

Not classified based on available information.

### Experience with human exposure

#### Components:

##### Ivermectin:

|              |   |  |
|--------------|---|--|
| Skin contact | : | Remarks: Can be absorbed through skin.   |
| Eye contact  | : | Remarks: May irritate eyes.  |
| Ingestion    | : | Symptoms: Drowsiness, Dilatation of the pupil, Tremors, Vomiting, anorexia, Lack of coordination |

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

##### Propan-2-ol:

# SAFETY DATA SHEET



## Ivermectin (0.50%) Liquid Formulation

Version 4.0 Revision Date: 14.04.2025 SDS Number: 10874505-00007 Date of last issue: 20.02.2024 Date of first issue: 20.10.2022

|   |  |
|---|--|
| Toxicity to fish                                    | : LC50 (Pimephales promelas (fathead minnow)): 9.640 mg/l<br>Exposure time: 96 h |
| Toxicity to daphnia and other aquatic invertebrates | : EC50 (Daphnia magna (Water flea)): > 10.000 mg/l<br>Exposure time: 24 h        |
| Toxicity to microorganisms                          | : EC50 (Pseudomonas putida): > 1.050 mg/l<br>Exposure time: 16 h                 |

### Cetyl octanoate:

|  |  |
|--|--|
| Toxicity to fish   | : LL50 (Danio rerio (zebra fish)): > 100 mg/l<br>Exposure time: 96 h<br>Test substance: Water Accommodated Fraction<br>Method: OECD Test Guideline 203<br>Remarks: Based on data from similar materials                      |
| Toxicity to daphnia and other aquatic invertebrates                    | : EL50 (Daphnia magna (Water flea)): > 100 mg/l<br>Exposure time: 48 h<br>Test substance: Water Accommodated Fraction<br>Method: OECD Test Guideline 202<br>Remarks: Based on data from similar materials                    |
| Toxicity to algae/aquatic plants                                       | : EL50 (Pseudokirchneriella subcapitata (green algae)): > 110 mg/l<br>Exposure time: 72 h<br>Test substance: Water Accommodated Fraction<br>Method: OECD Test Guideline 201<br>Remarks: Based on data from similar materials |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : NOEC (Daphnia magna (Water flea)): > 1 mg/l<br>Exposure time: 21 d<br>Remarks: Based on data from similar materials  |

### Hexanoic acid, 2-ethyl-, octadecyl ester:

|   |   |
|---|---|
| Toxicity to fish                                    | : LL50 (Danio rerio (zebra fish)): > 100 mg/l<br>Exposure time: 96 h<br>Test substance: Water Accommodated Fraction<br>Method: OECD Test Guideline 203<br>Remarks: Based on data from similar materials   |
| Toxicity to daphnia and other aquatic invertebrates | : EL50 (Daphnia magna (Water flea)): > 100 mg/l<br>Exposure time: 48 h<br>Test substance: Water Accommodated Fraction<br>Method: OECD Test Guideline 202<br>Remarks: Based on data from similar materials |
| Toxicity to algae/aquatic plants                    | : EL50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l<br>Exposure time: 72 h<br>Test substance: Water Accommodated Fraction<br>Remarks: Based on data from similar materials                 |
|   | : EL10 (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l  |

## Ivermectin (0.50%) Liquid Formulation

Version 4.0 Revision Date: 14.04.2025 SDS Number: 10874505-00007 Date of last issue: 20.02.2024 Date of first issue: 20.10.2022

|   |   |  |
|---|---|--|
|   |   | Exposure time: 72 h<br>Test substance: Water Accommodated Fraction<br>Remarks: Based on data from similar materials  |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)              | : | NOELR (Daphnia magna (Water flea)): > 1 mg/l<br>Exposure time: 21 d<br>Test substance: Water Accommodated Fraction<br>Remarks: Based on data from similar materials  |
| Toxicity to microorganisms  | : | EL50 (activated sludge): > 100 mg/l<br>Exposure time: 3 h<br>Method: OECD Test Guideline 209<br>Remarks: Based on data from similar materials  |
| <b>7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:</b> |   |  |
| Toxicity to fish  | : | LC50 (Oncorhynchus mykiss (rainbow trout)): 24 mg/l<br>Exposure time: 96 h<br>Method: OECD Test Guideline 203  |
| Toxicity to daphnia and other aquatic invertebrates                                 | : | EC50 (Daphnia magna (Water flea)): 40 mg/l<br>Exposure time: 48 h<br>Method: OECD Test Guideline 202   |
| Toxicity to algae/aquatic plants  | : | ErC50 (Raphidocelis subcapitata (freshwater green alga)): > 110 mg/l<br>Exposure time: 72 h<br>Method: OECD Test Guideline 201<br><br>NOEC (Raphidocelis subcapitata (freshwater green alga)): 30 mg/l<br>Exposure time: 72 h<br>Method: OECD Test Guideline 201 |
| Toxicity to microorganisms  | : | EC10 (activated sludge): 409 mg/l<br>Exposure time: 3 h<br>Method: OECD Test Guideline 209   |
| <b>Ivermectin:</b>  |   |  |
| Toxicity to fish  | : | LC50 (Oncorhynchus mykiss (rainbow trout)): 0,003 mg/l<br>Exposure time: 96 h<br><br>LC50 (Lepomis macrochirus (Bluegill sunfish)): 0,0048 mg/l<br>Exposure time: 96 h   |
| Toxicity to daphnia and other aquatic invertebrates                                 | : | EC50 (Daphnia magna (Water flea)): 0,000025 mg/l<br>Exposure time: 48 h  |
| Toxicity to algae/aquatic plants  | : | EC50 (Pseudokirchneriella subcapitata (green algae)): > 9,1 mg/l<br>Exposure time: 72 h<br>Method: OECD Test Guideline 201<br><br>NOEC (Pseudokirchneriella subcapitata (green algae)): 9,1 mg/l   |

## Ivermectin (0.50%) Liquid Formulation

Version 4.0 Revision Date: 14.04.2025 SDS Number: 10874505-00007 Date of last issue: 20.02.2024  
Date of first issue: 20.10.2022

Exposure time: 72 h  
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 10.000  
M-Factor (Chronic aquatic toxicity) : 10.000

### Persistence and degradability

#### Components:

##### **Propan-2-ol:**

Biodegradability : Result: rapidly degradable  
BOD/COD : BOD: 1,19 (BOD5)  
COD: 2,23  
BOD/COD: 53 %

##### **Cetyl octanoate:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 89,8 %  
Exposure time: 29 d  
Method: OECD Test Guideline 301B  
Remarks: Based on data from similar materials

##### **Hexanoic acid, 2-ethyl-, octadecyl ester:**

Biodegradability : Result: Readily biodegradable.  
Method: OECD Test Guideline 301B  
Remarks: Based on data from similar materials

##### **7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 71 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B

##### **Ivermectin:**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 50 %  
Exposure time: 240 d

### Bioaccumulative potential

#### Components:

##### **Propan-2-ol:**

Partition coefficient: n-octanol/water : log Pow: 0,05

##### **Cetyl octanoate:**

Partition coefficient: n-octanol/water : log Pow: 6,15

# SAFETY DATA SHEET



## Ivermectin (0.50%) Liquid Formulation

Version 4.0 Revision Date: 14.04.2025 SDS Number: 10874505-00007 Date of last issue: 20.02.2024 Date of first issue: 20.10.2022

---

### Hexanoic acid, 2-ethyl-, octadecyl ester:

Partition coefficient: n-octanol/water : log Pow: > 4  
Method: OECD Test Guideline 123

### 7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Partition coefficient: n-octanol/water : log Pow: 1,34  
Method: OECD Test Guideline 107

### Ivermectin:

Bioaccumulation : Bioconcentration factor (BCF): 74

Partition coefficient: n-octanol/water : log Pow: 3,22

### Mobility in soil

No data available

### Other adverse effects

No data available

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.  
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Ivermectin)  
Class : 9  
Packing group : III  
Labels : 9  
Environmentally hazardous : yes

#### IATA-DGR

UN/ID No. : UN 3082  
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.  
(Ivermectin)  
Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 964  
Packing instruction (passenger) : 964

# SAFETY DATA SHEET



## Ivermectin (0.50%) Liquid Formulation

Version 4.0 Revision Date: 14.04.2025 SDS Number: 10874505-00007 Date of last issue: 20.02.2024 Date of first issue: 20.10.2022

---

ger aircraft)

Environmentally hazardous : yes

### IMDG-Code

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Ivermectin)

Class : 9

Packing group : III

Labels : 9

EmS Code : F-A, S-F

Marine pollutant : yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## SECTION 15. REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

Argentina. Carcinogenic Substances and Agents Registry : Not applicable

Control of precursors and essential chemicals for the preparation of drugs : Propan-2-ol

### The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

---

## SECTION 16. OTHER INFORMATION

Revision Date : 14.04.2025  
Date format : dd.mm.yyyy

### Further information

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

**Ivermectin (0.50%) Liquid Formulation**

|                |                              |                               |   |
|----------------|------------------------------|-------------------------------|---|
| Version<br>4.0 | Revision Date:<br>14.04.2025 | SDS Number:<br>10874505-00007 | Date of last issue: 20.02.2024<br>Date of first issue: 20.10.2022 |
|----------------|------------------------------|-------------------------------|---|

---

**Full text of other abbreviations**

|                    |   |   |
|--------------------|---|---|
| ACGIH              | : | USA. ACGIH Threshold Limit Values (TLV)   |
| ACGIH BEI          | : | ACGIH - Biological Exposure Indices (BEI) |
| AR BEI             | : | Argentina. Biological Exposure Indices    |
| AR OEL             | : | Argentina. Occupational Exposure Limits   |
| ACGIH / TWA        | : | 8-hour, time-weighted average             |
| ACGIH / STEL       | : | Short-term exposure limit                 |
| AR OEL / CMP       | : | TLV (Threshold Limit Value)               |
| AR OEL / CMP - CPT | : | STEL (Short Term Limit Value)             |

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AR / Z8