

# SAFETY DATA SHEET



## Ivermectin (0.50%) Liquid Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 10874506-00009 Date of last issue: 06.04.2024 Date of first issue: 20.10.2022

---

### SECTION 1: IDENTIFICATION

Product name : Ivermectin (0.50%) Liquid Formulation  
Other means of identification : COOPERS PARAMAX POUR-ON FOR BEEF AND DAIRY CATTLE (50558)

### Manufacturer or supplier's details

Company : Intervet Australia Pty Limited (trading as MSD Animal Health)  
Address : 91-105 Harpin Street  
Bendigo 3550, Victoria Australia  
Telephone : 1 800 033 461  
Emergency telephone number : Poisons Information Centre: Phone 13 11 26  
E-mail address : EHSDATASTEWARD@msd.com

### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product  
Restrictions on use : Not applicable

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS Classification

Serious eye damage/eye irritation : Category 2A  
Skin sensitisation : Category 1  
Germ cell mutagenicity : Category 2  
Specific target organ toxicity - single exposure : Category 3

#### GHS label elements

Hazard pictograms :   
Signal word : Warning  
Hazard statements : H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.  
H336 May cause drowsiness or dizziness.  
H341 Suspected of causing genetic defects.

# SAFETY DATA SHEET



## Ivermectin (0.50%) Liquid Formulation

Version 3.0      Revision Date: 14.04.2025      SDS Number: 10874506-00009      Date of last issue: 06.04.2024  
Date of first issue: 20.10.2022

---

### Precautionary statements

#### **Prevention:**

P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P261 Avoid breathing mist or vapours.  
P264 Wash skin thoroughly after handling.  
P271 Use only outdoors or in a well-ventilated area.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

#### **Response:**

P302 + P352 IF ON SKIN: Wash with plenty of water.  
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P337 + P313 If eye irritation persists: Get medical advice/ attention.

#### **Storage:**

P405 Store locked up.

#### **Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards which do not result in classification

None known.

---

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### **Components**

Chemical name	CAS-No.	Concentration (% w/w)
Propan-2-ol	67-63-0	>= 60 -< 100
7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate	2386-87-0	>= 1 -< 10
Ivermectin	70288-86-7	< 1

---

## SECTION 4. FIRST AID MEASURES

# SAFETY DATA SHEET



## Ivermectin (0.50%) Liquid Formulation

---

Version 3.0	Revision Date: 14.04.2025	SDS Number: 10874506-00009	Date of last issue: 06.04.2024 Date of first issue: 20.10.2022
----------------	------------------------------	-------------------------------	---

---

General advice	: In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	: If inhaled, remove to fresh air. Get medical attention.
In case of skin contact	: In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse.
In case of eye contact	: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention.
If swallowed	: If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	: May cause an allergic skin reaction. Causes serious eye irritation. May cause drowsiness or dizziness. Suspected of causing genetic defects.
Protection of first-aiders	: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	: Treat symptomatically and supportively.

---

## SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Water spray Alcohol-resistant foam Carbon dioxide (CO <sub>2</sub> ) Dry chemical
Unsuitable extinguishing media	: None known.
Specific hazards during fire-fighting	: Exposure to combustion products may be a hazard to health.
Hazardous combustion products	: Carbon oxides
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

# SAFETY DATA SHEET



## Ivermectin (0.50%) Liquid Formulation

Version 3.0      Revision Date: 14.04.2025      SDS Number: 10874506-00009      Date of last issue: 06.04.2024  
Date of first issue: 20.10.2022

---

Hazchem Code : •3Z

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

### SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Do not get on skin or clothing. Do not breathe mist or vapours. Do not swallow. Do not get in eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment. Take care to prevent spills, waste and minimize release to the environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the

# SAFETY DATA SHEET



## Ivermectin (0.50%) Liquid Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 10874506-00009 Date of last issue: 06.04.2024 Date of first issue: 20.10.2022

workplace.

Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

Conditions for safe storage : Keep in properly labelled containers.  
Store locked up.  
Keep in a cool, well-ventilated place.  
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Propan-2-ol	67-63-0	STEL	500 ppm 1,230 mg/m <sup>3</sup>	AU OEL
		TWA	400 ppm 983 mg/m <sup>3</sup>	AU OEL
		TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
Ivermectin	70288-86-7	TWA	30 µg/m <sup>3</sup> (OEB 3)	Internal
		Further information: Skin		
		Wipe limit	300 µg/100 cm <sup>2</sup>	Internal

### Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
Propan-2-ol	67-63-0	Acetone	Urine	End of shift at end of work-week	40 mg/l	ACGIH BEI

Engineering measures : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).  
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).

# SAFETY DATA SHEET



## Ivermectin (0.50%) Liquid Formulation

Version 3.0      Revision Date: 14.04.2025      SDS Number: 10874506-00009      Date of last issue: 06.04.2024  
Date of first issue: 20.10.2022

---

Minimize open handling.

### Personal protective equipment

Respiratory protection	: If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Filter type	: Organic vapour type
Hand protection	
Material	: Chemical-resistant gloves
Remarks	: Consider double gloving.
Eye protection	: Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	: Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: clear
	Straw-coloured
Odour	: characteristic
Odour Threshold	: No data available
pH	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: No data available
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Flammability (liquids)	: No data available

# SAFETY DATA SHEET



## Ivermectin (0.50%) Liquid Formulation

Version 3.0      Revision Date: 14.04.2025      SDS Number: 10874506-00009      Date of last issue: 06.04.2024  
Date of first issue: 20.10.2022

---

Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Relative density	: No data available
Density	: No data available
Solubility(ies)	
Water solubility	: No data available
Partition coefficient: n-octanol/water	: Not applicable
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	
Viscosity, kinematic	: No data available
Explosive properties	: Not explosive
Oxidizing properties	: The substance or mixture is not classified as oxidizing.
Molecular weight	: No data available
Particle characteristics	
Particle size	: Not applicable

---

## SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Can react with strong oxidizing agents.
Conditions to avoid	: None known.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: No hazardous decomposition products are known.

---

## SECTION 11. TOXICOLOGICAL INFORMATION

Exposure routes	: Inhalation Skin contact
-----------------	------------------------------

**Ivermectin (0.50%) Liquid Formulation**Version  
3.0Revision Date:  
14.04.2025SDS Number:  
10874506-00009Date of last issue: 06.04.2024  
Date of first issue: 20.10.2022Ingestion  
Eye contact**Acute toxicity**

Not classified based on available information.

**Product:**

Acute oral toxicity	:	Acute toxicity estimate: > 2,000 mg/kg Method: Calculation method
Acute dermal toxicity	:	Acute toxicity estimate: > 2,000 mg/kg Method: Calculation method

**Components:****Propan-2-ol:**

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 25 mg/l Exposure time: 6 h Test atmosphere: vapour
Acute dermal toxicity	:	LD50 (Rabbit): > 5,000 mg/kg

**7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:**

Acute oral toxicity	:	LD50 (Rat, male): > 2,959 - 5,000 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	:	LC50 (Rat): >= 5.19 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 436 Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	:	LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity

**Ivermectin:**

Acute oral toxicity	:	LD50 (Rat): 50 mg/kg LD50 (Mouse): 25 mg/kg LD50 (Monkey): > 24 mg/kg Target Organs: Central nervous system Symptoms: Vomiting, Dilatation of the pupil Remarks: No mortality observed at this dose.
Acute inhalation toxicity	:	LC50 (Rat): 5.11 mg/l

# SAFETY DATA SHEET



## Ivermectin (0.50%) Liquid Formulation

Version 3.0      Revision Date: 14.04.2025      SDS Number: 10874506-00009      Date of last issue: 06.04.2024  
Date of first issue: 20.10.2022

---

		Exposure time: 1 h Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 (Rabbit): 406 mg/kg
		LD50 (Rat): > 660 mg/kg

### Skin corrosion/irritation

Not classified based on available information.

### Components:

#### Propan-2-ol:

Species	:	Rabbit
Result	:	No skin irritation

#### 7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

#### Ivermectin:

Species	:	Rabbit
Result	:	No skin irritation

### Serious eye damage/eye irritation

Causes serious eye irritation.

### Components:

#### Propan-2-ol:

Species	:	Rabbit
Result	:	Irritation to eyes, reversing within 21 days

#### 7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Species	:	Rabbit
Result	:	No eye irritation
Method	:	OECD Test Guideline 405

#### Ivermectin:

Species	:	Rabbit
Result	:	Mild eye irritation

### Respiratory or skin sensitisation

#### Skin sensitisation

May cause an allergic skin reaction.

# SAFETY DATA SHEET



## Ivermectin (0.50%) Liquid Formulation

Version 3.0      Revision Date: 14.04.2025      SDS Number: 10874506-00009      Date of last issue: 06.04.2024  
Date of first issue: 20.10.2022

---

### Respiratory sensitisation

Not classified based on available information.

#### Components:

##### Propan-2-ol:

Test Type	:	Buehler Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	negative

##### 7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Test Type	:	Maximisation Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Result	:	positive
Assessment	Probability or evidence of skin sensitisation in humans	

##### Ivermectin:

Exposure routes	:	Dermal
Species	:	Humans
Result	:	Does not cause skin sensitisation.

### Chronic toxicity

#### Germ cell mutagenicity

Suspected of causing genetic defects.

#### Components:

##### Propan-2-ol:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
		Test Type: In vitro mammalian cell gene mutation test Result: negative
Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Result: negative

##### 7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: positive
-----------------------	---	---

**Ivermectin (0.50%) Liquid Formulation**

Version 3.0      Revision Date: 14.04.2025      SDS Number: 10874506-00009      Date of last issue: 06.04.2024  
Date of first issue: 20.10.2022

---

Test Type: In vitro mammalian cell gene mutation test  
Result: positive

Test Type: In vitro sister chromatid exchange assay in mammalian cells  
Result: positive

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)  
Result: positive

Genotoxicity in vivo

: Test Type: Unscheduled DNA synthesis (UDS) test with mammalian liver cells in vivo  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 486  
Result: negative

Test Type: Micronucleus test  
Species: Mouse  
Application Route: Intraperitoneal injection  
Result: negative

Test Type: Transgenic rodent somatic cell gene mutation assay  
Species: Mouse  
Application Route: Ingestion  
Method: OECD Test Guideline 488  
Result: positive

Germ cell mutagenicity - Assessment

: Positive result(s) from in vivo mammalian somatic cell mutagenicity tests.

**Ivermectin:**

Genotoxicity in vitro

: Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)  
Test system: human diploid fibroblasts  
Result: negative

Test Type: Mouse Lymphoma  
Result: negative

**Carcinogenicity**

Not classified based on available information.

# SAFETY DATA SHEET



## Ivermectin (0.50%) Liquid Formulation

Version 3.0      Revision Date: 14.04.2025      SDS Number: 10874506-00009      Date of last issue: 06.04.2024  
Date of first issue: 20.10.2022

---

### Components:

#### Propan-2-ol:

Species	:	Rat
Application Route	:	inhalation (vapour)
Exposure time	:	104 weeks
Method	:	OECD Test Guideline 451
Result	:	negative

#### 7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Species	:	Mouse
Application Route	:	Skin contact
Exposure time	:	29 Months
Result	:	negative

#### Ivermectin:

Species	:	Rat
Application Route	:	Oral
NOAEL	:	1.5 mg/kg body weight
Result	:	negative
Remarks	:	Based on data from similar materials

Species	:	Mouse
Application Route	:	Oral
NOAEL	:	2.0 mg/kg body weight
Result	:	negative
Remarks	:	Based on data from similar materials

### Reproductive toxicity

Not classified based on available information.

### Components:

#### Propan-2-ol:

Effects on fertility	:	Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative
Effects on foetal development	:	Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Result: negative

#### 7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Effects on foetal development	:	Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Method: OECD Test Guideline 414 Result: negative
-------------------------------	---	---

**Ivermectin (0.50%) Liquid Formulation**

Version 3.0      Revision Date: 14.04.2025      SDS Number: 10874506-00009      Date of last issue: 06.04.2024  
Date of first issue: 20.10.2022

---

**Ivermectin:****Effects on fertility**

: Test Type: Fertility  
Species: Rat  
Application Route: Oral  
Fertility: NOAEL: 0.6 mg/kg body weight  
Result: Animal testing did not show any effects on fertility.

**Effects on foetal development**

: Test Type: Development  
Species: Mouse  
Application Route: Oral  
Developmental Toxicity: NOAEL: 0.2 mg/kg body weight  
Result: Teratogenic effects, Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses

Test Type: Development  
Species: Rat  
Application Route: Oral  
Developmental Toxicity: LOAEL: 0.4 mg/kg body weight  
Result: Embryotoxic effects and adverse effects on the offspring were detected.  
Remarks: The mechanism or mode of action may not be relevant in humans.

Test Type: Development  
Species: Rabbit  
Application Route: Oral  
Result: Teratogenic effects, Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses

**STOT - single exposure**

May cause drowsiness or dizziness.

**Components:****Propan-2-ol:**

Assessment : May cause drowsiness or dizziness.

**Ivermectin:**

Target Organs : Central nervous system  
Assessment : Causes damage to organs.

**STOT - repeated exposure**

Not classified based on available information.

# SAFETY DATA SHEET



## Ivermectin (0.50%) Liquid Formulation

Version 3.0      Revision Date: 14.04.2025      SDS Number: 10874506-00009      Date of last issue: 06.04.2024  
Date of first issue: 20.10.2022

### Components:

#### **7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:**

Exposure routes	:	Ingestion
Target Organs	:	nasal cavity
Assessment	:	Shown to produce significant health effects in animals at concentrations of >10 to 100 mg/kg bw.

#### **Ivermectin:**

Target Organs	:	Central nervous system
Assessment	:	Causes damage to organs through prolonged or repeated exposure.

### **Repeated dose toxicity**

### Components:

#### **Propan-2-ol:**

Species	:	Rat
NOAEL	:	12.5 mg/l
Application Route	:	inhalation (vapour)
Exposure time	:	104 Weeks

#### **7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:**

Species	:	Rat
NOAEL	:	5 mg/kg
LOAEL	:	50 mg/kg
Application Route	:	Ingestion
Exposure time	:	90 Days
Method	:	OECD Test Guideline 408

#### **Ivermectin:**

Species	:	Dog
NOAEL	:	0.5 mg/kg
LOAEL	:	1 mg/kg
Application Route	:	Oral
Exposure time	:	14 Weeks
Target Organs	:	Central nervous system
Symptoms	:	Dilatation of the pupil, Tremors, Lack of coordination, anorexia

Species	:	Monkey
NOAEL	:	1.2 mg/kg
Application Route	:	Oral
Exposure time	:	2 Weeks
Remarks	:	No significant adverse effects were reported

Species	:	Rat
NOAEL	:	0.4 mg/kg
LOAEL	:	0.8 mg/kg
Application Route	:	Oral

# SAFETY DATA SHEET



## Ivermectin (0.50%) Liquid Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 10874506-00009 Date of last issue: 06.04.2024 Date of first issue: 20.10.2022

---

Exposure time : 3 Months  
Target Organs : spleen, Bone marrow, Kidney

### Aspiration toxicity

Not classified based on available information.

### Experience with human exposure

#### Components:

##### Ivermectin:

Skin contact : Remarks: Can be absorbed through skin.  
Eye contact : Remarks: May irritate eyes.  
Ingestion : Symptoms: Drowsiness, Dilatation of the pupil, Tremors, Vomiting, anorexia, Lack of coordination

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

##### Propan-2-ol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 9,640 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10,000 mg/l  
Exposure time: 24 h

Toxicity to microorganisms : EC50 (Pseudomonas putida): > 1,050 mg/l  
Exposure time: 16 h

---

##### 7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 24 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 40 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): > 110 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Raphidocelis subcapitata (freshwater green alga)): 30 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

---

**Ivermectin (0.50%) Liquid Formulation**

Version 3.0      Revision Date: 14.04.2025      SDS Number: 10874506-00009      Date of last issue: 06.04.2024  
Date of first issue: 20.10.2022

---

Toxicity to microorganisms : EC10 (activated sludge): 409 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209

**Ivermectin:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.003 mg/l  
Exposure time: 96 h  
  
LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.0048 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.000025 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 9.1 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
  
NOEC (Pseudokirchneriella subcapitata (green algae)): 9.1 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

**Persistence and degradability****Components:****Propan-2-ol:**

Biodegradability : Result: rapidly degradable  
  
BOD/COD : BOD: 1,19 (BOD5)  
COD: 2,23  
BOD/COD: 53 %

**7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 71 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B

**Ivermectin:**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 50 %  
Exposure time: 240 d

# SAFETY DATA SHEET



## Ivermectin (0.50%) Liquid Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 10874506-00009 Date of last issue: 06.04.2024 Date of first issue: 20.10.2022

---

### Bioaccumulative potential

#### Components:

##### **Propan-2-ol:**

Partition coefficient: n-octanol/water : log Pow: 0.05

##### **7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:**

Partition coefficient: n-octanol/water : log Pow: 1.34  
Method: OECD Test Guideline 107

##### **Ivermectin:**

Bioaccumulation : Bioconcentration factor (BCF): 74  
Partition coefficient: n-octanol/water : log Pow: 3.22

##### **Mobility in soil**

No data available

##### **Other adverse effects**

No data available

---

## SECTION 13. DISPOSAL CONSIDERATIONS

#### **Disposal methods**

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.  
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

## SECTION 14. TRANSPORT INFORMATION

#### **International Regulations**

##### **UNRTDG**

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Ivermectin)  
Class : 9  
Packing group : III  
Labels : 9  
Environmentally hazardous : yes

##### **IATA-DGR**

UN/ID No. : UN 3082  
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.  
(Ivermectin)  
Class : 9

# SAFETY DATA SHEET



## Ivermectin (0.50%) Liquid Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 10874506-00009 Date of last issue: 06.04.2024 Date of first issue: 20.10.2022

---

Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 964  
Packing instruction (passenger aircraft) : 964  
Environmentally hazardous : yes

### IMDG-Code

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Ivermectin)  
Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

#### ADG

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Ivermectin)  
Class : 9  
Packing group : III  
Labels : 9  
Hazchem Code : •3Z  
Environmentally hazardous : yes

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## SECTION 15. REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

Therapeutic Goods (Poisons Standard) Instrument : Schedule 5  
Prohibition/Licensing Requirements : There is no applicable prohibition, authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regulations.

# SAFETY DATA SHEET



## Ivermectin (0.50%) Liquid Formulation

Version 3.0      Revision Date: 14.04.2025      SDS Number: 10874506-00009      Date of last issue: 06.04.2024  
Date of first issue: 20.10.2022

---

### The components of this product are reported in the following inventories:

AICS : not determined  
DSL : not determined  
IECSC : not determined

---

## SECTION 16: ANY OTHER RELEVANT INFORMATION

### Further information

Revision Date : 14.04.2025  
Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : dd.mm.yyyy

### Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI	: ACGIH - Biological Exposure Indices (BEI)
AU OEL	: Australia. Workplace Exposure Standards for Airborne Contaminants.
ACGIH / TWA	: 8-hour, time-weighted average
ACGIH / STEL	: Short-term exposure limit
AU OEL / TWA	: Exposure standard - time weighted average
AU OEL / STEL	: Exposure standard - short term exposure limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Develop-

# SAFETY DATA SHEET



## Ivermectin (0.50%) Liquid Formulation

---

Version 3.0	Revision Date: 14.04.2025	SDS Number: 10874506-00009	Date of last issue: 06.04.2024 Date of first issue: 20.10.2022
----------------	------------------------------	-------------------------------	---

---

ment; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AU / EN