

Cobalt Oxide Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/12/04
4.0	2025/04/14	11093974-00007	Date of first issue: 2022/11/23

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Cobalt Oxide Solid Formulation

Other means of identification : Coopers Permatrace 3 Year Cobalt Pellets for Sheep (47611)
Coopers Permatrace Cobalt Pellets for Cattle (47638)

Manufacturer or supplier's details

Company : MSD

Address : 126 E. Lincoln Avenue
Rahway, New Jersey U.S.A. 07065

Telephone : +1-908-740-4000

Emergency telephone number : +1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product



Restrictions on use : Not applicable

2. HAZARDS IDENTIFICATION**GHS Classification**

Respiratory sensitisation : Category 1

Long-term (chronic) aquatic hazard : Category 1

GHS label elements

Hazard pictograms :  

Signal word : Danger

Hazard statements : H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P273 Avoid release to the environment.

Cobalt Oxide Solid Formulation

Version 4.0	Revision Date: 2025/04/14	SDS Number: 11093974-00007	Date of last issue: 2024/12/04 Date of first issue: 2022/11/23
----------------	------------------------------	-------------------------------	---

P284 Wear respiratory protection.

Response:

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER/ doctor.

P391 Collect spillage.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Iron	7439-89-6	≥ 60 - ≤ 100
Tricobalt tetraoxide	1308-06-1	≥ 30 - < 60

4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.
If not breathing, give artificial respiration.
If breathing is difficult, give oxygen.
Get medical attention.
- In case of skin contact : Wash with water and soap.
Get medical attention if symptoms occur.
- In case of eye contact : If in eyes, rinse well with water.
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention if symptoms occur.
Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : Excessive exposure may aggravate preexisting asthma and other respiratory disorders (e.g. emphysema, bronchitis, reactive airways dysfunction syndrome).
Contact with dust can cause mechanical irritation or drying of the skin.
Dust contact with the eyes can lead to mechanical irritation.
May cause allergy or asthma symptoms or breathing difficul-

Cobalt Oxide Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/12/04
4.0	2025/04/14	11093974-00007	Date of first issue: 2022/11/23

Protection of first-aiders	:	ties if inhaled. First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire-fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Metal oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Surround spill with absorbents and place a damp covering over the area to minimise entry of the material into the air. Add excess liquid to allow the material to enter into solution. Soak up with inert absorbent material. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Dust deposits should not be allowed to accumulate on surfac-

Cobalt Oxide Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
4.0	2025/04/14	11093974-00007	2024/12/04
			Date of first issue: 2022/11/23

es, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Clean up remaining materials from spill with suitable absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

7. HANDLING AND STORAGE

- | | |
|-----------------------------|---|
| Technical measures | : Static electricity may accumulate and ignite suspended dust causing an explosion.
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres. |
| Local/Total ventilation | : Use only with adequate ventilation. |
| Advice on safe handling | : Avoid breathing dust, fume, gas, mist, vapours or spray.
Do not breathe dust.
Do not swallow.
Avoid contact with eyes.
Avoid prolonged or repeated contact with skin.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Keep container tightly closed.
Already sensitised individuals, and those susceptible to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respiratory irritants or sensitisers.
Minimize dust generation and accumulation.
Keep container closed when not in use.
Keep away from heat and sources of ignition.
Take precautionary measures against static discharges.
Take care to prevent spills, waste and minimize release to the environment. |
| Conditions for safe storage | : Keep in properly labelled containers.
Keep tightly closed.
Store in accordance with the particular national regulations. |
| Materials to avoid | : Do not store with the following product types:
Strong oxidizing agents |

8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Components with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Iron	7439-89-6	NAB	1 mg/m3	ID OEL

Cobalt Oxide Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
4.0	2025/04/14	11093974-00007	2024/12/04
			Date of first issue: 2022/11/23

			(Iron)	
Tricobalt tetraoxide	1308-06-1	NAB	0.002 mg/m3 (Cobalt)	ID OEL
Further information: Confirmed animal carcinogen.				
		TWA (Inhalable particulate matter)	0.02 mg/m3 (Cobalt)	ACGIH

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
Tricobalt tetraoxide	1308-06-1	Cobalt (Cobalt)	Urine	End of shift at end of work-week	15 µg/l	ACGIH BEI

Engineering measures : The information below is intended for larger pilot/commercial-scale operations and manufacturing. For smaller scale, clinical, or pharmacy settings, site-specific internal risk assessment practices should be conducted to determine appropriate exposure control measures. The health hazard risks of handling this material are dependent on multiple factors, including but not limited to physical form and quantity handled. If applicable, use process enclosures, local exhaust ventilation (e.g., Biosafety Cabinet, Ventilated Balance Enclosures), or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels as low as reasonably achievable.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., vacuum conveying from a closed system, packout head with inflatable seal from stationary container, ventilated enclosure, etc.).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Essentially no open handling permitted.

Use closed processing systems or containment technologies.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Cobalt Oxide Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
4.0	2025/04/14	11093974-00007	2024/12/04
			Date of first issue: 2022/11/23

- | | |
|--------------------------|--|
| Eye protection | : Wear safety glasses with side shields or goggles.
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols. |
| Skin and body protection | : Work uniform or laboratory coat.
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.
Use appropriate degowning techniques to remove potentially contaminated clothing. |
| Hygiene measures | : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls. |
-

9. PHYSICAL AND CHEMICAL PROPERTIES

- | | |
|--|---|
| Appearance | : pellets |
| Colour | : black |
| Odour | : No data available |
| Odour Threshold | : No data available |
| pH | : No data available |
| Melting point/freezing point | : No data available |
| Initial boiling point and boiling range | : No data available |
| Flash point | : Not applicable |
| Evaporation rate | : Not applicable |
| Flammability (solid, gas) | : May form explosive dust-air mixture during processing, handling or other means. |
| Flammability (liquids) | : Not applicable |
| Upper explosion limit / Upper flammability limit | : No data available |
| Lower explosion limit / Lower | : No data available |

Cobalt Oxide Solid Formulation

Version 4.0	Revision Date: 2025/04/14	SDS Number: 11093974-00007	Date of last issue: 2024/12/04 Date of first issue: 2022/11/23
----------------	------------------------------	-------------------------------	---

flammability limit

Vapour pressure : Not applicable

Relative vapour density : Not applicable

Relative density : No data available

Density : No data available

Solubility(ies)
Water solubility : No data availablePartition coefficient: n-
octanol/water : Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity
Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics
Particle size : No data available

10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents.

Conditions to avoid	: Heat, flames and sparks. Avoid dust formation.
---------------------	---

Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure	: Inhalation Skin contact Ingestion
--	---

Cobalt Oxide Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/12/04
4.0	2025/04/14	11093974-00007	Date of first issue: 2022/11/23

Eye contact

Acute toxicity

Not classified based on available information.

Components:**Iron:**

Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	: LC50 (Rat): > 0.15 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity

Tricobalt tetraoxide:

Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg Remarks: The test was conducted equivalent or similar to guideline
Acute inhalation toxicity	: LC50 (Rat): > 5.06 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 436 Remarks: The test was conducted according to guideline
Acute dermal toxicity	: LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity Remarks: The test was conducted according to guideline

Skin corrosion/irritation

Not classified based on available information.

Components:**Iron:**

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation

Tricobalt tetraoxide:

Species	: reconstructed human epidermis (RhE)
Method	: OECD Test Guideline 431
Remarks	: The test was conducted according to guideline
Species	: reconstructed human epidermis (RhE)
Method	: OECD Test Guideline 439
Remarks	: The test was conducted according to guideline

Cobalt Oxide Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/12/04
4.0	2025/04/14	11093974-00007	Date of first issue: 2022/11/23

|| Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:**Iron:**

|| Species : Rabbit
|| Result : No eye irritation
|| Method : OECD Test Guideline 405

Tricobalt tetraoxide:

|| Species : Rabbit
|| Result : No eye irritation
|| Method : OECD Test Guideline 405
|| Remarks : The test was conducted according to guideline

Respiratory or skin sensitisation**Skin sensitisation**

Not classified based on available information.

Respiratory sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Components:**Iron:**

|| Exposure routes : Skin contact
|| Species : Guinea pig
|| Result : negative

Tricobalt tetraoxide:

|| Test Type : Local lymph node assay (LLNA)
|| Exposure routes : Skin contact
|| Species : Mouse
|| Method : OECD Test Guideline 429
|| Result : negative

|| Assessment : Probability or evidence of low to moderate respiratory sensitisation rate in humans
|| Remarks : Based on data from similar materials

Germ cell mutagenicity

Not classified based on available information.

Components:**Iron:**

Cobalt Oxide Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
4.0	2025/04/14	11093974-00007	2024/12/04
			Date of first issue: 2022/11/23

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Tricobalt tetraoxide:

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 475
Result: negative
Remarks: The test was conducted according to guideline

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

Components:**Tricobalt tetraoxide:**

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 422
Result: negative
Remarks: The test was conducted according to guideline

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 414
Result: negative
Remarks: The test was conducted according to guideline

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Components:**Iron:**

Exposure routes : inhalation (dust/mist/fume)
Assessment : No significant health effects observed in animals at concentrations of 0.2 mg/l/6h/d or less.

Cobalt Oxide Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/12/04
4.0	2025/04/14	11093974-00007	Date of first issue: 2022/11/23

Repeated dose toxicity**Components:****Iron:**

Species	: Rat
NOAEL	: 5 mg/m3
Application Route	: inhalation (dust/mist/fume)
Exposure time	: 28 Days

Tricobalt tetraoxide:

Species	: Rat
NOAEL	: 300 mg/kg
Application Route	: Ingestion
Exposure time	: 90 Days
Method	: OECD Test Guideline 408
Remarks	: The test was conducted according to guideline

Aspiration toxicity

Not classified based on available information.

12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****Iron:**

Toxicity to fish	: LC50 (Danio rerio (zebra fish)): > 50,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to microorganisms	: EC50: 10,000 mg/l Exposure time: 3 h

Tricobalt tetraoxide:

Toxicity to fish	: LL50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h Remarks: Based on transformation/dissolution testing and data from soluble metal compounds
Toxicity to daphnia and other aquatic invertebrates	: EL50 (Ceriodaphnia dubia (water flea)): > 100 mg/l Exposure time: 48 h Remarks: Based on transformation/dissolution testing and data from soluble metal compounds

Cobalt Oxide Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
4.0	2025/04/14	11093974-00007	2024/12/04
			Date of first issue: 2022/11/23

Toxicity to algae/aquatic plants	: EL50 (Champia parvula (marine algae)): > 1 - 10 mg/l Exposure time: 7 d Remarks: Based on transformation/dissolution testing and data from soluble metal compounds EL10 (Champia parvula (marine algae)): > 0.01 - 0.1 mg/l Exposure time: 7 d Remarks: Based on transformation/dissolution testing and data from soluble metal compounds
Toxicity to fish (Chronic toxicity)	: EL10 (Pimephales promelas (fathead minnow)): > 1 mg/l Exposure time: 34 d Remarks: Based on transformation/dissolution testing and data from soluble metal compounds
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: EL10 (Hyalella azteca (Amphipod)): > 0.1 - 1 mg/l Exposure time: 28 d Method: OECD Test Guideline 211 Remarks: The test was conducted according to guideline Based on transformation/dissolution testing and data from soluble metal compounds
M-Factor (Chronic aquatic toxicity)	: 1

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues	: Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	: Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

UN number	: UN 3077
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

Cobalt Oxide Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/12/04
4.0	2025/04/14	11093974-00007	Date of first issue: 2022/11/23

N.O.S.
(Tricobalt tetraoxide)

Class	: 9
Packing group	: III
Labels	: 9
Environmentally hazardous	: yes

IATA-DGR

UN/ID No.	: UN 3077
Proper shipping name	: Environmentally hazardous substance, solid, n.o.s. (Tricobalt tetraoxide)
Class	: 9
Packing group	: III
Labels	: Miscellaneous
Packing instruction (cargo aircraft)	: 956
Packing instruction (passenger aircraft)	: 956
Environmentally hazardous	: yes

IMDG-Code

UN number	: UN 3077
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Tricobalt tetraoxide)
Class	: 9
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
Marine pollutant	: yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION**Safety, health and environmental regulations/legislation specific for the substance or mixture**

Minister of Industry Regulation No. 23/M-IND/PER/4/2013 concerning the Revision of Minister of Industry Regulation No. 87/M-IND/PER/9/2009 concerning Globally Harmonized System of Classification and Labelling of Chemicals.

Regulation of the Minister of Health No. 472 of 1996 on the Safeguarding of Substances Hazardous to Health

Hazardous substances that must be registered : Not applicable

Cobalt Oxide Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
4.0	2025/04/14	11093974-00007	2024/12/04
			Date of first issue: 2022/11/23

Government Regulation No. 74 of 2001 on the Management of Hazardous and Toxic Substances

Hazardous substances approved for use	:	Not applicable
Prohibited substances	:	Not applicable
Restricted substances	:	Not applicable

Regulation of the Ministry of Trade No. 7 of 2022 on Distribution and Control of Hazardous Materials

Type of hazardous materials subject to distribution and control, Annex I : Not applicable

Type of hazardous materials subject to distribution and control, Annex II : Not applicable

The components of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

16. OTHER INFORMATION

Revision Date : 2025/04/14

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI	:	ACGIH - Biological Exposure Indices (BEI)
ID OEL	:	Indonesia. Occupational Exposure Limits

ACGIH / TWA	:	8-hour, time-weighted average
ID OEL / NAB	:	Long term exposure limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA

Cobalt Oxide Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/12/04
4.0	2025/04/14	11093974-00007	Date of first issue: 2022/11/23

- International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECL - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

ID / EN