

SAFETY DATA SHEET



Diflubenzuron (25%) Concentrate Formulation

Version 4.2 Revision Date: 19.08.2025 SDS Number: 10877034-00012 Date of last issue: 08.05.2025 Date of first issue: 26.10.2022

SECTION 1. IDENTIFICATION

Product identifier : Diflubenzuron (25%) Concentrate Formulation

Other means of identification : Zenith Concentrate (A006102)

Manufacturer or supplier's details

Company : MSD

Address : Rua Coronel Bento Soares, 530
Cruzeiro - Sao Paulo - Brazil CEP 12730-340

Telephone : 908-740-4000

Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification in accordance with ABNT NBR 14725 Standard

Skin irritation : Category 3

Skin sensitization : Category 1

Specific target organ toxicity - repeated exposure : Category 2 (Blood, spleen, Liver)

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

GHS label elements in accordance with ABNT NBR 14725 Standard

Hazard pictograms :



Signal Word : Warning

Hazard Statements : H316 Causes mild skin irritation.
H317 May cause an allergic skin reaction.

SAFETY DATA SHEET



Diflubenzuron (25%) Concentrate Formulation

Version 4.2	Revision Date: 19.08.2025	SDS Number: 10877034-00012	Date of last issue: 08.05.2025 Date of first issue: 26.10.2022
----------------	------------------------------	-------------------------------	---

H373 May cause damage to organs (Blood, spleen, Liver) through prolonged or repeated exposure.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements	:	Prevention: P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves. Response: P302 + P352 IF ON SKIN: Wash with plenty of water. P314 Get medical advice/ attention if you feel unwell. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P362 + P364 Take off contaminated clothing and wash it before reuse. P391 Collect spillage.
--------------------------	---	--

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Classification	Concentration (% w/w)
N-[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide	35367-38-5	Acute Tox. (Oral), 5 STOT RE, (Blood, spleen, Liver) , 2 Aquatic Acute, 1 Aquatic Chronic, 1	>= 25 -< 30
Sulfurous acid, monosodium salt, reaction products with (cresol, formaldehyde, nonylphenol) polymer	115535-44-9	Aquatic Acute, 3 Aquatic Chronic, 3	>= 2,5 -< 5
(R)-p-mentha-1,8-diene	5989-27-5	Flam. Liq., 3 Skin Irrit., 2 Skin Sens., 1B Asp. Tox., 1 Aquatic Acute, 1 Aquatic Chronic, 3	>= 1 -< 2,5
N,N"-methylenebis[N'-(3-(hydroxymethyl)-2,5-dioxoimidazolidin-4-yl]urea]	39236-46-9	Skin Sens., 1B Aquatic Acute, 2 Aquatic Chronic, 3	>= 0,1 -< 0,25

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical

SAFETY DATA SHEET



Diflubenzuron (25%) Concentrate Formulation

Version
4.2

Revision Date:
19.08.2025

SDS Number:
10877034-00012

Date of last issue: 08.05.2025
Date of first issue: 26.10.2022

	advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	: If inhaled, remove to fresh air. Get medical attention if symptoms occur.
In case of skin contact	: In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	: Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed	: If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	: Causes mild skin irritation. May cause an allergic skin reaction. May cause damage to organs through prolonged or repeated exposure.
Protection of first-aiders	: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	: Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	: Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	: None known.
Specific hazards during fire fighting	: Exposure to combustion products may be a hazard to health.
Hazardous combustion products	: Carbon oxides Chlorine compounds Nitrogen oxides (NO _x) Fluorine compounds Metal oxides Sulfur oxides
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SAFETY DATA SHEET



Diflubenzuron (25%) Concentrate Formulation

Version
4.2

Revision Date:
19.08.2025

SDS Number:
10877034-00012

Date of last issue: 08.05.2025
Date of first issue: 26.10.2022

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g., by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material. For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not get on skin or clothing. Do not breathe mist or vapors. Do not swallow. Avoid contact with eyes. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment. Take care to prevent spills, waste and minimize release to the environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

SAFETY DATA SHEET



Diflubenzuron (25%) Concentrate Formulation

Version 4.2 Revision Date: 19.08.2025 SDS Number: 10877034-00012 Date of last issue: 08.05.2025 Date of first issue: 26.10.2022

Conditions for safe storage	: use of administrative controls. Keep in properly labeled containers. Store in accordance with the particular national regulations.
Materials to avoid	: Do not store with the following product types: Strong oxidizing agents Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
N-[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide	35367-38-5	TWA	400 µg/m ³ (OEB 2)	Internal

Engineering measures : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections). All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices). Minimize open handling.

Personal protective equipment

Respiratory protection	: If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Filter type	: Combined particulates and organic vapor type
Hand protection	
Material	: Chemical-resistant gloves
Remarks	: Consider double gloving.
Eye protection	: Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	: Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

SAFETY DATA SHEET



Diflubenzuron (25%) Concentrate Formulation

Version 4.2 Revision Date: 19.08.2025 SDS Number: 10877034-00012 Date of last issue: 08.05.2025
Date of first issue: 26.10.2022

Physical state	:	suspension
Color	:	off-white, to, pink, orange
Odor	:	No data available
Odor Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	1,09 - 1,19
Density	:	No data available
Solubility(ies)		
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	1300 - 2400 mm ² /s
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available

SAFETY DATA SHEET



Diflubenzuron (25%) Concentrate Formulation

Version 4.2 Revision Date: 19.08.2025 SDS Number: 10877034-00012 Date of last issue: 08.05.2025 Date of first issue: 26.10.2022

Particle characteristics
Particle size : Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.
Chemical stability : Stable under normal conditions.
Possibility of hazardous reactions : Can react with strong oxidizing agents.
Conditions to avoid : None known.
Incompatible materials : Oxidizing agents
Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 5.000 mg/kg
Method: Calculation method

Components:

N-[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide:

Acute oral toxicity : LD50 (Rat): 4.640 mg/kg
Acute inhalation toxicity : LC50 (Rat): > 2,49 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg
Method: OECD Test Guideline 402

(R)-p-mentha-1,8-diene:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg
Method: OECD Test Guideline 423
Remarks: Based on data from similar materials
Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg
Remarks: Based on data from similar materials

N,N"-methylenebis[N'-(3-(hydroxymethyl)-2,5-dioxoimidazolidin-4-yl]urea]:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

SAFETY DATA SHEET



Diflubenzuron (25%) Concentrate Formulation

Version 4.2 Revision Date: 19.08.2025 SDS Number: 10877034-00012 Date of last issue: 08.05.2025 Date of first issue: 26.10.2022

Acute inhalation toxicity : LC50 (Rat): > 5 mg/l
Exposure time: 1 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 8.000 mg/kg

Skin corrosion/irritation

Causes mild skin irritation.

Components:

N-[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

(R)-p-mentha-1,8-diene:

Species : Rabbit
Method : OECD Test Guideline 404
Result : Skin irritation

N,N"-methylenebis[N'-[3-(hydroxymethyl)-2,5-dioxoimidazolidin-4-yl]urea]:

Species : Rabbit
Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

N-[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405

(R)-p-mentha-1,8-diene:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405

N,N"-methylenebis[N'-[3-(hydroxymethyl)-2,5-dioxoimidazolidin-4-yl]urea]:

Species : Rabbit
Result : No eye irritation

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

SAFETY DATA SHEET



Diflubenzuron (25%) Concentrate Formulation

Version
4.2

Revision Date:
19.08.2025

SDS Number:
10877034-00012

Date of last issue: 08.05.2025
Date of first issue: 26.10.2022

Respiratory sensitization

Not classified based on available information.

Components:

N-[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide:

Test Type : Buehler Test
Routes of exposure : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : negative

(R)-p-mentha-1,8-diene:

Test Type : Local lymph node assay (LLNA)
Routes of exposure : Skin contact
Species : Mouse
Method : OECD Test Guideline 429
Result : positive

Assessment : Probability or evidence of low to moderate skin sensitization rate in humans

N,N"-methylenebis[N'-(3-(hydroxymethyl)-2,5-dioxoimidazolidin-4-yl]urea]:

Test Type : Maximization Test
Routes of exposure : Skin contact
Species : Guinea pig
Result : positive

Assessment : Probability or evidence of low to moderate skin sensitization rate in humans

Germ cell mutagenicity

Not classified based on available information.

Components:

N-[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: negative

Genotoxicity in vivo : Test Type: Rodent dominant lethal test (germ cell) (in vivo)
Species: Mouse
Application Route: Intraperitoneal injection
Result: negative

(R)-p-mentha-1,8-diene:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471

SAFETY DATA SHEET



Diflubenzuron (25%) Concentrate Formulation

Version 4.2 Revision Date: 19.08.2025 SDS Number: 10877034-00012 Date of last issue: 08.05.2025 Date of first issue: 26.10.2022

Result: negative
Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test
Result: negative

Test Type: Chromosome aberration test in vitro
Result: negative

Genotoxicity in vivo : Test Type: In vivo mammalian alkaline comet assay
Species: Rat
Application Route: Ingestion
Result: negative

N,N"-methylenebis[N'-(3-(hydroxymethyl)-2,5-dioxoimidazolidin-4-yl]urea]:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative

Test Type: Chromosome aberration test in vitro
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

Test Type: Unscheduled DNA synthesis (UDS) test with mammalian liver cells in vivo
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 486
Result: negative
Remarks: Based on data from similar materials

Carcinogenicity

Not classified based on available information.

Components:

N-[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide:

Species : Rat
Application Route : Ingestion
Exposure time : 104 weeks
Result : negative

(R)-p-mentha-1,8-diene:

Species : Mouse
Application Route : Ingestion
Exposure time : 103 weeks
Result : negative

Diflubenzuron (25%) Concentrate FormulationVersion
4.2Revision Date:
19.08.2025SDS Number:
10877034-00012Date of last issue: 08.05.2025
Date of first issue: 26.10.2022**Reproductive toxicity**

Not classified based on available information.

Components:**N-[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rabbit
Application Route: Ingestion
Result: negative

(R)-p-mentha-1,8-diene:

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
Application Route: Ingestion
Result: negative

N,N"-methylenebis[N'-(3-(hydroxymethyl)-2,5-dioxoimidazolidin-4-yl]urea]:

Effects on fetal development : Test Type: Embryo-fetal development
Species: Mouse
Application Route: Ingestion
Result: negative

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

May cause damage to organs (Blood, spleen, Liver) through prolonged or repeated exposure.

Components:**N-[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide:**

Routes of exposure : Ingestion
Target Organs : Blood, spleen, Liver
Assessment : Shown to produce significant health effects in animals at concentrations of >10 to 100 mg/kg bw.

Routes of exposure : inhalation (dust/mist/fume)
Target Organs : Blood, spleen, Liver
Assessment : Shown to produce significant health effects in animals at concentrations of >0.02 to 0.2 mg/l/6h/d.

Routes of exposure : Skin contact
Target Organs : Blood, spleen, Liver
Assessment : Shown to produce significant health effects in animals at concentrations of >20 to 200 mg/kg bw.

Diflubenzuron (25%) Concentrate Formulation

Version 4.2 Revision Date: 19.08.2025 SDS Number: 10877034-00012 Date of last issue: 08.05.2025
Date of first issue: 26.10.2022

(R)-p-mentha-1,8-diene:

Assessment : No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.

Repeated dose toxicity**Components:****N-[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide:**

Species : Rat
LOAEL : 81 mg/kg
Application Route : Ingestion
Exposure time : 28 Days

Species : Rabbit
NOAEL : > 322 mg/kg
Application Route : Skin contact
Exposure time : 28 Days

Species : Rat
NOAEL : > 0,1 mg/l
Application Route : inhalation (dust/mist/fume)
Exposure time : 28 Days

(R)-p-mentha-1,8-diene:

Species : Rat, male
NOAEL : 5 mg/kg
LOAEL : 30 mg/kg
Application Route : Ingestion
Exposure time : 13 Weeks

N,N"-methylenebis[N'-(3-(hydroxymethyl)-2,5-dioxoimidazolidin-4-yl]urea]:

Species : Rat, male
NOAEL : 672 mg/kg
Application Route : Ingestion
Exposure time : 13 Weeks

Aspiration toxicity

Not classified based on available information.

Components:**(R)-p-mentha-1,8-diene:**

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

Diflubenzuron (25%) Concentrate FormulationVersion
4.2Revision Date:
19.08.2025SDS Number:
10877034-00012Date of last issue: 08.05.2025
Date of first issue: 26.10.2022**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****N-[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide:**

Toxicity to fish : LC50 (Cyprinodon variegatus (sheepshead minnow)): > 0,13 mg/l
Exposure time: 96 h
Remarks: No toxicity at the limit of solubility.

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,00026 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Selenastrum capricornutum (green algae)): > 0,2 mg/l
Exposure time: 72 h
Remarks: No toxicity at the limit of solubility.

M-Factor (Acute aquatic toxicity) : 1.000

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0,1 mg/l
Exposure time: 35 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0,00004 mg/l
Exposure time: 21 d

M-Factor (Chronic aquatic toxicity) : 1.000

Toxicity to microorganisms : NOEC (activated sludge): 1.000 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209
Remarks: The test was conducted according to guideline

Sulfurous acid, monosodium salt, reaction products with (cresol, formaldehyde, nonylphenol) polymer:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 10 - 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: Based on data from similar materials

(R)-p-mentha-1,8-diene:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 0,720 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 307 µg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 0,25 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

SAFETY DATA SHEET



Diflubenzuron (25%) Concentrate Formulation

Version
4.2

Revision Date:
19.08.2025

SDS Number:
10877034-00012

Date of last issue: 08.05.2025
Date of first issue: 26.10.2022

EC10 (Pseudokirchneriella subcapitata (green algae)): 0,14 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 1
Toxicity to fish (Chronic toxicity) : EC10 (Pimephales promelas (fathead minnow)): 0,37 mg/l
Exposure time: 8 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10 (Daphnia magna (Water flea)): 0,153 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211
Toxicity to microorganisms : EC50: > 100 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209
Remarks: Based on data from similar materials

N,N"-methylenebis[N'-(3-(hydroxymethyl)-2,5-dioxoimidazolidin-4-yl]urea]:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): > 220 mg/l
Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10 - 100 mg/l
Exposure time: 48 h
Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 1 - 10 mg/l
Exposure time: 72 h
Method: Directive 67/548/EEC, Annex V, C.3.
Remarks: Based on data from similar materials
NOEC (Pseudokirchneriella subcapitata (green algae)): > 1 - 10 mg/l
Exposure time: 72 h
Method: Directive 67/548/EEC, Annex V, C.3.
Remarks: Based on data from similar materials
Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209
Remarks: Based on data from similar materials

Persistence and degradability

Components:

N-[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide:

Biodegradability : Result: Not readily biodegradable.
Method: OECD Test Guideline 301

(R)-p-mentha-1,8-diene:

SAFETY DATA SHEET



Diflubenzuron (25%) Concentrate Formulation

Version 4.2 Revision Date: 19.08.2025 SDS Number: 10877034-00012 Date of last issue: 08.05.2025 Date of first issue: 26.10.2022

Biodegradability : Result: Readily biodegradable.
Biodegradation: 71,4 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

N,N"-methylenebis[N'-(3-(hydroxymethyl)-2,5-dioxoimidazolidin-4-yl]urea]:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 37,4 - 42,7 %
Exposure time: 25 d

Bioaccumulative potential

Components:

N-[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): 78 - 360

Partition coefficient: n-octanol/water : log Pow: 3,7
Method: OECD Test Guideline 107

(R)-p-mentha-1,8-diene:

Partition coefficient: n-octanol/water : log Pow: 4,38

N,N"-methylenebis[N'-(3-(hydroxymethyl)-2,5-dioxoimidazolidin-4-yl]urea]:

Partition coefficient: n-octanol/water : log Pow: < 4
Remarks: Expert judgment

Mobility in soil

Components:

N-[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide:

Distribution among environmental compartments : log Koc: 3,5
Method: OECD Test Guideline 106
Remarks: The test was conducted according to guideline

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

SAFETY DATA SHEET



Diflubenzuron (25%) Concentrate Formulation

Version 4.2 Revision Date: 19.08.2025 SDS Number: 10877034-00012 Date of last issue: 08.05.2025
Date of first issue: 26.10.2022

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(N-[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide, (R)-p-mentha-1,8-diene)
Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(N-[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide, (R)-p-mentha-1,8-diene)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 964
Packing instruction (passenger aircraft) : 964
Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(N-[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide, (R)-p-mentha-1,8-diene)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

ANTT

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(N-[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide, (R)-p-mentha-1,8-diene)
Class : 9
Packing group : III
Labels : 9
Hazard Identification Number : 90

SAFETY DATA SHEET



Diflubenzuron (25%) Concentrate Formulation

Version 4.2 Revision Date: 19.08.2025 SDS Number: 10877034-00012 Date of last issue: 08.05.2025 Date of first issue: 26.10.2022

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

National List of Carcinogenic Agents for Humans - (LINACH) : Not applicable

Brazil. List of chemicals controlled by the Federal Police : Not applicable

The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

SECTION 16. OTHER INFORMATION

Revision Date : 19.08.2025
Date format : dd.mm.yyyy

Further information

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median

SAFETY DATA SHEET



Diflubenzuron (25%) Concentrate Formulation

Version
4.2

Revision Date:
19.08.2025

SDS Number:
10877034-00012

Date of last issue: 08.05.2025
Date of first issue: 26.10.2022

Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

BR / Z8