

SAFETY DATA SHEET



Cloxacillin / Ampicillin Formulation

Version 2.0 Revision Date: 14.04.2025 SDS Number: 10843362-00008 Date of last issue: 28.09.2024
Date of first issue: 30.08.2022

SECTION 1: IDENTIFICATION

Product name : Cloxacillin / Ampicillin Formulation

Other means of identification : Bovaclox Dry Cow (A004495)

Manufacturer or supplier's details

Company : Intervet Australia Pty Limited (trading as MSD Animal Health)

Address : 91-105 Harpin Street
Bendigo 3550, Victoria Australia

Telephone : 1 800 033 461

Emergency telephone number : Poisons Information Centre: Phone 13 11 26

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Respiratory sensitisation : Category 1

Skin sensitisation : Category 1

GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H317 May cause an allergic skin reaction.
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Precautionary statements : **Prevention:**
P261 Avoid breathing vapours.
P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves.
P284 Wear respiratory protection.

SAFETY DATA SHEET



Cloxacillin / Ampicillin Formulation

| | | | |
|----------------|------------------------------|-------------------------------|---|
| Version 2.0 | Revision Date: 14.04.2025 | SDS Number: 10843362-00008 | Date of last issue: 28.09.2024 Date of first issue: 30.08.2022 |
|----------------|------------------------------|-------------------------------|---|

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.
P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER/ doctor.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

| Chemical name | CAS-No. | Concentration (% w/w) |
|-------------------------------|-----------|-----------------------|
| White mineral oil (petroleum) | 8042-47-5 | >= 60 -<= 100 |
| cloxacillin | 61-72-3 | >= 10 -< 30 |
| ampicillin | 69-53-4 | >= 1 -< 10 |
| Hydroxyaluminum distearate | 300-92-5 | < 10 |

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
If not breathing, give artificial respiration.
If breathing is difficult, give oxygen.
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.

In case of eye contact : Flush eyes with water as a precaution.
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention if symptoms occur.
Rinse mouth thoroughly with water.

SAFETY DATA SHEET



Cloxacillin / Ampicillin Formulation

| | | | |
|-------------|---------------------------|----------------------------|---|
| Version 2.0 | Revision Date: 14.04.2025 | SDS Number: 10843362-00008 | Date of last issue: 28.09.2024 Date of first issue: 30.08.2022 |
|-------------|---------------------------|----------------------------|---|

| | |
|---|--|
| Most important symptoms and effects, both acute and delayed | : Excessive exposure may aggravate preexisting asthma and other respiratory disorders (e.g. emphysema, bronchitis, reactive airways dysfunction syndrome). May cause an allergic skin reaction. May cause allergy or asthma symptoms or breathing difficulties if inhaled. |
| Protection of first-aiders | : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8). |
| Notes to physician | : Treat symptomatically and supportively. |

SECTION 5. FIREFIGHTING MEASURES

| | |
|---|---|
| Suitable extinguishing media | : Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical |
| Unsuitable extinguishing media | : None known. |
| Specific hazards during fire-fighting | : Exposure to combustion products may be a hazard to health. |
| Hazardous combustion products | : Carbon oxides Chlorine compounds Nitrogen oxides (NO _x) Sulphur compounds Sulphur oxides Metal oxides |
| Specific extinguishing methods | : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area. |
| Special protective equipment for firefighters | : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. |

SECTION 6. ACCIDENTAL RELEASE MEASURES

| | |
|---|---|
| Personal precautions, protective equipment and emergency procedures | : Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8). |
| Environmental precautions | : Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. |

Cloxacillin / Ampicillin FormulationVersion
2.0Revision Date:
14.04.2025SDS Number:
10843362-00008Date of last issue: 28.09.2024
Date of first issue: 30.08.2022

Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up

- : Soak up with inert absorbent material. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE**Technical measures**

- : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

**Local/Total ventilation
Advice on safe handling**

- : Use only with adequate ventilation.

- : Do not get on skin or clothing.

Do not breathe vapours.

Do not swallow.

Avoid contact with eyes.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment

Keep container tightly closed.

Already sensitised individuals, and those susceptible to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respiratory irritants or sensitisers.

Take care to prevent spills, waste and minimize release to the environment.

- : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.

When using do not eat, drink or smoke.

Contaminated work clothing should not be allowed out of the workplace.

Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

Conditions for safe storage

- : Keep in properly labelled containers.

Keep tightly closed.

Store in accordance with the particular national regulations.

Materials to avoid

- : No special restrictions on storage with other products.

Cloxacillin / Ampicillin Formulation

Version 2.0 Revision Date: 14.04.2025 SDS Number: 10843362-00008 Date of last issue: 28.09.2024
Date of first issue: 30.08.2022

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Components with workplace control parameters**

| Components | CAS-No. | Value type (Form of exposure) | Control parame- ters / Permissible concentration | Basis |
|---------------------------------|-----------|--|--|----------|
| White mineral oil (petroleum) | 8042-47-5 | TWA (Mist) | 5 mg/m3 | AU OEL |
| | | TWA (Inhal- able particu- late matter) | 5 mg/m3 | ACGIH |
| cloxacillin | 61-72-3 | TWA | 100 µg/m3 (OEB 2) | Internal |
| Further information: RSEN, DSEN | | | | |
| | | Wipe limit | 100 µg/100 cm ² | Internal |
| ampicillin | 69-53-4 | TWA | 0.6 mg/m3 (OEB 2) | Internal |
| Further information: RSEN | | | | |
| Hydroxyaluminum distearate | 300-92-5 | TWA | 10 mg/m3 | AU OEL |
| | | TWA (Inhal- able particu- late matter) | 10 mg/m3 | ACGIH |
| | | TWA (Res- pirable par- ticulate mat- ter) | 3 mg/m3 | ACGIH |
| | | TWA (Res- pirable par- ticulate mat- ter) | 1 mg/m3 (Aluminium) | ACGIH |

Engineering measures : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections). All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Laboratory operations do not require special containment.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapour type

Hand protection Material : Chemical-resistant gloves

Eye protection : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.

SAFETY DATA SHEET



Cloxacillin / Ampicillin Formulation

Version 2.0 Revision Date: 14.04.2025 SDS Number: 10843362-00008 Date of last issue: 28.09.2024
Date of first issue: 30.08.2022

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : cream
Colour : off-white
Odour : No data available
Odour Threshold : No data available
pH : No data available
Melting point/freezing point : No data available
Initial boiling point and boiling range : No data available
Flash point : No data available
Evaporation rate : Not applicable
Flammability (solid, gas) : No data available
Flammability (liquids) : No data available
Upper explosion limit / Upper flammability limit : No data available
Lower explosion limit / Lower flammability limit : No data available
Vapour pressure : Not applicable
Relative vapour density : Not applicable
Relative density : No data available
Density : No data available
Solubility(ies)
Water solubility : No data available
Partition coefficient: n-octanol/water : Not applicable
Auto-ignition temperature : No data available
Decomposition temperature : No data available

SAFETY DATA SHEET



Cloxacillin / Ampicillin Formulation

Version 2.0 Revision Date: 14.04.2025 SDS Number: 10843362-00008 Date of last issue: 28.09.2024
Date of first issue: 30.08.2022

Viscosity : Not applicable
Viscosity, kinematic

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics
Particle size : < 30 µm

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.
Chemical stability : Stable under normal conditions.
Possibility of hazardous reactions : None known.
Conditions to avoid : None known.
Incompatible materials : None.
Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Exposure routes : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Components:

White mineral oil (petroleum):

| | |
|---------------------------|---|
| Acute oral toxicity | : LD50 (Rat): > 5,000 mg/kg |
| Acute inhalation toxicity | : LC50 (Rat): > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity |
| Acute dermal toxicity | : LD50 (Rabbit): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity |

cloxacillin:

| | |
|---------------------|---------------------------|
| Acute oral toxicity | : LD50 (Rat): 5,000 mg/kg |
|---------------------|---------------------------|

Cloxacillin / Ampicillin Formulation

Version 2.0 Revision Date: 14.04.2025 SDS Number: 10843362-00008 Date of last issue: 28.09.2024
Date of first issue: 30.08.2022

LD50 (Mouse): 5,000 mg/kg

Acute toxicity (other routes of administration) : LD50 (Mouse): 1,117 mg/kg
Application Route: Intramuscular

LD50 (Mouse): 916 mg/kg
Application Route: Intravenous

LD50 (Mouse): 1,500 mg/kg
Application Route: Subcutaneous

LD50 (Rat): 1,660 mg/kg
Application Route: Intravenous

LD50 (Rat): 4,200 mg/kg
Application Route: Subcutaneous

ampicillin:

Acute oral toxicity : LD50 (Rat): 10,000 mg/kg
LD50 (Mouse): 15,200 mg/kg

Acute toxicity (other routes of administration) : LD50 (Rat): 6,200 mg/kg
Application Route: Intravenous

LD50 (Mouse): 4,600 mg/kg
Application Route: Intravenous

Hydroxyaluminum distearate:

Acute oral toxicity : LD50 (Rat, female): > 2,000 mg/kg
Method: OECD Test Guideline 423
Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat): > 5.15 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

Skin corrosion/irritation

Not classified based on available information.

Components:**White mineral oil (petroleum):**

Species : Rabbit
Result : No skin irritation

cloxacillin:

Remarks : Not classified due to lack of data.

Cloxacillin / Ampicillin Formulation

Version 2.0 Revision Date: 14.04.2025 SDS Number: 10843362-00008 Date of last issue: 28.09.2024
Date of first issue: 30.08.2022

Hydroxyaluminum distearate:

| | | |
|---------|---|--------------------------------------|
| Species | : | reconstructed human epidermis (RhE) |
| Method | : | OECD Test Guideline 431 |
| Remarks | : | Based on data from similar materials |
| Species | : | reconstructed human epidermis (RhE) |
| Method | : | OECD Test Guideline 439 |
| Remarks | : | Based on data from similar materials |
| Result | : | No skin irritation |

Serious eye damage/eye irritation

Not classified based on available information.

Components:**White mineral oil (petroleum):**

| | | |
|---------|---|-------------------|
| Species | : | Rabbit |
| Result | : | No eye irritation |

cloxacillin:

| | | |
|---------|---|-------------------------------------|
| Remarks | : | Not classified due to lack of data. |
|---------|---|-------------------------------------|

Hydroxyaluminum distearate:

| | | |
|---------|---|--------------------------------------|
| Species | : | Bovine cornea |
| Method | : | OECD Test Guideline 437 |
| Remarks | : | Based on data from similar materials |
| Result | : | No eye irritation |

Respiratory or skin sensitisation**Skin sensitisation**

May cause an allergic skin reaction.

Respiratory sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Components:**White mineral oil (petroleum):**

| | | |
|-----------------|---|--------------|
| Test Type | : | Buehler Test |
| Exposure routes | : | Skin contact |
| Species | : | Guinea pig |
| Result | : | negative |

cloxacillin:

| | | |
|-----------------|---|--------|
| Exposure routes | : | Dermal |
|-----------------|---|--------|

SAFETY DATA SHEET



Cloxacillin / Ampicillin Formulation

Version 2.0 Revision Date: 14.04.2025 SDS Number: 10843362-00008 Date of last issue: 28.09.2024
Date of first issue: 30.08.2022

Assessment Result

- : Probability or evidence of skin sensitisation in humans
- : positive

Assessment Result

- : Probability of respiratory sensitisation in humans based on animal testing
- : positive

ampicillin:

Exposure routes

- : Inhalation
- : Sensitiser

Hydroxyaluminum distearate:

Test Type

- : Local lymph node assay (LLNA)

Exposure routes

- : Skin contact

Species

- : Mouse

Method

- : OECD Test Guideline 429

Result

- : negative

Remarks

- : Based on data from similar materials

Chronic toxicity

Germ cell mutagenicity

Not classified based on available information.

Components:

White mineral oil (petroleum):

Genotoxicity in vitro

- : Test Type: In vitro mammalian cell gene mutation test
- : Result: negative

Genotoxicity in vivo

- : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
- : Species: Mouse
- : Application Route: Intraperitoneal injection
- : Method: OECD Test Guideline 474
- : Result: negative
- : Remarks: Based on data from similar materials

cloxacillin:

Genotoxicity in vitro

- : Test Type: Bacterial reverse mutation assay (AMES)
- : Result: negative
- : Remarks: Information given is based on data obtained from similar substances.

Genotoxicity in vivo

- : Test Type: Micronucleus test
- : Species: Mouse
- : Result: negative
- : Remarks: Information given is based on data obtained from similar substances.

Cloxacillin / Ampicillin Formulation

Version 2.0 Revision Date: 14.04.2025 SDS Number: 10843362-00008 Date of last issue: 28.09.2024
Date of first issue: 30.08.2022

ampicillin:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Test system: mouse lymphoma cells
Result: negative

Test Type: sister chromatid exchange assay
Test system: Chinese hamster ovary cells
Result: negative

Test Type: Chromosomal aberration
Test system: Chinese hamster ovary cells
Result: negative

Test Type: Chromosomal aberration
Test system: Human lymphocytes
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Rat
Application Route: Oral
Result: negative

Hydroxyaluminum distearate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative
Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative
Remarks: Based on data from similar materials

Carcinogenicity

Not classified based on available information.

Components:**White mineral oil (petroleum):**

Species : Rat
Application Route : Ingestion
Exposure time : 24 Months
Result : negative

cloxacillin:

Remarks : Not classified due to lack of data.

Cloxacillin / Ampicillin FormulationVersion
2.0Revision Date:
14.04.2025SDS Number:
10843362-00008Date of last issue: 28.09.2024
Date of first issue: 30.08.2022**ampicillin:**

| | | |
|------------------------------|---|--|
| Species | : | Rat |
| Application Route | : | Oral |
| Exposure time | : | 2 Years |
| | : | 750 mg/kg body weight |
| Tumor Type | : | adrenal, Leukaemia, breast tumors |
| Species | : | Mouse |
| Application Route | : | Oral |
| Exposure time | : | 2 Years |
| | : | 3,000 mg/kg body weight |
| Tumor Type | : | Lungs |
| Remarks | : | Benign tumor(s) |
| Carcinogenicity - Assessment | : | Weight of evidence does not support classification as a carcinogen |

Reproductive toxicity

Not classified based on available information.

Components:**White mineral oil (petroleum):**

| | | |
|-------------------------------|---|--|
| Effects on fertility | : | Test Type: One-generation reproduction toxicity study Species: Rat Application Route: Skin contact Result: negative |
| Effects on foetal development | : | Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Result: negative |

cloxacillin:

| | | |
|-------------------------------|---|---|
| Effects on fertility | : | Test Type: Multi-generation study Species: Rat Application Route: Oral Fertility: NOAEL: 500 mg/kg body weight Result: No effects on fertility, No effects on reproduction parameters |
| Effects on foetal development | : | Test Type: Development Species: Rabbit Application Route: Oral Developmental Toxicity: NOAEL: 100 mg/kg body weight Result: No malformations were observed. |
| | : | Test Type: Development Species: Rabbit Application Route: Intramuscular Developmental Toxicity: NOAEL: 250 mg/kg body weight |

Cloxacillin / Ampicillin Formulation

Version 2.0 Revision Date: 14.04.2025 SDS Number: 10843362-00008 Date of last issue: 28.09.2024
Date of first issue: 30.08.2022

Result: No effects on foetal development

ampicillin:

| | |
|-------------------------------|--|
| Effects on fertility | : Test Type: Fertility Species: Guinea pig Target Organs: Uterus (including cervix) |
| Effects on foetal development | : Test Type: Development Species: Rat Developmental Toxicity: NOAEL: 250 mg/kg body weight Result: No effects on foetal development |

Hydroxyaluminum distearate:

| | |
|-------------------------------|---|
| Effects on fertility | : Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Ingestion Method: OECD Test Guideline 416 Result: negative Remarks: Based on data from similar materials |
| Effects on foetal development | : Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Ingestion Method: OECD Test Guideline 416 Result: negative Remarks: Based on data from similar materials |

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity**Components:****White mineral oil (petroleum):**

| | |
|-------------------|-------------------------------|
| Species | : Rat |
| LOAEL | : 160 mg/kg |
| Application Route | : Ingestion |
| Exposure time | : 90 Days |
| Species | : Rat |
| LOAEL | : >= 1 mg/l |
| Application Route | : inhalation (dust/mist/fume) |
| Exposure time | : 4 Weeks |
| Method | : OECD Test Guideline 412 |

cloxacillin:

Cloxacillin / Ampicillin Formulation

Version 2.0 Revision Date: 14.04.2025 SDS Number: 10843362-00008 Date of last issue: 28.09.2024
Date of first issue: 30.08.2022

| | | |
|-------------------|---|--------------|
| Species | : | Rat |
| LOAEL | : | 7,000 mg/kg |
| Application Route | : | Intravenous |
| Exposure time | : | 4 Weeks |
| Symptoms | : | Hypoglycemia |

ampicillin:

| | | |
|-------------------|---|-------------|
| Species | : | Rat |
| LOAEL | : | 3,000 mg/kg |
| Application Route | : | Oral |
| Exposure time | : | 13 Weeks |
| Symptoms | : | Diarrhoea |

| | | |
|-------------------|---|-------------|
| Species | : | Mouse |
| LOAEL | : | 2,000 mg/kg |
| Application Route | : | Oral |
| Exposure time | : | 13 Weeks |
| Symptoms | : | Diarrhoea |

| | | |
|-------------------|---|---|
| Species | : | Rat |
| LOAEL | : | 750 mg/kg |
| Application Route | : | Oral |
| Exposure time | : | 2 yr |
| Target Organs | : | Thyroid, forestomach |
| Symptoms | : | Diarrhoea, Salivation, decreased activity |

| | | |
|-------------------|---|---|
| Species | : | Mouse |
| LOAEL | : | 2,000 mg/kg |
| Application Route | : | Oral |
| Exposure time | : | 2 yr |
| Target Organs | : | forestomach |
| Symptoms | : | Ulceration, Inflammation, fungal infections |

Aspiration toxicity

Not classified based on available information.

Experience with human exposure**Components:****cloxacillin:**

| | | |
|--------------|---|--|
| Inhalation | : | Remarks: May cause sensitisation of susceptible persons. |
| Skin contact | : | Remarks: May irritate skin. |
| Eye contact | : | Remarks: May irritate eyes. |
| Ingestion | : | Remarks: May cause sensitisation of susceptible persons. |

ampicillin:

| | | |
|------------|---|---|
| Inhalation | : | Remarks: May cause allergy or asthma symptoms or breathing difficulties if inhaled. |
|------------|---|---|

SAFETY DATA SHEET



Cloxacillin / Ampicillin Formulation

Version 2.0 Revision Date: 14.04.2025 SDS Number: 10843362-00008 Date of last issue: 28.09.2024 Date of first issue: 30.08.2022

|| Ingestion : Symptoms: skin rash, Nausea, Diarrhoea, Vomiting, colitis, urticaria

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

White mineral oil (petroleum):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (green algae)): 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 1,000 mg/l
Exposure time: 28 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 1,000 mg/l
Exposure time: 21 d

ampicillin:

Toxicity to fish : LC50 (Oryzias latipes (Japanese medaka)): > 1,000 mg/l
Exposure time: 96 h

LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Anabaena flos-aquae): 190 µg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Anabaena flos-aquae): 13 µg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Cloxacillin / Ampicillin Formulation

Version 2.0 Revision Date: 14.04.2025 SDS Number: 10843362-00008 Date of last issue: 28.09.2024
Date of first issue: 30.08.2022

| | | |
|----------------------------|---|--|
| | | NOEC (Pseudokirchneriella subcapitata (green algae)): 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 |
| Toxicity to microorganisms | : | EC50: > 1,000 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209 |
| | | NOEC: 9 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209 |

Hydroxylaluminum distearate:**Ecotoxicology Assessment**

| | | |
|--------------------------|---|--|
| Chronic aquatic toxicity | : | No toxicity at the limit of solubility |
|--------------------------|---|--|

Persistence and degradability**Components:****White mineral oil (petroleum):**

| | | |
|------------------|---|---|
| Biodegradability | : | Result: Not readily biodegradable. Biodegradation: 31 % Exposure time: 28 d |
|------------------|---|---|

ampicillin:

| | | |
|------------------|---|---|
| Biodegradability | : | Result: rapidly degradable Biodegradation: 35 % Exposure time: 28 d Method: OECD Test Guideline 301B |
|------------------|---|---|

Hydroxylaluminum distearate:

| | | |
|------------------|---|---|
| Biodegradability | : | Result: Readily biodegradable. Remarks: Based on data from similar materials |
|------------------|---|---|

Bioaccumulative potential**Components:****cloxacillin:**

| | | |
|--|---|---------------|
| Partition coefficient: n-octanol/water | : | log Pow: 2.44 |
|--|---|---------------|

ampicillin:

| | | |
|---------------------------|---|---------------|
| Partition coefficient: n- | : | log Pow: -2.0 |
|---------------------------|---|---------------|

SAFETY DATA SHEET



Cloxacillin / Ampicillin Formulation

Version 2.0 Revision Date: 14.04.2025 SDS Number: 10843362-00008 Date of last issue: 28.09.2024 Date of first issue: 30.08.2022

||| octanol/water pH: 7

Hydroxyaluminum distearate:

||| Partition coefficient: n-octanol/water : log Pow: 15.088 Remarks: Calculation

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Environmentally hazardous : no

IATA-DGR

UN/ID No. : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Packing instruction (cargo aircraft) : Not applicable
Packing instruction (passenger aircraft) : Not applicable

IMDG-Code

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable

SAFETY DATA SHEET



Cloxacillin / Ampicillin Formulation

Version 2.0 Revision Date: 14.04.2025 SDS Number: 10843362-00008 Date of last issue: 28.09.2024 Date of first issue: 30.08.2022

Packing group : Not applicable
Labels : Not applicable
EmS Code : Not applicable
Marine pollutant : Not applicable

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

ADG

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Hazchem Code : Not applicable

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Therapeutic Goods (Poisons Standard) Instrument : Schedule 5 (Please use the original publication to check for specific uses, specific conditions or threshold limits that might apply for this chemical)

Prohibition/Licensing Requirements : There is no applicable prohibition, authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regulations.

The components of this product are reported in the following inventories:

AICS : not determined
DSL : not determined
IECSC : not determined

SECTION 16: ANY OTHER RELEVANT INFORMATION

Further information

Revision Date : 14.04.2025
Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Cloxacillin / Ampicillin Formulation

| | | | |
|----------------|------------------------------|-------------------------------|---|
| Version 2.0 | Revision Date: 14.04.2025 | SDS Number: 10843362-00008 | Date of last issue: 28.09.2024 Date of first issue: 30.08.2022 |
|----------------|------------------------------|-------------------------------|---|

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : dd.mm.yyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
AU OEL : Australia. Workplace Exposure Standards for Airborne Contaminants.

ACGIH / TWA : 8-hour, time-weighted average
AU OEL / TWA : Exposure standard - time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECL - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

SAFETY DATA SHEET



Cloxacillin / Ampicillin Formulation

Version
2.0

Revision Date:
14.04.2025

SDS Number:
10843362-00008

Date of last issue: 28.09.2024
Date of first issue: 30.08.2022

AU / EN