

# SAFETY DATA SHEET



## Cloxacillin / Ampicillin Formulation

Version 2.0 Revision Date: 14.04.2025 SDS Number: 10843347-00008 Date of last issue: 28.09.2024 Date of first issue: 30.08.2022

---

### Section 1: Identification

**Product identifier** : Cloxacillin / Ampicillin Formulation

**Other means of identification** : Bovaclox Dry Cow (A004495)

### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

### Manufacturer or supplier's details

Company : MSD

Address : 50 Tuas West Drive  
Singapore - Singapore 638408

Telephone : +1-908-740-4000

Emergency telephone number : 65 6697 2111 (24/7/365)

E-mail address : EHSDATASTEWARD@msd.com

---

### Section 2: Hazard identification

#### Classification of the substance or mixture

Respiratory sensitisation : Category 1

Skin sensitisation : Category 1

#### GHS Label elements, including precautionary statements

Hazard pictograms :



Signal word : Danger

Hazard statements : H317 May cause an allergic skin reaction.  
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Precautionary statements : **Prevention:**  
P261 Avoid breathing vapours.  
P272 Contaminated work clothing should not be allowed out of the workplace.

**Cloxacillin / Ampicillin Formulation**

---

Version 2.0	Revision Date: 14.04.2025	SDS Number: 10843347-00008	Date of last issue: 28.09.2024 Date of first issue: 30.08.2022
----------------	------------------------------	-------------------------------	---

---

P280 Wear protective gloves.  
P284 Wear respiratory protection.

**Response:**

P302 + P352 IF ON SKIN: Wash with plenty of water.  
P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER/ doctor.  
P362 + P364 Take off contaminated clothing and wash it before reuse.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards which do not result in classification**

None known.

---

**Section 3: Composition/information on ingredients**

Substance / Mixture : Mixture

**Components**

Chemical name	CAS-No.	Concentration (% w/w)
White mineral oil (petroleum)	8042-47-5	>= 70 -< 90
cloxacillin	61-72-3	>= 10 -< 20
ampicillin	69-53-4	>= 2.5 -< 10
Hydroxyaluminum distearate	300-92-5	>= 1 -< 10

---

**Section 4: First-aid measures****Description of necessary first-aid measures**

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
If not breathing, give artificial respiration.  
If breathing is difficult, give oxygen.  
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.

In case of eye contact : Flush eyes with water as a precaution.

# SAFETY DATA SHEET



## Cloxacillin / Ampicillin Formulation

Version 2.0	Revision Date: 14.04.2025	SDS Number: 10843347-00008	Date of last issue: 28.09.2024 Date of first issue: 30.08.2022
-------------	---------------------------	----------------------------	---

If swallowed : Get medical attention if irritation develops and persists.  
If swallowed, DO NOT induce vomiting.  
Get medical attention if symptoms occur.  
Rinse mouth thoroughly with water.

### Most important symptoms and effects, both acute and delayed

Risks : Excessive exposure may aggravate preexisting asthma and other respiratory disorders (e.g. emphysema, bronchitis, reactive airways dysfunction syndrome).  
May cause an allergic skin reaction.  
May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

### Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

## Section 5: Fire-fighting measures

### Extinguishing media

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : None known.

### Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides  
Chlorine compounds  
Nitrogen oxides (NO<sub>x</sub>)  
Sulphur compounds  
Sulphur oxides  
Metal oxides

### Special protective actions for fire-fighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

# SAFETY DATA SHEET



## Cloxacillin / Ampicillin Formulation

Version  
2.0

Revision Date:  
14.04.2025

SDS Number:  
10843347-00008

Date of last issue: 28.09.2024  
Date of first issue: 30.08.2022

---

### Section 6: Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

#### Environmental precautions

Environmental precautions : Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.

#### Methods and materials for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

### Section 7: Handling and storage

#### Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not get on skin or clothing.  
Do not breathe vapours.  
Do not swallow.  
Avoid contact with eyes.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Keep container tightly closed.  
Already sensitised individuals, and those susceptible to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respiratory irritants or sensitisers.  
Take care to prevent spills, waste and minimize release to the

# SAFETY DATA SHEET



## Cloxacillin / Ampicillin Formulation

Version 2.0	Revision Date: 14.04.2025	SDS Number: 10843347-00008	Date of last issue: 28.09.2024 Date of first issue: 30.08.2022
-------------	---------------------------	----------------------------	---

### II

#### Hygiene measures

environment.  
: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Contaminated work clothing should not be allowed out of the workplace.  
Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

#### Conditions for safe storage, including any incompatibilities

Conditions for safe storage : Keep in properly labelled containers.  
Keep tightly closed.  
Store in accordance with the particular national regulations.  
Materials to avoid : No special restrictions on storage with other products.

## Section 8: Exposure controls/personal protection

#### Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
White mineral oil (petroleum)	8042-47-5	PEL (long term) (Mist)	5 mg/m3	SG OEL
		PEL (short term) (Mist)	10 mg/m3	SG OEL
		TWA (Inhalable particulate matter)	5 mg/m3	ACGIH
cloxacillin	61-72-3	TWA	100 µg/m3 (OEB 2)	Internal
		Further information: RSEN, DSEN		
		Wipe limit	100 µg/100 cm2	Internal
ampicillin	69-53-4	TWA	0.6 mg/m3 (OEB 2)	Internal
		Further information: RSEN		
Hydroxyaluminum distearate	300-92-5	PEL (long term)	10 mg/m3	SG OEL
		TWA (Inhalable particulate matter)	10 mg/m3	ACGIH
		TWA (Respirable par-	3 mg/m3	ACGIH

# SAFETY DATA SHEET



## Cloxacillin / Ampicillin Formulation

Version 2.0 Revision Date: 14.04.2025 SDS Number: 10843347-00008 Date of last issue: 28.09.2024 Date of first issue: 30.08.2022

		ticulate matter)		
		TWA (Respirable particulate matter)	1 mg/m <sup>3</sup> (Aluminium)	ACGIH

**Appropriate engineering control measures**

: Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections). All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Laboratory operations do not require special containment.

### Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin protection : Work uniform or laboratory coat.

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapour type

Hand protection : Chemical-resistant gloves

### Section 9: Physical and chemical properties

Appearance : cream

Colour : off-white

Odour : No data available

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

Flash point : No data available

Evaporation rate : Not applicable

# SAFETY DATA SHEET



## Cloxacillin / Ampicillin Formulation

Version 2.0      Revision Date: 14.04.2025      SDS Number: 10843347-00008      Date of last issue: 28.09.2024  
Date of first issue: 30.08.2022

---

Flammability (solid, gas)	:	No data available
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	Not applicable
Relative vapour density	:	Not applicable
Relative density	:	No data available
Density	:	No data available
Solubility(ies)		
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics		
Particle size	:	< 30 µm

---

### Section 10: Stability and reactivity

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	None known.
Conditions to avoid	:	None known.
Incompatible materials	:	None.
Hazardous decomposition products	:	No hazardous decomposition products are known.

**Cloxacillin / Ampicillin Formulation**Version  
2.0Revision Date:  
14.04.2025SDS Number:  
10843347-00008Date of last issue: 28.09.2024  
Date of first issue: 30.08.2022**Section 11: Toxicological information**

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

**Acute toxicity**

Not classified based on available information.

**Components:****White mineral oil (petroleum):**

Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	: LC50 (Rat): > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	: LD50 (Rabbit): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity

**cloxacillin:**

Acute oral toxicity	: LD50 (Rat): 5,000 mg/kg LD50 (Mouse): 5,000 mg/kg
Acute toxicity (other routes of administration)	: LD50 (Mouse): 1,117 mg/kg Application Route: Intramuscular LD50 (Mouse): 916 mg/kg Application Route: Intravenous LD50 (Mouse): 1,500 mg/kg Application Route: Subcutaneous LD50 (Rat): 1,660 mg/kg Application Route: Intravenous LD50 (Rat): 4,200 mg/kg Application Route: Subcutaneous

**ampicillin:**

Acute oral toxicity	: LD50 (Rat): 10,000 mg/kg LD50 (Mouse): 15,200 mg/kg
Acute toxicity (other routes of	: LD50 (Rat): 6,200 mg/kg

**Cloxacillin / Ampicillin Formulation**

Version 2.0      Revision Date: 14.04.2025      SDS Number: 10843347-00008      Date of last issue: 28.09.2024  
Date of first issue: 30.08.2022

---

||| administration)      Application Route: Intravenous

||| LD50 (Mouse): 4,600 mg/kg  
Application Route: Intravenous

**Hydroxyaluminum distearate:**

||| Acute oral toxicity      : LD50 (Rat, female): > 2,000 mg/kg  
Method: OECD Test Guideline 423  
Remarks: Based on data from similar materials

||| Acute inhalation toxicity      : LC50 (Rat): > 5.15 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****White mineral oil (petroleum):**

||| Species      : Rabbit  
||| Result      : No skin irritation

**cloxacillin:**

||| Remarks      : Not classified due to lack of data.

**Hydroxyaluminum distearate:**

||| Species      : reconstructed human epidermis (RhE)  
||| Method      : OECD Test Guideline 431  
||| Remarks      : Based on data from similar materials

||| Species      : reconstructed human epidermis (RhE)  
||| Method      : OECD Test Guideline 439  
||| Remarks      : Based on data from similar materials

||| Result      : No skin irritation

**Serious eye damage/eye irritation**

Not classified based on available information.

**Components:****White mineral oil (petroleum):**

||| Species      : Rabbit  
||| Result      : No eye irritation

**cloxacillin:**

||| Remarks      : Not classified due to lack of data.

# SAFETY DATA SHEET



## Cloxacillin / Ampicillin Formulation

Version 2.0      Revision Date: 14.04.2025      SDS Number: 10843347-00008      Date of last issue: 28.09.2024  
Date of first issue: 30.08.2022

---

### Hydroxylaluminum distearate:

Species	:	Bovine cornea
Method	:	OECD Test Guideline 437
Remarks	:	Based on data from similar materials
Result	:	No eye irritation

### Respiratory or skin sensitisation

#### Skin sensitisation

May cause an allergic skin reaction.

#### Respiratory sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

#### Components:

##### White mineral oil (petroleum):

Test Type	:	Buehler Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Result	:	negative

##### cloxacillin:

Exposure routes	:	Dermal
Assessment	:	Probability or evidence of skin sensitisation in humans
Result	:	positive
Assessment	:	Probability of respiratory sensitisation in humans based on animal testing
Result	:	positive

##### ampicillin:

Exposure routes	:	Inhalation
Result	:	Sensitiser

### Hydroxylaluminum distearate:

Test Type	:	Local lymph node assay (LLNA)
Exposure routes	:	Skin contact
Species	:	Mouse
Method	:	OECD Test Guideline 429
Result	:	negative
Remarks	:	Based on data from similar materials

### Germ cell mutagenicity

Not classified based on available information.

**Cloxacillin / Ampicillin Formulation**Version  
2.0Revision Date:  
14.04.2025SDS Number:  
10843347-00008Date of last issue: 28.09.2024  
Date of first issue: 30.08.2022**Components:****White mineral oil (petroleum):**

Genotoxicity in vitro	: Test Type: In vitro mammalian cell gene mutation test Result: negative
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Method: OECD Test Guideline 474 Result: negative Remarks: Based on data from similar materials

**cloxacillin:**

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative Remarks: Information given is based on data obtained from similar substances.
Genotoxicity in vivo	: Test Type: Micronucleus test Species: Mouse Result: negative Remarks: Information given is based on data obtained from similar substances.

**ampicillin:**

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative  Test Type: In vitro mammalian cell gene mutation test Test system: mouse lymphoma cells Result: negative  Test Type: sister chromatid exchange assay Test system: Chinese hamster ovary cells Result: negative  Test Type: Chromosomal aberration Test system: Chinese hamster ovary cells Result: negative  Test Type: Chromosomal aberration Test system: Human lymphocytes Result: negative
Genotoxicity in vivo	: Test Type: Micronucleus test Species: Rat Application Route: Oral Result: negative

**Cloxacillin / Ampicillin Formulation**

Version 2.0      Revision Date: 14.04.2025      SDS Number: 10843347-00008      Date of last issue: 28.09.2024  
Date of first issue: 30.08.2022

---

**Hydroxyaluminum distearate:**

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative Remarks: Based on data from similar materials
		Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: negative Remarks: Based on data from similar materials

**Carcinogenicity**

Not classified based on available information.

**Components:****White mineral oil (petroleum):**

Species	:	Rat
Application Route	:	Ingestion
Exposure time	:	24 Months
Result	:	negative

**cloxacillin:**

Remarks	:	Not classified due to lack of data.
---------	---	-------------------------------------

**ampicillin:**

Species	:	Rat
Application Route	:	Oral
Exposure time	:	2 Years
Tumor Type	:	750 mg/kg body weight adrenal, Leukaemia, breast tumors

Species	:	Mouse
Application Route	:	Oral
Exposure time	:	2 Years
Tumor Type	:	3,000 mg/kg body weight Lungs
Remarks	:	Benign tumor(s)

Carcinogenicity - Assessment	:	Weight of evidence does not support classification as a carcinogen
------------------------------	---	--

**Reproductive toxicity**

Not classified based on available information.

**Components:****White mineral oil (petroleum):**

Effects on fertility	:	Test Type: One-generation reproduction toxicity study Species: Rat
----------------------	---	---

**Cloxacillin / Ampicillin Formulation**

Version 2.0      Revision Date: 14.04.2025      SDS Number: 10843347-00008      Date of last issue: 28.09.2024  
Date of first issue: 30.08.2022

---

Application Route: Skin contact  
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

**cloxacillin:**

Effects on fertility : Test Type: Multi-generation study  
Species: Rat  
Application Route: Oral  
Fertility: NOAEL: 500 mg/kg body weight  
Result: No effects on fertility, No effects on reproduction parameters

Effects on foetal development : Test Type: Development  
Species: Rabbit  
Application Route: Oral  
Developmental Toxicity: NOAEL: 100 mg/kg body weight  
Result: No malformations were observed.

Test Type: Development  
Species: Rabbit  
Application Route: Intramuscular  
Developmental Toxicity: NOAEL: 250 mg/kg body weight  
Result: No effects on foetal development

**ampicillin:**

Effects on fertility : Test Type: Fertility  
Species: Guinea pig  
Target Organs: Uterus (including cervix)

Effects on foetal development : Test Type: Development  
Species: Rat  
Developmental Toxicity: NOAEL: 250 mg/kg body weight  
Result: No effects on foetal development

**Hydroxyaluminum distearate:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 416  
Result: negative  
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 416

**Cloxacillin / Ampicillin Formulation**

Version 2.0      Revision Date: 14.04.2025      SDS Number: 10843347-00008      Date of last issue: 28.09.2024  
Date of first issue: 30.08.2022

---

Result: negative

Remarks: Based on data from similar materials

**STOT - single exposure**

Not classified based on available information.

**STOT - repeated exposure**

Not classified based on available information.

**Repeated dose toxicity****Components:****White mineral oil (petroleum):**

Species	:	Rat
LOAEL	:	160 mg/kg
Application Route	:	Ingestion
Exposure time	:	90 Days

Species	:	Rat
LOAEL	:	>= 1 mg/l
Application Route	:	inhalation (dust/mist/fume)
Exposure time	:	4 Weeks
Method	:	OECD Test Guideline 412

**cloxacillin:**

Species	:	Rat
LOAEL	:	7,000 mg/kg
Application Route	:	Intravenous
Exposure time	:	4 Weeks
Symptoms	:	Hypoglycemia

**ampicillin:**

Species	:	Rat
LOAEL	:	3,000 mg/kg
Application Route	:	Oral
Exposure time	:	13 Weeks
Symptoms	:	Diarrhoea

Species	:	Mouse
LOAEL	:	2,000 mg/kg
Application Route	:	Oral
Exposure time	:	13 Weeks
Symptoms	:	Diarrhoea

Species	:	Rat
LOAEL	:	750 mg/kg
Application Route	:	Oral
Exposure time	:	2 yr
Target Organs	:	Thyroid, forestomach
Symptoms	:	Diarrhoea, Salivation, decreased activity

# SAFETY DATA SHEET



## Cloxacillin / Ampicillin Formulation

Version 2.0      Revision Date: 14.04.2025      SDS Number: 10843347-00008      Date of last issue: 28.09.2024  
Date of first issue: 30.08.2022

---

Species	:	Mouse
LOAEL	:	2,000 mg/kg
Application Route	:	Oral
Exposure time	:	2 yr
Target Organs	:	forestomach
Symptoms	:	Ulceration, Inflammation, fungal infections

### Aspiration toxicity

Not classified based on available information.

### Experience with human exposure

#### Components:

##### **cloxacillin:**

Inhalation	:	Remarks: May cause sensitisation of susceptible persons.
Skin contact	:	Symptoms: Dermatitis Remarks: May irritate skin.
Eye contact	:	Remarks: May irritate eyes.
Ingestion	:	Symptoms: May cause, Gastrointestinal disturbance, Rash Remarks: May cause sensitisation of susceptible persons.

##### **ampicillin:**

Inhalation	:	Symptoms: Asthma, Hay fever Remarks: May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Ingestion	:	Symptoms: skin rash, Nausea, Diarrhoea, Vomiting, colitis, urticaria

---

## Section 12: Ecological information

### Toxicity

#### Components:

##### **White mineral oil (petroleum):**

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	NOEC (Pseudokirchneriella subcapitata (green algae)): 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to fish (Chronic toxicity)	:	NOEC (Oncorhynchus mykiss (rainbow trout)): 1,000 mg/l Exposure time: 28 d

**Cloxacillin / Ampicillin Formulation**

Version 2.0      Revision Date: 14.04.2025      SDS Number: 10843347-00008      Date of last issue: 28.09.2024  
Date of first issue: 30.08.2022

---

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity): NOEC (Daphnia magna (Water flea)): 1,000 mg/l  
Exposure time: 21 d

**ampicillin:**

Toxicity to fish : LC50 (Oryzias latipes (Japanese medaka)): > 1,000 mg/l  
Exposure time: 96 h

LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Anabaena flos-aquae): 190 µg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
  
NOEC (Anabaena flos-aquae): 13 µg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
  
EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 1

Toxicity to microorganisms : EC50: > 1,000 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

NOEC: 9 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

**Hydroxyaluminum distearate:****Ecotoxicology Assessment**

Toxicity to aquatic organisms : No toxicity at the limit of solubility

# SAFETY DATA SHEET



## Cloxacillin / Ampicillin Formulation

Version 2.0      Revision Date: 14.04.2025      SDS Number: 10843347-00008      Date of last issue: 28.09.2024  
Date of first issue: 30.08.2022

---

### Persistence and degradability

#### Components:

##### **White mineral oil (petroleum):**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 31 %  
Exposure time: 28 d

##### **ampicillin:**

Biodegradability : Result: rapidly degradable  
Biodegradation: 35 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B

##### **Hydroxyaluminum distearate:**

Biodegradability : Result: Readily biodegradable.  
Remarks: Based on data from similar materials

### Bioaccumulative potential

#### Components:

##### **cloxacillin:**

Partition coefficient: n-octanol/water : log Pow: 2.44

##### **ampicillin:**

Partition coefficient: n-octanol/water : log Pow: -2.0  
pH: 7

##### **Hydroxyaluminum distearate:**

Partition coefficient: n-octanol/water : log Pow: 15.088  
Remarks: Calculation

### Mobility in soil

No data available

### Other adverse effects

No data available

---

## Section 13: Disposal considerations

#### **Disposal methods**

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

# SAFETY DATA SHEET



## Cloxacillin / Ampicillin Formulation

Version 2.0      Revision Date: 14.04.2025      SDS Number: 10843347-00008      Date of last issue: 28.09.2024  
Date of first issue: 30.08.2022

---

### Section 14: Transport information

#### International Regulations

##### UNRTDG

UN number : Not applicable  
UN proper shipping name : Not applicable  
Transport hazard class(es) : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable  
Environmentally hazardous : no

##### IATA-DGR

UN/ID No. : Not applicable  
UN proper shipping name : Not applicable  
Transport hazard class(es) : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable  
Packing instruction (cargo aircraft) : Not applicable  
Packing instruction (passenger aircraft) : Not applicable

##### IMDG-Code

UN number : Not applicable  
UN proper shipping name : Not applicable  
Transport hazard class(es) : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable  
EmS Code : Not applicable  
Marine pollutant : Not applicable

#### Transport in bulk according to IMO instruments

Not applicable for product as supplied.

#### Special precautions for user

Not applicable

---

### Section 15: Regulatory information

#### Safety, health and environmental regulations specific for the product in question

Workplace Safety and Health Act and Workplace Safety and Health (General Provisions) Regulations: This product is subject to the requirements in the Act/Regulations.

Environmental Protection and Management Act and : Not applicable

Environmental Protection and Management (Hazardous Substances) Regulations

Fire Safety (Petroleum and Flammable Materials) Regulations : Not applicable

# SAFETY DATA SHEET



## Cloxacillin / Ampicillin Formulation

Version 2.0      Revision Date: 14.04.2025      SDS Number: 10843347-00008      Date of last issue: 28.09.2024  
Date of first issue: 30.08.2022

---

### The components of this product are reported in the following inventories:

AICS : not determined  
DSL : not determined  
IECSC : not determined

---

## Section 16: Other information

Revision Date : 14.04.2025

### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : dd.mm.yyyy

### Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
SG OEL	: Singapore. Workplace Safety and Health (General Provisions) Regulations - First Schedule Permissible Exposure Limits of Toxic Substances.
ACGIH / TWA	: 8-hour, time-weighted average
SG OEL / PEL (long term)	: Permissible Exposure Level (PEL) Long Term
SG OEL / PEL (short term)	: Permissible Exposure Level (PEL) Short Term

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumu-

# SAFETY DATA SHEET



## Cloxacillin / Ampicillin Formulation

---

Version 2.0	Revision Date: 14.04.2025	SDS Number: 10843347-00008	Date of last issue: 28.09.2024 Date of first issue: 30.08.2022
----------------	------------------------------	-------------------------------	---

---

lative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

SG / EN