

SAFETY DATA SHEET



Fenbendazole (2.50%) Liquid Formulation

Version 4.0 Revision Date: 14.04.2025 SDS Number: 10846400-00008 Date of last issue: 28.09.2024
Date of first issue: 06.09.2022

Section 1: Identification

Product identifier : Fenbendazole (2.50%) Liquid Formulation
Other means of identification : COOPERS PANACUR 25 ORAL ANTHELMINTIC FOR SHEEP CATTLE AND GOATS (37097)

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product
Restrictions on use : Not applicable

Manufacturer or supplier's details

Company : MSD
Address : 50 Tuas West Drive
Singapore - Singapore 638408
Telephone : +1-908-740-4000
Emergency telephone number : 65 6697 2111 (24/7/365)
E-mail address : EHSDATASTEWARD@msd.com

Section 2: Hazard identification

Classification of the substance or mixture

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

GHS Label elements, including precautionary statements

Hazard pictograms :



Signal word : Warning

Hazard statements : H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**

P273 Avoid release to the environment.

Response:

SAFETY DATA SHEET



Fenbendazole (2.50%) Liquid Formulation

Version
4.0

Revision Date:
14.04.2025

SDS Number:
10846400-00008

Date of last issue: 28.09.2024
Date of first issue: 06.09.2022

P391 Collect spillage.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
fenbendazole	43210-67-9	>= 2.5 < 3
Benzyl alcohol	100-51-6	>= 0.1 < 1

Section 4: First-aid measures

Description of necessary first-aid measures

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.

In case of eye contact : Flush eyes with water as a precaution.
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and delayed

Risks : None known.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

Fenbendazole (2.50%) Liquid Formulation

Version 4.0 Revision Date: 14.04.2025 SDS Number: 10846400-00008 Date of last issue: 28.09.2024
Date of first issue: 06.09.2022

Section 5: Fire-fighting measures**Extinguishing media**

Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : None known.

Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides
Nitrogen oxides (NO_x)
Sulphur oxides
Metal oxides

Special protective actions for fire-fighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

Section 6: Accidental release measures**Personal precautions, protective equipment and emergency procedures**

Personal precautions : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g. by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material.

SAFETY DATA SHEET



Fenbendazole (2.50%) Liquid Formulation

Version 4.0 Revision Date: 14.04.2025 SDS Number: 10846400-00008 Date of last issue: 28.09.2024
Date of first issue: 06.09.2022

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

Section 7: Handling and storage

Precautions for safe handling

Technical measures	: See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	: Use only with adequate ventilation.
Advice on safe handling	: Do not breathe mist or vapours. Do not swallow. Avoid contact with eyes. Avoid prolonged or repeated contact with skin. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Take care to prevent spills, waste and minimize release to the environment.
Hygiene measures	: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

Conditions for safe storage, including any incompatibilities

Conditions for safe storage	: Keep in properly labelled containers. Store in accordance with the particular national regulations.
Materials to avoid	: Do not store with the following product types: Strong oxidizing agents

Section 8: Exposure controls/personal protection

Control parameters

Occupational Exposure Limits

SAFETY DATA SHEET



Fenbendazole (2.50%) Liquid Formulation

Version 4.0 Revision Date: 14.04.2025 SDS Number: 10846400-00008 Date of last issue: 28.09.2024
Date of first issue: 06.09.2022

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
fenbendazole	43210-67-9	TWA	100 µg/m ³ (OEB 2)	Internal

Appropriate engineering control measures : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections). All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Laboratory operations do not require special containment.

Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin protection : Work uniform or laboratory coat.

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

Hand protection : Chemical-resistant gloves

Section 9: Physical and chemical properties

Appearance : liquid

Colour : off-white

Odour : No data available

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

SAFETY DATA SHEET



Fenbendazole (2.50%) Liquid Formulation

Version 4.0 Revision Date: 14.04.2025 SDS Number: 10846400-00008 Date of last issue: 28.09.2024
Date of first issue: 06.09.2022

Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies)		
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics		
Particle size	:	Not applicable

Section 10: Stability and reactivity

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

Section 11: Toxicological information

Fenbendazole (2.50%) Liquid Formulation

Version 4.0 Revision Date: 14.04.2025 SDS Number: 10846400-00008 Date of last issue: 28.09.2024
Date of first issue: 06.09.2022

Information on likely routes of exposure : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Components:**fenbendazole:**

Acute oral toxicity : LD50 (Rat): > 10,000 mg/kg
LD50 (Mouse): > 10,000 mg/kg

Benzyl alcohol:

Acute oral toxicity : LD50 (Rat): 1,200 mg/kg
Acute inhalation toxicity : LC50 (Rat): > 5.4 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Assessment: The substance or mixture has no acute inhalation toxicity

Skin corrosion/irritation

Not classified based on available information.

Components:**fenbendazole:**

Species : Rabbit
Result : No skin irritation

Benzyl alcohol:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:**fenbendazole:**

Species : Rabbit
Result : No eye irritation

Benzyl alcohol:

Species : Rabbit

Fenbendazole (2.50%) Liquid Formulation

Version 4.0 Revision Date: 14.04.2025 SDS Number: 10846400-00008 Date of last issue: 28.09.2024
Date of first issue: 06.09.2022

Result	:	Irritation to eyes, reversing within 21 days
Method	:	OECD Test Guideline 405

Respiratory or skin sensitisation**Skin sensitisation**

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:**Benzyl alcohol:**

Test Type	:	Human repeat insult patch test (HRIPT)
Exposure routes	:	Skin contact
Species	:	Humans
Result	:	positive
Assessment	:	Probability or evidence of low to moderate skin sensitisation rate in humans

Germ cell mutagenicity

Not classified based on available information.

Components:**fenbendazole:**

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
		Test Type: DNA Repair Result: negative
		Test Type: Chromosomal aberration Result: negative
		Test Type: in vitro assay Test system: mouse lymphoma cells Metabolic activation: Metabolic activation Result: equivocal

Benzyl alcohol:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Result: negative

Fenbendazole (2.50%) Liquid FormulationVersion
4.0Revision Date:
14.04.2025SDS Number:
10846400-00008Date of last issue: 28.09.2024
Date of first issue: 06.09.2022

II

Carcinogenicity

Not classified based on available information.

Components:**fenbendazole:**

Species	:	Mouse
Application Route	:	oral (feed)
Exposure time	:	2 Years
NOAEL	:	405 mg/kg body weight
Result	:	negative
Species	:	Rat
Application Route	:	Oral
Exposure time	:	2 Years
NOAEL	:	5 mg/kg body weight
Result	:	negative
Target Organs	:	Lymph nodes, Liver

Benzyl alcohol:

Species	:	Mouse
Application Route	:	Ingestion
Exposure time	:	103 weeks
Method	:	OECD Test Guideline 451
Result	:	negative

Reproductive toxicity

Not classified based on available information.

Components:**fenbendazole:**

Effects on fertility	:	Test Type: Three-generation reproduction toxicity study Species: Rat Application Route: oral (feed) General Toxicity - Parent: NOAEL: 15 mg/kg body weight Fertility: LOAEL: 45 mg/kg body weight Result: Effects on fertility
Effects on foetal development	:	Test Type: Development Species: Dog, female Application Route: Oral Developmental Toxicity: LOAEL: 100 mg/kg body weight Result: Embryotoxic effects and adverse effects on the offspring were detected., No teratogenic effects
		Test Type: Embryo-foetal development Species: Rabbit Application Route: Oral Developmental Toxicity: NOAEL: 25 mg/kg body weight

SAFETY DATA SHEET



Fenbendazole (2.50%) Liquid Formulation

Version 4.0 Revision Date: 14.04.2025 SDS Number: 10846400-00008 Date of last issue: 28.09.2024
Date of first issue: 06.09.2022

Result: Fetotoxicity

Test Type: Embryo-foetal development

Species: Rabbit

Application Route: Oral

Developmental Toxicity: LOAEL: 63 mg/kg body weight

Test Type: Embryo-foetal development

Species: Rat

Application Route: Oral

Developmental Toxicity: NOAEL: 120 mg/kg body weight

Result: No effects on foetal development

Reproductive toxicity - Assessment

: Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal experiments.

Benzyl alcohol:

Effects on fertility

: Test Type: Fertility/early embryonic development
Species: Rat
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

Effects on foetal development

: Test Type: Embryo-foetal development
Species: Mouse
Application Route: Ingestion
Result: negative

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Components:

fenbendazole:

Exposure routes

: Ingestion

Target Organs

: Liver, Stomach, Nervous system, Lymph nodes

Assessment

: May cause damage to organs through prolonged or repeated exposure.

Repeated dose toxicity

Components:

fenbendazole:

Species

: Rat

LOAEL

: 500 mg/kg

Fenbendazole (2.50%) Liquid FormulationVersion
4.0Revision Date:
14.04.2025SDS Number:
10846400-00008Date of last issue: 28.09.2024
Date of first issue: 06.09.2022

Application Route	:	Oral
Exposure time	:	2 Weeks
Target Organs	:	Kidney, Liver
Species	:	Rat
NOAEL	:	> 2,500 mg/kg
Application Route	:	Oral
Exposure time	:	30 Days
Remarks	:	No significant adverse effects were reported
Species	:	Rat
LOAEL	:	1,600 mg/kg
Application Route	:	Oral
Exposure time	:	90 Days
Target Organs	:	Central nervous system
Symptoms	:	Tremors
Species	:	Dog
NOAEL	:	4 mg/kg
LOAEL	:	8 mg/kg
Exposure time	:	6 Months
Target Organs	:	Stomach, Nervous system, Lymph nodes

Benzyl alcohol:

Species	:	Rat
NOAEL	:	1.072 mg/l
Application Route	:	inhalation (dust/mist/fume)
Exposure time	:	28 Days
Method	:	OECD Test Guideline 412

Aspiration toxicity

Not classified based on available information.

Components:**fenbendazole:**

||| No aspiration toxicity classification

Experience with human exposure**Components:****fenbendazole:**

||| Ingestion : Symptoms: Rapid respiration, Salivation, anorexia, Diarrhoea

Fenbendazole (2.50%) Liquid Formulation

Version 4.0 Revision Date: 14.04.2025 SDS Number: 10846400-00008 Date of last issue: 28.09.2024
Date of first issue: 06.09.2022

Section 12: Ecological information**Toxicity****Components:****fenbendazole:**

Toxicity to fish	:	LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.009 mg/l Exposure time: 21 d
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0.0088 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
M-Factor (Acute aquatic toxicity)	:	100
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 0.00113 mg/l Exposure time: 21 Days Method: OECD Test Guideline 211
M-Factor (Chronic aquatic toxicity)	:	10

Benzyl alcohol:

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 460 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 230 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): 770 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
		NOEC (Pseudokirchneriella subcapitata (green algae)): 310 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 51 mg/l Exposure time: 21 d Method: OECD Test Guideline 211

Persistence and degradability**Components:****Benzyl alcohol:**

Biodegradability	:	Result: Readily biodegradable. Biodegradation: 92 - 96 %
------------------	---	---

SAFETY DATA SHEET



Fenbendazole (2.50%) Liquid Formulation

Version 4.0 Revision Date: 14.04.2025 SDS Number: 10846400-00008 Date of last issue: 28.09.2024
Date of first issue: 06.09.2022

Exposure time: 14 d

Bioaccumulative potential

Components:

fenbendazole:

Partition coefficient: n-octanol/water : log Pow: 3.32

Benzyl alcohol:

Partition coefficient: n-octanol/water : log Pow: 1.05

Mobility in soil

Components:

fenbendazole:

Distribution among environmental compartments : log Koc: 3.8 - 4.7
Method: FDA 3.08

Other adverse effects

No data available

Section 13: Disposal considerations

Disposal methods

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

Section 14: Transport information

International Regulations

UNRTDG

UN number : UN 3082

UN proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(fenbendazole)

Transport hazard class(es) : 9

Packing group : III

Labels : 9

Environmental hazards : yes

IATA-DGR

UN/ID No. : UN 3082

UN proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(fenbendazole)

SAFETY DATA SHEET



Fenbendazole (2.50%) Liquid Formulation

Version 4.0 Revision Date: 14.04.2025 SDS Number: 10846400-00008 Date of last issue: 28.09.2024
Date of first issue: 06.09.2022

Transport hazard class(es) : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 964
Packing instruction (passenger aircraft) : 964
Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(fenbendazole)
Transport hazard class(es) : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

Section 15: Regulatory information

Safety, health and environmental regulations specific for the product in question

Workplace Safety and Health Act and Workplace Safety and Health (General Provisions) Regulations: This product is subject to the requirements in the Act/Regulations.

Environmental Protection and Management Act and : Not applicable
Environmental Protection and Management (Hazardous Substances) Regulations
Fire Safety (Petroleum and Flammable Materials) : Not applicable
Regulations

The components of this product are reported in the following inventories:

AICS : not determined
DSL : not determined
IECSC : not determined

Section 16: Other information

Revision Date : 14.04.2025

Further information

SAFETY DATA SHEET



Fenbendazole (2.50%) Liquid Formulation

Version 4.0	Revision Date: 14.04.2025	SDS Number: 10846400-00008	Date of last issue: 28.09.2024 Date of first issue: 06.09.2022
----------------	------------------------------	-------------------------------	---

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : dd.mm.yyyy

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECL - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

SAFETY DATA SHEET



Fenbendazole (2.50%) Liquid Formulation

Version
4.0

Revision Date:
14.04.2025

SDS Number:
10846400-00008

Date of last issue: 28.09.2024
Date of first issue: 06.09.2022

SG / EN