

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Bovilis MH Single Shot RTU / MH + IBR Formulation

Version  
5.0

Revision Date:  
14.04.2025

SDS Number:  
10876245-00012

Date of last issue: 26.06.2024  
Date of first issue: 24.10.2022

---

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Bovilis MH Single Shot RTU / MH + IBR Formulation

Other means of identification : Coopers Bovilis MH Single-Shot RTU READY-TO-USE MH VACCINE FOR CATTLE (92022)  
COOPERS BOVILIS MH+IBR BOVINE RESPIRATORY DISEASE (BRD) VACCINE (64608)  
Bovilis MH+IBR (A011518)  
COOPERS BOVILIS MH MANNHEIMIA HAEMOLYTICA VACCINE FOR CATTLE (55767)

#### Manufacturer or supplier's details

Company : MSD

Address : Briahnager - Off Pune Nagar Road  
Wagholi - Pune - India 412 207

Telephone : +1-908-740-4000

Emergency telephone number : +1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

---

### 2. HAZARDS IDENTIFICATION

#### Manufacture, Storage and Import of Hazardous Chemicals Rules 1989

##### Classification

Not classified as hazardous according to criteria laid down in Part I of Schedule-1.

##### GHS Classification

Skin sensitisation : Category 1

Carcinogenicity : Category 1B

##### GHS label elements

Hazard pictograms :  

Signal word : Danger

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Bovilis MH Single Shot RTU / MH + IBR Formulation

Version 5.0      Revision Date: 14.04.2025      SDS Number: 10876245-00012      Date of last issue: 26.06.2024  
Date of first issue: 24.10.2022

---

Hazard statements	: H317 May cause an allergic skin reaction. H350 May cause cancer.
Precautionary statements	: <b>Prevention:</b> P203 Obtain, read and follow all safety instructions before use. P261 Avoid breathing mist or vapours. P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.  <b>Response:</b> P302 + P352 IF ON SKIN: Wash with plenty of water. P318 IF exposed or concerned, get medical advice. P333 + P317 If skin irritation or rash occurs: Get medical help. P362 + P364 Take off contaminated clothing and wash it before reuse.  <b>Storage:</b> P405 Store locked up.  <b>Disposal:</b> P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards which do not result in classification

None known.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (%) w/w)
Antigen	Not Assigned	>= 50 - < 70
White mineral oil (petroleum)	8042-47-5	>= 5 - < 10
Formaldehyde	50-00-0	>= 0.25 - < 1
Thiomersal	54-64-8	>= 0.0025 - < 0.025

## 4. FIRST AID MEASURES

General advice	: In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	: If inhaled, remove to fresh air. Get medical attention.
In case of skin contact	: In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes.

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Bovilis MH Single Shot RTU / MH + IBR Formulation

Version 5.0      Revision Date: 14.04.2025      SDS Number: 10876245-00012      Date of last issue: 26.06.2024  
Date of first issue: 24.10.2022

---

In case of eye contact	Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse. : Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed	: If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	: May cause an allergic skin reaction. May cause cancer.
Protection of first-aiders	: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	: Treat symptomatically and supportively.

---

## 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Water spray Alcohol-resistant foam Carbon dioxide (CO <sub>2</sub> ) Dry chemical
Unsuitable extinguishing media	: None known.
Specific hazards during fire-fighting	: Exposure to combustion products may be a hazard to health.
Hazardous combustion products	: Carbon oxides
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

---

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	: Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers).

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Bovilis MH Single Shot RTU / MH + IBR Formulation

Version 5.0	Revision Date: 14.04.2025	SDS Number: 10876245-00012	Date of last issue: 26.06.2024 Date of first issue: 24.10.2022
----------------	------------------------------	-------------------------------	---

Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

- Methods and materials for containment and cleaning up : Soak up with inert absorbent material.  
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

## 7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
- Advice on safe handling : Do not get on skin or clothing.  
Avoid breathing mist or vapours.  
Do not swallow.  
Avoid contact with eyes.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Keep container tightly closed.  
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labelled containers.  
Store locked up.  
Keep tightly closed.  
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
White mineral oil (petroleum)	8042-47-5	TWA (Mist)	5 mg/m <sup>3</sup>	IN OEL
		STEL (Mist)	10 mg/m <sup>3</sup>	IN OEL
		TWA (Inhal-	5 mg/m <sup>3</sup>	ACGIH

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Bovilis MH Single Shot RTU / MH + IBR Formulation

Version  
5.0

Revision Date:  
14.04.2025

SDS Number:  
10876245-00012

Date of last issue: 26.06.2024  
Date of first issue: 24.10.2022

		able particu- late matter)		
Formaldehyde	50-00-0	STEL	2 ppm 3 mg/m <sup>3</sup>	IN OEL
	Further information: Suspected human carcinogens			
		TWA	1 ppm 1.5 mg/m <sup>3</sup>	IN OEL
	Further information: Suspected human carcinogens			
		TWA	0.1 ppm	ACGIH
		STEL	0.3 ppm	ACGIH
Thiomersal	54-64-8	TWA	0.01 mg/m <sup>3</sup> (Mercury)	IN OEL
	Further information: Potential contribution to the overall exposure by the cutaneous route including mucous membranes and eye.			
		STEL	0.03 mg/m <sup>3</sup> (Mercury)	IN OEL
	Further information: Potential contribution to the overall exposure by the cutaneous route including mucous membranes and eye.			
		TWA	0.01 mg/m <sup>3</sup> (Mercury)	ACGIH
		STEL	0.03 mg/m <sup>3</sup> (Mercury)	ACGIH

### Engineering measures

- Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).
- All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
- Laboratory operations do not require special containment.

### Personal protective equipment

- Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
- Filter type : Combined particulates and organic vapour type
- Hand protection Material : Chemical-resistant gloves
- Eye protection : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
- Skin and body protection : Work uniform or laboratory coat.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Contaminated work clothing should not be allowed out of the

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Bovilis MH Single Shot RTU / MH + IBR Formulation

Version 5.0      Revision Date: 14.04.2025      SDS Number: 10876245-00012      Date of last issue: 26.06.2024  
Date of first issue: 24.10.2022

---

workplace.

Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	suspension
Colour	:	white to off-white
Odour	:	odourless
Odour Threshold	:	No data available
pH	:	6.0 - 8.0
Melting point/freezing point	:	0 °C
Initial boiling point and boiling range	:	100 °C (1000 hPa)
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	2.37 kPa (20 °C)
Relative vapour density	:	No data available
Relative density	:	1
Density	:	No data available
Solubility(ies)		
Water solubility	:	soluble
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Bovilis MH Single Shot RTU / MH + IBR Formulation

Version 5.0      Revision Date: 14.04.2025      SDS Number: 10876245-00012      Date of last issue: 26.06.2024  
Date of first issue: 24.10.2022

---

Decomposition temperature : No data available

Viscosity  
Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics  
Particle size : Not applicable

---

## 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Can react with strong oxidizing agents.

Conditions to avoid : None known.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

---

## 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg  
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 30000 ppm  
Exposure time: 4 h  
Test atmosphere: gas  
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg  
Method: Calculation method

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Bovilis MH Single Shot RTU / MH + IBR Formulation

Version 5.0      Revision Date: 14.04.2025      SDS Number: 10876245-00012      Date of last issue: 26.06.2024  
Date of first issue: 24.10.2022

---

### Components:

#### **White mineral oil (petroleum):**

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity

#### **Formaldehyde:**

Acute oral toxicity	:	Acute toxicity estimate: 100 mg/kg Method: Expert judgement Remarks: Based on national or regional regulation.
Acute inhalation toxicity	:	Acute toxicity estimate (Rat): 100 ppm Exposure time: 4 h Test atmosphere: gas Method: Expert judgement
Acute dermal toxicity	:	LD50 (Rabbit): 270 mg/kg

#### **Thiomersal:**

Acute oral toxicity	:	LD50 (Rat): 75 mg/kg  Acute toxicity estimate: 10 mg/kg Method: Expert judgement Remarks: Based on national or regional regulation.
Acute inhalation toxicity	:	Acute toxicity estimate: 0.1 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Expert judgement Remarks: Based on national or regional regulation.
Acute dermal toxicity	:	Acute toxicity estimate: 10 mg/kg Method: Expert judgement Remarks: Based on national or regional regulation.

#### **Skin corrosion/irritation**

Not classified based on available information.

### Components:

#### **White mineral oil (petroleum):**

Species	:	Rabbit
---------	---	--------

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Bovilis MH Single Shot RTU / MH + IBR Formulation

Version 5.0      Revision Date: 14.04.2025      SDS Number: 10876245-00012      Date of last issue: 26.06.2024  
Date of first issue: 24.10.2022

---

|||Result : No skin irritation

### Formaldehyde:

|||Result : Corrosive after 3 minutes to 1 hour of exposure  
|||Remarks : Based on national or regional regulation.

### Serious eye damage/eye irritation

Not classified based on available information.

### Components:

#### White mineral oil (petroleum):

|||Species : Rabbit  
|||Result : No eye irritation

### Formaldehyde:

|||Result : Irreversible effects on the eye  
|||Remarks : Based on skin corrosivity.

### Respiratory or skin sensitisation

#### Skin sensitisation

May cause an allergic skin reaction.

#### Respiratory sensitisation

Not classified based on available information.

### Components:

#### White mineral oil (petroleum):

|||Test Type : Buehler Test  
|||Exposure routes : Skin contact  
|||Species : Guinea pig  
|||Result : negative

### Formaldehyde:

|||Test Type : Human repeat insult patch test (HRIPT)  
|||Exposure routes : Skin contact  
|||Species : Humans  
|||Result : positive

|||Assessment : Probability or evidence of high skin sensitisation rate in humans

### Germ cell mutagenicity

Not classified based on available information.

### Components:

#### White mineral oil (petroleum):

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Bovilis MH Single Shot RTU / MH + IBR Formulation

Version 5.0      Revision Date: 14.04.2025      SDS Number: 10876245-00012      Date of last issue: 26.06.2024  
Date of first issue: 24.10.2022

---

Genotoxicity in vitro	: Test Type: In vitro mammalian cell gene mutation test Result: negative
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Method: OECD Test Guideline 474 Result: negative Remarks: Based on data from similar materials

### Formaldehyde:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: positive
	Test Type: In vitro mammalian cell gene mutation test Result: positive
	Test Type: Chromosome aberration test in vitro Result: positive
Genotoxicity in vivo	: Test Type: In vivo mammalian alkaline comet assay Species: Mouse Application Route: Inhalation Result: positive
Germ cell mutagenicity - Assessment	: Positive result(s) from in vivo mammalian somatic cell mutagenicity tests.

### Thiomersal:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
Genotoxicity in vivo	: Test Type: Mammalian spermatogonial chromosome aberration test (in vivo) Species: Mouse Application Route: Ingestion Result: negative

### Carcinogenicity

May cause cancer.

### Components:

#### White mineral oil (petroleum):

Species	: Rat
Application Route	: Ingestion
Exposure time	: 24 Months
Result	: negative

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Bovilis MH Single Shot RTU / MH + IBR Formulation

Version  
5.0

Revision Date:  
14.04.2025

SDS Number:  
10876245-00012

Date of last issue: 26.06.2024  
Date of first issue: 24.10.2022

### Formaldehyde:

Species	:	Rat
Application Route	:	inhalation (gas)
Exposure time	:	28 Months
Result	:	positive
Carcinogenicity - Assessment	:	Sufficient evidence of carcinogenicity in animal experiments

### Thiomersal:

Species	:	Rat
Exposure time	:	1 Years
Result	:	negative

### Reproductive toxicity

Not classified based on available information.

### Components:

#### White mineral oil (petroleum):

Effects on fertility	:	Test Type: One-generation reproduction toxicity study Species: Rat Application Route: Skin contact Result: negative
Effects on foetal development	:	Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Result: negative

#### Formaldehyde:

Effects on foetal development	:	Test Type: Embryo-foetal development Species: Rat Application Route: inhalation (gas) Result: negative
-------------------------------	---	---

#### Thiomersal:

Effects on foetal development	:	Species: Rat Application Route: Ingestion Result: positive Remarks: Based on data from similar materials
Reproductive toxicity - Assessment	:	Clear evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments

### STOT - single exposure

Not classified based on available information.

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Bovilis MH Single Shot RTU / MH + IBR Formulation

Version 5.0      Revision Date: 14.04.2025      SDS Number: 10876245-00012      Date of last issue: 26.06.2024  
Date of first issue: 24.10.2022

---

### Components:

#### **Formaldehyde:**

Assessment : May cause respiratory irritation.

#### **STOT - repeated exposure**

Not classified based on available information.

### Components:

#### **Thiomersal:**

Target Organs : Central nervous system, Cardio-vascular system, Gastrointestinal tract, Kidney  
Assessment : Causes damage to organs through prolonged or repeated exposure.

#### **Repeated dose toxicity**

### Components:

#### **White mineral oil (petroleum):**

Species : Rat  
LOAEL : 160 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days

Species : Rat  
LOAEL : >= 1 mg/l  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 4 Weeks  
Method : OECD Test Guideline 412

#### **Thiomersal:**

Species : Rat  
LOAEL : >= 0.5 mg/kg  
Application Route : Ingestion  
Remarks : Based on data from similar materials

#### **Aspiration toxicity**

Not classified based on available information.

---

## 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

### Components:

#### **White mineral oil (petroleum):**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
Exposure time: 96 h

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Bovilis MH Single Shot RTU / MH + IBR Formulation

Version 5.0      Revision Date: 14.04.2025      SDS Number: 10876245-00012      Date of last issue: 26.06.2024  
Date of first issue: 24.10.2022

Method: OECD Test Guideline 203

- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : NOEC ( Pseudokirchneriella subcapitata (green algae)): 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201
- Toxicity to fish (Chronic toxicity) : NOEC: 1,000 mg/l  
Exposure time: 28 d  
Species: Oncorhynchus mykiss (rainbow trout)
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 1,000 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)

### Formaldehyde:

- Toxicity to fish : LC50 (Morone saxatilis (striped bass)): 6.7 mg/l  
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia pulex (Water flea)): 5.8 mg/l  
Exposure time: 48 h
- Toxicity to algae/aquatic plants : ErC50 ( Desmodesmus subspicatus (green algae)): 4.89 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201
- Toxicity to microorganisms : EC50 (activated sludge): 19 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 1.04 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Method: OECD Test Guideline 211

### Thiomersal:

- Toxicity to fish : LC50 (Poecilia reticulata (guppy)): > 0.01 - 0.1 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 0.01 - 0.1 mg/l  
Exposure time: 48 h  
Remarks: Based on data from similar materials
- Toxicity to algae/aquatic plants : EC50 ( Pseudokirchneriella subcapitata (green algae)): > 0.01 - 0.1 mg/l  
Exposure time: 96 h

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Bovilis MH Single Shot RTU / MH + IBR Formulation

Version 5.0      Revision Date: 14.04.2025      SDS Number: 10876245-00012      Date of last issue: 26.06.2024  
Date of first issue: 24.10.2022

---

Remarks: Based on data from similar materials

M-Factor (Acute aquatic toxicity) : 10

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: > 0.001 - 0.01 mg/l  
Exposure time: 21 d  
Species: Daphnia sp. (water flea)  
Remarks: Based on data from similar materials

M-Factor (Chronic aquatic toxicity) : 10

### Persistence and degradability

#### Components:

##### **White mineral oil (petroleum):**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 31 %  
Exposure time: 28 d

##### **Formaldehyde:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 99 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301A

### Bioaccumulative potential

#### Components:

##### **Formaldehyde:**

Partition coefficient: n-octanol/water : log Pow: 0.35  
Remarks: Calculation

### Mobility in soil

No data available

### Other adverse effects

No data available

---

## 13. DISPOSAL CONSIDERATIONS

#### **Disposal methods**

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.  
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Bovilis MH Single Shot RTU / MH + IBR Formulation

Version 5.0      Revision Date: 14.04.2025      SDS Number: 10876245-00012      Date of last issue: 26.06.2024  
Date of first issue: 24.10.2022

---

### 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

Not regulated as a dangerous good

##### IATA-DGR

Not regulated as a dangerous good

##### IMDG-Code

Not regulated as a dangerous good

#### Transport in bulk according to IMO instruments

Not applicable for product as supplied.

#### Special precautions for user

Not applicable

---

### 15. REGULATORY INFORMATION

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

##### The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

---

### 16. OTHER INFORMATION

Revision Date : 14.04.2025

#### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : dd.mm.yyyy

#### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

IN OEL : India. Permissible levels of certain chemical substances in work environment.

ACGIH / TWA : 8-hour, time-weighted average

ACGIH / STEL : Short-term exposure limit

IN OEL / TWA : Time-Weighted Average Concentration (TWA) (8 hrs.)

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Bovilis MH Single Shot RTU / MH + IBR Formulation

Version 5.0	Revision Date: 14.04.2025	SDS Number: 10876245-00012	Date of last issue: 26.06.2024 Date of first issue: 24.10.2022
----------------	------------------------------	-------------------------------	---

IN OEL / STEL : Short-term exposure Limit STEL (15 min)

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

IN / EN