

Lambda-Cyhalothrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
3.0	2025/04/14	11272791-00003	2024/12/04
			Date of first issue: 2023/09/18

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Lambda-Cyhalothrin Formulation

Manufacturer or supplier's details

Company : MSD

Address : 126 E. Lincoln Avenue
Rahway, New Jersey U.S.A. 07065

Telephone : +1-908-740-4000

Emergency telephone number : +1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

2. HAZARDS IDENTIFICATION**GHS Classification**

Acute toxicity (Oral) : Category 4

Acute toxicity (Inhalation) : Category 3

Serious eye damage/eye irritation : Category 2B

Specific target organ toxicity - single exposure : Category 1 (Nervous system)

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

GHS label elements

Hazard pictograms :



Signal word : Danger

Lambda-Cyhalothrin Formulation

Version 3.0 Revision Date: 2025/04/14 SDS Number: 11272791-00003 Date of last issue: 2024/12/04
Date of first issue: 2023/09/18

Hazard statements	: H302 Harmful if swallowed. H320 Causes eye irritation. H331 Toxic if inhaled. H370 Causes damage to organs (Nervous system). H410 Very toxic to aquatic life with long lasting effects.
Precautionary statements	: Prevention: P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. P264 Wash skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P273 Avoid release to the environment. Response: P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth. P304 + P340 + P311 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor. P337 + P313 If eye irritation persists: Get medical advice/ attention. P391 Collect spillage. Storage: P405 Store locked up. Disposal: P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

Contact with dust can cause mechanical irritation or drying of the skin.
May form explosive dust-air mixture during processing, handling or other means.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Polyvinyl chloride	9002-86-2	>= 30 -< 60
lambda-cyhalothrin (ISO)	91465-08-6	>= 10 -< 25
Titanium dioxide	13463-67-7	< 1

4. FIRST AID MEASURES

Lambda-Cyhalothrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
3.0	2025/04/14	11272791-00003	2024/12/04
			Date of first issue: 2023/09/18

General advice	: In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.
In case of skin contact	: In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention.
If swallowed	: If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel. Get medical attention. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and delayed	: Contact with dust can cause mechanical irritation or drying of the skin. Harmful if swallowed. Causes eye irritation. Toxic if inhaled. Causes damage to organs.
Protection of first-aiders	: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	: Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	: None known.
Specific hazards during fire-fighting	: Exposure to combustion products may be a hazard to health.
Hazardous combustion products	: Carbon oxides Nitrogen oxides (NO _x) Chlorine compounds Fluorine compounds
Specific extinguishing method	: Use extinguishing measures that are appropriate to local cir-

Lambda-Cyhalothrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
3.0	2025/04/14	11272791-00003	2024/12/04
			Date of first issue: 2023/09/18

ods cumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.
for firefighters Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Surround spill with absorbents and place a damp covering over the area to minimise entry of the material into the air.
Add excess liquid to allow the material to enter into solution.
Soak up with inert absorbent material.
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

7. HANDLING AND STORAGE

Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Avoid breathing dust, fume, gas, mist, vapours or spray.
Do not swallow.
Do not get in eyes.

Lambda-Cyhalothrin Formulation

Version 3.0 Revision Date: 2025/04/14 SDS Number: 11272791-00003 Date of last issue: 2024/12/04
Date of first issue: 2023/09/18

Avoid prolonged or repeated contact with skin.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment.
Keep container tightly closed.
Minimize dust generation and accumulation.
Keep container closed when not in use.
Keep away from heat and sources of ignition.
Take precautionary measures against static discharges.
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment.

Conditions for safe storage : Keep in properly labelled containers.
Store locked up.
Keep tightly closed.
Keep in a cool, well-ventilated place.
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:
Explosives

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Polyvinyl chloride	9002-86-2	TWA (Respirable particulate matter)	1 mg/m ³	ACGIH
lambda-cyhalothrin (ISO)	91465-08-6	TWA	5 µg/m ³ (OEB 4)	Internal
	Further information: Skin			
		Wipe limit	50 µg/100 cm ²	Internal
Titanium dioxide	13463-67-7	NAB	10 mg/m ³	ID OEL
	Further information: Not classified as carcinogenic to humans. Not enough data to classify these materials as carcinogenic to humans or animals			
		TWA (Respirable particulate matter)	2.5 mg/m ³ (Titanium dioxide)	ACGIH

This substance(s) is not bioavailable and therefore does not contribute to a dust inhalation hazard.

Titanium dioxide

Engineering measures : The information below is intended for larger pilot/commercial-scale operations and manufacturing. For smaller scale, clinical, or pharmacy settings, site-specific internal risk assess-

Lambda-Cyhalothrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
3.0	2025/04/14	11272791-00003	2024/12/04
			Date of first issue: 2023/09/18

ment practices should be conducted to determine appropriate exposure control measures. The health hazard risks of handling this material are dependent on multiple factors, including but not limited to physical form and quantity handled. If applicable, use process enclosures, local exhaust ventilation (e.g., Biosafety Cabinet, Ventilated Balance Enclosures), or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels as low as reasonably achievable.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., vacuum conveying from a closed system, packout head with inflatable seal from stationary container, ventilated enclosure, etc.).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Essentially no open handling permitted.

Use closed processing systems or containment technologies.

Personal protective equipment

- | | | |
|--------------------------|---|--|
| Respiratory protection | : | If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection. |
| Filter type | : | Combined particulates and organic vapour type |
| Hand protection | : | |
| Material | : | Chemical-resistant gloves |
| Remarks | : | Consider double gloving. |
| Eye protection | : | Wear safety glasses with side shields or goggles.
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols. |
| Skin and body protection | : | Work uniform or laboratory coat.
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.
Use appropriate degowning techniques to remove potentially contaminated clothing. |
| Hygiene measures | : | If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the |

Lambda-Cyhalothrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/12/04
3.0	2025/04/14	11272791-00003	Date of first issue: 2023/09/18

use of administrative controls.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	solid
Colour	:	violet
Odour	:	characteristic
Odour Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	Not applicable
Relative vapour density	:	Not applicable
Relative density	:	No data available
Density	:	No data available
Solubility(ies)		
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	Not applicable

Lambda-Cyhalothrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/12/04
3.0	2025/04/14	11272791-00003	Date of first issue: 2023/09/18

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics
Particle size : No data available

10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : May form explosive dust-air mixture during processing, handling or other means.
Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.
Avoid dust formation.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Harmful if swallowed.
Toxic if inhaled.

Product:

Acute oral toxicity : Acute toxicity estimate: 560 mg/kg
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: 0.6 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 2,000 mg/kg
Method: Calculation method

Components:

lambda-cyhalothrin (ISO):

Lambda-Cyhalothrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/12/04
3.0	2025/04/14	11272791-00003	Date of first issue: 2023/09/18

Acute oral toxicity	: LD50 (Rat): 56 - 79 mg/kg LD50 (Mouse): 20 mg/kg
Acute inhalation toxicity	: LC50 (Rat): 0.06 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	: LD50 (Rat): 632 - 696 mg/kg
Acute toxicity (other routes of administration)	: LD50 (Rat): 250 - 750 mg/kg Application Route: Intraperitoneal

Titanium dioxide:

Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	: LC50 (Rat): > 6.82 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity

Skin corrosion/irritation

Not classified based on available information.

Components:**lambda-cyhalothrin (ISO):**

Species	: Rabbit
Result	: No skin irritation

Titanium dioxide:

Species	: Rabbit
Result	: No skin irritation

Serious eye damage/eye irritation

Causes eye irritation.

Components:**lambda-cyhalothrin (ISO):**

Species	: Rabbit
Result	: Mild eye irritation

Titanium dioxide:

Species	: Rabbit
Result	: No eye irritation

Lambda-Cyhalothrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/12/04
3.0	2025/04/14	11272791-00003	Date of first issue: 2023/09/18

Respiratory or skin sensitisation**Skin sensitisation**

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:**lambda-cyhalothrin (ISO):**

Test Type	: Magnusson-Kligman-Test
Exposure routes	: Dermal
Species	: Guinea pig
Result	: Not a skin sensitizer.

Titanium dioxide:

Test Type	: Local lymph node assay (LLNA)
Exposure routes	: Skin contact
Species	: Mouse
Result	: negative

Germ cell mutagenicity

Not classified based on available information.

Components:**lambda-cyhalothrin (ISO):**

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES)
	Result: negative
	Test Type: Chromosomal aberration
	Test system: Human lymphocytes
Genotoxicity in vivo	Result: negative
	Test Type: unscheduled DNA synthesis assay
	Test system: rat hepatocytes
	Result: negative
Genotoxicity in vivo	Test Type: In vitro mammalian cell gene mutation test
	Test system: mouse lymphoma cells
	Result: negative
	Test Type: Micronucleus test
Genotoxicity in vivo	Species: Mouse
	Cell type: Bone marrow
	Application Route: Intraperitoneal
	Result: negative

Titanium dioxide:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES)
-----------------------	--

Lambda-Cyhalothrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
3.0	2025/04/14	11272791-00003	2024/12/04
			Date of first issue: 2023/09/18

	Result: negative
Genotoxicity in vivo	: Test Type: In vivo micronucleus test
	Species: Mouse
	Result: negative

Carcinogenicity

Not classified based on available information.

Components:**lambda-cyhalothrin (ISO):**

Species	: Mouse
Application Route	: oral (feed)
Exposure time	: 2 Years
Result	: negative
Remarks	: Based on data from similar materials

Species	: Rat
Application Route	: oral (feed)
Exposure time	: 2 Years
Result	: negative
Remarks	: Based on data from similar materials

Titanium dioxide:

Species	: Rat
Application Route	: inhalation (dust/mist/fume)
Exposure time	: 2 Years
Method	: OECD Test Guideline 453
Result	: positive
Remarks	: The mechanism or mode of action may not be relevant in humans. This substance(s) is not bioavailable and therefore does not contribute to a dust inhalation hazard.

Carcinogenicity - Assessment	: Limited evidence of carcinogenicity in inhalation studies with animals.
------------------------------	---

Reproductive toxicity

Not classified based on available information.

Components:**lambda-cyhalothrin (ISO):**

Effects on fertility	: Test Type: Three-generation study
	Species: Rat
	Application Route: oral (feed)
	General Toxicity - Parent: NOAEL: 2 mg/kg body weight
	General Toxicity F1: LOAEL: 6.7 mg/kg body weight
	Symptoms: Reduced offspring weight gain
	Result: No effects on fertility

Lambda-Cyhalothrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
3.0	2025/04/14	11272791-00003	2024/12/04
			Date of first issue: 2023/09/18

	Remarks: Based on data from similar materials
Effects on foetal development	: Test Type: Development Species: Rat Application Route: Oral General Toxicity Maternal: NOAEL: 10 mg/kg body weight Developmental Toxicity: LOAEL: 15 mg/kg body weight Result: No effects on foetal development, Reduced maternal body weight gain, Reduced foetal weight Remarks: Based on data from similar materials
	Test Type: Development Species: Rabbit Application Route: Oral General Toxicity Maternal: NOAEL: 10 mg/kg body weight Developmental Toxicity: NOAEL: 30 mg/kg body weight Result: No effects on foetal development, Reduced maternal body weight gain, Reduced foetal weight Remarks: Based on data from similar materials

STOT - single exposure

Causes damage to organs (Nervous system).

Components:**lambda-cyhalothrin (ISO):**

Target Organs	: Nervous system
Assessment	: Causes damage to organs.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity**Components:****lambda-cyhalothrin (ISO):**

Species	: Dog
NOAEL	: 2.5 mg/kg
LOAEL	: 12.5 mg/kg
Application Route	: oral (feed)
Exposure time	: 90 d
Symptoms	: reduced body weight gain, reduced food consumption

Species	: Rat
NOAEL	: 10 mg/kg
LOAEL	: 50 mg/kg
Application Route	: Dermal
Exposure time	: 21 d
Target Organs	: Nervous system

Species	: Rat
---------	-------

Lambda-Cyhalothrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/12/04
3.0	2025/04/14	11272791-00003	Date of first issue: 2023/09/18

NOAEL	: 0.08 mg/kg
LOAEL	: 0.9 mg/kg
Application Route	: Inhalation
Exposure time	: 21 d
Target Organs	: Nervous system

Species	: Dog
NOAEL	: 0.1 mg/kg
LOAEL	: 0.5 mg/kg
Application Route	: Oral
Exposure time	: 1 yr
Target Organs	: Nervous system
Symptoms	: Gastrointestinal disturbance, Vomiting, Convulsions, ataxia, Liver effects

Titanium dioxide:

Species	: Rat
NOAEL	: 24,000 mg/kg
Application Route	: Ingestion
Exposure time	: 28 Days

Species	: Rat
NOAEL	: 10 mg/m3
Application Route	: inhalation (dust/mist/fume)
Exposure time	: 2 yr

Aspiration toxicity

Not classified based on available information.

Experience with human exposure**Components:****lambda-cyhalothrin (ISO):**

Inhalation	: Symptoms: Cough, Local irritation, sneezing
Skin contact	: Symptoms: Skin irritation, tingling, superficial burning sensation, Local irritation Remarks: Can be absorbed through skin.
Eye contact	: Symptoms: Eye irritation
Ingestion	: Symptoms: Gastrointestinal disturbance

12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****lambda-cyhalothrin (ISO):**

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 0.00019 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
------------------	--

Lambda-Cyhalothrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
3.0	2025/04/14	11272791-00003	2024/12/04
			Date of first issue: 2023/09/18

Remarks: Based on data from similar materials

LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.00021 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.00004 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
Remarks: Based on data from similar materials

M-Factor (Acute aquatic toxicity) : 10,000

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.000062 mg/l
Exposure time: 32 d
Method: OECD Test Guideline 210
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.0035 µg/l
Exposure time: 21 d
Method: OECD Test Guideline 211
Remarks: Based on data from similar materials

M-Factor (Chronic aquatic toxicity) : 10,000

Titanium dioxide:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Skeletonema costatum (marine diatom)): > 10,000 mg/l
Exposure time: 72 h

Toxicity to microorganisms : EC50: > 1,000 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

Persistence and degradability

No data available

Bioaccumulative potential**Components:****lambda-cyhalothrin (ISO):**

Bioaccumulation : Bioconcentration factor (BCF): 2,240
Method: OECD Test Guideline 305

Lambda-Cyhalothrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/12/04
3.0	2025/04/14	11272791-00003	Date of first issue: 2023/09/18

Partition coefficient: n-octanol/water : log Pow: 7.0 (20 °C)

Mobility in soil**Components:****lambda-cyhalothrin (ISO):**

Distribution among environmental compartments : log Koc: 5.5

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

UN number : UN 2811

Proper shipping name : TOXIC SOLID, ORGANIC, N.O.S.
(lambda-cyhalothrin (ISO))

Class : 6.1

Packing group : III

Labels : 6.1

Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 2811

Proper shipping name : Toxic solid, organic, n.o.s.
(lambda-cyhalothrin (ISO))

Class : 6.1

Packing group : III

Labels : Toxic

Packing instruction (cargo aircraft) : 677

Packing instruction (passenger aircraft) : 670

IMDG-Code

UN number : UN 2811

Proper shipping name : TOXIC SOLID, ORGANIC, N.O.S.
(lambda-cyhalothrin (ISO))

Class : 6.1

Lambda-Cyhalothrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/12/04
3.0	2025/04/14	11272791-00003	Date of first issue: 2023/09/18

Packing group : III
Labels : 6.1
EmS Code : F-A, S-A
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION**Safety, health and environmental regulations/legislation specific for the substance or mixture**

Minister of Industry Regulation No. 23/M-IND/PER/4/2013 concerning the Revision of Minister of Industry Regulation No. 87/M-IND/PER/9/2009 concerning Globally Harmonized System of Classification and Labelling of Chemicals.

Regulation of the Minister of Health No. 472 of 1996 on the Safeguarding of Substances Hazardous to Health

Hazardous substances that must be registered : Not applicable

Government Regulation No. 74 of 2001 on the Management of Hazardous and Toxic Substances

Hazardous substances approved for use : Not applicable
Prohibited substances : Not applicable
Restricted substances : Not applicable

Regulation of the Ministry of Trade No. 7 of 2022 on Distribution and Control of Hazardous Materials

Type of hazardous materials subject to distribution and control, Annex I : Not applicable

Type of hazardous materials subject to distribution and control, Annex II : Not applicable

The components of this product are reported in the following inventories:

AICS : not determined
DSL : not determined
IECSC : not determined

16. OTHER INFORMATION

Revision Date : 2025/04/14

Lambda-Cyhalothrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
3.0	2025/04/14	11272791-00003	2024/12/04
			Date of first issue: 2023/09/18

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
ID OEL : Indonesia. Occupational Exposure Limits

ACGIH / TWA : 8-hour, time-weighted average
ID OEL / NAB : Long term exposure limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only

Lambda-Cyhalothrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/12/04
3.0	2025/04/14	11272791-00003	Date of first issue: 2023/09/18

to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

ID / EN