

**Lamb Vaccine Selenised Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2023
2.0	14.04.2025	11234652-00005	Date of first issue: 14.06.2023

---

**SECTION 1. IDENTIFICATION**

Product name : Lamb Vaccine Selenised Formulation

Other means of identification : Lamb Vaccine Selenised (A001011)

**Manufacturer or supplier's details**

Company : MSD

Address : Talcahuano 750, 6th floor, Ciudad Autonoma  
Buenos Aires, Argentina C1013AAP

Telephone : 908-740-4000

Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

**Recommended use of the chemical and restrictions on use**

Recommended use : Veterinary product

Restrictions on use : Not applicable

---

**SECTION 2. HAZARDS IDENTIFICATION****GHS Classification**

Acute toxicity (Oral) : Category 5

Short-term (acute) aquatic hazard : Category 3

Long-term (chronic) aquatic hazard : Category 3

**GHS label elements**

Signal Word : Warning

Hazard Statements : H303 May be harmful if swallowed.  
H412 Harmful to aquatic life with long lasting effects.

Precautionary Statements : **Prevention:**  
P273 Avoid release to the environment.  
**Response:**  
P312 Call a POISON CENTER/ doctor if you feel unwell.  
**Disposal:**  
P501 Dispose of contents/ container to an approved waste disposal plant.

## Lamb Vaccine Selenised Formulation

Version 2.0      Revision Date: 14.04.2025      SDS Number: 11234652-00005      Date of last issue: 04.12.2023  
 Date of first issue: 14.06.2023

**Other hazards which do not result in classification**

None known.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Components**

Chemical name	CAS-No.	Concentration (% w/w)
Antigen	Not Assigned	$\geq 1$ - $< 5$
Aluminium potassium sulfate dodecahydrate	7784-24-9	$\geq 1$ - $< 5$
Sodium selenate	13410-01-0	$\geq 0,1$ - $< 0,25$
Thiomersal	54-64-8	$\geq 0,0025$ - $< 0,025$

**SECTION 4. FIRST AID MEASURES**

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
 When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
 Get medical attention if symptoms occur.

In case of skin contact : Wash with water and soap as a precaution.  
 Get medical attention if symptoms occur.

In case of eye contact : Flush eyes with water as a precaution.  
 Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.  
 Get medical attention if symptoms occur.  
 Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and delayed : May be harmful if swallowed.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

**SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Water spray  
 Alcohol-resistant foam  
 Carbon dioxide (CO<sub>2</sub>)  
 Dry chemical

Unsuitable extinguishing media : None known.

Specific hazards during fire fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides  
 Metal oxides  
 Sulfur oxides

**Lamb Vaccine Selenised Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2023
2.0	14.04.2025	11234652-00005	Date of first issue: 14.06.2023

---

- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.
- Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.
- 

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g., by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material.  
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.
- 

**SECTION 7. HANDLING AND STORAGE**

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Avoid inhalation of vapor or mist.  
Do not swallow.  
Avoid contact with eyes.  
Avoid prolonged or repeated contact with skin.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Take care to prevent spills, waste and minimize release to the

## Lamb Vaccine Selenised Formulation

Version 2.0      Revision Date: 14.04.2025      SDS Number: 11234652-00005      Date of last issue: 04.12.2023  
 Date of first issue: 14.06.2023

environment.

Conditions for safe storage : Keep in properly labeled containers.  
 Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:  
 Strong oxidizing agents  
 Gases

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Aluminium potassium sulfate dodecahydrate	7784-24-9	CMP	2 mg/m <sup>3</sup> (Aluminum)	AR OEL
Sodium selenate	13410-01-0	TWA	20 µg/m <sup>3</sup> (OEB 3)	Internal
		Wipe limit	200 µg/100 cm <sup>2</sup>	Internal
		CMP	0,2 mg/m <sup>3</sup> (selenium)	AR OEL
		TWA	0,2 mg/m <sup>3</sup> (selenium)	ACGIH
Thiomersal	54-64-8	CMP	0,01 mg/m <sup>3</sup> (Mercury)	AR OEL
	Further information: Skin			
		CMP - CPT	0,03 mg/m <sup>3</sup> (Mercury)	AR OEL
	Further information: Skin			
		TWA	0,01 mg/m <sup>3</sup> (Mercury)	ACGIH
		STEL	0,03 mg/m <sup>3</sup> (Mercury)	ACGIH

**Engineering measures** : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).  
 All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
 Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).  
 Minimize open handling.

**Personal protective equipment**

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

Hand protection

Material : Chemical-resistant gloves

**Lamb Vaccine Selenised Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2023
2.0	14.04.2025	11234652-00005	Date of first issue: 14.06.2023

Remarks	:	Consider double gloving.
Eye protection	:	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	:	Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.
Hygiene measures	:	If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance	:	Aqueous solution
Color	:	No data available
Odor	:	No data available
Odor Threshold	:	No data available
pH	:	6,0 - 7,0
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available

**Lamb Vaccine Selenised Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2023
2.0	14.04.2025	11234652-00005	Date of first issue: 14.06.2023

Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	1,02
Density	:	No data available
Solubility(ies)		
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics		
Particle size	:	Not applicable

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

**SECTION 11. TOXICOLOGICAL INFORMATION**

Information on likely routes of exposure	:	Inhalation Skin contact Ingestion Eye contact
--	---	--

**Acute toxicity**

May be harmful if swallowed.

**Product:**

Acute oral toxicity	:	Acute toxicity estimate: 2.084 mg/kg
---------------------	---	--------------------------------------

## Lamb Vaccine Selenised Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2023
2.0	14.04.2025	11234652-00005	Date of first issue: 14.06.2023

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 10 mg/l  
 Exposure time: 4 h  
 Test atmosphere: dust/mist  
 Method: Calculation method

**Components:****Aluminium potassium sulfate dodecahydrate:**

Acute oral toxicity : LD50 (Mouse): > 5.000 mg/kg  
 Remarks: Based on data from similar materials

**Sodium selenate:**

Acute oral toxicity : LD50 (Rat): > 5 - 50 mg/kg  
 Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat): > 0,052 - 0,51 mg/l  
 Exposure time: 4 h  
 Test atmosphere: dust/mist  
 Method: OECD Test Guideline 403

**Thiomersal:**

Acute oral toxicity : LD50 (Rat): 75 mg/kg  
 Acute toxicity estimate: 10 mg/kg  
 Method: Expert judgment  
 Remarks: Based on national or regional regulation.

Acute inhalation toxicity : Acute toxicity estimate: 0,1 mg/l  
 Exposure time: 4 h  
 Test atmosphere: dust/mist  
 Method: Expert judgment  
 Remarks: Based on national or regional regulation.

Acute dermal toxicity : Acute toxicity estimate: 10 mg/kg  
 Method: Expert judgment  
 Remarks: Based on national or regional regulation.

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****Aluminium potassium sulfate dodecahydrate:**

Species : Mouse  
 Result : No skin irritation  
 Remarks : Based on data from similar materials

**Sodium selenate:**

Species : reconstructed human epidermis (RhE)  
 Method : OECD Test Guideline 431

## Lamb Vaccine Selenised Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2023
2.0	14.04.2025	11234652-00005	Date of first issue: 14.06.2023

Species : reconstructed human epidermis (RhE)  
Method : OECD Test Guideline 439

Result : Skin irritation

**Serious eye damage/eye irritation**

Not classified based on available information.

**Components:****Aluminium potassium sulfate dodecahydrate:**

Species : Rabbit  
Result : No eye irritation  
Remarks : Based on data from similar materials

**Sodium selenate:**

Species : Bovine cornea  
Method : OECD Test Guideline 437

Result : No eye irritation

**Respiratory or skin sensitization****Skin sensitization**

Not classified based on available information.

**Respiratory sensitization**

Not classified based on available information.

**Components:****Aluminium potassium sulfate dodecahydrate:**

Test Type : Draize Test  
Routes of exposure : Skin contact  
Species : Rabbit  
Result : negative  
Remarks : Based on data from similar materials

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****Aluminium potassium sulfate dodecahydrate:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

**Sodium selenate:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative  
Remarks: Based on data from similar materials



## Lamb Vaccine Selenised Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2023
2.0	14.04.2025	11234652-00005	Date of first issue: 14.06.2023

II

**Thiomersal:**

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
Genotoxicity in vivo	: Test Type: Mammalian spermatogonial chromosome aberration test (in vivo) Species: Mouse Application Route: Ingestion Result: negative

**Carcinogenicity**

Not classified based on available information.

**Components:****Thiomersal:**

Species	: Rat
Exposure time	: 1 Years
Result	: negative

**Reproductive toxicity**

Not classified based on available information.

**Components:****Aluminium potassium sulfate dodecahydrate:**

Effects on fertility	: Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Ingestion Method: OECD Test Guideline 416 Result: negative Remarks: Based on data from similar materials
Effects on fetal development	: Test Type: Embryo-fetal development Species: Rat Application Route: Ingestion Method: OPPTS 870.3700 Result: negative Remarks: Based on data from similar materials

**Sodium selenate:**

Effects on fertility	: Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative Remarks: Based on data from similar materials
Effects on fetal development	: Test Type: Embryo-fetal development Species: Mouse Application Route: Ingestion Result: negative

## Lamb Vaccine Selenised Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2023
2.0	14.04.2025	11234652-00005	Date of first issue: 14.06.2023

Remarks: Based on data from similar materials

**Thiomersal:**

Effects on fetal development	:	Species: Rat Application Route: Ingestion Result: positive Remarks: Based on data from similar materials
Reproductive toxicity - Assessment	:	Clear evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments

**STOT-single exposure**

Not classified based on available information.

**STOT-repeated exposure**

Not classified based on available information.

**Components:****Sodium selenate:**

Routes of exposure	:	Ingestion
Assessment	:	Shown to produce significant health effects in animals at concentrations of 10 mg/kg bw or less.

**Thiomersal:**

Target Organs	:	Central nervous system, Cardio-vascular system, Gastrointestinal tract, Kidney
Assessment	:	Causes damage to organs through prolonged or repeated exposure.

**Repeated dose toxicity****Components:****Aluminium potassium sulfate dodecahydrate:**

Species	:	Mouse
NOAEL	:	15.000 mg/kg
Application Route	:	Ingestion
Exposure time	:	5 Weeks
Method	:	Directive 67/548/EEC, Annex V, B.33.

**Sodium selenate:**

Species	:	Rat
NOAEL	:	0,4 mg/kg
Application Route	:	Ingestion
Exposure time	:	13 Weeks

**Thiomersal:**

Species	:	Rat
LOAEL	:	>= 0,5 mg/kg
Application Route	:	Ingestion
Remarks	:	Based on data from similar materials

## Lamb Vaccine Selenised Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2023
2.0	14.04.2025	11234652-00005	Date of first issue: 14.06.2023

**Aspiration toxicity**

Not classified based on available information.

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****Aluminium potassium sulfate dodecahydrate:**

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): > 1.000 - < 10.000 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
------------------	---	--

**Ecotoxicology Assessment**

Chronic aquatic toxicity	:	No toxicity at the limit of solubility.
--------------------------	---	---

**Sodium selenate:**

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): > 1 - 10 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
------------------	---	--

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l Exposure time: 48 h Remarks: Based on data from similar materials
---	---	--

Toxicity to algae/aquatic plants	:	ErC50 (Chlamydomonas reinhardtii (green algae)): 245 µg/l Exposure time: 96 h  NOEC (Chlamydomonas reinhardtii (green algae)): 197 µg/l Exposure time: 96 h
----------------------------------	---	---

M-Factor (Acute aquatic toxicity)	:	1
-----------------------------------	---	---

Toxicity to fish (Chronic toxicity)	:	NOEC (Lepomis macrochirus (Bluegill sunfish)): > 0,01 - 0,1 mg/l Exposure time: 258 d Remarks: Based on data from similar materials
-------------------------------------	---	---

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: > 0,1 - 1 mg/l Exposure time: 28 d Remarks: Based on data from similar materials
--	---	--

M-Factor (Chronic aquatic toxicity)	:	1
-------------------------------------	---	---

Toxicity to microorganisms	:	EC10 (activated sludge): 590 mg/l Exposure time: 3 h Method: OECD Test Guideline 209
----------------------------	---	--

**Thiomersal:**

**Lamb Vaccine Selenised Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2023
2.0	14.04.2025	11234652-00005	Date of first issue: 14.06.2023

Toxicity to fish	:	LC50 (Poecilia reticulata (guppy)): > 0,01 - 0,1 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 0,01 - 0,1 mg/l Exposure time: 48 h Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): > 0,01 - 0,1 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
M-Factor (Acute aquatic toxicity)	:	10
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia sp. (Water flea)): > 0,001 - 0,01 mg/l Exposure time: 21 d Remarks: Based on data from similar materials
M-Factor (Chronic aquatic toxicity)	:	10

**Persistence and degradability**

No data available

**Bioaccumulative potential**

No data available

**Mobility in soil**

No data available

**Other adverse effects**

No data available

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues	:	Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

**SECTION 14. TRANSPORT INFORMATION****International Regulations****UNRTDG**

Not regulated as a dangerous good

**IATA-DGR**

Not regulated as a dangerous good

**IMDG-Code**

Not regulated as a dangerous good

**Lamb Vaccine Selenised Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2023
2.0	14.04.2025	11234652-00005	Date of first issue: 14.06.2023

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**Special precautions for user**

Not applicable

**SECTION 15. REGULATORY INFORMATION****Safety, health and environmental regulations/legislation specific for the substance or mixture**

Argentina. Carcinogenic Substances and Agents Registry. : Not applicable

Control of precursors and essential chemicals for the preparation of drugs. : Not applicable

**The ingredients of this product are reported in the following inventories:**

AICS : not determined

DSL : not determined

IECSC : not determined

**SECTION 16. OTHER INFORMATION**

Revision Date	: 14.04.2025
Date format	: dd.mm.yyyy

**Further information**Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

**Full text of other abbreviations**

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
AR OEL	: Argentina. Occupational Exposure Limits

ACGIH / TWA	: 8-hour, time-weighted average
ACGIH / STEL	: Short-term exposure limit
AR OEL / CMP	: TLV (Threshold Limit Value)
AR OEL / CMP - CPT	: STEL (Short Term Limit Value)

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with

**Lamb Vaccine Selenised Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2023
2.0	14.04.2025	11234652-00005	Date of first issue: 14.06.2023

x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AR / Z8