

# SAFETY DATA SHEET



## Lamb Vaccine Selenised Formulation

Version 2.0 Revision Date: 14.04.2025 SDS Number: 11234645-00007 Date of last issue: 28.09.2024 Date of first issue: 14.06.2023

---

### Section 1: Identification

**Product identifier** : Lamb Vaccine Selenised Formulation

**Other means of identification** : Lamb Vaccine Selenised (A001011)

### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

### Manufacturer or supplier's details

Company : MSD

Address : 50 Tuas West Drive  
Singapore - Singapore 638408

Telephone : +1-908-740-4000

Emergency telephone number : 65 6697 2111 (24/7/365)

E-mail address : EHSDATASTEWARD@msd.com

---

### Section 2: Hazard identification

#### Classification of the substance or mixture

Not a hazardous substance or mixture.

#### GHS Label elements, including precautionary statements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

#### Other hazards which do not result in classification

None known.

---

### Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
Antigen	Not Assigned	>= 1 -< 10
Aluminium potassium sulfate dodecahydrate	7784-24-9	>= 1 -< 10
Sodium selenate	13410-01-0	>= 0.1 -< 0.25
Thiomersal	54-64-8	>= 0.0025 -< 0.025

# SAFETY DATA SHEET



## Lamb Vaccine Selenised Formulation

Version 2.0 Revision Date: 14.04.2025 SDS Number: 11234645-00007 Date of last issue: 28.09.2024 Date of first issue: 14.06.2023

---

### Section 4: First-aid measures

#### Description of necessary first-aid measures

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
Get medical attention if symptoms occur.

In case of skin contact : Wash with water and soap as a precaution.  
Get medical attention if symptoms occur.

In case of eye contact : Flush eyes with water as a precaution.  
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention if symptoms occur.  
Rinse mouth thoroughly with water.

#### Most important symptoms and effects, both acute and delayed

Risks : None known.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

#### Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

---

### Section 5: Fire-fighting measures

#### Extinguishing media

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : None known.

#### Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides  
Metal oxides  
Sulphur oxides

#### Special protective actions for fire-fighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local cir-

**Lamb Vaccine Selenised Formulation**

Version 2.0	Revision Date: 14.04.2025	SDS Number: 11234645-00007	Date of last issue: 28.09.2024 Date of first issue: 14.06.2023
----------------	------------------------------	-------------------------------	---

---

ods

cumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

---

**Section 6: Accidental release measures****Personal precautions, protective equipment and emergency procedures**

Personal precautions

- : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

**Environmental precautions**

Environmental precautions

- : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g. by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

**Methods and materials for containment and cleaning up**

Methods for cleaning up

- : Soak up with inert absorbent material.  
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

**Section 7: Handling and storage****Precautions for safe handling**

Technical measures

- : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation

- : Use only with adequate ventilation.

Advice on safe handling

- : Avoid inhalation of vapour or mist.

- : Do not swallow.

- : Avoid contact with eyes.

- : Avoid prolonged or repeated contact with skin.

- : Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment

- : Take care to prevent spills, waste and minimize release to the

# SAFETY DATA SHEET



## Lamb Vaccine Selenised Formulation

Version 2.0 Revision Date: 14.04.2025 SDS Number: 11234645-00007 Date of last issue: 28.09.2024 Date of first issue: 14.06.2023

---

### Hygiene measures

environment.  
: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

### Conditions for safe storage, including any incompatibilities

Conditions for safe storage : Keep in properly labelled containers.  
Store in accordance with the particular national regulations.  
Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents

---

## Section 8: Exposure controls/personal protection

### Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Aluminium potassium sulfate dodecahydrate	7784-24-9	PEL (long term)	2 mg/m <sup>3</sup> (Aluminium)	SG OEL
Sodium selenate	13410-01-0	PEL (long term)	0.2 mg/m <sup>3</sup> (selenium)	SG OEL
		TWA	20 µg/m <sup>3</sup> (OEB 3)	Internal
		Wipe limit	200 µg/100 cm <sup>2</sup>	Internal
		TWA	0.2 mg/m <sup>3</sup> (selenium)	ACGIH
Thiomersal	54-64-8	PEL (long term)	0.01 mg/m <sup>3</sup> (Mercury)	SG OEL
		PEL (short term)	0.03 mg/m <sup>3</sup> (Mercury)	SG OEL
		TWA	0.01 mg/m <sup>3</sup> (Mercury)	ACGIH
		STEL	0.03 mg/m <sup>3</sup> (Mercury)	ACGIH

#### Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
Thiomersal	54-64-8	Mercury (Mercury)	Urine		25 µg/l	SG BTLV

**Lamb Vaccine Selenised Formulation**Version  
2.0Revision Date:  
14.04.2025SDS Number:  
11234645-00007Date of last issue: 28.09.2024  
Date of first issue: 14.06.2023**Appropriate engineering control measures**

- : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections). All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices). Minimize open handling.

**Individual protection measures, such as personal protective equipment (PPE)**

Eye/face protection	: Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin protection	: Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.
Respiratory protection	: If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Filter type	: Particulates type
Hand protection	
Material	: Chemical-resistant gloves
Remarks	: Consider double gloving.

**Section 9: Physical and chemical properties**

Appearance	: Aqueous solution
Colour	: No data available
Odour	: No data available
Odour Threshold	: No data available
pH	: 6.0 - 7.0
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available

# SAFETY DATA SHEET



## Lamb Vaccine Selenised Formulation

Version 2.0      Revision Date: 14.04.2025      SDS Number: 11234645-00007      Date of last issue: 28.09.2024  
Date of first issue: 14.06.2023

---

Flash point	: No data available
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Flammability (liquids)	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Relative density	: 1.02
Density	: No data available
Solubility(ies)	
Water solubility	: No data available
Partition coefficient: n-octanol/water	: Not applicable
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	
Viscosity, kinematic	: No data available
Explosive properties	: Not explosive
Oxidizing properties	: The substance or mixture is not classified as oxidizing.
Molecular weight	: No data available
Particle characteristics	
Particle size	: Not applicable

---

### Section 10: Stability and reactivity

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Can react with strong oxidizing agents.
Conditions to avoid	: None known.

# SAFETY DATA SHEET



## Lamb Vaccine Selenised Formulation

Version 2.0 Revision Date: 14.04.2025 SDS Number: 11234645-00007 Date of last issue: 28.09.2024 Date of first issue: 14.06.2023

Incompatible materials : Oxidizing agents  
Hazardous decomposition products : No hazardous decomposition products are known.

### Section 11: Toxicological information

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg  
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

#### Components:

##### **Aluminium potassium sulfate dodecahydrate:**

Acute oral toxicity : LD50 (Mouse): > 5,000 mg/kg  
Remarks: Based on data from similar materials

##### **Sodium selenate:**

Acute oral toxicity : LD50 (Rat): > 5 - 50 mg/kg  
Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat): > 0.052 - 0.51 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403

##### **Thiomersal:**

Acute oral toxicity : LD50 (Rat): 75 mg/kg  
Acute toxicity estimate: 10 mg/kg  
Method: Expert judgement  
Remarks: Based on national or regional regulation.

Acute inhalation toxicity : Acute toxicity estimate: 0.1 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Expert judgement  
Remarks: Based on national or regional regulation.

**Lamb Vaccine Selenised Formulation**

Version 2.0      Revision Date: 14.04.2025      SDS Number: 11234645-00007      Date of last issue: 28.09.2024  
Date of first issue: 14.06.2023

---

||| Acute dermal toxicity : Acute toxicity estimate: 10 mg/kg  
Method: Expert judgement  
Remarks: Based on national or regional regulation.

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****Aluminium potassium sulfate dodecahydrate:**

||| Species : Mouse  
Result : No skin irritation  
Remarks : Based on data from similar materials

**Sodium selenate:**

||| Species : reconstructed human epidermis (RhE)  
Method : OECD Test Guideline 431

||| Species : reconstructed human epidermis (RhE)  
Method : OECD Test Guideline 439

||| Result : Skin irritation

**Serious eye damage/eye irritation**

Not classified based on available information.

**Components:****Aluminium potassium sulfate dodecahydrate:**

||| Species : Rabbit  
Result : No eye irritation  
Remarks : Based on data from similar materials

**Sodium selenate:**

||| Species : Bovine cornea  
Method : OECD Test Guideline 437

||| Result : No eye irritation

**Respiratory or skin sensitisation****Skin sensitisation**

Not classified based on available information.

**Respiratory sensitisation**

Not classified based on available information.

**Lamb Vaccine Selenised Formulation**

Version 2.0      Revision Date: 14.04.2025      SDS Number: 11234645-00007      Date of last issue: 28.09.2024  
Date of first issue: 14.06.2023

---

**Components:****Aluminium potassium sulfate dodecahydrate:**

Test Type	:	Draize Test
Exposure routes	:	Skin contact
Species	:	Rabbit
Result	:	negative
Remarks	:	Based on data from similar materials

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****Aluminium potassium sulfate dodecahydrate:**

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
-----------------------	---	--

**Sodium selenate:**

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative Remarks: Based on data from similar materials
-----------------------	---	--

**Thiomersal:**

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
Genotoxicity in vivo	:	Test Type: Mammalian spermatogonial chromosome aberration test (in vivo) Species: Mouse Application Route: Ingestion Result: negative

**Carcinogenicity**

Not classified based on available information.

**Components:****Thiomersal:**

Species	:	Rat
Exposure time	:	1 Years
Result	:	negative

**Reproductive toxicity**

Not classified based on available information.

# SAFETY DATA SHEET



## Lamb Vaccine Selenised Formulation

Version 2.0      Revision Date: 14.04.2025      SDS Number: 11234645-00007      Date of last issue: 28.09.2024  
Date of first issue: 14.06.2023

---

### Components:

#### **Aluminium potassium sulfate dodecahydrate:**

Effects on fertility	: Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Ingestion Method: OECD Test Guideline 416 Result: negative Remarks: Based on data from similar materials
Effects on foetal development	: Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Method: OPPTS 870.3700 Result: negative Remarks: Based on data from similar materials

#### **Sodium selenate:**

Effects on fertility	: Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative Remarks: Based on data from similar materials
Effects on foetal development	: Test Type: Embryo-foetal development Species: Mouse Application Route: Ingestion Result: negative Remarks: Based on data from similar materials

#### **Thiomersal:**

Effects on foetal development	: Species: Rat Application Route: Ingestion Result: positive Remarks: Based on data from similar materials
Reproductive toxicity - Assessment	: Clear evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments

#### **STOT - single exposure**

Not classified based on available information.

#### **STOT - repeated exposure**

Not classified based on available information.

### Components:

#### **Sodium selenate:**

Exposure routes	: Ingestion
Assessment	: Shown to produce significant health effects in animals at concentrations of 10 mg/kg bw or less.

# SAFETY DATA SHEET



## Lamb Vaccine Selenised Formulation

Version 2.0      Revision Date: 14.04.2025      SDS Number: 11234645-00007      Date of last issue: 28.09.2024  
Date of first issue: 14.06.2023

---

### **Thiomersal:**

Target Organs	: Central nervous system, Cardio-vascular system, Gastrointestinal tract, Kidney
Assessment	: Causes damage to organs through prolonged or repeated exposure.

### **Repeated dose toxicity**

#### **Components:**

##### **Aluminium potassium sulfate dodecahydrate:**

Species	: Mouse
NOAEL	: 15,000 mg/kg
Application Route	: Ingestion
Exposure time	: 5 Weeks
Method	: Directive 67/548/EEC, Annex, B.33

##### **Sodium selenate:**

Species	: Rat
NOAEL	: 0.4 mg/kg
Application Route	: Ingestion
Exposure time	: 13 Weeks

##### **Thiomersal:**

Species	: Rat
LOAEL	: >= 0.5 mg/kg
Application Route	: Ingestion
Remarks	: Based on data from similar materials

### **Aspiration toxicity**

Not classified based on available information.

---

## Section 12: Ecological information

### **Toxicity**

#### **Components:**

##### **Aluminium potassium sulfate dodecahydrate:**

Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): > 1,000 - < 10,000 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
------------------	--

### **Ecotoxicology Assessment**

Chronic aquatic toxicity	: No toxicity at the limit of solubility
--------------------------	--

**Lamb Vaccine Selenised Formulation**

Version 2.0      Revision Date: 14.04.2025      SDS Number: 11234645-00007      Date of last issue: 28.09.2024  
Date of first issue: 14.06.2023

---

**Sodium selenate:**

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): > 1 - 10 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l Exposure time: 48 h Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	:	ErC50 (Chlamydomonas reinhardtii (green algae)): 245 µg/l Exposure time: 96 h  NOEC (Chlamydomonas reinhardtii (green algae)): 197 µg/l Exposure time: 96 h
M-Factor (Acute aquatic toxicity)	:	1
Toxicity to fish (Chronic toxicity)	:	NOEC (Lepomis macrochirus (Bluegill sunfish)): > 0.01 - 0.1 mg/l Exposure time: 258 d Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: > 0.1 - 1 mg/l Exposure time: 28 d Remarks: Based on data from similar materials
M-Factor (Chronic aquatic toxicity)	:	1
Toxicity to microorganisms	:	EC10 (activated sludge): 590 mg/l Exposure time: 3 h Method: OECD Test Guideline 209

**Thiomersal:**

Toxicity to fish	:	LC50 (Poecilia reticulata (guppy)): > 0.01 - 0.1 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 0.01 - 0.1 mg/l Exposure time: 48 h Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): > 0.01 - 0.1 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
M-Factor (Acute aquatic toxicity)	:	10
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia sp. (water flea)): > 0.001 - 0.01 mg/l Exposure time: 21 d Remarks: Based on data from similar materials

# SAFETY DATA SHEET



## Lamb Vaccine Selenised Formulation

Version 2.0      Revision Date: 14.04.2025      SDS Number: 11234645-00007      Date of last issue: 28.09.2024  
Date of first issue: 14.06.2023

---

M-Factor (Chronic aquatic toxicity) : 10

### Persistence and degradability

No data available

### Bioaccumulative potential

No data available

### Mobility in soil

No data available

### Other adverse effects

No data available

---

## Section 13: Disposal considerations

### Disposal methods

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.  
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

## Section 14: Transport information

### International Regulations

#### UNRTDG

UN number : Not applicable  
UN proper shipping name : Not applicable  
Transport hazard class(es) : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable  
Environmentally hazardous : no

#### IATA-DGR

UN/ID No. : Not applicable  
UN proper shipping name : Not applicable  
Transport hazard class(es) : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable  
Packing instruction (cargo aircraft) : Not applicable  
Packing instruction (passenger aircraft) : Not applicable

#### IMDG-Code

UN number : Not applicable  
UN proper shipping name : Not applicable  
Transport hazard class(es) : Not applicable

# SAFETY DATA SHEET



## Lamb Vaccine Selenised Formulation

Version 2.0      Revision Date: 14.04.2025      SDS Number: 11234645-00007      Date of last issue: 28.09.2024  
Date of first issue: 14.06.2023

---

Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable  
EmS Code : Not applicable  
Marine pollutant : Not applicable

### Transport in bulk according to IMO instruments

Not applicable for product as supplied.

### Special precautions for user

Not applicable

---

## Section 15: Regulatory information

### Safety, health and environmental regulations specific for the product in question

Workplace Safety and Health Act and Workplace Safety and Health (General Provisions) Regulations: This product is subject to the requirements in the Act/Regulations.

Environmental Protection and Management Act and : Not applicable  
Environmental Protection and Management (Hazardous Substances) Regulations  
Fire Safety (Petroleum and Flammable Materials) : Not applicable  
Regulations

### The components of this product are reported in the following inventories:

AICS : not determined  
DSL : not determined  
IECSC : not determined

---

## Section 16: Other information

Revision Date : 14.04.2025

### Further information

Sources of key data used to : Internal technical data, data from raw material SDSs, OECD compile the Safety Data eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/> Sheet

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : dd.mm.yyyy

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
SG BTLV : Singapore. Biological Threshold Limit Values  
SG OEL : Singapore. Workplace Safety and Health (General Provisions) Regulations - First Schedule Permissible Exposure Limits of Toxic Substances.

# SAFETY DATA SHEET



## Lamb Vaccine Selenised Formulation

---

Version 2.0	Revision Date: 14.04.2025	SDS Number: 11234645-00007	Date of last issue: 28.09.2024 Date of first issue: 14.06.2023
----------------	------------------------------	-------------------------------	---

---

ACGIH / TWA	: 8-hour, time-weighted average
ACGIH / STEL	: Short-term exposure limit
SG OEL / PEL (long term)	: Permissible Exposure Level (PEL) Long Term
SG OEL / PEL (short term)	: Permissible Exposure Level (PEL) Short Term

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

SG / EN